

# Checklist of the Oxypeltidae, Vesperidae, Disteniidae and Cerambycidae, (Coleoptera) of the Western Hemisphere

2013 Edition (updated through 31 December 2012)

Larry G. Bezark and Miguel A. Monné, Compilers

## Introduction

The Cerambycidae, commonly known as longhorned beetles, longicorns, capricorns, round-headed borers, timber beetles, goat beetles (bock-käfer), or sawyer beetles, comprise one of the largest and most varied families of Coleoptera, with body length alone varying from  $\pm 2.5$  mm (*Cyrtinus* sp.) to slightly over 17 cm (*Titanus giganteus*). Distributed world-wide from sea level to montane sites as high as 4,200 m elevation wherever their host plants are found, cerambycids have long been a favorite with collectors. Taxonomic interest in the family has been fairly consistent for the past century, but the description of new taxa has accelerated in recent decades thanks to the efforts of Chemsak, Linsley, Giesbert, Martins, Monné, Galileo, Napp, and other workers. This checklist builds upon the efforts of Blackwelder (1946), Chemsak & Linsley (1982), Chemsak, Linsley & Noguera (1992), and Monné & Giesbert (1994), and presently includes nearly 9,000 described species and subspecies, covering the terrestrial hemisphere from Canada and Alaska to Argentina and Chile, and including the Caribbean arc.

Adult Cerambycidae, upon which most taxonomic studies in the family have been based, vary widely in their habits. Some species are nocturnal, many are attracted to artificial light, and they also may be found at night on the trunks and branches of their host plants, or on foliage. Diurnal species also may be found on or near their host plants, but many species are attracted to blossoms of shrubs and trees, where they may serve as pollinators. Most adult Cerambycidae are capable of strong flight, but there are a number of flightless genera and species. Adult feeding requirements are variable, with some species taking nourishment from sap, leaves, blossoms, fruit, bark, and fungi, often not associated with a larval host, while others take little or no nourishment beyond water. The well-developed antennae which are one of the defining characteristics of the family serve as primary olfactory organs, and are remarkably sensitive in locating suitable host plants for oviposition, often at great distances. Male cerambycid antennae usually are longer than those of the females, and may be used to find reproductive partners by tracking the pheromones produced by the females.

Chemical communication plays an important role in mate location and recognition in many cerambycid species. Short-range mate recognition is mediated by contact pheromones in most species studied to date. Males recognize conspecific females by contacting them with their antennae and the selective advantage to males conferred by antennae of increased length is a possible reason for the long "horns" of many cerambycid species.

There appears to be variation in whether cerambycids use volatile pheromones or not, as well as variation in which sex produces the pheromone. For example, there is evidence that females of many prionine species produce pheromones from eversible glands on the ovipositor. Females of the anoplodermatine, *Migdolus fryanus* Westwood, produce a volatile pheromone from glands on the prothorax. Volatile pheromones are produced by males of

several species in the subfamily Aseminae, although the site of pheromone release remains unknown. Males of many cerambycine species produce pheromones from glands associated with pits in the surface of prothorax. These pits account for the sexually dimorphic punctation of many cerambycines and may provide a convenient morphological indication that a species uses a volatile pheromone. To date, there is little or no evidence of communication by volatile pheromones in species of the subfamilies Disteniinae, Lamiinae, Lepturinae, Parandrinae, or Spondylidinae.

Methods used to collect adult Cerambycidae include: sweeping or beating branches and foliage; attracting them to UV and MV lights, and to various types of chemical baits; and hand-picking specimens from host plants or from blossoms. More recently, fumigation ("fogging") methods have been employed to survey canopy insect faunas, often yielding astounding numbers of longhorned beetles. Passive traps such as malaise, flight intercept, and even pitfalls also may be used, and are particularly effective over longer periods of time. Rearing adults from infested wood can be productive of series of both sexes of otherwise rarely encountered species.

Larval Cerambycidae also display a variety of habits. Most species feed within dead, dying or even decaying wood, but some taxa are able to utilize living plant tissue. Girdlers (adults of the *Onciderini*, larvae of genera in the tribes *Methiini*, *Hesperophanini* and *Elaphidiini*) sever living branches or twigs, with the larvae developing within the nutrient-rich distal portion. The larvae of a few species move freely through the soil, feeding externally upon roots or tunneling up under the root crown. Digestion of cellulose appears to be aided primarily by the presence of enzymes rather than symbiotic microorganisms. In many cases, Cerambycidae are primary borers in woody plants, providing a vital "first step" in the biological recycling of these materials. Larval feeding habits typically result in frass-filled galleries or tunnels under the bark or within the sapwood of the host plant, terminating in a pupal chamber, wherein the metamorphosis from last-instar larva to pupa to adult takes place. The life spans of most species in temperate regions typically range from one to three years, but many variations exist, and cycles of from two or three months to several decades have been documented. Tropical species may be less constrained seasonally, and some populations of smaller genera literally may breed continuously, with all stages being found on and in the same pieces of wood. Most of the overall lifetime is spent in the larval stage, with adult beetles usually emerging, dispersing, reproducing, and dying within a span of but a few days to a few months.

Several species of cerambycid beetles are known to damage living trees, and may seriously affect orchards and ornamental trees; others may damage coniferous or hardwood lumber, and a few taxa can damage row crops. The majority of species, however occur within uncultivated or forested habitats, and while they are of great ecological importance within these natural ecosystems, they are of little human economic significance. Because of their close evolutionary linkage to their host plants, cerambycid beetles may be valuable bio-indicators of forest health and diversity, with differing suites of species found within primary forest habitats than those which occur within disturbed areas or secondary growth.

## Checklist order

The checklist is now organized according to Bouchard et. al. (2011), and begins with the families Oxypeltidae, Vesperidae, and Disteniidae in addition to the traditional Cerambycidae. Subfamilies are also arranged according to Bouchard et. al (2011), for Cerambycidae in order – Parandrinae, Prioninae, Lepturinae, Spondylidinae, Necydalinae, Cerambycinae and Lamiinae. Tribal classifications within the subfamilies have not been evaluated phylogenetically, so their ordering is alphabetical. It is acknowledged that this results in the artificial separation of similar-appearing (and undoubtedly closely related) taxa (i.e., Anaglyptini – Clytini – Tillomorphini; Acanthocinini – Colobothriini; Bothriospilini – Torneutini), and the breakup of the lamiine tribes with bifid tarsal claws. However, the functional value of a checklist is as an organizing reference tool, and for that reason-- and until such time as a tribal phylogeny has been determined-- the ordering is arranged for ease of use. Genera and species also are listed alphabetically. Citation of author, year and page number follows each taxon name, with synonymies cited in italics. Geographical distributions listed reflect the present knowledge of the authors and previous published data, and are subject to expansion as new information is contributed. An effort has been made to verify all contributed records, but the possibility exists that some erroneous identifications have led to incorrect distributional parameters for some species. These are corrected as we become aware of them. State or other provincial citations have been used where known for some larger countries to more accurately indicate known ranges. For more complete references by species, the authors refer the reader to Monné, 1993, et seq., Catalogue of the Cerambycidae of the Western Hemisphere (Parts 1 - 22), and Monné, 2005-6 (Part I, II, and III). A bibliography of systematic and distributional references is provided at the end of the checklist, as well as an index to the families, subfamilies, tribes and genera.

## Geographical abbreviations used in the list:

### Argentina

BA = Buenos Aires; CA = Catamarca; CD = Córdoba; CH = Chaco; CO = Corrientes; CT = Chubut; ER = Entre Ríos; FO = Formosa; JU = Jujuy; LP = La Pampa; LR = La Rioja; ME = Mendoza; MI = Misiones; NE = Neuquén; RN = Río Negro; SA = Salta; SC = Santa Cruz; SE = Santiago del Estero; SF = Santa Fe; SJ = San Juan; SL = San Luis; TU = Tucumán.

### Bolivia

BN = Beni; CO = Cochabamba; CQ = Chuquisaca; LP = La Paz; OR = Oruro; PN = Pando; PT = Potosí; SC = Santa Cruz; TR = Tarija.

### Brazil (Brasil)

AC = Acre; AL = Alagoas; AM = Amazonas; AP = Amapá; BA = Bahia; CE = Ceará; DF = District Federal; ES = Espírito Santo; GO = Goiás; MA = Maranhão; MG = Minas Gerais; MS=Mato Grosso do Sul; MT = Mato Grosso; PA = Pará; PB = Paraíba; PE = Pernambuco; PI = Piauí; PR = Paraná; RJ = Rio de Janeiro; RN = Rio Grande do Norte; RO = Rondônia; RR = Roraima; RS = Rio Grande do Sul; SC = Santa Catarina; SE = Sergipe; SP = São Paulo; TO = Tocantins.

### Costa Rica

AL = Alajuela; CA = Cartago; CI = Cocos Island; GU = Guanacaste; HE = Heredia; LI = Limón; PA = Puntarenas; SJ = San José.

**Ecuador**

eEcuador = the Amazonian provinces, principally Napo, Orellana, Pastaza and Sucumbios, east of the Andes; wEcuador = the coastal slope of the Andes below  $\pm 2,000\text{m}$ . Species which exhibit trans-Andean or interior Andean distributions (including Loja Province), either occurring on both slopes, or generally distributed within the central plateau above about  $\pm 2,000\text{m}$ , are given no geographical annotation beyond the country name.

**Mexico**

AG = Aguascalientes; BC = Baja California; BCN = Baja California Norte; BCS = Baja California Sur; CA = Campeche; CHA = Chihuahua; CHS = Chiapas; CM = Colima; CO = Coahuila; DF = Distrito Federal; DU = Durango; GR = Guerrero; GU = Guanajuato; HI = Hidalgo; JA = Jalisco; ME = México; MI = Michoacán; MO = Morelos; NA = Nayarit; NL = Nuevo León; OA = Oaxaca; PU = Puebla; QE = Querétaro; QR = Quintana Roo; SI = Sinaloa; SO = Sonora; SLP = San Luis Potosí; TA = Tamaulipas; TB = Tabasco; TL = Tlaxcala; VC = Vera Cruz; YU = Yucatán; ZA = Zacatecas.

**United States**

AL = Alabama; AR = Arkansas; AZ = Arizona; CA = California; CN = Connecticut; CO = Colorado; DE = Delaware; FL = Florida; GA = Georgia; IA = Iowa; ID = Idaho; IL = Illinois; IN = Indiana; KS = Kansas; KY = Kentucky; LA = Louisiana; MA = Massachusetts; MD = Maryland; ME = Maine; MI = Michigan; MN = Minnesota; MO = Missouri; MS = Mississippi; MT = Montana; NE = Nebraska; NC = North Carolina; ND = North Dakota; NH = New Hampshire; NJ = New Jersey; NM = New Mexico; NV = Nevada; NY = New York; OH = Ohio; OK = Oklahoma; OR = Oregon; PA = Pennsylvania; RI = Rhode Island; SC = South Carolina; SD = South Dakota; TN = Tennessee; TX = Texas; UT = Utah; VA = Virginia; VT = Vermont; WA = Washington; WI = Wisconsin; WV = West Virginia; WY = Wyoming.

In addition, **Hispaniola** is used when both Haiti and Republica Dominicana (R Dominicana) are cited.

**Please note:** This checklist is updated annually, and corrections, emendations and new citations are welcomed. Please forward all such information, pdf files and other documents to [LarryBezark@netscape.com](mailto:LarryBezark@netscape.com).

While the checklist is updated annually, taxonomic changes are incorporated regularly on the author's website: [http://plant.cdfa.ca.gov/byciddb/default\\_wImage.asp](http://plant.cdfa.ca.gov/byciddb/default_wImage.asp)

## FAMILY OXYPELTIDAE

Lacordaire, 1868:461

**Cheloderus** Gray in Griffith, 1832:784

**childreni** Gray in Griffith, 1832:784

**penai** Kuschel, 1955:252

wcArgentina (NE), Chile

Chile, wcArgentina (NE)

**Oxypeltus** Blanchard in Gay, 1851:459

**quadrispinosus** Blanchard in Gay, 1851:460

wArgentina (NE, CT), Chile

## FAMILY VESPERIDAE

Mulsant, 1839:214

### Subfamily Anoplodermatinae Guérin-Méneville, 1840:276

#### Anoplodermatini

Guérin-Méneville, 1840:276

**Acanthomigdolus** Bruch, 1941:165

**quadricollis** (Bates, 1875:47)

c Argentina (LR, ME, BA, SJ)

**Anoploderma** Guérin-Méneville, 1840:276

**bicolor** Guérin-Méneville, 1840:277

*spondyliode* Fairmaire, 1893:610

**breueri** Lameere, 1912:118

*martinezi* Prosen, 1960:91

**peruvianum** Dias, 1986:121

Peru, Bolivia

scBrasil (MT), Bolivia (SC), nArgentina (SA,  
FO, CD, JU, SE)

Peru

**Cherrocrius** Berg, 1898:31

**bruchi** Berg, 1898:32

sc Argentina (RN, NE)

**Migdolus** Westwood, 1863:120

*Paulistanus* Gounelle, 1899:6

**brachypterus** Lane, 1972:83

**clypeatus** Dias, 1984:529

**cuyabanus** Lane, 1937:195

**exul** (Lameere, 1915:285)

**fryanus** Westwood, 1863:120

*bouvieri* Gounelle, 1899:6

*morretesi* ; Fonseca, 1958:30 (not Lane, 1937)

*fonsecai* Lane, 1972:81

**goyanus** Dias, 1984:528

**morretesi** Lane, 1937:192

**punctatus** Lane, 1937:189

**spitzi** Lane, 1937:185

**thulanus** (Lameere, 1902:201)

sBrasil (PN)

sw Brasil (MT)

sw Brasil (MT)

w Brasil (RO)

sBrasil (SP-SC), neArgentina (MI),

Paraguay

cBrasil (GO)

sBrasil (SP)

sBrasil (SP)

scBrasil (MS)

cBrasil (GO, MT)

**Paramigdolus** Dias, 1986:117

**tetropioides** (Fairmaire, 1893:611)

var. *carbonaria* Bruch, 1941:169

nArgentina (LR, CA, SA, SE, CD, MI)

**Sypilus** Guérin-Méneville, 1840:277

**boeroi** Prosen, 1960:95

**ferrugineus** Gounelle, 1913:194

*gounellei* Lameere, 1915:62

wcArgentina (NE)

nArgentina (SE, ME, CD, BA)

**orbignyi** Guérin-Méneville, 1840:277  
*venturae* Dohrn, 1882:465

nArgentina (SE-BA)

### **Hypocephalini** Blanchard, 1845:135

**Hypocephalus** Desmarest, 1832: pl.24

*Mesoclastus* Gistel, 1837:54

**armatus** Desmarest, 1832: pl.24  
*paradoxus* Gistel, 1837:54

seBrasil (BA, MT)

### **Mysteriini** Prosen, 1960:90

**Mysteria** Thomson, 1861:278

*Prionidium* Burmeister, 1865:159

**cylindripennis** Thomson, 1861:279  
*molle* Burmeister, 1865:160  
*schroederi* Lameere, 1902:211

sBrasil (RS), Argentina (BA), Uruguay

**darwini** (Lameere, 1902:210)  
**lacordairei** (Lameere, 1902:212)

sBrasil (SC)  
 Paraguay, Argentina (ME, SF, ER), Uruguay

*cylindripennis*; Lacordaire, 1876: pl.81, fig.2 (not Thomson, 1861)

**minuta** Dias, 1988:144  
**seabrai** Dias, 1988:144

Paraguay, neArgentina (MI)  
 nArgentina (JU, SE, CH, SF)

**Pathocerus** Waterhouse, 1901:522

*Anoploclerum* (*Eumysteria*) Bruch, 1908:199

**wagneri** Waterhouse, 1901:523  
*flabellifera* Bruch, 1908:199

Bolivia (SC), nArgentina (JU-BA)

**Pseudopathocerus** Dias, 1988:157

**humboldti** (Lameere, 1912:120)

scBrasil (MS), Paraguay, neArgentina (MI)

## **FAMILY DISTENIIDAE**

Thomson, 1861:181

### **Disteniini** Thomson, 1861:181

**Abauba** Santos-Silva & Tavakilian, 2009:17

**ericae** (Martins & Galileo, 1994:80)  
**flavipes** (Villiers, 1958:48)  
**iani** Santos-Silva & Tavakilian 2009:23  
**napoensis** Santos-Silva & Tavakilian 2009:21  
**mediorufovittata** Santos-Silva & Tavakilian 2009:20

ncBrasil (MA, TO)  
 Peru  
 eEcuador  
 eEcuador  
 Bolivia (SC), Brasil (RO)

**America** Santos-Silva & Tavakilian, 2009:29

**aberlenci** Santos-Silva & Tavakilian 2009:38  
**amabilis** (Martins & Galileo, 2001:16)  
**amethystina** (Villiers, 1957:409)  
**berkovi** Santos-Silva & Tavakilian 2009:40  
**biplagiata** (Villiers, 1958:52)  
**bicolora** (Fisher, 1946:332)  
**columbiana** (Villiers, 1958:50)  
**cuneata** (Villiers, 1958:49)  
**festiva** (Bates, 1885:276)

Fr Guiana  
 Costa Rica  
 Peru  
 Fr Guiana, Brasil (AM)  
 Colombia  
 Panama, Colombia, Venezuela  
 Colombia  
 Colombia  
 Costa Rica, Panama

<b>flavipennis</b> (Buquet, 1851:189)	Colombia, eEcuador
<b>flavoviridis</b> (Villiers, 1958:48)	Colombia
<b>hermieri</b> Santos-Silva & Tavakilian 2009:45	Fr Guiana
<b>hilaris</b> (Bates, 1885:276)	Costa Rica, Panama
<b>hovorei</b> (Santos-Silva, 2007:95)	Peru
<b>laetifica</b> (Bates, 1870:441)	nwBrasil (AM, RO), Ecuador
<b>larrei</b> Santos-Silva & Tavakilian 2009:43	Fr Guiana
<b>lingafelteri</b> (Hovore & Santos-Silva, 2007:79)	Panama
<b>marcelae</b> (Hovore & Santos-Silva, 2007:79)	Colombia
<b>mariahelenae</b> (Hovore & Santos-Silva, 2007:80)	Brasil (RO)
<b>morrisi</b> (Hovore & Santos-Silva, 2007:82)	Costa Rica (LI, PA)
<b>peruviana</b> (Villiers, 1958:46)	Peru
<b>pulcherrima</b> (Bates, 1872:196)	Nicaragua-Panama
<b>quadrimaculata</b> (Villiers, 1958:53)	Ecuador
<b>solangeae</b> (Hovore & Santos-Silva, 2007:89)	Bolivia (BN), Brasil (AC, AM)
<b>solisi</b> (Hovore & Santos-Silva, 2007:92)	Costa Rica (AL, CA)
<b>spinipennis</b> (Villiers, 1958:47)	Ecuador
<b>thomasi</b> (Hovore & Santos-Silva, 2007:93)	Peru
<b>thouvenoti</b> Santos-Silva & Tavakilian, 2009:39	Fr Guiana
<b>tumidicollis</b> (Villiers, 1958:46)	Colombia
<b>wappesi</b> Santos-Silva & Tavakilian, 2009:34	Brasil (RO)
<b>Arietocometes</b> Santos-Silva & Tavakilian, 2009:28	
<b>apicalis</b> (Waterhouse, 1880:296)	Colombia
<b>giesberti</b> (Hovore & Santos-Silva, 2007:76)	Panama
<b>nearnsi</b> (Hovore & Santos-Silva, 2007:85)	Costa Rica (CA)
<b>rileyi</b> (Hovore & Santos-Silva, 2007:88)	Mexico (VC)
<b>violaceicollis</b> (Villiers, 1958:51)	eEcuador
<b>wappesi</b> (Santos-Silva & Martins, 2004:150)	Panama
<b>Cometes</b> Lepeletier & Audinet-Serville in Latreille, 1828:486	
<b>carinatus</b> Villiers, 1957:408	Brasil (ES)
<b>hirticornis</b> Lepeletier & Audinet-Serville in Latreille, 1828:486	eBrasil, Paraguay, Argentina
<b>mediovittipennis</b> Santos-Silva & Tavakilian, 2009:9	Brasil (ES)
<b>melzeri</b> Santos-Silva & Martins, 2004:148	sBrasil (MG, SP, RJ, SC)
<b>monnei</b> Hovore & Santos-Silva, 2007:81	Brasil (DF, MG)
<b>zikani</b> Melzer, 1926:6	eBrasil (MG, RJ)
<b>Cupecuara</b> Santos-Silva & Tavakilian, 2009:15	
<b>argodi</b> (Belon 1896:128)	Bolivia, Peru
<b>pojuca</b> (Martins & Galileo, 2001:17)	Brasil (AP, PA, RO)
<b>soledari</b> (Martins & Galileo, 2001:16)	Bolivia (SC)
<b>turnbowi</b> (Hovore & Santos-Silva, 2007:94)	Panama
<b>Distenia (Basisvallis)</b> Santos-Silva & Hovore, 2007:23	
<b>agroides</b> Bates, 1870:439	ncBrasil (GO, MG, PA, RO)
<i>pullula</i> Gounelle 1911:246	
<b>carinata</b> Villiers, 1959:60	Brasil (MG), Ecuador, Peru
<b>chaparensis</b> Tippmann, 1953:216	Bolivia (SC), Brasil (MG)
<b>cyaneipennis</b> Villiers, 1959:67	Fr Guiana, Brasil (AM)
<b>fastuosa</b> Pascoe, 1871:274	Guatemala-Colombia
<b>fossulata</b> Villiers, 1959:75	ncBrasil (PA)
<b>granulipes</b> Villiers, 1959:71	Panama, nwBrasil (AM)
<b>phaeocera</b> Bates, 1880:35	Mexico, Costa Rica, El Salvador, Guatemala,
<i>rufipes</i> ; Bates, 1872:196 (not Bates, 1870)	Belize, Nicaragua, Costa Rica, Honduras
<b>rufipes</b> Bates, 1870:440	Costa Rica, Panama, Colombia
<b>rugiscapis</b> Bates, 1885:272	Mexico, Guatemala, Honduras, Costa Rica, Panama
<b>sallaei</b> Bates, 1885:273	Mexico

**spinipennis** Fisher, 1946:330  
**striaticollis** Villiers, 1959:70  
**turnbowi** Santos-Silva, 2007:12

Honduras, Costa Rica  
 cBrasil (MT)  
 Brasil (AM)

### **Distenia (Distenia)** Lepeletier & Audinet-Serville in Latreille, 1828:485

*Antioe* Thomson, 1864:224  
*Thelxiope* Thomson, 1864:226  
*Apheles* Blessig, 1872:165  
*Sakuntala* Lameere, 1890:213

**angustata** Bates, 1870:440  
**annulicornis** Villiers, 1959:75  
**caerulescens** Gounelle, 1911:248  
**charynae** Santos-Silva & Hovore, 2007:24  
**cinctipennis** Gounelle, 1911:247  
**columbina** Lepeletier & Audinet-Serville in Latreille, 1828:485  
**esmeralda** Villiers, 1959:67  
**forcipata** Villiers, 1959:76  
**fryi** Villiers, 1959:61  
**langurioides** Bates, 1885:275  
**limbata** Bates, 1885:273  
**macella** Villiers, 1959:64  
**marcelae** Santos-Silva & Hovore, 2007:19  
**mermudesi** Santos-Silva & Hovore, 2007:16  
**peninsularis** Santos-Silva & Hovore, 2008:14  
**pilosa** Villiers, 1959:64  
**solangeae** Santos-Silva & Hovore, 2007:21  
**splendens** Bates, 1870:439  
**suturalis** Bates, 1870:440  
*lateralis* Fisher, 1946:329  
**tavakiliani** Santos-Silva & Hovore, 2007:22  
**viridicyanea** (Thomson, 1864:226)  
*atrocyanea* Villiers, 1959:66  
*bahiaensis* Villiers, 1959:68

Fr Guiana, cBrasil (AM, GO), Bolivia (SC), Surinam  
 Colombia  
 cBrasil (GO, MT)  
 Brasil (RO), Bolivia (SC)  
 cBrasil (GO), Bolivia, Ecuador  
 seBrasil (PA, SC, SP), nArgentina (MI)  
 Guyana, Brasil (AM)  
 eBrasil (BA)  
 Fr Guiana  
 eMexico (VC)  
 Mexico, Guatemala, Costa Rica, Panama  
 eBrasil (BA)  
 Brasil (AM, PA), French Guiana  
 Brasil (MG, PA), Bolivia (BE, SC)  
 Costa Rica  
 seBrasil (RJ, SC, SP)  
 Brasil (MG)  
 nwBrasil (AM)  
 nwBrasil (AM), Bolivia (SC), Ecuador, Peru,  
 Fr Guiana  
 Colombia  
 Brasil, French Guiana

### **Disteniazteca** Santos-Silva & Hovore, 2007:23

**fimbriata** (Lacordaire, 1869:228)  
*fimbria*; Villiers, 1959:57  
**pilati** (Chevrolat, 1857:104)  
*pilatei*; Thomson, 1861:182

Mexico, Guatemala  
 Mexico - Colombia

### **Elytrimitatrix (Elytrimitatrix)** Santos-Silva & Hovore, 2007:24

**undata** (Fabricius, 1775:181)  
*undulatus* Gmelin, 1790:1860  
*plebejus* Fabricius, 1798:147

eUSA

### **Elytrimitatrix (Grossifemora)** Santos-Silva & Hovore, 2007:25

**batesi** (Villiers, 1959:65)  
**bispinosa** Santos-Silva & Hovore, 2008:2  
**brevicornis** (Bates, 1885:274)  
**castanea** Santos-Silva & Hovore, 2008:10  
**castanea** Santos-Silva & Hovore, 2008:10  
**chrysostigma** (Bates, 1872:196)  
*emarginata* Fisher, 1946:331  
**cinnamea** Santos-Silva & Hovore, 2008:5  
**clavata** Santos-Silva & Hovore, 2008:5  
**fuscata** (Bates, 1885:273)  
**geniculata** (Bates, 1872:195)  
**giesberti** Santos-Silva & Hovore, 2008:12

Panama  
 Mexico (QE)  
 Mexico  
 Panama  
 Panama  
 Nicaragua, Costa Rica  
 Costa Rica  
 Mexico (VC)  
 eMexico (VC)  
 Mexico (CH, OA, QR, VC) – Panama  
 Mexico (GR)



<b>guatemalana</b> Santos-Silva & Hovore, 2008:13	Guatemala
<b>guisayotea</b> Santos-Silva & Hovore, 2008:19	Honduras
<b>hefferni</b> Santos-Silva & Hovore, 2008:4	Mexico (SO)
<b>hoegei</b> (Bates, 1885:271)	Mexico (CH, GR, JA, NA, OA, QE, SI, VC, YU), Nicaragua, El Salvador
<b>hondurensis</b> Santos-Silva & Hovore, 2008:7	Honduras
<b>incognita</b> Santos-Silva & Hovore, 2008:13	Mexico (OA)
<b>irregularis</b> (Linsley, 1935:70)	Mexico
<b>lineatopora</b> (Bates, 1880:35)	Guatemala, Honduras
<b>linsleyi</b> Santos-Silva & Hovore, 2008:6	Mexico (GR)
<b>mexicana</b> Santos-Silva & Hovore, 2008:17	Mexico (OA)
<b>michellii</b> Santos-Silva & Hovore, 2008:10	Mexico (OA)
<b>nearnsi</b> Santos-Silva & Hovore, 2008:23	Mexico (VC)
<b>nigrella</b> (Bates, 1880:36)	Mexico (CH), Guatemala
<b>pictipes</b> (Bates, 1885:275)	Guatemala, Honduras
<b>pseudosimplex</b> Santos-Silva & Hovore, 2008:11	Belize
<b>pseudovittata</b> Santos-Silva & Hovore, 2008:16	Guatemala
<b>pubescens</b> Santos-Silva & Hovore, 2008:12	Mexico (HI)
<b>punctiventris</b> (Bates, 1885:274)	Panama
<b>sauria</b> Santos-Silva & Hovore, 2008:19	Mexico (HI)
<b>setosa</b> Santos-Silva & Hovore 2008b:17	Honduras
<b>sharonae</b> Santos-Silva & Hovore, 2008:16	Guatemala
<b>simplex</b> (Bates, 1885:274)	Panama, Costa Rica, Guatemala
<b>spinifemora</b> Santos-Silva & Hovore ,2008:7	Guatemala
<b>trifasciata</b> (Bates, 1892:157)	Mexico (CH, JA, OA, QR, VC, YU), Honduras, Costa Rica, Guatemala
<b>violacea</b> Santos-Silva & Hovore, 2008:4	Panama
<b>vittata</b> (Bates, 1880:36)	Guatemala
<b>Hovorestenia</b> Santos-Silva, 2007:14	
<b>humeralis</b> (Waterhouse, 1880: 295)	Ecuador
<b>thalassina</b> Santos-Silva & Hovore, 2008:2	Ecuador
<b>Novantinoe</b> Santos-Silva & Hovore, 2007:19	
<b>agriloides</b> (Bates, 1885:272)	Mexico (VC), Guatemala, Honduras
<b>bicolora</b> (Thomson, 1864:226)	Guianas, Colombia
<b>chemsaki</b> Santos-Silva & Hovore, 2007:588	Colombia
<b>cotopaxiana</b> Santos-Silva & Hovore, 2007:594	Ecuador
<b>cribristernis</b> (Bates, 1885:272)	Costa Rica, Panama
<b>cristinae</b> Santos-Silva & Hovore, 2007:598	Guatemala
<b>darlingtoni</b> (Fisher, 1942:3)	R Dominicana, Puerto Rico
<b>decora</b> Bezark & Santos-Silva, 2012: 413	Panama
<b>denticornis</b> (Bates, 1870:439)	nwBrasil (AM, PA)
<b>equatoriensis</b> (Villiers, 1959:74)	Ecuador
<b>fulvopicta</b> (Bates, 1885:271)	Guatemala
<b>germaini</b> (Villiers, 1959:73)	Bolivia
<b>guyanensis</b> (Villiers, 1959:68)	Fr Guiana, Brasil (AM)
<b>hefferni</b> Santos-Silva & Hovore, 2007:592	Mexico (OA)
<b>hovorei</b> Santos-Silva , 2007:593	Costa Rica
<b>iani</b> Santos-Silva & Hovore, 2007:601	Peru, Ecuador
<b>jolyi</b> Santos-Silva & Hovore, 2007:587	Venezuela
<b>lezamai</b> Santos-Silva & Hovore, 2007:599	Ecuador
<b>lingafelteri</b> Santos-Silva & Hovore, 2007:583	Panama
<b>mariahelenae</b> Santos-Silva & Hovore, 2007:593	Ecuador
<b>mathani</b> (Villiers, 1959:69)	Colombia
<b>monnei</b> Santos-Silva & Hovore, 2007:582	Colombia
<b>morrissi</b> Santos-Silva & Hovore, 2007:586	Mexico (HI, PU)
<b>pegnai</b> (Hudepohl, 1989:357)	Bolivia
<b>peruviensis</b> (Villiers, 1959:70)	Peru, Brasil (AM), Ecuador, Colombia

- puertoricensis** (Lingafelter & Micheli, 2004:46)  
**rileyi** Santos-Silva & Hovore, 2007:591  
**rufa** (Villiers, 1959:65)  
**solisi** Santos-Silva & Hovore, 2007:585  
**spinosa** (Bates, 1885:273)  
*striatiscapis* (Villiers, 1959:74)  
**thomasi** Santos-Silva & Hovore, 2007:584  
**tumidicollis** (Villiers, 1959:72)  
**unidentata** (Villiers, 1959:63)  
**wappesi** Santos-Silva & Hovore, 2007:581
- Puerto Rico  
Ecuador  
Venezuela  
Costa Rica (HE)  
Costa Rica, Panama, Colombia
- Guatemala**  
**Peru**  
**Ecuador**  
**Panama**
- Myopsocometes** Santos-Silva & Tavakilian, 2009:10  
**humeralis** (Villiers, 1957:410)  
**pseudohumeralis** Santos-Silva & Tavakilian, 2009:14
- eBrasil (BA, MG)  
Brasil (MG)
- Oculipetilus** Santos-Silva & Hovore, 2007:16  
**brunneorufus** (Thomson, 1861:182)  
**pulcher (Melzer)** 1926:5  
*mirabilis* Villiers, 1959:62
- seBrasil (RJ-RS)  
eBrasil (MG, RJ)
- Paracometes** Villiers, 1957:412  
**acutipennis** (Buquet, 1851:191)  
**birai** (Hovore & Santos-Silva, 2007:122)  
**eximius** (Bates, 1885:275)  
**mathani** Villiers, 1958:51  
**micans** Santos-Silva & Tavakilian, 2009:27  
**venustus** (Bates, 1885:276)
- Fr Guiana  
Costa Rica (PA)  
Costa Rica, Panama  
Colombia  
Panama  
Costa Rica, Panama
- Villiersicometes** Santos-Silva, 2003:480  
*Microcometes* Villiers, 1957:410  
**absalom** Tavakilian & Santos-Silva, 2012: 1  
**bijubatus** (Gounelle, 1911:251)  
**lineatus** (Villiers, 1957:412)  
**wagneri** (Gounelle, 1911:250)
- Fr Guiana  
neBrasil (PE)  
eBrasil (BA, ES)  
seBrasil, nArgentina (MI)
- Dynamostini** Lacordaire, 1869:196
- Aiurasyma** Martins & Galileo, 2001:18  
**potira** Martins & Galileo, 2001:20
- Colombia
- Heteropalpini** Villiers, 1980:33
- Heteropalpus** Buquet, 1843: pl. 118  
**pretiosus** Buquet, 1843: pl. 118  
*smaragdinus* Villiers, 1958:40
- Fr Guiana, nwBrasil (AM), Guyana
- Pseudocometes** Villiers, 1957:413  
**argutulus** (Buquet, 1851:190)  
*scapularis* (Bates, 1870:441)  
*bicoloripes* Villiers, 1958:38  
*coeruleus* (Bates, 1870:442)  
**basalis** Villiers, 1958:38
- Fr Guiana, Brasil (PA, AM, MT)  
Colombia

# FAMILY CERAMBYCIDAE

Latreille, 1802:211

## Subfamily Parandrinae Blanchard, 1845:134

*Prionides aberrantes* Bates, 1869:38

### Erichsoniini Thomson, 1861:140, 274

#### **Erichsonia** Westwood, 1849:210

**dentifrons** Westwood, 1849:211

Mexico (PU, VC), Guatemala, Honduras, El Salvador

### Parandrini Blanchard, 1845:134

#### **Acutandra** Santos-Silva, 2002:49

**araucana** (Bosq, 1951:191)

Chile, wArgentina (NE, LP)

**degeerii** (Thomson, 1867:111)

Mexico?, Panama-c SAmer

**murrayi** (Lameere, 1912:115)

sBrasil (MT, RJ, SP, SC, MG-RS)

*scrobiculata* Zikán, 1948:28

**punctatissima** (Thomson, 1861:84)

Fr Guiana, Brasil (AM)

**ubitiara** (Santos-Silva & Martins, 2000:167)

Colombia

#### **Neandra** Lameere, 1912:114

**brunnea** (Fabricius, 1798:49)

e, c USA, seCanada

*purpureus* Herbst, 1799:21

*sayi* Thomson, 1867:114

*quadricollis* Thomson, 1867:114

*conformis* Thomson, 1867:115

*dentata* Thomson, 1867:115

*minuta* Thomson, 1867:116

*ampleiceps* Casey, 1912:216

*gravidula* Casey, 1912:216

*brunnea coloradensis* Linsley, 1957:2

*brunnea quebecensis* Abdullah, 1968:75

**marginicollis** (Schaeffer, 1929:40)

swUSA (CA,AZ)

*brunnea*; Fall, 1901:142 (not Fabricius, 1798)

*punctillata* Schaeffer, 1929:40

#### **Birandra (Birandra)** Santos-Silva, 2002:47

**boucheri** Santos-Silva & Lezama, 2010:403

Costa Rica (AL, GU, HE, PA), Panama

**lucanoides** (Thomson 1861:85)

Colombia, Venezuela

*colombica*; Vivas Berthier, 1942:37 (not White, 1853)

**mariahelenae** (Santos-Silva, 2002:48)

Jamaica

**punctata** (White, 1853:2)

Panama, wEcuador, nSAmer

*luciana* Thomson, 1861:86

*fabricii* Thomson, 1867:117

**silvaini** (Tavakilian, 2000:150)

Brasil, Colombia, Fr Guiana, Perú,  
Trinidad & Tobago

#### **Birandra (Yvesandra)** Monné, 2006:16

**antioquensis** (Cardona-Duque, Santos-Silva & Wolff, 2007:40)

Colombia

**angulicollis** (Bates, 1879:2)

Mexico-Panama

*punctata*; Bates, 1872:166 (not White, 1853)

**cribrata** (Thomson, 1861:87)

Cuba

**cubaecola** (Chevrolat, 1862:275)

Cuba

**lata** (Bates, 1884:226)

eMexico (VC)

**latreillei** Santos-Silva & Shute, 2009:24

Cuba, Hispaniola, Jamaica

*laevis* Schönherr, 1817 (not Latreille, 1804)

- laevis* sensu auctorum (Monné 2006, part)  
**pinchoni** (Villiers, 1979:182)  
**tavakiliani** (Santos-Silva, 2002:33)  
 Martinique, Dominica  
 Puerto Rico
- Parandra (Hesperandra)** Arigony, 1977:163  
**conspicua** Tippmann, 1960:89  
**expectata** Lameere, 1902:69  
*montana* Zikán, 1948:27  
**imitatrix** (Santos-Silva, 2005: 231)  
**tucumana** Zikán, 1948:30  
 Ecuador, Bolivia  
 Brasil, Paraguay, Argentina, Uruguay  
 sBrasil (MG, ES)  
 Argentina, Uruguay
- Parandra (Parandra)** Latreille, 1802:160  
*Gnathophorus* Kirby, 1837:166  
*Hesperandra (Zikandra)* Santos-Silva, 2003:120  
**brasilica** Zikán, 1948:31  
*cribraria* Zikán, 1948:34  
*melzeri* Zikán, 1948:32  
**gilloglyi** Santos-Silva & Lezama, 2010:400  
**glaberrima** Zikán, 1948:35  
**glabra** (Degeer, 1774:352)  
*testaceus* Fabricius, 1794:437  
*ferruginea* Sturm, 1826:181  
*lineola* Gory in Guérin-Méneville, 1831: pl. 42, fig.7  
*mandibularis* Perty, 1832:84  
*maxillosa* Laporte, 1840:387  
*lineolata* Gory in Guérin-Méneville, 1844:207  
*grandis* Thomson, 1861:79  
*columbica* Thomson, 1861:80  
*barbata* Thomson, 1861:95  
*occipitalis* Thomson, 1867:108  
*obsolescens* Casey, 1912:217  
 var. *translucida* Zikán, 1948:37  
*lucida* Zikán, 1948:36  
*laevis* Latreille, 1804:253  
**humboldti** (Santos-Silva, 2003:123)  
**minuscula** Zikán, 1948:38  
*costalimai* Zikán, 1948:38  
*itatiayaensis* Zikán, 1948:39  
**monnei** (Santos-Silva, 2001:229)  
**separanda** Zikán, 1948:33  
*laevicollis* Zikán, 1948:33  
*zellibori* Zikán, 1948:34  
**solisi** (Santos-Silva, 2007:2)  
**thomasi** (Santos-Silva, 2002:955)  
**ubirajarai** (Santos-Silva, 2001:216)  
 seBrasil (MG –RJ, SC, BA)  
 Panama  
 Brasil (BA, GO)  
 Mexico-Argentina, Bolivia (SC), W Indies  
 Colombia, eEcuador  
 seBrasil (MG, RJ, SP)  
 sBrasil (SP, RJ, SC)  
 sBrasil (MG, SP, PA, SC, RG)  
 Costa Rica, Panama  
 Bolivia (SC)  
 seBrasil (SP, RJ, MG, SC)
- Parandra (Tavandra)** Santos-Silva, 2003:125  
**brachyderes** Lameere, 1902:71  
**brevicollis** Lameere, 1902:70  
*galapagoensis* Van Dyke, 1953:127  
**colombica** White, 1853:3  
*gyllenhalii* Thomson, 1867:110  
**guianensis** (Tavakilian, 2000:168)  
**lalanecassouorum** (Tavakilian, 2000:165)  
**longicollis** Thomson, 1861:83  
*gracillima* Bates, 1869:38  
**polita** Say, 1835:192  
*cylindrica* Thomson, 1861:82  
**scaritoides** Thomson, 1861:82  
 wMexico (MI, CM)  
 wEcuador, Galapagos Is  
 Nicaragua- Colombia, Venezuela, Ecuador  
 French Guiana  
 French Guiana  
 Mexico-Argentina, Bolivia (SC)  
 scUSA (LA, TX, VA, CO), Mexico-Bolivia  
 Colombia

**solangeae** (Santos-Silva, 2003:394)  
**villei** Lameere 1885:3

Venezuela  
 Honduras, Colombia, Venezuela, Ecuador

## Subfamily **Prioninae** Latreille, 1802:212

### **Anacolini** Thomson, 1857:10

**Allaiocerus** Galileo, 1987:618

**metallicus** Galileo, 1987:619

nwBrasil (AM)

**Anacolus** Berthold 1827:395

*Geoprionus* Lameere, 1890:cxxi

**sanguineus** (Lepeletier & Audinet-Serville in Latreille, 1825:200) Costa Rica, Panama-seBrasil (RJ)

*lugubris* Lepeletier & Audinet-Serville in Latreille, 1825:200

*praeustus* Perty, 1832:87

*bimaculatus* Ménéttriés, 1838:130

*lividus* Ménéttriés, 1838:131

*nigricollis* Ménéttriés, 1838:131

*menetriesi* Buquet, 1840:254

*scapularis* Buquet, 1840:254

*variabilis* White, 1853:23

*nigrinus* White, 1853:24

*melanocerus* White, 1853:24

*xanthocerus* White, 1853:24

*syntheticus* Lameere, 1890:cxxii

**Atrocolus** Monné & Monné 2008:215

**guarani** Monné & Monné, 2011:1859

**mariahelene** Monné & Monné 2008:216

Paraguay  
 Brasil (BA)

**Biribellus** Galileo, 1987:528

**huedepohli** (Galileo, 1987:531)

**martinsi** Galileo, 1987:529

**punctatus** Galileo, 1987:531

Fr Guiana  
 Peru, Brazil (RO)  
 nwBrasil (AM)

**Calloctenus** White, 1850:12

**pulcher** White, 1850:12

var. *nigripennis* White, 1853:58

Colombia, Venezuela

**Chariea** Audinet-Serville, 1832:197

**cyanea** Audinet-Serville, 1832:198

**lepesmei** Tippmann, 1956:759

**longispina** Galileo & Martins, 1990:41

Fr Guiana, nwBrasil (AM), Bolivia (LP)  
 Fr Guiana  
 nBrasil (PA), Fr Guiana

**Cycloprionus** Tippmann, 1953:200

**flavus** Tippmann, 1953:202

*ornatus* Lane, 1972:353

Fr Guiana, nwBrasil (AM), Peru

**Episacus** Waterhouse, 1880:291

**pilosicollis** Waterhouse, 1880:291

Colombia, Ecuador

**Flabellomorphus** Galileo & Martins, 1990:44  
**longus** Galileo & Martins, 1990:45

nwBrasil (AM), Fr Guiana

**Galileoana** Chemsak, 1998:24  
**opaca** Chemsak, 1998:25

Mexico (TA)

**Hovorelus** Galileo & Monné, 2003:38  
**adiectus** Galileo & Martins, 2010:35  
**splendidus** Galileo & Monné, 2003:39

Costa Rica (SJ)  
 Peru, Bolivia (LP)

**Myzomorphus** Dejean, 1835:319  
*Udeteromorphus* Tippmann, 1960:99  
**amabilis** (Tippmann, 1960:101)  
**flavipes** Galileo, 1987:595  
**gounellei** Lameere, 1912:98  
**herteli** Gilmour, 1960:21  
**poultoni** Lameere, 1912:98  
**quadripunctatus** (Gray in Griffith, 1831: pl.70, fig.1)  
*quadrimaculatus* Gory, 1832: pl.31  
*quadrinotatus* Ménétriés, 1838:131  
*pygmaeus* Buquet, 1840:254  
*necydalooides* Thomson, 1864:279  
**scutellatus** Sallé, 1849:429  
 var. *apicalis* White, 1853:25  
 var. *bicolor* White, 1853:26  
 var. *plagiatus* White, 1853:25  
 var. *scapularis* White, 1853:25  
 var. *thoracicus* White, 1853:26  
 var. *unicolor* White, 1853:25  
**sparsimflabellatus** Zajciw, 1963:55

Bolivia, seBrasil (MG)  
 seBrasil (ES)  
 seBrasil (MG, RJ, SP)  
 Colombia  
 Brasil  
 Colombia, Venezuela, Brasil (AM, BA-SC),  
 Fr Guiana, wEcuador

Costa Rica, Venezuela, Trinidad & Tobago

seBrasil (RJ, SP)

**Nicias** Thomson, 1857:136  
*Hamadryades* Thomson, 1857:22  
**alurnoides** (Thomson, 1857:23)

Guianas, Surinam, nwBrasil (AM),  
 Trinidad & Tobago

**Oideterus** Thomson, 1857:15  
*Udeterus* Thomson, 1858:515  
*Temnesthes* Bates, 1875:51  
**andrarius** (Galileo, 1987:562)  
**buquetii** Thomson, 1857:16  
**crenatocerus** (Galileo, 1987:563)  
**dichotomus** (Galileo, 1987:565)  
**elegans** (Waterhouse, 1880:290)  
**lobicollis** (Bates, 1875:52)  
**magnificus** (Galileo, 1987:567)  
**pallidus** (Galileo, 1987:569)

Colombia  
 Colombia, Ecuador  
 Ecuador  
 wEcuador  
 wEcuador  
 Colombia, Ecuador  
 Costa Rica, Panama  
 Colombia

**Otheostethus** Bates, 1872:169  
**disjunctus** Galileo, 1987:517  
**melanurus** Bates, 1872:170

nwBrasil (AM)  
 Nicaragua, Costa Rica

**Piesacus** Galileo, 1987:494  
**exiguus** Galileo, 1987:497  
**magnus** Galileo, 1987:501

Colombia  
 Colombia

**Poekilosoma** Audinet-Serville, 1832:184*Poecilosoma* Laporte, 1840:411*Ceroctenus* Audinet-Serville, 1832:196**carinatipenne** Lane, 1941:152

eBrasil (PE, ES)

**ornatum** (Dalman, 1823:62)

seBrasil (BA-RJ)

*ornatipenne* Audinet-Serville, 1832:185*maculipenne* Audinet-Serville, 1832:186*abdominalis* Audinet-Serville, 1832:197*flamiger* Perty, 1832:87*semirufum* Newman, 1838:492*rufipenne* Blanchard, 1843:207*flaviventris* Buquet in Guérin-Méneville, 1844:215*unicolor* Guérin-Méneville, 1844:215*equestris* Guérin-Méneville, 1844:215*latifascia* White, 1853:58*mixtus* White, 1853:58**Prionapterus** Guérin-Méneville, 1831: pl.42, fig.10*Halycidocrius* Berg, 1881:62**breyeri** Bruch, 1929:205

Paraguay, neArgentina (MI)

**staphilinus** Guérin-Méneville, 1831: pl.42, fig.10

Paraguay, Argentina (BA, CD)

*staphylinus* Guérin-Méneville in Audinet-Serville, 1832:200*flavipennis* Guérin-Méneville in Audinet-Serville, 1832:201*philippii* Berg, 1881:64*philippii* var. *schulzi* Bruch, 1908:202*staphylinus* var. *wagneri* Gounelle, 1911:320**suspectus** Galileo & Martins, 1990:48

Paraguay

**travassosi** Lane, 1938:263

sw Brasil (MS)

**woltersi** Bruch, 1925:207

nwArgentina (CA)

*staphylinus* var. *schaeferi* Bosq, 1947:293**Rhachicolus** Galileo, 1987:508**cristatus** Galileo, 1987:510

Venezuela

**Rhodocharis** Lacordaire, 1868:49**anacoloides** Lacordaire, 1868:50

seBrasil (RJ)

var. *bicolor* Tippmann, 1953:204**Ucai** Galileo & Martins, 2009:93**nascimentoi** Galileo & Martins, 2009:95

Brasil (SP)

**Xanthonicias** Galileo, 1987:511**prostrata** Galileo, 1987:513

nBrasil (AM, PA), Peru

**Callipogonini** Thomson, 1861:323*Enoploceritae* Thomson, 1864:290*Orthomegitae* Thomson, 1864:294*Anacanthini* Thomson, 1864:285*Ergatites* Fairmaire in Jacquelin Du Val, 1864:117*Ctenoscelinae* Pascoe, 1869:661**Apotrophus** Bates, 1875:48*Paranaecus* Thomson, 1877:269**simplicicollis** Bates, 1875:49

sBrasil (SP, PR)

*olivieri* Thomson, 1877:270

**Callipogon (Callipogon)** Audinet-Serville, 1832:140**barbatum** (Fabricius, 1781:208)var. *ornatum* Bates, 1879:5*hauseri* Nonfried, 1892:20*friedlaenderi* Nonfried, 1892:22**beckeri** Lameere, 1904:56**lemoinei** Reiche, 1840:275var. *kraatzi* Nonfried, 1890:19**senex** Dupont, 1832: pl.33*barbatum*; Audinet-Serville, 1832:142 (not Fabricius, 1781)

Guatemala-Panama

wMexico (DU, NA)

Honduras-Colombia, Venezuela, Peru,  
Ecuador

Mexico (PU, VC)-El Salvador, Honduras

**Callipogon (Callomegas)** Lameere, 1904:64**proletarium** Lameere, 1904:66**sericeum** (Olivier, 1795:16)

Puerto Rico, Martinique

Cuba, Puerto Rico, Hispaniola

**Callipogon (Dendroblaptus)** Chevrolat, 1864:179**barbiflavum** Chevrolat, 1864:180

Cuba, Bahamas

**Callipogon (Enoplocerus)** Audinet-Serville, 1832:146**armillatum** (Linnaeus, 1767:622)*octodentatus* Schoenherr, 1817:342*gigas* Csiki, 1909:343

Costa Rica, Panama, S. Amer (widely distributed)

**Chorenta** Gistel, 1848: viii*Anacanthus* Audinet-Serville, 1832:165 (preoccupied by *Anacanthus* Gray, 1830, Pisces)**biramiguelus** Santos-Silva, 2004: 281**espiritasantensis** (Seabra, 1941:369)**reticulatus** (Dalman in Schoenherr, 1817:147)*costatus* Audinet-Serville, 1832:166**toulgoeti** Dalens, Touroult & Tavakilian, 2010:215

Brasil (MG, RO)

seBrasil (ES)

seBrasil (MG-RS), Bolivia (LP), Argentina

Fr Guiana, Brasil (AP), Surinam

**Ctenoscelis** Audinet-Serville, 1832:134**acanthopus** (Germar, 1824:467)**ater** (Olivier, 1795:11)**coeus** (Perty, 1832:86)*dyrrhacus* Buquet, 1843:235*nausithous* Buquet, 1843:236

seBrasil (BA-RS), Paraguay, Argentina

Venezuela, Guianas, nBrasil (AP), Ecuador

Fr Guiana, nBrasil (AM, PA, MA, PI-MG), Bolivia

**Cubaecola** Lameere, 1912:164**hoploderoides** Lameere, 1912:164

Cuba

**Hephialtes** Thomson, 1864:285**mourei** Santos-Silva, 2004:35**ruber** (Thunberg, 1822:305)*tricostatus* Thomson, 1864:286*badium* Thomson, 1865:577*sulcatus* Lacordaire, 1869:147

sBrasil (PN, SP, RJ, SC)

Guadeloupe, Fr Guiana, Brasil

**Orthomegas** Audinet-Serville, 1832:149**cinnamomeus** (Linnaeus, 1758:389)*mucronatus* Fabricius, 1775:160*cinctus* Voet, 1778:16*corticinus* Olivier, 1790:294*spadiceus* Dalman in Schoenherr, 1817:148*corticinum*; Williams, 1929:145**folschveilleri** Audureau, 2011:82**fragosoi** (Bleuzen, 1993:19)Hispaniola, Trinidad, Colombia, Venezuela, Guianas,  
Bolivia, Brazil, Ecuador, Peru

Mexico (Guerrero)

Guatemala, Nicaragua, Costa Rica, Panama



- frischeiseni** (Lackerbeck, 1998:518)  
**haxairei** (Bleuzen, 1993:19)  
**irroratus** (Lameere, 1915:55)  
**jaspideus** Buquet in Guérin-Méneville, 1844:212  
**marechali** (Bleuzen, 1993:18)  
**maryae** (Schmid, 2011: 247)  
**monnei** (Bleuzen, 1993:18)  
**pehlkei** (Lameere, 1904:60)  
**similis** Gahan, 1894:223  
*joinvillei* Ribeiro, 1935:417  
**sylvainae** Audureau, 2011:75
- Peru, Bolivia, Brasil  
 Ecuador, Colombia, Peru  
 Colombia (Magdalena)  
 seBrasil (PE-RS), Paraguay, Argentina  
 Costa Rica, Nicaragua, Panama, Colombia  
 Fr Guiana  
 seMexico (VC, QR), Costa Rica  
 Peru, Colombia  
 seBrasil (BA-SC), Peru  
 Fr Guiana, Venezuela (Aragua)
- Navosoma** Blanchard, 1843:206  
*Naosoma* Gemminger & Harold, 1872:2763  
**luctuosum** (Schoenherr, 1817:346)  
*huberti* Buquet, 1840:xxviii  
*triste* Blanchard, 1843:206  
*blanchardii* Thomson, 1877:270
- seBrasil (BA-RS), Paraguay, Uruguay,  
 Argentina
- Seticeros** Perger & Santos-Silva, 2010:30  
**aquilus** (Thomson, 1865:577)  
**granulocephalus** Ramirez, Esteban & Santos-Silva, 2011:109  
**tunupai** Perger & Santos-Silva, 2010:32
- Colombia, Bolivia  
 Costa Rica (SJ)  
 Bolivia (LP)
- Spiloprionus** Aurivillius, 1897:241  
**sericeomaculatus** Aurivillius, 1897:242
- Bolivia
- Stictosomus** Audinet-Serville, 1832:153  
**semicostatus** Audinet-Serville, 1832:154
- Fr Guiana, nBrasil (AM, PA), Ecuador
- Trichocnemis** LeConte, 1851:110  
*Ergates (Callergates)* Lameere, 1904:47  
**pauper** (Linsley, 1957:5)  
**spiculatus spiculatus** LeConte, 1851:110  
*californica* White, 1853:37  
*spiculigera* White, 1853:39  
 subsp. **neomexicanus** (Casey, 1890:491)  
 var. *marmoratus* Cockerell, 1890:161
- swUSA (CA)  
 wNAmer  
 wcUSA, nMexico (BC)
- Calocomini** Galileo & Martins, 1993:81
- Calocomus** Audinet-Serville, 1832:194  
**desmaresti** (Guérin-Méneville, 1831: pl.42, fig.8)  
*hamatiferus* Lacordaire in Audinet-Serville, 1832:195  
*lunuliferus* Drapiez, 1837:53  
*bravardi* Burmeister, 1865:314  
*desmaresti caripariensis* Tippmann, 1960:97  
 ab. *bimaculatus* Tippmann, 1960:96  
 ab. *conjunctus* Tippmann, 1960:97  
 ab. *melancholicus* Tippmann, 1960:96  
**kreuchelyi** Buquet, 1840:142  
*lycius* Buquet, 1840:142  
**morosus** White, 1850:11  
*coriaceus* Fairmaire, 1864:270  
**rodingeri** Tippmann, 1951:304  
**rugosipennis** Lucas, 1857:181
- Bolivia (SC), Paraguay, Argentina (JU-LP)  
 Colombia  
 scBrasil (MS, GO, MG, SP), Bolivia (SC), Paraguay,  
 Argentina (JU-RN)  
 Bolivia, Peru  
 Brasil, Argentina

**Macrodoniini** Thomson, 1861:324  
*Acanthinoderitae* Thomson, 1864:294  
*Ancistrotides* Lacordaire, 1869:81

**Acalodegma** Thomson, 1877:261

*Acadolegma*; Lameere, 1919:94

- servillei** (Blanchard in Gay, 1851:452)  
*marginipennis* Fairmaire, 1864:270  
*bihamata* Bates, 1869:43  
**vidali** Elgueta & Cerda, 2002:12

wcArgentina (ME), Chile

Chile

**Acanthinodera** Hope, 1833:106

*Malloderes* Dupont, 1835: pl.125

*Malloderus*; Drapiez, 1841:56

- cumingii** Hope, 1833:105  
*scabrosus* Lequien, 1833: pl.74  
*mercurius* Erichson in Meyens, 1834:266  
*microcephalus* Dupont, 1835: pl.125

Chile

**Ancistrotus** Audinet-Serville, 1832:135

- aduncus** Buquet, 1853:xxiv  
**uncinatus** (Klug, 1825:454)  
*hamaticollis* Audinet-Serville, 1832:137

seBrasil (ES, MG, RJ)  
seBrasil (MG-SC)

**Chalcoprionus** Bates, 1875:273

- badeni** Bates, 1875:274

Colombia

**Macrodonia** Lacordaire 1830:171

*Macrodontus* Gistel, 1848:129

- batesi** Lameere, 1912:166  
*dejeani*; Bates, 1879:5 (not Gory, 1839)  
*dejeani borgmeieri* Tippmann, 1953:190  
*laevis* Pouillaude, 1915:46  
**castroi** Marazzi, Pavisi & Marazzi 2008:8  
**cervicornis** (Linnaeus, 1758:38)  
*cervicornis melzeri* Tippmann, 1953:188  
**crenata** (Olivier, 1795:27)  
*quadrspinus* Schoenherr, 1817:346  
*castanea* Blanchard, 1848:210  
*ehrenreichi* Kolbe, 1894:42  
**dejeani** Gory, 1839:127  
**flavipennis** Chevrolat, 1833:65  
*impressicollis* Blanchard, 1848:210  
**itayensis** Simoens, 2006:1  
**jolyi** Bleuzen, 1994:26  
**marechali** Bleuzen, 1990:9  
**mathani** Pouillaude, 1915:44  
**zischkai** Tippmann, 1960:92  
*cambeforti* Bleuzen, 1990:9

Guatemala-Panama

Guatemala, Honduras  
Colombia, Guianas-sBrasil, Peru, Bolivia (BN, SC),  
eEcuador  
Colombia, Fr Guiana, Venezuela, Peru, Bolivia  
(CO, SC), cBrasil (AC, AM, MT, GO, MS, RO, PA)

Colombia-Bolivia  
eBrasil (BA-RS, GO), Paraguay, Argentina

Peru  
Venezuela  
Colombia, Ecuador  
wEcuador  
nwBrasil (AC), Bolivia, Peru

**Macrotomini** Thomson 1860:290, not Laporte, 1832*Mallodonitae* Thomson, 1861:318*Stenodontines* Lameere, 1902:63*Prinobiini* Vives, 2000:84**Allomalodon** Santos-Silva & Galileo, 2010:66**hermaphroditus** (Thomson, 1867:103)

Colombia

**popelairi** (Lameere, 1902:83)

Peru

**Aplagiognathus** Thomson, 1860:320**hybostoma** Bates, 1879:8

Mexico (GR, CH, OA), Guatemala, Honduras

**spinosus** (Newman, 1840:194)

Mexico (ME, OA, PU, VC), Guatemala

**Archodontes** Lameere, 1903:216*Paramallus* Casey, 1912:227**melanopus melanopus** (Linnaeus, 1767:623)

seUSA (FL-TX)

*cilipes* Say, 1824:328*simplicicollae* Haldeman, 1847:30*simplicicollae* var. *biimpressum* Haldeman, 1847:30subsp. **aridus** Casey, 1924:224

swUSA (CA, AZ), Mexico (BC)

subsp. **serrulatus** (LeConte, 1854:82)

scUSA, nMexico

**Basitoxus** Audinet-Serville, 1832:174*Basitaxus*; Chenu, 1870:307*Baseotoxus*; Gemminger & Harold, 1872:2768**megacephalus** (Germar, 1824:468)

eBrasil (BA-RJ)

*armatus* Audinet-Serville, 1832:175**Chiasmetes** Pascoe, 1867:411*Chiasmus* Thomson, 1861:318**limae** (Guérin-Méneville in Duperrey, 1830:128)

Ecuador, Peru, Chile

*melitaeques* Blanchard, 1843:206*gracilicornis* Buquet in Guérin-Méneville, 1844:215**Curitiba** Lameere, 1903:26**brunni** (Lameere, 1903:26)

Brazil (MT, PR-RS), Paraguay

*scheerpeltzi* Tippmann, 1953:182**Hisarai** Santos-Silva & Martins, 2005:393**seripierriae** (Santos-Silva & Martins, 2003:255)

Brasil (MT, AM)

**Hovorodon** Santos-Silva, Swift & Nearn, 2010:21**bituberculatum** (Palisot de Beauvois, 1805:216)

Dominican Republic, Cuba, West Indies

*carptor* Chevrolat, 1862:273

Virgin Is., Puerto Rico, Haiti,

*hornebecki* Chevrolat 1862:273

Saint Johns, Guadeloupe

**maxillosum** (Drury, 1773:133)

West Indies

**santacruzensis** (Santos-Silva & Hovore, 2004:51)

Bolivia (SC)

**subcancellatum** (Thomson, 1867:102)

Brasil (BA, MG, RJ, SC, SP, GO)

**Ialyssus** Thomson 1864:296*Ialyssus*; Gemminger & Harold, 1872:2763**tuberculatus** (Olivier, 1795:20)

Guianas, nBrasil (AM, MA, PA)

**Mallodon** Lacordaire 1830:171*Opheltes* Thomson, 1864:306*Orthomallodon* Linsley, 1957:3**baiulus** (Erichson, 1847:138)*occipitale* Thomson, 1867:93*chevrolatii* Thomson, 1867:94*columbianum* Thomson, 1867:98**dasystemus dasystemus** (Say, 1824:326)*costulata* LeConte, 1851:111*degeneratum* Thomson, 1867:95*debile* Casey, 1912:222*melanopus*; Haldeman 1847:30 (not Linnaeus, 1767)*spinibarbe*; Haldeman 1847:31 (not Linnaeus 1758)*masticator* Thomson, 1867:99*angustatum* Thomson, 1867:100*guatemalensis* Casey, 1912:227*mandibularis* Lacknerbeck, 1998: 517 (not Gemminger, 1872)*baroni* Casey, 1912:223subsp. **socorroensis** Linsley & Chemsak, 1966:251**linsleyi** Fragoso & Monné, 1995:220**molarius molarius** Bates, 1879:9subsp. **galapagoensis** Mutchler, 1938:11subsp. **glabratus** Linsley & Chemsak, 1966:206subsp. **vandykei** Linsley & Chemsak, 1966:204**spinibarbis** (Linnaeus, 1758:390)*frangens* Voet, 1778:2*miles* Voet, 1778:2*maxillosus* Olivier, 1795:16*dentatus* Fabricius, 1801:263*similis* Schoenherr, 1817:345*gagatinus* Germar, 1824:468*germarii* Thomson, 1867:100*bonariense* Thomson, 1867:99*orbignyi* Thomson, 1867:101**vermiculatus** Hovore & Santos-Silva, 2004:49Colombia, Venezuela, eEcuador, Peru,  
Fr Guiana, Brasil, Bolivia (LP, SC)

sUSA, nMexico-Colombia

Mexico (Revilla Gigedo Is)

Peru

Mexico-Colombia, Venezuela, Peru, Ecuador

Galapagos Is (S. Cruz)

Galapagos Is (S. Cristobal)

Galapagos Is (Isabela)

Mexico-Bolivia (PN, SC), Argentina, Fr Guiana,  
Brasil (MA)

Panama

**Mallodonhoplus** Thomson, 1860:320*Mallodonoplus*; Gemminger & Harold, 1872:2768**nobilis** Thomson, 1861:321

Colombia, Venezuela

**Mallodonopsis** Thomson, 1860:317**mexicanus** Thomson, 1861:317*serrata* Thomson, 1861:317

Mexico-Colombia, Ecuador, Venezuela

**Mecosarthron** Buquet, 1840:172**buphagus** Buquet, 1840:172**domingoensis** (Fisher, 1932:1)**gounellei** (Lameere, 1903:135)**tritomegas** Lameere, 1920:137

eBrasil (BA-PR)

R Dominicana

eBrasil (BA)

Brasil

**Neoma** Santos-Silva, Thomas & Wappes, 2011: 2**corrosa** (Bates, 1879:7)

Mexico-Panama

**Neomallodon** Linsley, 1957:2**arizonicus** (Casey, 1912:228)*remotus* Linsley, 1934:161

swUSA (AZ)

**Nothopleurus** Lacordaire, 1869:125

- castaneum** (Casey, 1924:225) Mexico (BCN, BC)  
**lobigenis** Bates, 1884:235 swUSA (CA, AZ), wMexico (BC, NA, CH, PU, GU)  
*gnatho*; LeConte, 1858:81 (not White, 1853)  
*mandibulare*; Gemminger, 1872:254 (not Fabricius, 1801)  
*dentiger* Leng, 1884:9  
*komiya* Santos-Silva & Martins, 2005:394  
**madericus** (Skiles, 1978:414) swUSA (AZ), nwMexico (CHA)  
*arizonicus*; Hovore & Giesbert 1976:350 (not Casey, 1912)  
**subsulcatus** (Dalman, 1823:63) sMexico (YU), Honduras  
*gnatho* White, 1853:45  
*ebeninus* Lacordaire, 1869:125

**Parastrongylaspis** Giesbert, 1987:147

- linsleyi** Giesbert, 1987:148 Costa Rica  
**thomasi** Giesbert, 1992:155 sMexico (CHS, VC)

**Physopleurus** Lacordaire, 1869:120

- Basitoxus* (*Parabasitoxus*) Fragoso & Monné, 1995:721  
**amazonicus** (Fragoso & Monné, 1995:723) Peru, neBrasil (AP, AM, MG, RR), Fr Guiana, Bolivia (SC)  
**crassidens** (Bates, 1869:45) nwBrasil (AM), Fr Guiana  
**dohrnii** Lacordaire, 1869:121 Venezuela  
**erikae** Santos-Silva & Martins, 2009:97 Colombia  
**exiguus** Santos-Silva & Martins, 2003:248 Brasil (MG), Bolivia (SC)  
**longiscapus** Lameere, 1912:127 Peru, Colombia, Ecuador, Brasil (AM, PA, MG), Bolivia (CO)  
**maillei** Audinet-Serville, 1832:175 eBrasil (AL, ES, RJ, SC, SP), Paraguay, Argentina  
*mallei*; Redtenbacher, 1867:202  
**rafaeli** Santos-Silva, 2006:266 Brasil (AM)  
**rugosus** Gahan, 1894:224 Fr Guiana, nwBrasil (AM, AP, PA)  
*swifti* Chalumeau, 2010:113  
**tritomicrus** Lameere, 1912:126 Fr Guiana, Brasil (AM)  
**villardi** Lameere, 1902:87 eEcuador, Peru, Guatemala?  
*guatemalensis* Casey, 1912:227  
*maxillosus*; Bates in Whympere, 1891:37 (not Drury, 1773)

**Protorma** Waterhouse, 1880:288

- costifer** (Thomson, 1877:275) nSAmer, Fr Guiana  
*scabrosa* Waterhouse, 1880:289  
*recurvatum* Williams, 1929:143

**Stenodontes** Audinet-Serville, 1832:173

- chevrolati** Gahan, 1890:23 seUSA (FL), Cuba, Puerto Rico, Bahamas  
*cubensis* Casey, 1912:224  
*parallelus* Casey, 1912:225  
*damicornis*; Chevrolat, 1862:273 (not Linnaeus, 1771)  
*exsertus*; Horn, 1880:xvii (not Olivier, 1795)  
*mandibularis*; Leng, 1884:9 (not Fabricius 1801)  
**damicornis** (Linnaeus, 1771:532) Jamaica, Puerto Rico  
*crenulatus* Drury, 1773:86  
*melanopus* Drury & Westwood, 1837:82  
*obesus* Thomson, 1865:578  
**exsertus** (Olivier, 1795:17) Puerto Rico, Hispaniola  
*mandibularis* Fabricius, 1801:261  
*laevigatus* Palisot de Beauvois, 1805:227

**Strongylaspis** Thomson, 1860:313

**aureus** Monné & Santos-Silva, 2003:33  
**batesi** Lameere, 1903:34  
**bolivianus** Monné & Santos-Silva, 2003:36  
**bullatus** Bates, 1872:167  
**championi** Bates, 1884:233  
**christianae** Monné & Santos-Silva, 2003:42  
**corticarius** (Erichson in Schomburg, 1848:571)  
     *scobinatus* Thomson, 1861:313  
     *scobinatus* var. *belti* Bates, 1884:233  
     *lobulifer* Bates, 1892:145  
**dohrni** Lameere, 1903:30  
**fryi** Lameere, 1912:133  
**graniger** Bates, 1884:233  
**hirticollis** Tippmann, 1953:183  
**kraepelini kraepelini** Lameere, 1903:28  
     subsp. **parvula** Linsley & Chemsak, 1966:209  
**macrotomoides** Tippmann, 1953:186  
**migueli** Monné & Santos-Silva, 2003:38  
**sericans** Tippmann, 1953:184  
**sericeus** Zajciw, 1970:2

Brasil (AM)  
 seBrasil (ES-SP), Paraguay, Argentina  
 Bolivia (LP)  
 Mexico, Guatemala-Costa Rica  
 Mexico (JA, RQ, YU), Guatemala, Costa Rica  
 Brasil (MG, SC, AM), Peru, Bolivia (SC)  
 seUSA (FL?), Mexico-Panama, nSAmer, Cuba  
 Jamaica, Dominica  
  
 Mexico  
 cBrasil (MT)  
 Panama  
 Colombia  
 wEcuador  
 Galapagos Is  
 Colombia  
 Brasil (RO, MG), Ecuador  
 Colombia  
 seBrasil (ES)

**Xixuthrus** Thomson 1864:296

**domingoensis** Fisher, 1936:1

Dominican Republic (Hispaniola)

**Mallaspini** Thomson, 1861:302

*Pyrodides* Lacordaire, 1869:180

**Charmallaspis** Galileo & Martins, 1992:319

**pulcherrima** (Perty, 1832:86)  
     *fastuosus* Erichson, 1847:139  
     *heterocerus* Erichson, 1847:139  
     *petalocerus* White, 1853:50  
     *antennatus* White, 1853:51  
     *formosus* Bates, 1869:51  
**smithiana** (White), 1850:12

Colombia, Venezuela, eEcuador, Brasil (AM, RO, PA, MT), Peru, Bolivia (SC)

Brasil (PA)

**Esmeralda** Thomson, 1860:303

**coerulea** (Schoenherr, 1817:346)  
     *columbinus* Guérin-Ménéville, 1844:214  
     *suavis* Thomson, 1861:304  
     *laetificus*; Melzer, 1919:123 (not Bates, 1869:56)  
**costulata** Bates, 1891:158  
**laetifica** Bates, 1869:56  
**polita** (Fragoso & Monné, 1988:135)

Guianas, nBrasil (AM, AP, PA)

nBrasil (AZS, PA), Guyana  
 nBrasil (AM, AZS), Guyana, Fr Guiana  
 w Brasil (RO)

**Hileolaspis** Galileo & Martins, 1992:395

**auratus** (Linnaeus, 1758:395)  
     *bifasciatus* Linnaeus, 1767:624  
     *amazon* Voet, 1778:3  
     *amazonus* Fabricius, 1801:262  
     *nigricornis* Guérin-Ménéville, 1855:598  
     *rubrozonatus* Lucas, 1857:180  
     *gratiosus* Bates, 1869:51  
     *nodicornis* Bates, 1869:53  
     *dispar* Bates, 1869:54  
     *candezei* Lameere, 1885:xii  
     *insignis*; Nonfried, 1894:136 (not Bates, 1884:238)

Venezuela, Guianas, cBrasil (AM, MT, GO),  
 Peru, Bolivia (CO, LP, SC), Paraguay

- Insuetaspis** Galileo & Martins, 1992:323  
**paradoxus** (Bates, 1869:383)  
*insignis* Bates, 1884:238  
 Nicaragua-Panama
- Mallaspis** Audinet-Serville, 1832:188  
**scutellaris** (Olivier, 1795:14)  
*buckleyi* Waterhouse, 1880:290  
 Colombia, Peru, Ecuador, Venezuela, Guianas,  
 cBrasil (AM, PA, MT), Bolivia (SC)
- Oropyrodes** Galileo & Martins, 1992:317  
**maculicollis** (Bates, 1891:158)  
 wMexico (CHA, DU, SI, ZA)
- Poecilopyrodes** Galileo & Martins, 1992:381  
**pictus** (Perty, 1832:85)  
 seBrasil (BA-SP), Bolivia
- Praemallaspis** Galileo & Martins, 1992:306  
**argodi** (Lameere, 1909:51)  
*bourgoini* Lameere, 1909:52 (part, male)  
 Costa Rica (GU), Colombia  
**batesi** (Lameere, 1909:50)  
 wEcuador  
**inca** Galileo & Martins, 1992:316  
 Peru  
**leucaspis** (Guérin-Méneville, 1844:214)  
 sBrasil (PR-RS), nArgentina, Uruguay  
**rhombodera** (Bates, 1879:10)  
 Nicaragua-Colombia  
**xanthaspis** (Guérin-Méneville, 1844:214)  
*bourgoini* Lameere, 1909:52 (part, female)  
 Colombia
- Pyrodes** Audinet-Serville, 1832:186  
**nitidus** (Fabricius, 1787:128)  
*speciosus* Olivier, 1795:31  
*angulatus* Olivier, 1795:31  
*pallasii* Germar, 1824:469  
*aeneus* Buquet, 1860:618  
*speciosus* var. *cupripennis* Heyne & Taschenberg, 1907:238  
 seBrasil (AL-RS), Paraguay, Argentina
- Scatopyrodes** Galileo & Martins, 1992:326  
**angustus** (Taschenberg, 1870:193)  
*praecellens* Bates, 1871:376  
 Costa Rica-Panama, Colombia, wEcuador  
**beltii beltii** (Bates, 1869:49)  
*salvini* Bates, 1869:49  
 Nicaragua - Colombia  
 subsp. **fryi** (Lameere, 1909:46)  
 Colombia, wEcuador  
**iris** (Bates, 1884:237)  
*gounellei* Lameere, 1912:172  
 Mexico (DU, CHS), Guatemala  
**lampros** (Bates, 1884:236)  
 Guatemala  
**longiceps** (White, 1853:52)  
 Mexico, Guatemala, Honduras  
**moreletii** (Lucas, 1851:lxv)  
 Guatemala  
**samiatus** Galileo & Martins, 1992:381  
 Honduras  
**tenuicornis tenuicornis** (White, 1850:11)  
*angusticollis* Lucas, 1857:179  
 swMexico (OA)  
 subsp. **marginatus** (White, 1853:49)  
*cervicalis* Casey, 1912:256  
 Guatemala, Honduras  
**trichostethus** (Bates, 1879:11)  
 Costa Rica, Panama  
**vietus** Galileo & Martins, 1992:335  
 El Salvador, Honduras

**Meroscelisini** Thomson, 1861:299  
*Orthosomitae* Thomson, 1864:284  
*Tragosomitae* Thomson, 1864:186  
*Monodesmides* Lacordaire, 1868:140  
*Closterinae* Lacordaire, 1868:149

**Andinotrichoderes** Tippmann, 1960:98  
**pellitus** Tippmann, 1960:98

Peru, Bolivia

**Hyleoza** Galileo, 1987:259

*Acanthocornis* Monné & Monné, 2011:1861

**confusa** Tavakilian & Galileo, 1991:550

Fr Guiana, nBrasil (AM, PA)

*flavus* Monné & Monné, 2011:1862

*lineata*; Galileo, 1987:261 (not Bates, 1869)

**lineata** (Bates, 1869:48)

w Brasil (RO, AM)

*dialepta* Galileo & Martins, 1988:437

**Lasiogaster** Gahan, 1892:255

**costipennis** Gahan, 1892:256

sMexico, Guatemala, Belize

**Meroscelisus** Audinet-Seville, 1832:157

*Meroscelicus*; Chenu, 1870:308

*Syennesis* Pascoe, 1888:511

**apicalis** White, 1853:26

sBrasil (ES-SC)

**opacus** Buquet, 1860:618

sBrasil (SC)

**servillei** Thomson, 1865:577

sBrasil (ES-RS), Paraguay, Argentina

*dispar* Pascoe, 1888:512

**thoracicus** Seabra, 1942:417

seBrasil (ES)

**violaceus** Audinet-Serville, 1832:158

seBrasil (BA-SC), Paraguay

*cyaneus* Lacordaire, 1869:48

**zikani** Melzer, 1919:154

seBrasil (MG)

**Microphlophorus** Blanchard in Gay, 1851:454

*Microphorus*; Chenu, 1870:307

**calverti** Philippi in Germain, 1897:451

Chile, wcArgentina (NE)

**magellanicus** Blanchard in Gay, 1851:456

Chile, sArgentina (RN-SC)

*castaneus* Blanchard in Gay, 1851:457

**penai** Galileo, 1987:195

Chile

**Monodesmus** Audinet-Serville, 1832:160

**atratus** Fisher, 1932:3

Cuba

**callidioides** Audinet-Serville, 1832:161

Cuba, Bahamas, Cayman Is

**inermis** Galileo, 1987:210

"Amérique merid." ?

**nothus** Chevrolat, 1862:269

Jamaica

**Polyzoa** Audinet-Serville, 1832:166

**lacordairei** Audinet-Serville, 1832:167

eBrasil (GO, BA-RS), Paraguay, Argentina,

*dejeanii*; Gray in Griffith, 1831: pl.65, fig.3 (not Latreille, 1829) Uruguay

**Quercivir** Lameere, 1912:37

**dohrni** Lameere, 1912:37

seBrasil (RJ-SC)

**gounellei** Lameere, 1912:38

seBrasil (MG-RS)

*zikani* Melzer, 1919:141

**Sarifer** Kirsch, 1870:373

**flavirameus** Kirsch, 1870:374

Colombia, eEcuador, Peru, Bolivia (CO), Brasil,  
Argentina

**seabrai** Fragoso & Monné, 1982:519

R Dominicana



**Tragosoma** Audinet-Serville, 1832:159**chiricahuae** Linsley, 1959:127**depsarium** (Linnaeus, 1767:624)*harrisii* LeConte, 1851:107*spiculum* Casey, 1890:492*sodalis* Casey, 1899:98*parvicollis* Casey, 1899:99*repens* Casey, 1924:226**nigripenne** Bates, 1892:146**pilosicorne** Casey, 1890:492

swUSA (AZ, NM)

Europe, NAmer, nMexico (coniferous belt)

wMexico (DU)

wUSA (CA, OR)

**Trichoderes** Chevrolat, 1843:35**cylindroidus** (Bates, 1884:231)**pini** Chevrolat, 1843:36**rugosus** Bates, 1884:236

Guatemala

cMexico (NL-ME, DU, VC) - Honduras

Mexico, Guatemala

**Prionini** Latreille, 1804:264*Titanitae* Thomson, 1864:292*Psalidognathitae* Thomson, 1864:280*Derobrachinae* Pascoe, 1869:661**Apterochaetus** Fairmaire, 1864:267(in part)*Micropsalis* Burmeister, 1865: 314 (not Meyer, 1859)**heterogama** (Burmeister, 1861:314)*germainii* Fairmaire, 1864:268subsp. **durnfordii** Burmeister, 1879:196

sArgentina

sArgentina, Chile

**Braderochus** Buquet, 1852:658*Aulacocerus* White, 1853:13**dentipes** (Chemsak, 1979:127)*shuteae* Bleuzen, 1994:53**hovorei** Santos-Silva & Martins, 2005:237**jolyi** Bleuzen, 1994:51**levoiturieri** (Buquet, 1842:203)**mundus** (White, 1853:13)**retrospinosus** Lameere, 1916:233**salcedoi** Bleuzen, 1994:52

Honduras, Costa Rica, Panama

Colombia

Venezuela, Guyana

Colombia

Venezuela

Colombia

Venezuela

**Callistoprionus** Tippmann, 1953:202**fasciatus** Tippmann, 1953:203

Costa Rica, Panama

**Derobrachus** Audinet-Serville, 1832:154*Pithocles* Thomson, 1864:291*Braderochus* Lacordaire, 1869:74 (part)**agyleus** Buquet, 1852:657**apterus** Bates, 1879:4**asperatus** Bates, 1878:274**brevicollis** Audinet-Serville, 1832:155**chemsaki** Santos-Silva, 2007:74**digueti** Lameere, 1915:57**dohrni** Lameere, 1911:268**drumonti** Santos-Silva, 2007:48**geminatus** LeConte, 1853:233*forreri* Bates, 1884:230**granulatus** Bates, 1884:230

Colombia, wEcuador, Guianas

Mexico (VC)-Honduras

Costa Rica, Peru

seUSA (AL, GA, FL, NC, SC)

Mexico

wMexico (NA)

Guatemala

Mexico (JA)

wUSA (AZ, CA, NM, TX), Mexico (BCN, BCS, SI, SO)

Mexico (JA, PU, TA, SLP), Honduras, Costa Rica

- hovorei** Santos-Silva, 2007:19
- inaequalis** (Bates, 1872:167)  
*megalophthalmus* Tippmann, 1953:194
- leechi** Chemsak & Linsley, 1977:512
- lingafelteri** Santos-Silva, 2007:88
- longicornis** (Bates, 1872:166)
- megacles** Bates, 1884:230  
*lepesmei* Tippmann, 1953:196
- procerus** Thomson, 1861:324
- smithi** Bates 1892:144
- sulicornis** LeConte, 1851:110  
*kuwertii* Nonfried, 1891:273
- thomasi** Santos-Silva, 2007:48
- wappesi** Santos-Silva, 2007:32
- Orthosoma** Audinet-Serville, 1832:155  
*Orthosomus* Drapiez, 1842:195
- brunneum** (Forster, 1771:37)  
*unicolor* Drury, 1773:83  
*pennsylvanicus* Degeer, 1775:99  
*cylindricus* Fabricius, 1781:207  
*cylindroides* Gmelin, 1790:1818  
*sulcatus* Olivier, 1795:39  
*amplians* Casey, 1912:231  
*spadix* Casey, 1912:231
- Prionacalus** White, 1845:109  
*Prionocalus* Thomson 1864:280
- atys** White, 1850:11
- buckleyi** Waterhouse, 1872:261  
*gunteri* Gahan, 1894:221  
*whitei* Waterhouse, 1900:505  
*emmae* Kolbe, 1901:480  
*trigonodes* Bates in Whymper, 1891:37  
*whymperi* Bates in Whymper, 1891:36
- cacicus** White, 1845:110  
*wallisi* Taschenberg, 1870:191 (female)  
*atys* Lacordaire, 1876: pl.81, fig.1 (not White, 1850)
- demelti** Quentin & Villiers, 1983:224
- giovannii** Huedepohl, 1985:117
- iphis** White, 1850:11  
*cacicus* White, 1845:110 (female)
- simonsi** Waterhouse, 1900:504
- uniformis** Waterhouse, 1900:505
- woytowskii** (Heyrovsky, 1960:162)
- Prionus (Antennalia)** Casey, 1912:249
- fissicornis** Haldeman, 1845:125  
*fissicornis parviceps* Casey, 1912:250  
*fissicornis transversus* Casey, 1912:251  
*thoracicus* Casey, 1924:223
- Prionus (Homaesthesis)** LeConte, 1873:288  
*Prionina* Casey, 1912:231
- arenarius** Hovore, 1981:453
- emarginatus** Say, 1824:327  
*innocuus* LeConte, 1862:43  
*pubicollis* Casey, 1912:254  
*debiliceps* Casey, 1912:255
- wUSA (CA, AZ, NM, NV, TX) MX (CHA, CO, DU, NL, SO)  
Mexico, El Salvador, Nicaragua, Guatemala, Honduras, Costa Rica (GU)  
swUSA (CA, AZ, NV, NM, TX), nwMexico (SO)  
Mexico (VC)  
Mexico-Panama, Ecuador, Colombia  
Mexico (DU, NA), Guatemala
- Mexico (OA, PU), Guatemala, Honduras  
Mexico (GU, JA, SI)  
Mexico-Nicaragua
- eUSA (FL)  
Panama
- eUSA, seCanada
- Ecuador, Peru  
Ecuador
- Ecuador, Peru
- Colombia  
wEcuador  
Ecuador
- Ecuador  
Peru  
Peru, Argentina (JU)
- c USA (MT-TX)
- swUSA (TX, NM)  
c USA (CO, WY, NM)

**integer** LeConte, 1851:107  
**linsleyi** Hovore, 1981:455  
**palparis** Say, 1824:327  
**rhodocerus** Linsley, 1957:10  
**simplex** (Casey, 1912:253)  
**spinipennis** Hovore & Turnbow, 1984:1

c USA (ID, NV, UT, CO, KS)  
 swUSA (AZ)  
 scUSA (AZ, NM, CO, KS, NE, OK)  
 wcUSA (KS, NE, NM, AZ, CO, UT)  
 c USA (KS)  
 swUSA (NM, TX)

### **Prionus (Neopolyarthron)** Semenov, 1899:255

*Prionus (Riponus)* Casey, 1912:245  
**aztecus** Casey, 1912:246  
**batesi** Lameere, 1920:144  
     *mexicanus*; Lameere, 1912:245 (not Bates, 1884)  
     *aztecus*; Lameere, 1915:60 (not Casey, 1912)  
**curticollis** Casey, 1912:247  
**debilis** Casey, 1891:21  
**imbricornis** (Linnaeus, 1767:622)  
     *imbricornis minus* Casey, 1912:248  
     *imbricornis brunneus* Casey, 1912:248  
     *diversus* Casey, 1912:247  
     *diversus cuneatus* Casey, 1912:247  
     *robustus* Casey, 1924:222  
**townsendi** Casey, 1912:246

nMexico (CHA, DU)  
 wMexico (DU)

nMexico (CHA)  
 c USA (IA, IL-LA, TX)  
 eUSA-TX

nMexico (CHA)

### **Prionus (Prionus)** Geoffroy, 1762:198

*Prionus (Prionellus)* Casey, 1924:209  
*Microarthron* Pic, 1900:3  
**californicus** Motschulsky, 1845:89  
     *crassicornis* LeConte, 1851:108  
     *curvatus* LeConte, 1859:19  
     *horni* Lameere, 1912:243  
     *alutaceus* Casey, 1912:237  
     *solidus* Casey, 1912:238  
     *spiculosus* Casey, 1912:240  
     *consors* Casey, 1912:240  
     *consors acomanus* Casey, 1912:241  
     *consors proximans* Casey, 1912:241  
     *angustulus* Casey, 1912:241  
     *californicus ineptus* Casey, 1912:242  
     *californicus punctulatus* Casey, 1912:243  
     *fissifrons* Casey, 1912:243  
     *texanus* Casey, 1912:243  
     *terminalis* Casey, 1912:244  
     *serriger* Casey, 1924:215  
     *suspectus* Casey, 1924:215  
     *orbiceps* Casey, 1924:216  
     *humeralis* Casey, 1924:216  
     *californicus compar* Casey, 1924:217  
     *californicus ovipennis* Casey, 1924:217  
     *spiculosus coloradensis* Casey, 1924:219  
     *scutellaris* Casey, 1924:219  
     *ineptus ambiguus* Casey, 1924:219  
     *ineptus uinatus* Casey, 1924:220  
     *spaldingi* Casey, 1924:221  
     *stultus* Casey, 1924:221  
     *stultus parvicollis* Casey, 1924:222  
     *nanus* Casey, 1924:222  
**flohri** Bates, 1884:227  
**heroicus** Semenov, 1907:259  
     *heros*; Fall, 1905:274 (not Semenov, 1900)  
     *tumidus* Casey, 1912:235

wNAmer, nwMexico (BC, SO)

Mexico  
 swUSA (AZ, NM)

- vastus* Casey, 1912:236  
*tristis* Casey, 1912:236  
*tetricus* Casey, 1912:237  
*fontinalis* Casey, 1924:221  
**hintoni** Linsley, 1935:69 wMexico (DU, ME)  
**howdeni** Chemsak, 1979:127 wMexico (DU)  
**laticollis** (Drury, 1773:83) eNAmer  
*brevicornis* Fabricius, 1801:260  
*kempi* Casey, 1912:233  
*laticollis oblongus* Casey, 1912:234  
*parvus* Casey, 1912:234  
*beauvoisi* Lameere, 1915:60  
*frosti* Casey, 1924:210  
*nigrescens* Casey, 1924:211  
*densus* Casey, 1924:211  
**lecontei** Lameere, 1912:244 wNAmer, Mexico (BC)  
**mexicanus** Bates, 1884:227 wMexico (DU)  
**pocularis** Dalman in Schoenherr, 1817:148 eNAmer  
*laevigatus* Harris, 1837:83  
*obliquicornis* LeConte, 1851:108  
*curticornis* LeConte, 1851:109  
*validiceps* Casey, 1912:235  
*pocularis prolixus* Casey, 1912:239  
*bicolor* Casey, 1912:239  
**poultoni** Lameere, 1912:177 swMexico (OA)
- Prionus (Trichoprionus)** Fragoso & Monné, 1982:521  
**aureopilosus** Fragoso & Monné, 1982:522 R Dominicana
- Psalidognathus** Gray in Griffith, 1831: pl.6  
**cerberus** Santos-Silva & Komiya 2012:19 Colombia  
**erythrocerus** Reiche, 1840:358 Colombia  
**friendi friendi** Gray, 1831: pl.6, fig.14 Peru, Bolivia, eEcuador  
*deyrollei* Thomson, 1877:xcvii  
*testaceus* Thomson, 1877:254  
*viridiobscurus* Thomson, 1877:254  
*violaceus* Thomson, 1877:254  
*subniger* Thomson, 1877:254  
*ater* Thomson, 1877:254  
 subsp. **sallei** Thomson, 1858:ccxlvii Venezuela  
**modestus** Fries, 1833:327 Costa Rica-Colombia, Venezuela  
*colombianus* Demelt, 1989:243  
*modestus chocoensis* Salazar, 2005: 246  
*mygaloides* Thomson, 1859:41 (male)  
*wallisi* Taschenberg, 1870:191 (male)  
*limbatus* Taschenberg, 1870:192  
*batesii* Thomson, 1877:257  
*castaneipennis* Thomson, 1877:260  
**onorei** Quentin & Villiers, 1983:444 wEcuador, Colombia  
**pubescens** Quentin & Villiers, 1983:443 Peru  
**reichei** Quentin & Villiers, 1983:442 Ecuador, Peru  
**rufescens** Quentin & Villiers, 1983:446 Ecuador, Colombia  
**superbus** Fries, 1833:325 Costa Rica, Panama, Colombia, Venezuela, Peru,  
*incas* Thomson, 1859:42 Ecuador, nwBrasil (AM), Bolivia (CO)  
*boucardi* Thomson, 1874:427  
*limenius* Erichson, 1847:139  
*gloriosus* Thomson, 1880:lx  
**thomsoni** Lameere, 1885:ix Colombia, Ecuador, Brazil (AM)  
*mygaloides* Thomson, 1859:41 (female)

**Titanus** Audinet-Serville, 1832:133*Percnopterus* Gistel, 1848:129**giganteus** (Linnaeus, 1771:531)

Colombia, eEcuador, Peru, Guianas, ncBrasil (AM)

**Solenopterini** Lacordaire, 1869:180*Poecilosomides* Lacordaire, 1869:185*Dérancistrines* Lameere, 1912:181**Derancistrodes** Galileo & Martins, 1993:96**vittatus** (Olivier, 1795:39)

Hispaniola

*oberthuri* Gahan, 1895:85**Derancistrus** Audinet-Serville, 1832:181*Harmosternus* Gahan, 1890:30**anthracinus** (Gahan, 1890:31)

Cuba, Hispaniola

**coeruleus** Lameere, 1912:170

Cuba

**elegans** (Palisot de Beauvois, 1805:217)

Hispaniola

**furfurosus** Galileo & Martins, 1993:205

R Dominicana

**hovorei** Lingafelter & Woodley, 2007:167

R Dominicana

**Elateropsis** Chevrolat, 1862:269**antennatus** Galileo & Martins, 1994:126

Hispaniola

**bahamicus** Galileo & Martins, 1994:122

Bahamas

**caymanensis** (Fisher, 1941:109)

Cayman Is

**ebenus** Chevrolat, 1862:271

Jamaica, Bahamas

**felleræ** (Chemsak, 1983:714)

Belize (Twin Cays)

**femoratus** (Sallé, 1855:270)

Hispaniola

**foliaceus** Galileo & Martins, 1994:135

Bahamas

**fulvipes** (Chevrolat in Guérin-Ménéville, 1838:282)

Cuba

*fimbriatus* Chevrolat, 1862:270*venustus* Chevrolat, 1862:270**julio** Lingafelter & Micheli, 2004:40

Puerto Rico

**lineatus** (Linnaeus, 1758:389)

Jamaica, Cuba, Guadeloupe

*fuliginosus* Fabricius, 1775:160*subpunctatus* Chevrolat, 1862:271*punctatus* Gahan, 1890:27**nigricornis** (Fisher, 1941:108)

Cayman Is

**nigripes** (Fisher, 1941:108)

Cayman Is

**peregrinus** Galileo & Martins, 1994:118

Guadeloupe (?)

**quinquenotatus** Chevrolat, 1862:271

Jamaica, Cuba (?)

**reticulatus** Gahan, 1890:30

Cuba

**rugosus** Gahan, 1890:28

seUSA (FL), Bahamas, Cuba (?)

**scabrosus** Gahan, 1890:29

seUSA (FL), Cuba, Bahamas

*fuliginosus*; Chevrolat, 1862:271 (not Fabricius, 1775)*castaneus* Zayas, 1975:40*punctatus*; Zayas, 1957:171 (not Gahan, 1890)**sericeiventris** Chevrolat, 1862:270

Cuba

**trimarginatus** (Cazier & Lacey, 1952:8)

Bahamas

**Holonotus** Thomson, 1860:304**laevithorax** (White, 1853:54)

Mexico (VC), Guatemala, Honduras

*minor* Bates, 1884:239*latithorax* Thomson, 1861:305**nigroaeneus** Bates, 1869:57

Nicaragua, Costa Rica, Colombia

**sternalis** Gahan, 1894:117

Guatemala, Costa Rica

**Prosternodes** Thomson, 1860:288

**cinnamipennis** (Chevrolat, 1838:281)  
**cubanus** Zayas, 1975:29

Cuba, Bahamas  
 Cuba

**Solenoptera** Audinet-Serville, 1832:183

**adusta** Galileo & Martins, 1993:448  
**bilineata** (Fabricius, 1775:163)  
**canaliculata** (Fabricius, 1787:130)  
     *subcanaliculata* White, 1853:53  
     var. *asterius* Gahan, 1895:86  
**chalumeaui** Villiers, 1979:23  
**dominicensis** (Gahan, 1890:26)  
**fraudulenta** Galileo & Martins, 1993:445  
**intermedia** Gahan, 1890:27  
**luciae** (Lameere, 1912:171)  
**metallescens** Thomson, 1861:306  
**michellii** (Chemsak), 1979:125  
**parandroides** Lameere, 1885:xii  
**quadrilineata** (Olivier, 1795:40)  
**scutellata** (Gahan, 1890:25)  
**sulcicollis** Thomson, 1861:306  
     *sulcipennis*, Thomson, 1878:4  
**thomae** (Linnaeus, 1767:623)  
     *lateralis* Chevrolat, 1877:xxx  
**touroulti** Dalens & Delahaye, 2007:32

Trinidad & Tobago  
 W Indies (Puerto Rico, Virgin Is)  
 St Lucia, St Vincent, Mustique, Trinidad,  
     Martinique, Guadeloupe  
  
 St Martin  
 Hispaniola  
 Cuba  
 Colombia  
 St Lucia  
 Martinique, Dominica  
 Puerto Rico  
 Cuba  
 Martinique, Guadeloupe  
 Cuba, Hispaniola  
 Martinique, Guadeloupe  
  
 W Indies  
  
 St Lucie

**Sphenostethus** Haldeman, 1846:126

*Hoplopteryx* ; Westwood, 1845:40 (not Agassiz, 1838)  
**taslei** (Buquet, 1841:xxxix)  
     *serripennis* Haldeman, 1846:126  
     *denticulatus* Westwood, 1845:40

eUSA

**Vesperoctenini** Vives, 2005:438**Vesperoctenus** Bates, 1891:159

**flohri** Bates, 1891:160

wMexico (DU), Mexico (BC)

**Subfamily Lepturinae** Latreille, 1804:305

*Rhagiadae* Kirby in Richardson, 1837:178  
*Dérécéphalides* Mulsant, 1839:212  
*Stenocoritae* Thomson, 1864:142

**Desmocerini** Blanchard, 1845:163

*Dorcasomides* Lacordaire, 1869:456

**Desmocerus** Dejean, 1821:111

**aureipennis aureipennis** Chevrolat, 1855:187  
     *aureipennis*; LeConte, 1857:23  
     subsp. **cribripennis** Horn, 1881:vii  
     subsp. **lacustris** Linsley & Chemsak, 1972:11  
     subsp. **piperi** Webb, 1905:104  
**californicus californicus** Horn, 1881:vii  
     subsp. **dimorphus** Fisher, 1921:207  
**palliatius** (Forster, 1771:40)  
     *blandus* Fabricius, 1775:182  
     *cyaneus* Fabricius, 1775:823  
     *elongatus* Bland, 1862:269

wUSA (CA, OR)  
  
 wNAmer (Br Col, WA, OR, n CA)  
 nwUSA (OR)  
 wNAmer (n Rocky Mts)  
 wUSA (CA)  
 wUSA (CA)  
 eNAmer

**Encyclopini** LeConte, 1873:326**Encyclops** Newman, 1838:392*Microrhabdium* Kraatz, 1879:118*Microrrhabdium*; Plaviltstshikov, 1936:108**caerulea** (Say, 1826:280)

eNAmer

*pallipes* Newman, 1838:392**californica** Van Dyke, 1920:45

wUSA (CA, OR)

**Leptalia** LeConte, 1873:204**macilenta** (Mannerheim, 1853:253)

wAlaska, wNAmer (Pacific Coast)

*frankenhaeuseri* Mannerheim, 1853:252*fuscicollis* LeConte, 1857:65**Pyrotrichus** LeConte, 1862:41**vitticollis** LeConte, 1862:41

wNAmer (Pacific Coast)

*cribripennis* Casey, 1913:198**Lepturini** Latreille, 1802:218*Encyclopini* LeConte, 1873:326*Rhagii* Boppe, 1921:14*Toxotini* Boppe, 1921:14**Alosternida** Podany, 1961:27**chalybaea** (Haldeman, 1847:60)

eUSA

**Analeptura** Linsley & Chemsak, 1976:26**lineola** (Say, 1824:421)

eNAmer

*indirecta* Newman, 1841:71*cincta* Haldeman, 1847:63*cincta* var. *obsoleta* Haldeman, 1847:63*cincta* var. *lateralis* Haldeman, 1847:63**Anastrangalia** Casey, 1924:280**haldemani** (Casey, 1891:42)

swUSA (AZ, NM), nwMexico (DU)

*lucifera* Hopping, 1922:163**laetifica** (LeConte, 1859:89)

wNAmer, Mexico (BCN)

*lugens* LeConte, 1859:89**sanguinea** (LeConte, 1859:89)

sCanada, wUSA

*boulderensis* Casey, 1913:252*apicata* Casey, 24:280**sanguinolenta** (Linnaeus, 1761:196)

Palearctic, established in Argentina

*variabilis* (Degeer, 1775:137)*bonaeriensis* (Burmeister, 1865:177)**Anoplodera (Anoploderomorpha)** Pic, 1901:69**pubera** (Say, 1826:279)

eNAmer

**Bellamira** LeConte, 1873:328**scalaris** (Say, 1826:278)

eNAmer, Puerto Rico (?)

*coarctatus* Haldeman, 1847:59**Brachyleptura** Casey, 1913:247*Toxoleptura* Miroshnikov, 1998:411**champlaini** Casey, 1913:254

eUSA

*vagans* Swaine & Hopping, 1928:63 (part)**circumdata** (Olivier, 1795:32)

eUSA

*subquadrata* Casey, 1913:251

<b>dehiscens</b> (LeConte, 1859:89)	wNAmer
<b>pernigra</b> (Linell, 1897:397)	wUSA (s CA)
<b>rubrica</b> (Say, 1824:418)	eNAmer
<i>erythroptera</i> Germar, 1824:522	
<b>vagans</b> (Olivier, 1795:31)	eNAmer
<i>brevis</i> Kirby in Richardson, 1837:182	
<i>cuneatula</i> Casey, 1913:253	
<i>fusella</i> Casey, 1913:254	
<i>puella</i> Casey, 1913:254	
<i>puella tetrica</i> Casey, 1913:255	
<b>vexatrix</b> (Mannerheim, 1853:250)	wNAmer, sAlaska
<i>quadrillum</i> LeConte, 1859:88	
<i>convolvens</i> Casey, 1913:250	
<b>Cerrostrangalia</b> Hovore & Chemsak, 2005:17	
<b>solisi</b> Hovore & Chemsak, 2005:18	Costa Rica (HE)
<b>herrera</b> Hovore & Chemsak, 2005:20	Costa Rica (HE, PA)
<b>Charisalia</b> Casey, 1913:247	
<b>americana</b> (Haldeman, 1847:63)	eUSA
<b>Chontalia</b> Bates, 1872:233	
<b>cyanicollis</b> Bates, 1872:233	Guatemala-Costa Rica
<i>cyanipennis</i> ; Linsley & Chemsak, 1971:23	
<i>cyanicolor</i> ; Linsley & Chemsak, 1971:23	
<b>Choriolaus</b> Bates, 1885:283	
<i>Euryptera</i> LeConte & Horn 1883:313 (part)	
<b>aegrotus</b> Bates, 1885:283	swMexico (OA)
<b>auratus</b> Giesbert & Wappes, 1999: 9	Guatemala
<b>celestae</b> (Chemsak & Linsley, 1974:37)	sMexico (CHS)
<b>derhami</b> Chemsak & Linsley, 1976:40	swMexico (OA)
<b>filicornis</b> (Linsley & Chemsak, 1971:4	sMexico (CHS)-Honduras
<b>flavirostris</b> (Bates, 1880:40)	Guatemala
<b>fulveolus</b> (Bates, 1885:283)	Guatemala
<b>gracilis</b> (Chemsak & Linsley, 1974:39)	Costa Rica
<b>hirsutus</b> (Bates, 1885:283)	Mexico (CHS, OA, VC)
<b>howdeni</b> Giesbert & Wappes, 1999:8	Mexico (CH)
<b>latescens</b> Bates, 1885:284	swMexico (OA)
<b>nigripennis</b> Giesbert & Wappes, 1999:10	Guatemala, Costa Rica (GU)
<b>ruficollis</b> (Pascoe, 1866:289)	Colombia
<b>sabinoensis</b> (Knull, 1954:129)	swUSA (AZ)
<b>sulcipennis</b> Linsley, 1970:139	seMexico (VC)
<b>suturalis</b> Giesbert & Wappes, 1999:11	Guatemala, Honduras
<b>Cosmosalia</b> Casey, 1913:267)	
<b>chrysocoma</b> (Kirby in Richardson, 1837:179)	Canada, wUSA, nUSA, nMexico
<i>auripilis</i> LeConte, 1850:339	
<i>aureola</i> Casey, 1913:268	
<i>auripilis densepilosa</i> Casey, 1924:281	
<b>nigrolineata nigrolineata</b> (Bland, 1865:383)	wcUSA (NM, CO)
subsp. <b>truxali</b> (Papp, 1955:217)	swUSA (NM)
<b>Cyphonotida</b> Casey, 1913:247	
<b>rostrata rostrata</b> (Bates, 1872:183)	wMexico - Panama, Guiana, Ecuador, Brasil (RO),
<i>laevicollis</i> (Bates, 1880:39)	Bolivia (CH), Colombia
subsp. <b>borealis</b> Linsley & Chemsak, 1976:135	swUSA (AZ), nMexico
<i>ventralis</i> ; Casey, 1913:260 (not Horn, 1894)	



subsp. <b>ventralis</b> (Horn, 1894:401)	Mexico (BCS)
subsp. <b>texana</b> Giesbert & Hovore, 1998:19	sTX
<b>Dorcasina</b> Casey, 1913:269	
<b>grossa</b> (LeConte, 1873:225)	wUSA (CA)
<b>matthewsii</b> (LeConte, 1869:384)	wNAmer (Pacific Coast)
<i>macrocera</i> Casey, 1913:270	
<b>Eurylemma</b> Chemsak & Linsley, 1974:40	
<b>auricollis</b> Chemsak & Linsley, 1974:40	sMexico (CHS)
<b>Euryptera</b> Lepeletier & Audinet-Serville in Latreille, 1828:687	
<b>alboastera</b> Chemsak & Linsley, 1974:42	Costa Rica
<b>latipennis</b> Lepeletier & Aud.-Serville in Latreille, 1828:688	Brazil (RO, MT, GO, ES-RS), Bolivia, Paraguay,
<i>latipennis</i> var. <i>virgata</i> Gounelle, 1911:107	Argentina
<i>brasiliensis</i> Fuchs, 1956:568	
<b>leonina</b> Gounelle, 1911:108	cBrasil (GO)
<b>nigrosuturalis</b> Melzer, 1935:183	sBrasil (SC)
<b>unilineatocollis</b> Fuchs, 1956:567	sBrasil (SP, SC)
<b>Fortuneleptura</b> Villiers, 1979:25	
<b>cameneni</b> Villiers, 1979:26	Martinique
<b>romei</b> Touroult, 2011:2	Santa Lucia
<b>Grammoptera</b> Audinet-Serville, 1835:215	
<i>Parallelina</i> Casey, 1913:247	
<b>exigua</b> (Newman, 1841:73)	neUSA
<i>saucia</i> LeConte, 1862:40	
<b>haematites</b> (Newman, 1841:73)	eNAmer-Manitoba
<i>nana</i> Newman, 1841:73	
<i>ruficeps</i> LeConte, 1862:40	
<b>militaris</b> (Chevrolat, 1855:187)	wUSA (CA), Mexico (BCN)
<i>molybdica</i> LeConte, 1873:218 (part)	
<b>molybdica</b> (LeConte, 1850:101)	wNAmer
<b>rhodopus</b> (LeConte, 1874:68)	wUSA (OR, CA, NV)
<i>campanifera</i> Casey, 1913:256	
<b>subargentata</b> (Kirby in Richardson, 1837:184)	NAmer (boreal)
<i>similis</i> Kirby in Richardson, 1837:185	
<i>rufibasis</i> LeConte, 1862:40	
<i>quebecensis</i> Couper, 1864:88	
<i>filicornis</i> Casey, 1913:255	
<b>Idiopidonia</b> Swaine & Hopping, 1928:15	
<b>pedalis</b> (LeConte, 1861:355)	eNAmer
<b>Judolia</b> Mulsant, 1863:496	
<b>cordifera</b> (Olivier, 1795:25)	eUSA
var. <i>lunaris</i> Haldeman, 1847:59	
<i>deceptiva</i> Casey, 1924:283	
<i>longior</i> Casey, 1924:284	
<b>gaurotoides gaurotoides</b> (Casey, 1893:592)	wcUSA (Rocky Mts)
<i>vivarium</i> Casey, 1924:282	
<i>knulli</i> Swaine & Hopping, 1928:46	
subsp. <b>auripilis</b> Linsley & Chemsak, 1976:50	wUSA (OR, CA, NV)
<b>impura</b> (LeConte, 1857:64)	wUSA (OR, CA)
<b>instabilis</b> (Haldeman, 1847:59)	wNAmer, nwMexico (DU)
<i>convexa</i> LeConte, 1850:332	
<i>quadrata</i> ; Horn, 1886:xiii (not LeConte, 1873)	

- flaviventris* Schaeffer, 1908:342  
*pacifica* Casey, 1913:249  
*tracta* Casey, 1913:250  
**montivagans montivagans** (Couper, 1864:87) NAmer (boreal regions)  
*sexmaculata*; Kirby in Richardson, 1837:182 (not Linnaeus, 1758)  
*seminigra* Casey, 1924:283  
 subsp. **barberi** (Fall, 1907:250) wUSA (OR, CA)  
**quadrata** (LeConte, 1873:225) wCanada-nc USA (CO)  
**scapularis** (Van Dyke, 1920:43) wUSA, Mexico (BCN)  
*isabellae* Hopping, 1922:162  
**sexspilota** (LeConte, 1859:80) swUSA (CA), Mexico (BCN)  
*minuta* Casey, 1924:284  
**swaini swaini** (Hopping, 1922:163) wUSA (CA), Mexico (BCN)  
 subsp. **jacintana** (Linsley, 1940:256) swUSA (CA)
- Leptochoriolaus** Chemsak & Linsley, 1976:47  
**opacus** Chemsak & Linsley, 1976:47 Costa Rica
- Leptura (Leptura)** Linnaeus, 1758:397  
*Stenura* Haldeman, 1847:62 (part)  
*Strangalia*; LeConte, 1850:327 (part)  
*Nakanea* Ohbayashi, 1963:9  
**abdominalis** (Haldeman, 1847:63) eUSA  
*atrovittata* Bland, 1864:255  
**anthracina** LeConte, 1875:174 wUSA (OR, CA)  
*subcostata* Fall, 1907:249  
**hovorei** Linsley & Chemsak, 1976:103 wUSA (CA)  
**kerniana** Fall, 1907:249 wUSA (OR, CA)  
**obliterata obliterata** (Haldeman, 1847:62) swCanada (Br Col), wUSA  
*vitiosa* LeConte, 1854:18  
*perductor* Walker in Lord, 1866:333  
*idahoensis* Casey, 1913:259  
 subsp. **deleta** (LeConte, 1850:328) neUSA  
 subsp. **soror** LeConte, 1873:223 wUSA (CA)  
**pacifica** (Linsley, 1940:255) swUSA (CA)  
**plagifera** LeConte, 1873:224 wNAmer  
**plebeja** Randall, 1838:28 seCanada, neUSA  
**propinqua** Bland, 1865:384 wNAmer, Alaska  
*regularis* Casey, 1913:259  
*miniscula* Casey, 1913:260  
**sequoiae** (Hopping, 1934:115) wNAmer (CA)  
**subhamata** Randall, 1838:44 seCanada, neUSA  
*interrupta* Newman, 1841:72  
*elegans* Haldeman, 1847:63  
*armata* Haldeman, 1847:63
- Lepturopsis** Linsley & Chemsak, 1976:158  
**biforis** (Newman, 1841:70) eNAmer  
*laurentica* Casey, 1913:271  
**dolorosa** (LeConte, 1861:355) wNAmer (Pacific Coast)
- Lycidocerus** Chemsak & Linsley, 1976:44  
**sanguineus** Chemsak & Linsley, 1976:45 Costa Rica
- Lychochoriolaus** Linsley & Chemsak, 1976:34  
**angustatus** (Melzer, 1935:183) sBrasil (SC)  
*rotundipennis* (Fuchs, 1956:570)  
**angustisternis** (Gounelle, 1911:111) cBrasil (GO), Bolivia (CO)  
 var. *nigrum* Gounelle, 1911:112

- ater** (Gounelle, 1911:107)  
**aurifer** (Linsley, 1970:139)  
**costulatus** (Bates, 1885:284)  
**lateralis** (Olivier, 1795:22)  
*distans* Germar, 1824:524  
*flavatra* Blatchley, 1914:92  
*subintegra* Casey, 1924:285  
**lyciformis** (Pascoe, 1866:289)  
**mimulus** (Bates, 1885:285)  
**sericeus** (Bates, 1885:285)  
**similis** (Linsley, 1970:140)  
**xantho** (Bates, 1885:282)
- Brasil (MG)  
 neMexico (TA)  
 swMexico (OA, VC)  
 seUSA-TX, Mexico (TA, OA, VC)
- Lycomorphoides** Linsley, 1970:133  
**simulans** Linsley, 1970:133
- Colombia, Brasil (RO, MT), Bolivia (CO, SC)  
 eMexico (TA-CHS)  
 Panama  
 swMexico (OA)  
 swMexico (OA)
- Lygistoapteroides** Linsley & Chemsak, 1971:21  
**longipennis** (Bates, 1885:286)
- Costa Rica, Panama  
 wcMexico (DU)
- Macrochoriolaus** Linsley, 1970:134  
**elegans** Linsley, 1970:135
- swMexico (GR)
- Megachoriolaus** Linsley, 1970:128  
**atripennis** (Bates, 1870:313)  
**bicolor** (Gounelle, 1911:109)  
**chemsaki** Linsley, 1970:129  
**clarkei** Monné & Monné 2008:47  
**cruentus** (Martin, 1930:70)  
*cruentata*; Hopping, 1937:27  
*cruneta*; Knull, 1954:129  
**flammatu**s (Linsley, 1961:137)  
**ignitus** (Schaeffer, 1908:341)  
*breviceps* (Linsley, 1961:139)  
**imitatrix** Linsley, 1970:131  
**lineaticollis** Chemsak & Linsley, 1974:36  
**nigricollis** Chemsak & Linsley, 1974:36  
**patricia** (Bates, 1885:286)  
*princeps* Bates, 1885:286  
**spiniferus** (Linsley, 1961:136)  
**sylvainae** Audureau, 2010:2  
**texanus** (Knull, 1941:388)  
**unicolor** (Bates, 1892:159)  
**venustus** (Breme, 1844:311)  
**yucatanus** Giesbert & Wappes, 1999:12
- nwBrasil (AM)  
 cBrasil (GO), Bolivia (LP)  
 wMexico (SI, JA, OA)  
 Brasil (RO), Bolivia (SC)  
 swUSA (AZ)
- scMexico (MO)  
 swUSA (AZ)
- cMexico (SLP)  
 Panama  
 swMexico (OA)  
 Mexico (VC) - Panama
- Guatemala - Panama  
 Nicaragua  
 swUSA (TX)  
 swMexico (GR)  
 Colombia  
 Mexico (YU, QR)
- Meloemorpha** Chemsak & Linsley, 1976:177  
**aliena** (Bates, 1880:38)  
 var. *erythrogaster* Bates, 1885:278  
**anomala** (Bates, 1885:279)
- Mexico (DF, HI, ME, MI, MO, NL, VC),  
 Guatemala  
 Guatemala
- Mimiptera** Linsley, 1961:139  
**fulvella** (Bates, 1885:286)  
*planicoxis* Bates, 1892:159  
*costaricensis* Melzer, 1935:182
- Costa Rica, Panama

- Mordellistenomimus** Chemsak & Linsley, 1976:43  
*nanus* (Bates, 1885:284)  
 Mexico, Guatemala
- Nemognathomimus** Chemsak & Linsley, 1976:42  
*breviceps* Giesbert, 1997:39  
*michelbacheri* Chemsak & Giesbert, 1986:33  
*opacipennis* Chemsak & Noguera, 1993:88  
*pallidulus* (Linsley, 1935:82)  
*pubicollis* Linsley, 1935:83  
 Panama  
 wMexico (JA)  
 wMexico (JA)  
 Mexico-El Salvador
- Neostalosterna** Podany, 1961:27  
*capitata* (Newman, 1841:71)  
*rubida* (LeConte, 1873:224)  
*keeni* Casey, 1913:257  
 eNAmer  
 wNAmer
- Neobellamira** Swaine & Hopping, 1928:15  
*delicata delicata* (LeConte, 1874:68)  
 subsp. *australis* Linsley & Chemsak, 1976:5  
 wUSA (OR, CA)  
 swUSA (CA)
- Neoleptura** Thomson, 1860:153  
*alpina* Chemsak & Linsley, 1976:186  
*auripennis* Chemsak & Linsley, 1976:183  
*lecontei* Thomson, 1861:153  
*minutipunctis* Chemsak & Linsley, 1976:185  
 wMexico (DU, SI)  
 wMexico (MI)  
 swMexico (OA)  
 swMexico (OA)
- Noctileptura** Chemsak & Linsley, 1984:281  
*seriata* Chemsak & Linsley, 1984:283  
*squamosa* Chemsak & Linsley, 1984:282  
 Guatemala, Honduras  
 sMexico (CHS)
- Orthochoriolaus** Linsley & Chemsak, 1976:36  
*chihuahuae* (Bates, 1885:285)  
*huachucae* Schaeffer, 1905:164  
*batesi* Linsley, 1961:134  
 swUSA (AZ)-wMexico (CHA, DU)
- Ortholeptura** Casey, 1913:204  
*insignis* (Fall, 1907:251)  
*obscura* (Swaine & Hopping, 1928:56)  
*valida* (LeConte, 1857:64)  
*oculea* Casey, 1913:204  
 wUSA (CA), Mexico (BCN)  
 nwUSA (WA, OR, ID)  
 wNAmer (Pacific Coast), Mexico (BCN)
- Pseudophistomis** Linsley & Chemsak, 1971:35  
*pallida* (Bates, 1872:183)  
 Nicaragua, Costa Rica (GU)
- Pseudostrangalia** Swaine & Hopping, 1928:24  
*cruentata* (Haldeman, 1847:64)  
*maneyi* Casey, 1914:367  
 eNAmer-TX
- Pseudotypocerus** Linsley & Chemsak, 1971:34  
*ater* Chemsak & Linsley, 1981:486  
*inflaticollis* Chemsak & Linsley, 1976:174  
*nitidicollis* Chemsak & Linsley, 1976:172  
*proxater* Giesbert, 1997:17  
*pubipennis* (Bates, 1885:279)  
*rufiventris* (Bates, 1872:183)  
*virescens* Chemsak & Linsley, 1976:173  
*auricornis* Chemsak & Linsley, 1981:488  
*vittatus* Chemsak & Linsley, 1981:487  
 Costa Rica  
 Panama  
 El Salvador  
 Panama  
 Guatemala  
 Mexico (VC)-Panama  
 Costa Rica, Panama  
 Panama

**Pygoleptura** Linsley & Chemsak, 1976:59**brevicornis** (LeConte, 1873:226)**carbonata** (LeConte, 1861:355)**nigrella nigrella** (Say, 1826:279)*lacustris* Casey, 1891:43*praestans* Casey, 1913:267*serricornis* Casey, 1924:279subsp. **oregonensis** Linsley & Chemsak, 1976:62

wUSA (OR, CA)

swCanada (Br Col), wUSA

Canada, Alaska, nUSA

nwUSA (OR)

**Stenelytrana** Gistel, 1848:132*Leptura* (*Stenura*) Dejean, 1837:381 (not Cuvier, 1829, *Aves*)*Leptura* (*Megaleptura*) Casey, 1913:267**emarginata** (Fabricius, 1787:158)**gigas** (LeConte, 1873:223)**splendens** (Knull, 1935:191)

eUSA

swUSA (TX), nMexico (CHA)

swUSA (AZ)

**Stenostrophia** Casey, 1913:248**amabilis** (LeConte, 1857:64)**coquilletti** (Linell, 1897:398)**tribalteata tribalteata** (LeConte, 1873:224)subsp. **serpentina** (Casey, 1891:41)subsp. **sierrae** Linsley & Chemsak, 1976:113

swCanada (Br Col), wUSA

swUSA (CA)

wUSA (CA, NV)

wNAmer (Rocky Mts)

wUSA (CA, OR)

**Stictoleptura** Casey, 1924:280*Corymbia* Des Gozis, 1886:33; nec Walker, 1865*Aredolpona* Nakane & N. Ohbayashi, 1957:50*Melanoleptura* Miroshnikov, 1998:594*Paracorymbia* subgen. *Batesiata* Miroshnikov, 1998:594**canadensis canadensis** (Olivier, 1795:8)*erythroptera* Kirby in Richardson, 1837:180*cinnamoptera* Haldeman, 1847:64*tenuicornis* Haldeman, 1847:64subsp. **cribripennis** (LeConte, 1859:21)*coccinea* LeConte, 1873:226*canadensis* form *ebena* Leng, 1890:197*cribripennis* *divisa* Casey, 1924:281subsp. **arizonensis** Linsley & Chemsak, 1976:144

seCanada, neUSA

wCanada - CA

swUSA (AZ, NM)

**Strangalepta** Casey, 1913:247**abbreviata** (Germar, 1824:523)*vittata*; Olivier, 1792:523 (not Swederus, 1787)*semivittata* Kirby in Richardson, 1837:183*gulosus* Kirby in Richardson, 1837:184*nitidipennis* Provancher, 1877:616*vittata* var. *saratogensis* Rau, 1935:63

eNAmer

**Strangalia** Audinet-Serville, 1835:220*Ophistomis* Thomson, 1857:319*Ophiostomis*; Gemminger & Harold, 1872:2875*Strangalina* Aurivillius, 1912:245**acuminata** (Olivier, 1795:20)*emaciata*; Newman, 1841:68 (not Bates, 1880)*unicolor* Haldeman, 1847:62**albicollis** (Pascoe, 1860:63)*irene* (Gounelle, 1911:103)**anneae** Chemsak & Linsley, 1981:490**antennata** Schaeffer, 1908:342**auripilis** Chemsak, 1969:6

eNAmer

Brasil (PA, GO, RO), eEcuador, Bolivia (SC), Peru  
Fr Guiana

Costa Rica, Panama

swUSA (AZ)

wMexico (DU, SI)

- beierli** Giesbert, 1997:21  
**beltii** (Bates, 1872:182)  
*maculifrons* Giesbert, 1985:276  
**benitoespinali** Chalumeau, 1985:148  
**biannulata** (Linsley, 1935:83)  
**bicolor** (Swederus, 1787:197)  
*bicolorata* Tarton, 1806:352  
*bicolor* Say, 1824:418  
*simulans* Casey, 1913:278  
**bicolorella** Chemsak, 1969:2  
*pulchra* Chemsak, 1969:5  
**bivittata** (Bates, 1870:311)  
*paraensis* Bates, 1870:311  
**bonfilsii** Villiers, 1979:24  
**brachialis** (Bates, 1885:280)  
*nigrita* Linsley, 1935:110  
**cambrei** Linsley & Chemsak, 1976:20  
**cantharidis** (Chemsak & Linsley, 1976:174)  
**cavaventra** Chemsak, 1969:8  
**cavei** Chemsak & Linsley, 1981:489  
**debroyzei** Chalumeau & Touroult, 2005:156  
**dolicops** Chemsak, 1969:3  
**doyeni** Chemsak & Linsley, 1976:223  
**eickworti** Chemsak & Noguera, 1997:12  
**elegans** Giesbert, 1997:22  
**emaciata** (Bates, 1880:39)  
**famelica famelica** Newman, 1841:68  
*obsoleta* Haldeman, 1847:61  
*obsoleta* var. *flaviceps* Haldeman, 1847:61  
var. *confluenta* Haldeman, 1847:61  
*ochreipennis* Casey, 1913:278  
subsp. **solitaria** Haldeman, 1847:61  
**flavocincta** (Thomson, 1861:155)  
*latifasciata* Melzer, 1926:9  
*tristis* Melzer, 1922:5  
**fulvicornis** (Bates, 1872:183)  
*variabilis* Melzer, 1926:8  
*flavovittata* Melzer, 1926:10  
*rustica* Melzer, 1926:10  
**guindoni** Giesbert, 1989:463  
**hamatipes** Giesbert, 1986:140  
**hondurae** Chemsak & Linsley, 1979:271  
**hovorei** Giesbert, 1997:24  
**ianswifti** Hovore & Chemsak, 2005:4  
**instabilis** Giesbert, 1985:285  
**insularis** (Fisher, 1932:56)  
**lachrymans** (Bates, 1885:280)  
**lapidicina** Giesbert, 1997:25  
**luteicornis** (Fabricius, 1775:197)  
*eversa* Casey, 1913:277  
*carolinae* Casey, 1913:277  
**lyrata** (Redtenbacher, 1867:190)  
*discophora* Redtenbacher, 1867:191  
**melampus** (Bates, 1885:280)  
*histrion* Bates, 1885:281  
**melanophthysis** (Berg, 1889:107)  
*melanura* var. *nigripennis* Melzer, 1930:191  
**melanostoma** (Bates, 1870:312)  
**melanura** (Redtenbacher, 1867:189)  
*dimidiata* Redtenbacher, 1867:189
- Mexico (CHS)  
Honduras - Panama
- W Indies (Montserrat I.)  
scMexico (ME, GR, MO, MI, OA)  
eUSA-Colorado
- wMexico (SI, JA, CM)
- nwBrasil (AM, PA), eEcuador, Guyana, Bolivia (CO),  
Fr Guiana  
Guadeloupe  
Mexico (CHS, OA, QR, VC)-Belize
- seUSA (MS)  
Costa Rica, Panama  
wMexico (JA, MI, OA, CHS)  
El Salvador  
Dominica  
swMexico (OA, CHS), Guatemala  
wMexico (JA, OA, CHS), Guatemala  
Mexico (CHS)  
Mexico (VC), Honduras, Costa Rica  
Costa Rica  
eUSA
- seUSA  
seBrasil (ES, RJ, SP, MG, BA, SC, PR), Bolivia (CO)
- seBrasil (MG - SC), Uruguay, Paraguay, Argentina
- Costa Rica, Panama  
wMexico (JA-CHS)  
Honduras  
Costa Rica  
Honduras  
Honduras, Costa Rica, Panama  
W Indies (Dominica)  
Guatemala  
Guatemala  
eNAmer-TX
- seBrasil (ES, RJ)
- Guatemala
- Argentina, Uruguay
- nwBrasil (AM)  
seBrasil (GO, RJ-RS), Argentina, Uruguay

- var. *furcata* Melzer, 1930:191  
var. *atra* Gounelle, 1911:107  
**montivaga** Chemsak & Linsley, 1976:226  
**monzoni** Giesbert, 1997:27  
**occidentalis** Linsley & Chemsak, 1976:15  
**ochroptera** (Bates, 1870:312)  
**opleri** Chemsak & Linsley, 1976:227  
**palaspina** Chemsak, 1969:3  
**pallifrons** Giesbert, 1997:28  
**panama** Di Iorio, 2002:76  
*dimidiata* Chemsak & Linsley, 1981:487 (not Redtenbacher, 1867)  
**panamensis** Giesbert, 1985:278  
**penrosei** Hovore & Chemsak, 2005:8  
**pectoralis** (Bates, 1885:282)  
**picticornis** (Bates, 1869:384)  
*felix* Bates, 1885:282  
**pseudocantharidis** Giesbert, 1985:284  
**rubiginosa** (Gounelle, 1911:105)  
**rubricollis** (Bates, 1870:312)  
**sallaei** (Bates, 1885:280)  
**saltator** (Bates, 1885:281)  
**semifulva** (Bates, 1870:313)  
**sexnotata** Haldeman, 1847:61  
*montana* Casey, 1891:40  
*texana* Casey, 1913:276  
*evanescens* Casey, 1913:276  
**sexocellata** Hovore & Chemsak, 2005:5  
**sinaloae** Chemsak & Linsley, 1981:490  
*gracilis*; Chemsak, 1969:7 (not Gressitt, 1934)  
**splendida** (Aurivillius, 1920:361)  
**strigosa** Newman, 1841:68  
**suavis** (Melzer, 1926:7)  
**succincta** (Redtenbacher, 1867:190)  
*auriflua* (Redtenbacher, 1867:190)  
**thoracica** (Fleutiaux & Sallé, 1889:465)  
**turnbowi** Hovore & Chemsak, 2005:2  
**veracruzana** Hovore & Chemsak, 2005:7  
**virilis** LeConte, 1873:212  
**westcotti** Chemsak & Linsley, 1976:231  
**xanthomelaena** Monné & Monné, 2005:234  
**xanthotela** (Bates, 1892:158)  
**zacapensis** Giesbert, 1997:30  
**zikani** (Melzer, 1922:5)
- Strangalidium** Giesbert, 1997:34  
**chemsaki** Giesbert, 1997:35  
**kunaium** Giesbert, 1997:36  
**linsleyanum** (Giesbert, 1986:142)  
*linsleyi*; Giesbert, 1985:280 (not Gressitt, 1951)  
**nigellum** (Bates, 1872:233)
- Strophiona** Casey, 1913:248  
**laeta** (LeConte, 1857:64)  
*ostenta* Casey, 1913:265  
**nitens** (Forster, 1771:45)  
*zebra*; Provancher, 1877:614 (not Olivier, 1795)  
*zebrata*; Haldeman, 1847:62 (not Fabricius, 1801)  
*quagga* Germar, 1824:521  
*bellina* Casey, 1913:265
- wcMexico (DU, SI) - Honduras, El Salvador  
Guatemala  
swUSA (AZ), nwMexico (CHA)  
nwBrasil (AM, MT), eEcuador, Guyana, Fr Guiana  
Guatemala, Costa Rica  
wMexico (SI, NA, JA)-Guatemala  
Guatemala, Honduras  
Panama  
Panama  
wEcuador  
Mexico (CHS, OA, VC)-Belize  
Nicaragua-Panama
- Costa Rica, Panama  
Brasil (MT, RO, GO), Bolivia (CO)  
Brasil (AM, RO, MT), Peru, Bolivia (CO), Fr Guiana  
Mexico  
Costa Rica, Panama  
nwBrasil (AM, MT)  
sUSA (FL-AZ)
- Honduras  
wMexico (SI, MI)
- nwBrasil (AM)  
seUSA (FL)  
nwBrasil (AM), eEcuador, Bolivia, Fr Guiana  
seBrasil (ES, RJ)
- Guadeloupe  
Honduras  
Mexico (VC)  
scUSA (TX, OK)  
wMexico (NA)  
Brasil (MG, RO), Bolivia (SC)  
swMexico (GR)  
Guatemala  
seBrasil (MG-SC)
- Costa Rica (CA), Panama  
Guatemala (?), Costa Rica (CA), Panama  
Panama
- Nicaragua-Panama
- wUSA (WA-CA-NM)
- eNAmer-CO

<b>tigrina</b> Casey, 1913:266 <i>reducta</i> Casey, 1913:266	wUSA (WA, OR, CA), Mexico (BCN)
<b>Trachysida</b> Casey, 1913:271	
<b>aspera aspera</b> (LeConte, 1873:228) var. <i>parkeri</i> Hippiisly, 1922:66 subsp. <b>brevifrons</b> (Howden, 1959:158) subsp. <b>rufescens</b> Linsley & Chemsak, 1976:117 <b>mutabilis</b> (Newman, 1841:71) <i>luridipennis</i> Haldeman, 1847:63 <i>quadricollis</i> LeConte, 1850:339 <i>laetifia</i> Provancher, 1877:620 <i>mutabilis</i> ab. <i>provancheri</i> Aurivillius, 1912:223	Alaska-wUSA (OR, CO, NM)  seCanada, neUSA (MI, NY) wUSA (CA) eNAmer-scCanada (Alberta)
<b>Trigonarthris</b> Haldeman, 1847:65 <i>Leptura</i> ( <i>Cercolia</i> ) Casey, 1913:268	
<b>atrata</b> (LeConte, 1850:339) <i>liebecki</i> Hopping, 1922:164 <b>minnesotana</b> (Casey, 1913:269) <b>proxima</b> (Say, 1824:420) <i>subpubescens</i> Kirby in Richardson, 1837:180 <i>kempiana</i> Casey, 1924:281	seUSA-TX, KS  eNAmer eNAmer
<b>Typocerus</b> LeConte, 1850:333	
<b>acuticauda acuticauda</b> Casey, 1913:274 <i>thoracicus</i> Casey, 1913:274 subsp. <b>standishi</b> Knull, 1938:141 <i>oklahomensis</i> Hopping, 1940:33 (part) <b>badius</b> (Newman, 1841:69) <b>balteatus</b> Horn, 1878:55 subsp. <b>diana</b> Lewis, 2001:11 <b>confluens</b> Casey, 1913:272 <i>caligans</i> Casey, 1913:273 <b>deceptus</b> Knull, 1929:144 <b>fulvocinctus</b> Knull, 1956:338 <i>flavocinctus</i> ; Linsley & Chemsak, 1976:84 <b>gloriosus</b> Hopping, 1922:166 <b>lugubris</b> (Say, 1824:419) <b>lunulatus lunulatus</b> (Swederus, 1787:197) <i>arcuata</i> Olivier, 1795:32 <i>lunata</i> Fabricius, 1801:360 <i>lunatus fractus</i> Hoffman, 1958:220 subsp. <b>texanus</b> Linsley & Chemsak, 1976:84 <b>octonotatus</b> (Haldeman, 1847:62) <i>sinuatus</i> ; LeConte, 1850:335 (not Newman, 1841) <i>arapahoe</i> Casey, 1924:278 <b>serraticornis</b> Linsley & Chemsak, 1976:69 <b>sinuatus</b> (Newman, 1841:70) <i>brunnicornis</i> LeConte, 1873:214 <i>brunnicornis inflatus</i> Knull, 1959:47 <b>sparsus</b> LeConte, 1878:614 <b>velutinus velutinus</b> (Olivier, 1795:18) <i>fugax</i> Fabricius, 1798:153 <i>tenuior</i> Kirby in Richardson, 1837:181 <i>manitobensis</i> Swaine & Hopping, 1928:35 subsp. <b>nobilis</b> (Newman, 1841:69) <i>trimaculatus</i> Champlain & Knull, 1922:304 <i>oklahomensis</i> Hopping, 1940:33 (part)	eNAmer  scUSA (KS-TX-MS)  seUSA (GA, FL) wc NAmer swUSA (TX) cUSA  ec USA seUSA (FL)  wcUSA (CO, UT, NM, AZ) eNAmer eUSA  scUSA (LA, TX, AR) e, cUSA  wcUSA (UT, ID, NV, OR, CO) seUSA-NM, CO  scCanada, nc USA (Great Lakes) eNAmer  seUSA-GA, OK



<b>zebra</b> (Olivier, 1795:19)	eUSA-TX
<i>zebrata</i> Fabricius, 1801:364	
<i>carolina</i> Weber, 1801:91	
<i>aurigera</i> Newman, 1841:70	
<b>Xestoleptura</b> Casey, 1913:248	
<b>behrensi</b> (LeConte, 1873:227)	swCanada (Br Col), wUSA
<b>cockerelli</b> (Fall, 1907:251)	wcUSA (AZ, UT, CO, NM)
<b>crassicornis</b> (LeConte, 1873:227)	wUSA-ID
<i>corusca</i> Casey, 1913:261	
<b>crassipes</b> (LeConte, 1857:65)	wNAmer
<i>xanthogaster</i> LeConte, 1859:88	
<i>fasciventris</i> LeConte, 1861:355	
<i>crassipes shastana</i> Casey, 1913:263	
<i>muliebris</i> Casey, 1913:263	
<i>vancouveri</i> Casey, 1913:263	
<b>octonotata</b> (Say, 1824:419)	eNAmer
<i>stictica</i> Newman, 1841:72	
<i>quadripunctata</i> Haldeman, 1847:64	
<b>tibialis</b> (LeConte, 1850:236)	sCanada, nwUSA, Rocky Mts
<i>hirtella</i> LeConte, 1873:226	
<i>columbica</i> Casey, 1913:261	
<i>miquelonensis</i> Pic, 1922:11	
<i>pictipennis</i> Casey, 1924:285	

### **Rhagiini** Kirby, 1837:178

<b>Acmaeops</b> LeConte, 1850:235	
<i>Gnathacmaeops</i> Linsley & Chemsak, 1972:135	
<b>discoideus</b> (Haldeman, 1847:60)	eNAmer
<b>pratensis</b> (Laicharting, 1784:172)	NAmer (boreal regions)
<i>strigilata</i> Fabricius, 1792:341	
<i>longiceps</i> Kirby in Richardson, 1837:187	
<i>semimarginata</i> Randall, 1838:30	
<i>fulvipennis</i> Mannerheim, 1853:251	
<b>proteus proteus</b> (Kirby in Richardson, 1837:186)	NAmer (montane regions)
<i>sublineata</i> Haldeman, 1847:60	
<i>gibbula</i> LeConte, 1861:356	
<i>pinicola</i> Schaeffer, 1908:341	
<i>parkeri</i> Casey, 1913:242	
<i>lacustrina</i> Casey, 1913:242	
<i>obsoleta</i> Casey, 1913:243	
<i>puncticeps</i> Casey, 1913:243	
<i>aurora</i> Casey, 1913:244	
<i>coloradensis</i> Casey, 1913:244	
<i>cavicollis</i> Casey, 1913:244	
<i>scutellata</i> Casey, 1924:276	
subsp. <b>durangoensis</b> Linsley & Chemsak, 1972:98	nwMexico (DU)
<b>Acmaeopsoides</b> Linsley & Chemsak, 1976:166	
<b>rufula</b> (Haldeman, 1847:60)	neNAmer
<b>Anthophylax</b> LeConte, 1850:326	
<i>Anthophilax</i> ; LeConte in Agassiz, 1850:236	
<b>attenuatus</b> (Haldeman, 1847:59)	seCanada, neUSA
<b>cyaneus</b> (Haldeman, 1847:151)	eNAmer
<i>malachiticus</i> Haldeman, 1847:64	
<b>hoffmani</b> Beutenmüller, 1903:518	seUSA

**viridis** LeConte, 1850:326  
*viridis viridipennis* Casey, 1918:416

eNAmer

### **Brachysomida** Casey, 1913:219

**atra** (LeConte, 1850:323)  
*morata* Casey, 1913:222  
*aterrima* Casey, 1924:276

swCanada, nwUSA (WA-CO)

**bivittata** (Say, 1824:416)  
*nigripennis* LeConte, 1850:323  
*varians* LeConte, 1850:324  
*fusciceps* LeConte, 1850:324  
*incertus* Bland, 1863:321  
*oblongus* Casey, 1913:218

sCanada, eUSA

**californica** (LeConte, 1851:101)  
*subaeneus* LeConte, 1851:101  
*tumida* LeConte, 1857:63  
*fusca* LeConte, 1857:62  
*subcyanea* LeConte, 1857:63  
*lugens* LeConte, 1857:62  
*viola* LeConte, 1860:321  
*mollipilosa* LeConte, 1860:321  
*pinguis* LeConte, 1873:210  
*celestina* Casey, 1913:222  
*corpulenta* Casey, 1913:222  
*lanatula* Casey, 1913:224  
*francisca* Casey, 1913:225  
*californica proxima* Casey, 1913:225  
*brevicornis* Casey, 1913:226  
*trinitatis* Casey, 1913:226  
*tumidiceps* Casey, 1913:227  
*caerulea* Casey, 1913:227  
*caerulea chalybea* Casey, 1913:228  
*robustula* Casey, 1913:228  
*protensicollis* Casey, 1913:228  
*hirsuta* Casey, 1913:228  
*lepidula* Casey, 1913:229  
*versicolor* Casey, 1913:229

wUSA (CA, OR, WA)

**rugicollis** Linsley & Chemsak, 1972:135

ncUSA (Rocky Mts)

**vittigera** Linsley & Chemsak, 1972:127  
*corpulenta*; Hopping, 1943:119 (not Casey, 1913)

wUSA (CA)

### **Centrodera** LeConte, 1850:325

*Rhamnusium* Haldeman, 1847:58  
*Centrodera (Apatophysis)* Gressitt, 1947:191  
*Parapachyta* Casey, 1913:216

**autumnata** Leech, 1963:173  
**dayi** Leech, 1963:178  
**decolorata** (Harris, 1841:93)  
*rubidus* Haldeman, 1847:58  
*decolorata lacustris* Casey, 1918:416

wUSA (CA)  
wUSA (WA, OR, n CA)  
eNAmer

**minima** Linsley & Chemsak, 1972:40  
**nevadica nevadica** LeConte, 1873:205  
subsp. **arizonica** Linsley & Chemsak, 1972:42

wcUSA (CO)  
wUSA  
swUSA (AZ)  
wUSA (c CA)

**oculata oculata** Casey, 1913:202  
*nevadica*; Fall, 1901:148 (not LeConte, 1873)  
*arida* Van Dyke, 1946:89

subsp. **blaisdelli** Van Dyke, 1927:102  
**osburni** Knull, 1947:73

wUSA (s CA)  
wUSA (CA)  
eUSA (OH)

**quadrimaculata** (Champlaine & Knull, 1922:147)

<b>spurca</b> (LeConte, 1857:63) <i>cervinus</i> Walker, 1866:332	wNAmer (Br Col, WA, OR, CA, UT), Mexico (BC)
<b>sublineata</b> LeConte, 1862:40	eUSA
<b>tenera</b> Casey, 1913:203 <i>pilosa</i> Van Dyke, 1927:101	wUSA (CA)
<b>Comacmaeops</b> Linsley & Chemsak, 1972:88	
<b>brunnea</b> (Knull, 1962:107)	swUSA (TX)
<b>parva</b> Linsley & Chemsak, 1972:89	Mexico (HI, GR)
<b>Cortodera</b> Mulsant, 1863: 572	
<i>Acmaeops</i> LeConte, 1850:321 (part)	
<i>Leptacmaeops</i> Casey, 1913:219	
<i>Leptacmaeops (Acmaeopsilla)</i> Casey, 1913:240	
<b>barri</b> Linsley & Chemsak, 1972:120	wcUSA (OR, NV, ID)
<b>bivittata</b> Linsley & Chemsak, 1972:121	swUSA (AZ)
<b>coniferae</b> Hopping & Hopping, 1947:233	swCanada, wUSA (OR, CO)
<b>cubitalis</b> (LeConte, 1861:355) <i>basalis</i> LeConte, 1873:211 <i>basalis dichroma</i> Casey, 1913:231 <i>cuneata</i> Casey, 1913:232 <i>auricollis</i> Casey, 1913:232 <i>elegantula</i> Casey, 1913:232 <i>quadrinotata</i> Casey, 1913:233 <i>tenuis</i> Casey, 1913:233 <i>temporalis</i> Casey, 1913:233 <i>minima</i> Casey, 1913:234	wUSA (CA)
<b>falsa</b> (LeConte, 1860:80)	swUSA (CA), Mexico (BCN)
<b>ferrea</b> Linsley & Chemsak, 1972:115	swUSA (CA)
<b>fraudis</b> Linsley & Chemsak, 1972:121	wUSA (CA, NV)
<b>funerea</b> Linsley & Chemsak, 1972:118	wUSA (CA)
<b>impunctata</b> Hopping & Hopping, 1947:222	nwUSA (WA, OR)
<b>longicornis</b> (Kirby in Richardson, 1837:185) <i>dorsalis</i> LeConte, 1859:21 <i>vincta</i> LeConte, 1861:356 <i>ligata</i> LeConte, 1873:211 <i>marginalis</i> LeConte, 1857:23 <i>punctiventris</i> Casey, 1913:238 <i>alticola</i> Casey, 1913:239 <i>suturalis</i> Casey 1924:277 <i>oregonensis</i> Hopping & Hopping, 1947:227 <i>harmeyensis</i> Hopping & Hopping, 1947:228 <i>bakeri</i> Hopping & Hopping, 1947:229	wNAmer
<b>militaris</b> <b>militaris</b> (LeConte, 1850:322) subsp. <b>constans</b> Linsley & Chemsak, 1972:110 subsp. <b>variipes</b> (Casey, 1891:38) <i>berkeleyensis</i> Hopping & Hopping, 1947:226	wNAmer (Br Col, WA, OR, nCA) wUSA (nCA) wUSA (CA)
<b>nitidipennis</b> (Casey, 1913:236)	nwUSA (WA, OR)
<b>placerensis</b> Hopping & Hopping, 1947:223 <i>sierrae</i> Hopping & Hopping, 1947:224	wUSA (CA)
<b>robusta</b> Hopping & Hopping, 1947:234	nwUSA (WA)
<b>spuria</b> (LeConte, 1873:228)	nwUSA (ID-CO)
<b>stolida</b> (Casey, 1924:277)	wUSA (CA, NV)
<b>subpilosa</b> (LeConte, 1850:322) <i>lupina</i> LeConte, 1860:321 <i>intermedia</i> Casey, 1913:236 <i>pugetana</i> Casey, 1913:237 <i>quadriceps</i> Casey, 1913:237	wNAmer (Br Col, WA, OR, CA, UT)
<b>thorpi</b> Linsley & Chemsak, 1972:123	wUSA (NV)

- tuberculicollis** Linsley & Chemsak, 1972:118  
**vanduzeei** Linsley & Chemsak, 1972:122  
 swUSA (NM)  
 wUSA (CA)
- Evodinus** LeConte, 1850:325  
*Brachyta* Fairmaire in Jacquelin du Val, 1864:185  
**lanhami** Lewis, 1976:227  
**monticola monticola** (Randall, 1838:27)  
     *carolinensis* Casey, 1924:275  
     subsp. **vancouveri** Casey, 1913:216  
 nc USA (WY)  
 eNAmer  
 wCanada, Alaska, nwUSA
- Gaurotes** LeConte, 1850:324  
**cyanipennis** (Say, 1824:423)  
     *laportei* Guérin-Méneville, 1831: pl.46, fig.6  
     *servillei* Audinet-Serville, 1835:214  
     *ione* Newman, 1840:30  
     *leonardii* Haldeman, 1847:60  
     ab. *canadensis* Podany, 1962:246  
     ab. *aurata* Podany, 1962:246  
**thoracica** (Haldeman, 1847:60)  
 eNAmer
- Metacmaeops** Linsley & Chemsak, 1972:137  
**vittata** (Swederus, 1787:198)  
     *quadrivittata* Schoenherr, 1817:497  
     *quadrivittata* var. *pallida* Haldeman, 1847:65  
     *directa* Newman, 1841:71  
 eUSA
- Neanthophylax** Linsley & Chemsak, 1972:78  
*Anthophilax* Horn in Leng, 1890:98 (part)  
**mirificus** (Bland, 1865:382)  
     *venustus* Bland, 1865:383  
     *costaricensis* Bates, 1885:277  
**pubicollis** Linsley & Chemsak, 1972:81  
**subvittatus** (Casey, 1891:37)  
**tenebrosus tenebrosus** (LeConte, 1873:208)  
     subsp. **nigrolineatus** (Van Dyke, 1917:36)  
     subsp. **orientalis** Linsley & Chemsak, 1972:81  
 wNAmer (Rocky Mts), Costa Rica (doubtful)  
 wcUSA (ID)  
 wcUSA (CO)  
 wUSA (OR, CA)  
 swCanada, nwUSA (WA, OR)  
 nwUSA (OR, UT)
- Pachyta** Dejean, 1821:112  
*Argaleus* LeConte, 1850:319  
*Acmaeops*; Thomson, 1866:55 (not LeConte, 1850)  
*Anthophylax*; Blessig, 1873:232 (not LeConte, 1850)  
*Neopachyta* Bedel, 1906:93  
*Pachyta* (*Linsleyana*) Podany, 1964:43  
**armata** LeConte, 1873:207  
**lamed** (Linnaeus, 1758:391)  
     *pedella* Degeer, 1775:129  
     *spadicea* Paykull, 1800:101  
     *lamed* ab. *bohemica* Sláma, 1963:55  
     subsp. **liturata** Kirby in Richardson, 1837:178  
     *nitens* LeConte, 1850:319  
     *conflagrata* Motschulsky, 1860:147  
     *lamed americana* Podany, 1964:50  
 wUSA (Pacific Coast)  
 Europe, Siberia  
 Canada, Alaska, wUSA
- Pidonia (Ceratopidonia)** Linsley & Chemsak, 1976:119  
**quadrata** (Hopping, 1931:233)  
 swCanada (Br Col), nwUSA

**Pidonia (Pidonia)** Mulsant, 1863:570*Grammoptera*; Thomson, 1864:141 (not Audinet-Serville, 1835)*Pseudopidonia* Pic, 1900:81*Hapalosalia* Casey, 1913:200*Pidnota*; Bayer & Shenefelt, 1969:5**aurata** (Horn, 1860:570)

eUSA

**densicollis** (Casey, 1914:366)

eUSA

**ruficollis** (Say, 1824:421)

eNAmer

*sphaericollis* Say, 1826:280*vibex* Newman, 1841:72*allecta* Newman, 1841:73*pauperula* Newman, 1841:72*nitidicollis* Horn, 1860:570*straussi* Webb, 1908:41*vibex fragilis* Casey, 1913:202*lineicornis* Casey, 1913:201*laeviceps* Casey, 1913:202**scripta** (LeConte, 1869:384)

wNAmer

**Pidonia (Thesalia)** Casey, 1891:36**gnathoides** (LeConte, 1873:228)

swCanada (Br Col), wUSA

*lisa* Leng, 1890:108*rubriceps* Casey, 1913:198**Piodes** LeConte, 1850:318**coriacea** LeConte, 1850:318

nwUSA (WA, OR, ID)

**Platerosida** Linsley, 1970:135**howdeni** Linsley, 1970:137

wMexico (DU)

**Pseudogaurotina** Plaviltstshikov, 1958:720*Gaurotes* Lacordaire, 1869:442 (part)**abdominalis** (Bland, 1862:270)

seCanada, neUSA

ab. *micans* Podany, 1962:226**cressoni cressoni** (Bland, 1864:69)

swCanada, wcUSA (Rocky Mts)

ab. *howdeni* Podany, 1962:237ab. *amethystina* Podany, 1962:238ab. *nigrita* Podany, 1962:238subsp. **lecontei** (Casey, 1913:219)

wUSA (Pacific Coast)

**Rhagium** Fabricius, 1775:182*Stenocorus* Geoffroy, 1762:221*Stenocorus*; Lamarck, 1817:312*Hargium* Samouelle, 1819:210*Harpium*; Reitter, 1912:6*Allorhagium* Kolbe, 1884:270**inquisitor inquisitor** (Linnaeus, 1758:393)

Holarctic: NAmer (boreal regions)

*lineatus* Olivier, 1795:13*investigator* Mannerheim, 1852:283*californicum* Casey, 1913:195*crassipes* Casey, 1913:195*parvicorne* Casey, 1913:195*boreale* Casey, 1913:195*cariniventre* Casey, 1913:196*thoracicum* Casey, 1913:196*montanum* Casey, 1913:197*mexicanum* Casey, 1913:197*canadense* Podany, 1964:30

*americanum* Podany, 1964:32  
*quadricostatum* Podany, 1964:34  
*nigra* Podany, 1978:4

**Stenocorus (Stenocorus)** Geoffroy, 1762:221

*Stenochorus* Reitter, 1912:6

*Toxotus* Dejean, 1821:112

*Anisorus* Mulsant, 1863:467

*Minaderus* Mulsant, 1863:467

*Toxotochorus* Reitter, 1907:208

*Stenocorus (Eutoxotus)* Casey, 1913:206

**alteni** Giesbert & Hovore, 1998:16

California

**copei** Linsley & Chemsak, 1972:54

swUSA (NM)

**cylindricollis** (Say, 1824:417)

eNAmer

*dives* Newman, 1841:68

*atratus* Haldeman, 1847:58

*dentipennis* Haldeman, 1847:58

**flavolineatus** (LeConte, 1854:18)

swCanada (Br Col), nwUSA

*flavolimbatus*; LeConte, 1857:23

**nubifer** (LeConte, 1859:80)

wNAmer

*lateralis* Casey, 1891:37

*pacificus* Casey, 1913:209

*tenellus* Casey, 1913:210

*hesperus* Casey, 1913:210

*parviceps* Casey, 1913:210

*truncatulus* Casey, 1913:211

*apiciventrus* Casey, 1913:211

*rufipennis* Casey, 1913:212

*plagiatus* Casey, 1924:273

*uteanus* Casey, 1924:273

*marginellus* Casey, 1924:274

*morio* Casey, 1924:274

*spinosus* Hopping, 1940:32

**obtusum** (LeConte, 1873:206)

swCanada, nwUSA

*brevicollis* Casey, 1913:214

**schaumii** (LeConte, 1850:320)

seCanada, neUSA

*schaumii* var. *croceus* Leng, 1890:68

**testaceus** Linsley & Chemsak, 1972:51

wcUSA (UT)

**trivittatus** (Say, 1824:422)

scCanada, nc USA

**vestitus** (Haldeman, 1847:59)

wNAmer

*vestitus* var. *ater* Leng, 1890:68

*virgatus* LeConte, 1874:67

*aureatus* Casey, 1913:213

*aureatus gilvicornis* Casey, 1913:213

*sericatus* Casey, 1913:213

*subpinguis* Casey, 1913:213

*oregonensis* Casey, 1913:214

*flaccidus* Casey, 1913:212

**vittiger** (Randall, 1838:29)

seCanada, neUSA

*trivittatus*; Haldeman, 1847:58 (not Say, 1824)

*trivittatus* var. *nigripes* Haldeman, 1847:58

*virgatus*; Leng, 1890:69 (not LeConte, 1874)

**Stenocorus (Toxotopsis)** Casey, 1913:206

**cinnamopteris** (Randall, 1838:45)

neUSA-TX

*aesculi* Haldeman, 1847:59

**Tomentgaurotes** Podany, 1962:242

- batesi** (Aurivillius, 1912:194) Mexico (DF, HI, ME, PU, OA, VC)  
*donacioides* Bates, 1880:37  
*batesi m. mexicana* Podany, 1962:243  
**maculosus** (Bates, 1885:277) Mexico (HI, CHS)  
**multiguttatus** (Bates, 1892:158) Mexico (GR, PU)  
*ab. nigrita* Podany, 1962:244  
**ochropus** (Bates, 1880:37) Mexico  
**plumbeus** Chemsak & Linsley, 1963:85 Mexico (OA, VC)

**Sachalinobiini** Danilevsky, 2010:43**Sachalinobia** Jacobson, 1899:39

- Pseudopachyta* Swaine & Hopping, 1928:16  
**rugipennis** (Newman, 1844:476) eCanada, neUSA

**Xylosteini** Reitter, 1913:5**Leptorhabdium** Kraatz, 1879:118

- Leptorrhadium* Ganglbauer, 1881:686  
*Leptorhabdium* Ganglbauer, 1881:716  
*Psilorhabdium* Kraatz, 1879:118  
**pictum** (Haldeman, 1847:58) eUSA

**Pseudoxylosteus** Sama, 1993:12

- ornatus** (LeConte, 1873:205) wUSA (OR, CA)

**Subfamily Spondylidinae** Audinet-Serville, 1832:123  
*(Spondylinae, auct)*

**Asemini** Thomson, 1861:259

- Criocephalites* Fairmaire in Jacquelin du Val, 1864:125  
*Criomorphaires* Planet, 1924:232  
*Tetropiina* Reitter, 1912:42 (part)

**Arhopalus** Audinet-Serville, 1834:77

- Criocephalum* Dejean, 1835:328  
*Criocephalus* Mulsant, 1839:63  
**asperatus** (LeConte, 1859:19) wNAmer-Honduras  
*honduranus* Casey, 1912:265  
*filitarsis* Casey, 1912:266  
**cubensis** (Mutchler, 1914:346) Cuba  
**foveicollis** (Haldeman, 1847:35) Canada, n USA  
*agreste* Kirby in Richardson, 1837:170 (not Fabricius, 1787)  
*impressus* Gemminger & Harold, 1872:2789  
*lacustrinus* Casey, 1912:267  
*cervinus* Casey, 1912:267  
**hispaniolae** (Fisher, 1942:4) R Dominicana

- productus** (LeConte, 1850:36)  
*elongatus* Casey, 1924:230  
*propinquus* Casey, 1924:230
- rusticus rusticus** (Linnaeus, 1758:395)  
 subsp. **hesperus** Chemsak & Linsley, 1965:141  
 subsp. **montanus** (LeConte, 1873:170)  
*spissicornis* Casey, 1912:264  
*spissicornis longicornis* Casey, 1912:264  
*gracilipes* Casey, 1912:265  
*cavicollis* Casey, 1912:266  
*coloradensis* Casey, 1924:231  
 subsp. **nubilus** (LeConte, 1850:36)  
 subsp. **obsoletus** (Randall, 1838:27)  
*rusticus*; Haldeman, 1847:35 (not Linnaeus, 1758)  
*obscurus* LeConte, 1850:36  
*mexicanus* Thomson, 1861:260  
*paganum* Lacordaire, 1869:211
- wNAmer-Honduras
- Europe (boreal)  
 swUSA (CA)  
 wcUSA (UT, CO, AZ, NM, TX), nMexico
- seUSA, Bahamas, Jamaica  
 eUSA-Honduras

### **Asemum** Eschscholtz, 1830:66

- Liasemum* Casey, 1912:262
- australe** LeConte, 1850:35  
*champlainianus* Casey, 1924:231
- caseyi** Linsley, 1957:13
- glabrellum** Bates, 1892:146
- nitidum** LeConte, 1873:169  
*mokelumne* Casey, 1912:262
- striatum** (Linnaeus, 1758:396)  
*atrum* Eschscholtz, 1830:66  
*moestum* Haldeman, 1847:35  
*moestum* var. *obsoletum* Haldeman, 1847:35  
*moestum* var. *brunneum* Haldeman, 1847:35  
*substriatum* Haldeman, 1847:36  
*juvencum* Haldeman, 1847:36  
*fuscum* Haldeman, 1847:36  
*gracilicorne* Casey, 1912:258  
*ebenum* Casey, 1912:258  
*curtipenne* Casey, 1912:258  
*amputatum* Casey, 1912:259  
*parvicorne* Casey, 1912:260  
*fulvipenne* Casey, 1912:260  
*costulatum* Casey, 1912:261  
*pugetanum* Casey, 1912:261  
*brevicorne* Casey, 1912:261  
*carolinum* Casey, 1924:227  
*stocktonense* Casey, 1924:227
- eUSA
- wUSA (CA, OR), Mexico (BC)  
 swMexico (GU), Guatemala, Honduras  
 wNAmer (WA, OR, CA)
- Europe, Asia, NAmer - Honduras

### **Megasemum** Kraatz, 1879:97

- Nothorhina* LeConte, 1873:169  
*Nothorhina* Leng, 1884:63
- asperum** (LeConte, 1854:18)  
*aspera impressa* Casey, 1912:264  
*aspera rectipennis* Casey, 1912:264  
*uteanus* Casey, 1924:231
- wNAmer, nwMexico (SO)

### **Tetropium** Kirby in Richardson, 1837:174

- Criomorphus* Mulsant, 1839:58  
*Isarthron* Dejean, 1835:329
- abietis** Fall, 1912:320
- auripilis** Bates, 1885:435
- beckeri** Franz, 1955:324
- wUSA (WA, OR, CA)  
 swUSA (AZ)-Mexico (VC)  
 Guatemala



<b>cinnamopterum cinnamopterum</b> Kirby in Richardson, 1837:174	seCanada, neUSA
subsp. <b>parvulum</b> Casey, 1891:24	nc USA (CO, MN), wCanada, Alaska
<i>alaskanum</i> Fall, 1926:201	
<b>fuscum</b> (Fabricius, 1787: 154)	eCanada (Introduced)
<b>guatemalanum</b> Bates, 1892:147	Guatemala
<i>guatemalenum</i> Aurivillius, 1912:19	
<b>opacipenne</b> Bates, 1885:435	Mexico (VC)
<b>opacum</b> Franz, 1955:323	Guatemala
<b>parallelum</b> Casey, 1891:23	wcUSA (CO, AZ, NM)
<b>pilosicorne</b> Linsley, 1935:71	Mexico (ME)
<b>schwarzianum</b> Casey, 1891:24	eUSA (PA, MI, GA), Canada (Ont)
<b>schwerdtfegeri</b> Franz, 1955:324	Guatemala
<b>velutinum</b> LeConte, 1869:382	nwUSA, swCanada
<i>columbianum</i> Casey, 1912:268	
<i>hexagonum</i> Casey, 1912:228	
<i>boreale</i> Casey, 1924:228	

### **Atimiini** LeConte, 1873:322

<b>Atimia</b> Haldeman, 1847:56	
<b>confusa confusa</b> (Say, 1826:276)	eUSA-TX
<i>tristis</i> Haldeman, 1847:56	
subsp. <b>dorsalis</b> LeConte, 1869:385	wNAmer (Pac Cst), Mexico (BC)
subsp. <b>maritima</b> Linsley, 1939:70	wUSA (CA)
<b>gannoni</b> Hovore & Giesbert, 1974:139	wUSA (CA)
<b>helenae</b> Linsley, 1934:25	wUSA (CA)
<b>hoppingi</b> Linsley, 1939:75	nwUSA (WA, OR)
<b>huachucae</b> Champlain & Knull, 1922:148	swUSA (AZ)
<b>mexicana</b> Linsley, 1934:24	Mexico (ME)
<b>vandykei</b> Linsley, 1939:74	swUSA (NM)

<b>Paratimia</b> Fisher, 1915:78	
<b>conicola</b> Fisher, 1915:78	wUSA (CA, OR)

### **Saphanini** Lacordaire, 1869:211

<b>Michthisoma</b> LeConte, 1850:30	
<i>Michthisoma</i> LeConte, 1873:332	
<i>Mychthisoma</i> Gemminger & Harold, 1873:2998	
<b>heterodoxum</b> Leconte, 1850:30	seUSA (NC, GA)

### **Spondylidini** Audinet-Serville, 1832:123

<b>Neospondylis</b> Sama, 2005:2	
<i>Spondylis</i> Fabricius, 1775:159, auct.	
<b>mexicanus</b> (Bates, 1879:15)	Mexico (CHA, ME, OA, VC)
<i>erebea</i> Casey, 1912:220	
<b>upiformis</b> (Mannerheim, 1843:304)	wNAmer, nMexico
<i>laticeps</i> LeConte, 1850:233	
<i>collaris</i> Casey, 1912:218	
<i>robustula</i> Casey, 1912:219	
<i>subpubescens</i> Casey, 1912:219	
<i>basalis</i> Casey, 1912:220	
<i>parva</i> Casey, 1924:226	

**Scaphinus** LeConte, 1851:100**muticus** (Fabricius, 1801:265)

seUSA (AR, MS, AL, GA, FL, SC, VA)

*sphaericollis* LeConte, 1847:93**Subfamily Necydalinae** Latreille, 1825:401*(Necydalinae, auct)***Atelopteryx** Lacordaire, 1869:473**compsocerooides** Lacordaire, 1869:474

seBrasil (RJ-RS), Paraguay, Argentina

**Callisphyrus** Newman, 1840:1*Callisphyrus* Thomson, 1864:151**apicicornis** Fairmaire & Germain, 1859:497

Chile, wcArgentina (NE)

*vespa* Fairmaire & Germain, 1861:106**crassus** Barriga & Peña, 1994:93

Chile

**ficheti** Barriga & Peña, 1994:93

Chile

**fritzi** Cerda, 1968:101

Chile

**leptopus** Philippi, 1859:673

Chile, swArgentina (NE-SC)

*semicaligatus* Fairmaire & Germain, 1859:496*schytei* Philippi, 1862:412*schythei* Philippi & Philippi, 1864:380**macropus** Newman, 1840:1

Chile, wcArgentina (NE)

*auriventris* Cerda, 1993:13**molorchoides** (Guérin-Méneville, 1838:66)

Chile, wcArgentina (NE)

*annulatus* Philippi & Philippi, 1864:380**odynerooides** Fairmaire & Germain, 1864:385

Chile, wcArgentina (NE)

*uretai* Cerda, 1963:3**pepsioides** Barriga & Peña, 1994:92

Chile

**rufiventer** Philippi, 1859:673

Chile

*concolor* Fairmaire & Germain, 1861:105*testaceipes* Fairmaire & Germain, 1864:286*asphaltinus* Fairmaire & Germain, 1859:497**Cauarana** Lane, 1974:528**iheringi** (Gounelle, 1910:46)

seBrasil

**Hephaestion** Newman, 1840:10**annulatum** Philippi, 1859:672

Chile, wcArgentina (NE)

**auratum** Cerda, 1968:103

Chile

**bullocki** Cerda, 1968:102

Chile

**chalybeum** Philippi, 1865:653

Chile

**corralensis** Philippi & Philippi, 1864:379

Chile

**cyanopterum** Philippi & Philippi, 1864:377

Chile

**flavicornis** Philippi & Philippi, 1864:378

Chile

**fuscescens** Philippi & Philippi, 1864:379

Chile

**holomelas** Philippi & Philippi, 1864:379

Chile

**lariosi** Bosq, 1951:194

Chile

**nigricornis** Fairmaire & Germain, 1861:105

Chile

**ocreatum** Newman, 1840:10

Chile, wcArgentina (NE)

**pallidicornis** Fairmaire & Germain, 1859:493

Chile

**tolhuaca** Cerda, 1995:75

Chile

**versicolor** Philippi, 1859:671

Chile

**violaceipennis** Fairmaire & Germain, 1861:105

Chile, wcArgentina (NE)

*iopaterus* Philippi & Philippi, 1864:368**Hephaestioides** Zajciw, 1961:217**cyanipennis** Zajciw, 1961:218

seBrasil (RJ)

**Mendesina** Lane, 1974:526**carinithorax** (Mendes, 1938:118)

cBrasil (GO)

**Necydalis** Linnaeus, 1758:421**acutipennis** Van Dyke, 1923:51

wUSA (CA, OR)

**barbarae** Rivers, 1890:112

wUSA (CA)

**cavipennis** LeConte, 1873:204

wNAmer, nwMexico, Mexico (BC)

**diversicollis diversicollis** Schaeffer, 1932:152

wNAmer

*laevicollis*; Van Dyke, 1923:52 (not LeConte, 1869)subsp. **californica** Linsley, 1940:279

wUSA (CA)

**laevicollis** LeConte, 1869:383

wNAmer

*laevicollis seminiger* Linsley, 1940:277**mellita** (Say, 1835:194)

eNAmer

*mellita* Hamilton, 1895:338*americanus* Haldeman, 1847:44**rudei** Linsley & Chemsak, 1972:19

wUSA (CA)

**Parahephaestion** Melzer, 1930:192**brasilensis** (Melzer, 1923:8)

seBrasil (MG)

**malleri** (Melzer, 1930:191)

sBrasil (SC)

**zikani** (Melzer, 1923:7)

seBrasil (MG)

**Planopus** Bosq, 1953:78**laniniensis** Bosq, 1953:78

Chile, wcArgentina (NE)

*lugubris* Prosen, 1962:147**octaviusbarrosi** Cerda, 1968:102

Chile

**Rhathymoscelis** Thomson, 1860:160**batesi** Lane, 1965:277

Guatemala

*haldemani* Bates, 1885:287 (not Thomson, 1861)**dormei** Gounelle, 1910:48

seBrasil (MG)

**haldemani** Thomson, 1861:161

swMexico (GR)

**melzeri** Costa Lima, 1922:22

seBrasil (RJ)

**peruibensis** Lane, 1951:8

sBrasil (SP)

**rothschildi** Lane, 1965:281

swMexico (OA)

**taunayi** Lane, 1936:772

sBrasil (SP)

**wheeleri** Lane, 1974:524

Guyana

**zikani** Melzer, 1931:54

nwBrasil (AM)

**Stenorhopalus** Blanchard in Gay, 1851:477*Platynocera* Blanchard in Gay, 1851:471 (preoccupied by *Platynocera* Blanchard, 1847, Chrysomelidae)*Stenorhopalus* Gemminger & Harold, 1872:2880**andina** Cerda, 1968:104

Chile

**annulata** Philippi & Philippi, 1864:381

Chile

**bicolor** Philippi, 1865:652

Chile

**flavicans** (Fairmaire & Germain, 1859:495)

Chile

**gracilipes** (Blanchard in Gay, 1851:469)

Chile, wcArgentina (NE)

**gracilis** (Blanchard in Gay, 1851:478)

Chile, wcArgentina (NE)

**lepturoides** Blanchard in Gay, 1851:473

Chile

**macer** (Newman, 1840:10)

Chile, Argentina

**monsalvei** Cerda, 1954:94

Chile

**nigriceps** Philippi, 1859:673

Chile

**opaca** (Fairmaire & Germain, 1859:494)

Chile

**rubriceps** Blanchard in Gay, 1851:472

Chile

**rufofemorata** (Fairmaire & Germain, 1859:494)

Chile

**rugosa** (Fairmaire & Germain, 1861:106)

Chile, wcArgentina (NE)

**valdiviensis** Cerda, 1995:76

Chile

**virescens** (Fairmaire & Germain, 1859:495)

Chile

**Ulochaetes** LeConte, 1854:82**leoninus** LeConte, 1854:82

wNAmer (Br Col, WA, ID, OR, CA), Mexico (BC)

Subfamily **Cerambycinae** Latreille, 1802:211**Acangassuini** Galileo & Martins, 2001:95**Acangassu** Galileo & Martins, 2001:97**diminuta** Galileo & Martins, 2001:97

sBrasil (RJ)

**Achrysonini** Lacordaire, 1868:203, 231**Abyarachryson** Martins, 2002:51**signaticolle** (Blanchard in Gay, 1851:491)

Chile

**Achryson** Audinet-Serville, 1833:572*Trichomallus* Lacordaire, 1868:338**chacoense** Di Iorio, 2003:2

Argentina

**foersteri** Bosq, 1953:1

sBrasil, Paraguay, Argentina, Uruguay

**immaculipenne** Gounelle, 1909:305Brasil (GO, MA, MT, PE), Fr Guiana, eEcuador,  
Colombia, Bolivia (BN, SC)*unicolor* Gounelle, 1909:599*immaculipenne* var. *humero-maculatum* Tippmann, 1960:107**jolyi** Monné, 2006:158

Venezuela

*concolor* Joly, 2000:175**lineolatum** Erichson, 1847:142wEcuador, Peru, Bolivia, Chile, Bolivia (SC)  
Galapagos Is*scutellatum* Kirsch, 1889:37*galapagoensis* Linell, 1898:259*galapagoensis darwini* Linsley & Chemsak, 1966:213*galapagoensis flavescens* Linsley & Chemsak, 1966:213*lineolatum* var. *andinum* Tippmann, 1960:108**lutarium** Burmeister, 1865:175ecBrasil (GO, MT), Bolivia (CO), Paraguay,  
Argentina*lineolatum* var. *nigricans* Tippmann, 1960:109**maculatum** Burmeister, 1865:175seBrasil (SP-RS), Paraguay, Argentina, Bolivia (SC)  
Uruguayvar. *fuscum* Plavilstshikov, 1927:108**maculipenne** (Lacordaire, 1868:338)

sBrasil (SP, RJ, MG, SC, GO), Bolivia (SC)

*setosum* Zajciw, 1963:60*maculipennis* Zajciw, 1958:12 (not Lacordaire, 1869)**meridionale** Martins, 1976:75

sBrasil (PR, SC)

**peracchii** Martins, 1976:74

seBrasil (RJ)

**philippii** Germain, 1897:560

Chile

**pictum** Bates, 1870:248Fr Guiana, nwBrasil (AM), eEcuador, Bolivia (SC)  
Costa Rica, Guadeloupe, Trinidad, Aruba,  
Guyana, Venezuela, Brasil, Argentina**quadrimaculatum** (Fabricius, 1792:328)*ornatipenne* Perroud, 1855: 383*hirsutulum* Bates, 1870:248*kartaboensis* Fisher, 1944:1*griseopubescens* Monné, 1972:109**surinamum** (Linnaeus, 1767:632)swUSA-Arentina, Mexico (BC), Puerto Rico, W  
Indies (widely distributed)*surinamensis* Olivier, 1795:42*surinam* Leng, 1885:117*longicollis* Degeer, 1775:117*simplex* Voet, 1778:22*circumflexus* Fabricius, 1787:144*pallens* Fabricius, 1792:297var. *chontalense* Bates, 1872:171**undulatum** Burmeister, 1865:175

sBrasil, Paraguay, Argentina, Uruguay, Bolivia (SC)

**unicolor** Bruch, 1908:203

Brasil, Bolivia (SC), Paraguay, Argentina, Uruguay

**uniforme** Martins & Monné, 1975:274

Bolivia (SC)

**Araespor** Thomson, 1878:14*longicollis* Thomson, 1878:15

Cuba?, Fiji Is

*angustulus* Fairmaire, 1881:474**Cerdaia** Monné, 2006:159*Pehuenia* Cerda, 1980:65 (preoccupied by *Pehuenia* Roth, 1902, Mammalia)*lunata* (Germain, 1898:749)

Chile

*testacea* (Cerda, 1980:65)

Chile

**Cotyachryson** Martins, 2002:65*inspergatus* (Fairmaire & Germain, 1859:509)

Chile

*obscurus* Germain, 1898:649*philippii* (Porter, 1925:218)

Chile

*cinereus* Blanchard in Gay, 1851:493 (not Villers, 1789)*sulcorne* (Germain, 1898:649)

Chile

**Drascalia** Fairmaire & Germain, 1864:387*Acanthachryson* Bruch, 1921:354*praelonga* Fairmaire & Germain, 1864:388

Chile, wArgentina (CA, NE)

*vianai* Monné, 1969:279*spinithorax* Bruch, 1921:355**Enosmaeus** Thomson, 1878:9*Pseudoeme* Fisher, 1932:4*cubanus* Thomson, 1878:10

Cuba, Hispaniola, Puerto Rico

*poolei* Fisher, 1932:5**Esseiachryson** Martins, 2002:57*minutum* (Blanchard in Gay, 1851:492)

Chile

**Geropa** Casey, 1912:305*concolor* (LeConte, 1873:176)

swUSA (TX)-sMexico

*aequicollis* Casey, 1912:306**Huequenina** Cerda, 1986:33*Angolia* Cerda, 1980:64 (not Malloch, 1934)*araucana* (Cerda, 1980:64)

Chile

*livida* (Germain, 1898:739)

Chile

**Neoachryson** Monné & Monné, 2004:133*castaneum* Monné & Monné, 2004:134

Argentina (ME)

**Xenocompsa** Martins, 1965:94*flavonitida* (Fairmaire & Germain, 1859:507)

Chile, wArgentina (NE)

*bifasciatum* Philippi & Philippi, 1860:251*martinsi* Cerda, 1980:65

Chile

*semipolita* (Fairmaire & Germain, 1859:508)

Chile

*pallidicornis* Fairmaire & Germain, 1864:387**Agallissini** LeConte, 1873:321**Agallissus** Dalman, 1823:66*Agallissus* Thomson, 1864:205*Aplectrus* Chevrolat in Orbigny, 1844:12*Cryptopleura* LeConte, 1850:6*lepturoides* (Chevrolat in Orbigny, 1844:12)

swUSA (TX), Mexico-Honduras

*grata* Haldeman, 1853:363*clytoides* Lacordaire, 1869:134

- melaniodes** Dalman, 1823:66  
 var. *quadrinaculatus* White, 1853:61  
 var. *concolor* Bates, 1880:67  
 var. *trifasciatus* Bates, 1880:67  
 Mexico-Honduras, Costa Rica
- Osmopleura** Linsley, 1964:194  
**chamaeropsis** (Horn, 1893:138)  
 seUSA (GA, FL)
- Zagymnus** LeConte, 1873:204  
**clerinus** (LeConte, 1873:321)  
*floridanus* Casey, 1912:376  
 seUSA (GA, FL), Cuba  
**rugicollis** Chemsak & Linsley, 1968:38  
 Belize  
**variatus** Chemsak & Linsley, 1968:39  
 wMexico (SI)
- Alanizini** Di Iorio, 2003:1
- Alanizus** Di Iorio, 2003:1  
**tortuosus** Di Iorio, 2003:6  
 Argentina (LR)
- Anaglyptini** Lacordaire, 1868:84
- Aphysotes** Bates, 1885:307  
*Amphysotes* Linsley, 1935:87  
**tubericollis** Bates, 1885:308  
 Honduras - Panama
- Clytoderus** Linsley, 1935:89  
**pygmaeus** Linsley, 1935:90  
 cMexico (ME)
- Cyrtophorus** LeConte, 1850:29  
**verrucosus** (Olivier, 1795:67)  
 eNAmer-TX
- Diphyrama** Bates, 1872:187  
**singularis** Bates, 1872:188  
 Guatemala - Panama
- Microclytus** LeConte, 1873:320  
**compressicollis** (Laporte & Gory, 1835:106)  
*compressicornis* Leng, 1918:207  
*gibbulus* LeConte, 1850:234  
*niger* LeConte, 1850:29  
*gazellula* Horn, 1884:148 (not Haldeman, 1847)  
*insinuans* Casey, 1893:591  
*frosti* Casey, 1912:375  
**gazellula** (Haldeman, 1847:42)  
 neNAmer
- Pempteurys** Bates, 1885:304  
**sericans** Bates, 1885:304  
 Guatemala, Costa Rica
- Tilloclytus** Bates, 1885:303  
*Tillomorpha* Chevrolat, 1860:503 (not Blanchard in Gay, 1851)  
**balteatus** (Chevrolat, 1860:503)  
 eMexico (VC) –Honduras, Costa Rica  
**baoruco** Lingafelter, 2011:66  
 Dominican Republic  
**bruneri** Fisher, 1932:60  
 Cuba  
**clavipes** Bates, 1885:304  
 Guatemala  
**cleroides** (White, 1855:290)  
 Colombia, Venezuela  
**conradti** Bates, 1892:164  
 Guatemala

<b>cubae</b> Fisher, 1932:63	Cuba
<b>geminatus</b> (Haldeman, 1847:42)	neNAmer
<i>duplicatus</i> LeConte, 1850:29	
<b>haematocephalus</b> (Chevrolat, 1862:534)	eMexico (OA, VC)
<b>minutus</b> Fisher, 1932:62	W Indies (Puerto Rico, St. John)
<i>puertoricensis</i> Fisher, 1935:51	
<b>neiba</b> Lingafelter, 2011:69	Dominican Republic
<b>nivicinctus</b> (Chevrolat, 1862:264)	Cuba
<b>pilosus</b> Zayas, 1975:144	Cuba
<b>rufipes</b> Fisher, 1942:20	Cuba
<i>elongatus</i> Zayas, 1975:143	

### **Basipterini** Fragoso, Monné & Seabra, 1987:201

#### **Basiptera** Thomson, 1864:204

*Baseoptera* Gemminger & Harold, 1872:2976

*Anosternus* Burmeister, 1879:198

**castaneipennis** Thomson, 1864:205

Paraguay, Argentina

*sanguinolentus* Burmeister, 1865:162

#### **Diastrophosternus** Gounelle, 1911:233

**bruchii** Gounelle, 1911:234

Paraguay, nArgentina (MI, SE)

### **Bimini** Lacordaire, 1868:403, 464

*Sibyllini* Cerda, 1973:115

#### **Adalbus** Fairmaire & Germain, 1859:490

**crassicornis** Fairmaire & Germain, 1859:490

Chile, wArgentina (NE)

*flavipennis* Fairmaire & Germain, 1859:491

*dimidiatipennis* Fairmaire & Germain, 1859:492

*proteus* Germain, 1900:901

#### **Lautarus** Germain, 1900:863

**concinus** (Philippi & Philippi, 1859:670)

Chile, sArgentina (RN-SC)

*laevigata* Philippi & Philippi, 1864:376

*dancoi* Lameere, 1900:112

*dankoi* Bruch, 1912:194

#### **Phantazoderus** Fairmaire & Germain, 1864:391

**frenatus** Fairmaire & Germain, 1864:392

Chile, sArgentina (CT)

#### **Sybilla** Thomson, 1864:148

*Sibylla* Thomson, 1858:406

*Zehra* Özdikmen, 2008:661 (unjustified new name)

**coemeterii** (Thomson, 1856:482)

Chile, c Argentina (RN, NE)

**flavosignata** Fairmaire & Germain, 1859:489

Chile

**integra** Fairmaire & Germain, 1859:488

Chile, wArgentina (NE)

**krahmeri** Cerda, 1973:119

Chile

**livida** Germain, 1900:890

Chile

### **Bothriospilini** Lane, 1950:370

#### **Bothriospila** Aurivillius, 1923:437

**elegans** Aurivillius, 1923:438

eBrasil (BA-SP), Paraguay

**pulcherrima** Martins & Galileo, 2012:332

Brasil (BA)

**Chlorida** Audinet-Serville, 1834:31*Tetracanthus* Hope, 1835:107**cincta** Guérin-Ménéville, 1844:259**costata** Audinet-Serville, 1834:32**curta** Thomson, 1857:288*parvula* Thomson, 1861:243**denticulata** Buquet, 1860:623**fasciata** Bates, 1870:263**festiva** (Linnaeus, 1758:389)*spinosus* Degeer, 1775:100*sulcatus* Sulzer, 1776:45*africanus* Voet, 1778:17**inexpectata** Martins, Galileo & Oliveira, 2011:276**obliqua** Buquet, 1852:655**spinosa** Aurivillius, 1887:191**transversalis** Buquet in Guérin-Ménéville, 1844:221

Mexico-Colombia, eEcuador

seBrasil, Paraguay, Argentina, Uruguay

Fr Guiana, ncBrasil (AM, MA), eEcuador

Guianas, eEcuador

nwBrasil (AM)

seUSA (FL), CAmer, SAmer, Bolivia (BN, CO, LP, PN, SC), Ecuador, W Indies (widely distributed)

Brasil (MA)

Colombia

Colombia, Bolivia (SC), Ecuador

Colombia

**Chrotoma** Casey, 1891:27**dunniana** Casey, 1891:27

swUSA (TX-CA), Mexico (BC)

**Delemodacrys** Martins & Napp, 1979:91**mourei** Martins & Napp, 1979:93

Fr Guiana, ncBrasil (PA)

**Gnaphalodes** Thomson, 1861:235**trachyderoides** Thomson, 1861:236var. *inermis* Bates, 1884:243

swUSA (TX), Mexico-Panama

**Knulliana** Linsley, 1962:109*Cerasphorus* Dejean, 1835:326 (not Audinet-Serville, 1834)*Chion*; Newman, 1840:23 (not Scopoli, 1777)**cincta cincta** (Drury, 1773:85)*balteatus* Degeer, 1775:111*garganicus* Fabricius, 1775:178*rusticus* Fabricius, 1781:228*ruricola* Gmelin, 1790:1860*quadrispinosus* Haldeman, 1847:32*filicorne* Casey, 1924:256subsp. **sonorensis** (Schaeffer, 1908:332)subsp. **spinifera** (Fabricius, 1792:275)*ochracea* Bates, 1885:243

eNAmer-TX, nMexico (NL, SO)

swUSA (TX, AZ), nMexico (SO)

seUSA, neMexico, W Indies (Bahamas)

**Ranqueles** Gounelle, 1906:140**gounellei** Bosq, 1947:296**mus** Gounelle, 1906:141**steparius** Di Iorio, 1996:142

ncArgentina (CA-CD), Bolivia (SC)

nwArgentina (CA-ME)

Argentina (NE)

**Scapanopygus** Gounelle, 1913:203**cinereus** Gounelle, 1913:204

nArgentina (SE), Bolivia (SC)

**Taygayba** Martins & Galileo, 1998:49**venezuelensis** Martins & Galileo, 1998:50

Venezuela

**Timbaraba** Monné & Napp, 2004:509**dispar** Monné & Napp, 2004:510

Venezuela



**Callichromatini** Swainson, 1840:293**Callichroma** Latreille, 1816:24*Pallene* Gistel, 1848:130*Diotecnon* Schmidt, 1924:300*Schwarzerion* Schmidt, 1924:300*Mionochroma* (*Schmidtianum*) Podany, 1965:40**atroviride** Schmidt, 1924:319**auricomum** (Linnaeus, 1767:629)*suturalis* Fabricius, 1781:212*suturatus* Gmelin, 1790:1824*auricomum cyanescens* Schmidt, 1924:320*auricomum rubescens* Schmidt, 1924:320*auricomum viridescens* Schmidt, 1924:320*auronicum* Williams, 1931:226**batesi** Gahan, 1894:118*cosmicum* Bates, 1872:186 (not White, 1853)**brachiale** Bates, 1870:334**collarti** Fuchs, 1959:2**cosmicum** White, 1853:158**cyanomelas** White, 1853:164**distinguendum** Gounelle, 1911:165**euthalia** Bates, 1879:403**gounellei gounellei** Achard, 1910:279subsp. **rubricrus** Schmidt, 1924:317**gisteli** Schmidt, 1923:276**hoffmannsi** Schmidt, 1924:316**holochlorum holochlorum** Bates, 1872:185*opiparum* Bates, 1874:222*chiriquina* Bates, 1879:402*compressipes* Casey, 1912:314*regalis* Casey, 1912:314*carinatum* Schmidt, 1924:387subsp. **melancholicum** Bates, 1872:186ab. *rufovarum* Aurivillius, 1912:312**iris iris** Taschenberg, 1870:194*purpuratum* Lameere, 1884:106*fulgens* Lameere, 1884:106*trilineatum octolineatum* Podany, 1965:37subsp. **trilineatum** Bates, 1879:403**magnificum** Napp & Martins, 2009:345**minima** Podany, 1965:36**omissum** Schmidt, 1924:313**onorei** Giesbert, 1998:60**seiunctum** Schmidt, 1924:314**sericeum** (Fabricius, 1792:253)**velutinum** (Fabricius, 1775:167)*spectabilis* Voet, 1778:12*porphyrogenitum* Bates, 1870:333*nigricans* Aurivillius, 1908:2**viridipes** Bates, 1879:404

Colombia

Colombia, Fr Guiana-cBrasil (MT)

Honduras - Panama

nwBrasil (AM)

Colombia

Honduras, Nicaragua, Costa Rica

Mexico-Panama

seBrasil (MG-PR)

Panama

Fr Guiana

cBrasil (AM, MT)

seBrasil (ES)

nwBrasil (AM)

Mexico (JA-CHS) - Colombia, Venezuela

Mexico (PU, VC, QR)

Costa Rica-Colombia, Venezuela

Ecuador, Peru, Bolivia, Brasil, Paraguay, Argentina

Brazil (ES, Rio de Janeiro - Santa Catarina)

Nicaragua

seBrasil (ES-SC)

eEcuador

Peru, Bolivia (SC)

seBrasil, Paraguay, Argentina, Uruguay, Bolivia (LP, SC)

Venezuela, Guianas, cBrasil (MT), West Indies

Costa Rica, Panama, Colombia

**Cnemidochroma** Schmidt, 1924:299**buckleyi** (Bates, 1879:404)**coeruleum** (Achard, 1910:280)*fulgidum* Schmidt, 1924:380**lopesi** Fragoso & Monné, 1989:209**ohausi** (Schmidt, 1924:381)

Ecuador, Bolivia (SC), Peru

Surinam, Fr Guiana, ncBrasil (PA)

cBrasil (DF, MT)

seBrasil (ES-SP)

- phyllopoides** (Schmidt, 1924:381)  
**phyllopus** (Guérin-Ménéville, 1844:220)  
*corvina* Burmeister, 1865:169
- Cotychroma** Martins & Napp, 2005:17  
**acaguassu** Martins & Napp, 2005:17
- Linsleychroma** Giesbert, 1998:61  
**monnei** Giesbert, 1998:61
- Mionochroma** Schmidt, 1924:299  
**aterrimum** (Gounelle, 1911:172)  
**aureotinctum** (Bates, 1870:335)  
*aurosum* (Schmidt, 1924:308)  
**carmen** Napp & Martins, 2009:290  
**chloe** (Gounelle, 1911:167)  
**decipiens** (Schmidt, 1924:311)  
**elegans** (Olivier, 1790:298)  
var. *gahani* Aurivillius, 1912:311  
**equestre** (Gounelle, 1911:170)  
**electrinum** (Gounelle, 1911:176)
- flachi** (Schwarzer, 1923:257)  
**novella** (Bates, 1885:293)  
**ocreatum** (Bates, 1870:335)  
**pseudovittatum** (Schwarzer, 1923:258)  
**rufescens** (Gahan, 1895:113)  
var. *aureotinctum* Bates, 1885:293  
**rufitarsis** (Schwarzer, 1929:356)  
**spinosissimum** (Schmidt, 1924:313)  
**subbaurosum** (Zajciw, 1966:347)  
**subnitescens** (Gounelle, 1911:171)  
*subnitens* Podany, 1965:40  
**vittatum** (Fabricius, 1775:166)  
*viridiaurea* Degeer, 1775:145  
*ochropus* Voet, 1778:12  
*aureum* Gmelin, 1790:1877  
*rugicollis* Guérin-Ménéville, 1844:220  
*assimilatum* White, 1853:158  
*scitulum* Pascoe, 1866:292  
*vittatum* f. *rufiventris* Schmidt, 1924:305  
**wilkei** (Schmidt, 1924:309)
- Monnéchroma** Napp & Martins, 2005:434  
*Xenochroma* Schmidt, 1924, (not *Xenochroma* Warren, 1902, Lepidoptera)  
**azurea** (Demets, 1976:136)  
**hovorei** (Giesbert, 1998:62)  
**seabrai** (Fragoso & Monné, 1989:210)  
**subpulvereum** (Schmidt, 1924:379)  
*subcomosum* Schmidt, 1924:380  
*difficilis* Schwarzer, 1929:357  
**tibialis** (Giesbert, 1987:36)  
**uniforme** (Gounelle, 1911:169)  
*schmidtii* Melzer, 1926:11
- Philematium** Thomson, 1864:171  
**femorale** (Olivier, 1790:297)  
*albitarsis* Fabricius, 1801:267  
*leucodactyla* Chevrolat, 1862:257
- cBrasil (GO, MS, MT)  
seBrasil (BA-RS), Paraguay, Argentina,  
Uruguay
- Brasil (ES)
- Panama
- seBrasil (SP, PR)  
Mexico, Panama, Guianas, Peru, Bolivia (SC)  
Brasil (AP, AM, MA, PA, RO, MT)  
Colombia  
seBrasil (BA-RS), Paraguay, Argentina  
seBrasil (BA, ES)  
Guadeloupe, Grenada, Dominica, St. Lucia
- eBrasil (GO, MG-RJ)  
Brasil (MA), Paraguay, Argentina, Uruguay,  
Bolivia (SC)  
seBrasil (ES-SC)  
Nicaragua-Panama  
Fr Guiana, nwBrasil (AM), Peru, eEcuador, Colombia  
seBrasil (BA, ES, RJ, SP)  
W Indies (St. Lucia, St. Thomas, Guadeloupe,  
Martinique), seMexico (VC)  
Bolivia  
Peru  
Peru, Bolivia (AM, LP, SC, MA, MT)  
seBrasil (MG, RJ, SP, PR)
- Mexico - cBrasil
- Panama, Ecuador
- Mexico-Costa Rica  
Costa Rica  
seBrasil (MG)  
seBrasil (MG-SP)
- Costa Rica  
seBrasil (ES-SC)
- Africa, introduced in Cuba

- festum** (Gmelin, 1790:1823)  
*festivum* Fabricius, 1775:166  
 Africa, introduced in Guadeloupe
- Plinthocoelium** Schmidt, 1924:300  
*Plinthocoelium* Arnett, 1962:860  
*Callichroma* LeConte, 1850:37 (not Latreille, 1816)
- chilensis** (Blanchard in Gay, 1851:465)  
*sapphira* Bates, 1879:402  
 Chile(?), wMexico (SO, SI, DU, OA, PU, JA, CHS)
- cobaltinum** (LeConte, 1873:195)  
**domingoensis** (Fisher, 1922:52)  
**koppei** Schmidt, 1924:385  
**schwarzi** (Fisher, 1914:97)  
**suaveolens suaveolens** (Linnaeus, 1768:224)  
*elegans* Haldeman, 1847:31 (not Olivier, 1790)  
*splendidum* LeConte, 1850:37  
*virescens* Leng, 1886:61  
*plicatum* Craighead, 1923:64 (not LeConte, 1853)  
 subsp. **plicatum** (LeConte, 1853:233)  
*smaragdina* Casey, 1912:314  
*suaveolens smaragdina* Schmidt, 1924:384  
 nwMexico (BC)  
 R Dominicana, Puerto Rico  
 Mexico  
 swUSA (TX)  
 seUSA (DE-FL-TX)
- virens** (Drury, 1770:89)  
*columbinum* Guérin-Méneville, 1838:282  
**xanthogastrum** (Bates, 1880:45)  
*columbinum*; Bates, 1872:186 (not Guérin-Méneville, 1838)  
 swUSA (TX, NM, AZ), nMexico (SO)  
 Cuba, Hispaniola, Jamaica, Bahamas  
 Nicaragua, Costa Rica
- Xystochroma** Schmidt, 1924:299
- bouvieri** (Gounelle, 1911:174)  
**buprestoides** (Bates, 1885:293)  
**chloropus** (Bates, 1879:404)  
**clypeatum** (Schwarzer, 1923:256)  
**echinatum** Napp & Martins, 2005:208  
**femoratum** Napp & Martins, 2005:208  
**gracilipes** (Bates, 1879:404)  
*planipenne* Schmidt, 1924:303  
*cuprisuturatum* Zajciw, 1965:552  
 Panama, Colombia, ecBrasil  
 Mexico (VC)  
 Costa Rica (LI, PA), Panama, Venezuela  
 Costa Rica, Panama, Venezuela  
 sBrasil (RJ, SP)  
 sBrasil (RS, MG)  
 sBrasil (GO, MG, PR, RJ, SP)
- incomptum** Napp & Martins, 2005:208  
**minutum** (Zajciw, 1965:551)  
**neglectum** (Gounelle, 1911:172)  
*equestriforme* Schmidt, 1924:302  
*roeri* Podany, 1965:35  
 Venezuela  
 seBrasil (RJ)  
 eBrasil (GO, ES-SP)
- setigerum** (Schmidt, 1924:302)  
**zikani** (Zajciw, 1965:553)  
 Colombia  
 seBrasil (RJ, SP)
- Callidiini** Kirby in Richardson, 1837:170
- Callidiellum** Linsley, 1940:254
- cupressi** (Van Dyke, 1923:48)  
**virescens** Chemsak & Linsley, 1966:152  
 wUSA (CA)  
 swUSA (AZ, CA)
- Callidium** Mulsant, 1839:42 (not Fabricius, 1775)  
*Meridion* des Gozis, 1886:32  
*Callidium* (*Callidostola*) Reitter, 1912:37
- angustipennis** Chemsak, 1964:187  
**antennatum antennatum** Newman, 1838:393  
 subsp. **hesperum** Casey, 1912:288  
**biguttatum** Sallé, 1856:688  
**californicum** Casey, 1912:289  
 wUSA (CA, NV)  
 eNAmer-WY  
 wNAmer-CO  
 R Dominicana  
 wUSA (CA)

- cicatricosum** Mannerheim, 1853:246  
*subopacum* Swaine, 1919:12E  
*vancouverense* Van Dyke, 1927:104  
**duodecimsignatum** Perroud, 1855:385  
**frigidum** Casey, 1912:289  
*lacustre* Casey, 1912:289  
**hoppingi** Linsley, 1957:33  
**juniperi** Fisher, 1920:157  
**leechi** Linsley & Chemsak, 1963:209  
**powelli** Linsley & Chemsak, 1963:207  
**pseudotsugae** Fisher, 1920:155  
**rufipenne** Motschulsky, 1860:19  
**schotti** Schaeffer, 1917:184  
**sempervirens** Linsley, 1942:192  
**sequoiarium** Fisher, 1920:156  
**texanum** Schaeffer, 1917:185  
*janthinum* Leng, 1884:113 (not LeConte, 1850)  
**vandykei** Linsley, 1957:287  
*pallidum* Van Dyke, 1928:111 (not Say, 1823)  
**violaceipenne** Linsley & Chemsak, 1963:208  
**violaceum** (Linnaeus, 1758:395)  
*janthinum* LeConte, 1850:34  
**viridocyaneum** Linsley & Chemsak, 1963:208
- Calydon** Thomson, 1864:263  
*Callidium* Blanchard in Gay, 1851:497 (not Mulsant, 1839)  
**globithorax** (Fairmaire & Germain, 1861:108)  
*skottsbergi* Aurivillius, 1911:189  
*skottsbergi nigricollis* Schwarzer, 1930:106  
**submetallicum** (Blanchard in Gay, 1851:497)
- Elatotrypes** Fisher, 1919:38  
**hoferi** Fisher, 1919:39  
*cicatricosum* Leng, 1884:112 (not Mannerheim, 1853)
- Meriellum** Linsley, 1957:287  
*Merium* LeConte, 1873:296 (not Kirby, 1837)  
**proteus** (Kirby in Richardson, 1837:172)  
*simile* Kirby in Richardson, 1837:172  
*bifossulatum* Casey, 1912:287
- Phymatodes** Mulsant, 1839:47 (not Dejean, 1835)  
*Poecilium* Fairmaire in Jacquelin du Val, 1864:134  
*Phymatodes (Melasmetus)* Reitter, 1912:39  
*Phymatodes (Phymatoderus)* Reitter, 1912:39  
*Phymatodes (Phymatodellus)* Reitter, 1912:40  
*Phymatodina* Casey, 1912:281  
*Microcallidium* Casey, 1912:283  
*Pseudopoecilium* Planet, 1924:226  
*Paraphymatodes* Plavilstshikov, 1934:215  
**aeneus** LeConte 1854:18  
**aereus** (Newman 1838:393)  
*pallipes* Haldeman, 1847:37  
**amoenus** (Say, 1824:413)  
*coccineicollis* Haldeman, 1847:39  
*amoenus hudsonicus* Casey, 1912:284  
**ater** LeConte, 1884:22  
**blandus** (LeConte, 1859:79)  
*blandus picipes* Linsley, 1934:165  
*blandus propinquus* Linsley, 1934:181
- wNAmer (Alaska-OR), Rocky Mts.
- Brasil  
eNAmer
- wNAmer (Br Col-UT)  
wcUSA (OK, NM, UT)  
wUSA (CA)  
wUSA (CA)  
wUSA (CA, OR)  
Japan, introduced in wCanada (Br Col.)  
neUSA, sCanada  
wUSA (CA)  
wUSA (CA)  
eUSA-AZ, CA, NV
- wUSA (CA)
- wUSA (CA)  
Europe, Asia, eNAmer, introduced in Uruguay
- wcUSA (SD)
- Chile, sc Argentina (NE, CT)
- Chile, sArgentina (RN-SC)
- wcUSA (CO, NV)
- neNAmer, wNAmer (Alaska-CO)
- wNAmer (Pac Cst)  
eNAmer
- eNAmer
- eNAmer (Nova Scotia-PA)  
wUSA (CA, OR)

<b>concolor</b> Linsley, 1934:181	wUSA (CA)
<b>decussatus</b> (LeConte, 1857:61)	wNAmer (Pac Cst)
<i>juglandis</i> Leng, 1890:214	
<i>fasciapilosus</i> Van Dyke, 1920:33	
<b>dimidiatus</b> (Kirby in Richardson, 1837:173)	eUSA, wNAmer (Alaska-CA)
<i>kalmi</i> Schoenherr, 1817:442	
<i>palliatu</i> s Haldeman, 1847:41	
<i>mannerheimi</i> LeConte, 1857:60	
<i>frosti</i> Casey, 1924:240	
<b>fulgidus</b> Hopping, 1928:246	swCanada (Br Col)
<b>grandis</b> Casey, 1912:277	wNAmer (Pac Cst), AZ, Mexico (BC)
<i>lecontei</i> Linsley, 1938:109	
<i>obscurum</i> LeConte, 1859:79 (not Fabricius, 1787)	
<b>hirtellus</b> (LeConte, 1873:172)	wUSA (CA, OR, WY), wCanada, Mexico (BC)
<i>densipennis</i> Casey, 1912:284	
<i>ursae</i> Knull, 1940:556	
<b>infuscatus</b> (LeConte, 1859:285)	wUSA (CA, OR)
<b>lengi</b> Joutel, 1911:200	eNAmer (Atl Cst)
<b>maculicollis</b> LeConte, 1878:614	eUSA-wNAmer (Br Col-CA)
<i>hardyi</i> Van Dyke, 1928:112	
<i>elongatus</i> Hopping, 1937:8	
<b>nigerrimus</b> Van Dyke, 1920:35	wUSA (CA)
<b>nigrescens</b> Hardy & Preece, 1927:190	nwUSA (OR)
<i>oregonensis</i> Chemsak, 1963:39	
<b>nitidus</b> LeConte, 1874:66	wNAmer (Pacific Coast)
<i>crucialis</i> Casey, 1912:282	
<i>elegans</i> Casey, 1912:282	
<i>exilis</i> Casey, 1912:283	
<i>collaris</i> Casey, 1924:240	
<i>mohavensis</i> Linsley & Chemsak, 1963:210	
<b>obliquus</b> Casey, 1891:26	wNAmer (Pacific Coast)
<i>harfordi</i> Casey, 1912:279	
var. <i>latifasciatus</i> Hardy & Preece, 1927:191	
<i>australis</i> Chemsak, 1963:40	
<i>posticus</i> Van Dyke, 1920:36	
<b>rainieri</b> Van Dyke, 1937:113	nwUSA (WA)
<b>shareeae</b> Cope, 1984:63	swUSA (NM)
<b>testaceus</b> (Linnaeus, 1758:396)	Europe, eNAmer
<i>variabilis</i> Linnaeus, 1761:192	
var. <i>ventralis</i> Haldeman, 1847:37	
<b>tysoni</b> Chemsak & Linsley, 1984:73	wUSA (CA)
<b>varius</b> (Fabricius, 1776:232)	eNAmer-swUSA (TX, AZ, UT)
<i>varians</i> Bland, 1862:275	
<i>versicolor</i> Gmelin, 1790:1852	
<i>subfasciellum</i> White, 1855:322	
<i>albofasciatum</i> Bland, 1862:274	
<i>semicircularis</i> Bland, 1862:275	
<i>varius diffidens</i> Casey, 1912:280	
<i>latipennis</i> Casey, 1912:280	
<b>vilitatis</b> Linsley, 1940:253	wUSA (CA, OR)
<i>vile</i> LeConte, 1873:172 (not Newman, 1842)	
<b>vulneratus</b> (LeConte, 1857:60)	wNAmer (Pacific Coast)
<i>concinus</i> Casey, 1912:278	

## **Physocnemum** Haldeman, 1847:38

*Dularius* Thomson, 1861:258

**andreae** (Haldeman, 1847:36)

*luscus* Thomson, 1861:259

eNAmer (Atlantic Coast)

- brevilineum** (Say, 1824:413)  
*compressipes* Casey, 1912:269  
*densum* Casey, 1912:270  
*pictum* Casey, 1924:239  
*longitarse* Casey, 1924:239  
*angulatum* Casey, 1924:239  
**violaceipenne** Hamilton, 1896:286
- eNAmer-TX  
  
neNAmer
- Pnigomenus** Bosq, 1951:195  
**kuscheli** Bosq, 1951:196
- Chile
- Poecilium** Fairmaire 1864: 134  
**lividum** Rossi, 1794:98
- Europe, (introduced NY, MA, PA, VA)
- Pronocera** Motschulsky, 1859:494  
*Pronocerus* Motschulsky, 1875:148  
*Pseudophymatodes* Pic, 1901:12  
*Protocallidium* Csiki, 1904:99  
*Potocallidium* Reitter, 1912:38  
*Gonocallus* LeConte, 1873:171  
**collaris collaris** (Kirby in Richardson, 1837:141)  
*lepidus* LeConte, 1850:34  
subsp. **lecontei** Chemsak, 1963:38
- eNAmer-WA, Alaska  
  
wUSA (CA)
- Ropalopus** Mulsant, 1839:39  
*Rhopalopus* Redtenbacher, 1845:110  
*Euryoptera* Horn, 1860:571  
**sanguinicollis** (Horn, 1860:571)
- neUSA, s Canada
- Semanotus** Mulsant, 1839:54  
*Sympiezocera* Lucas, 1851: cvi  
*Xenodorum* Marseul, 1856:48  
*Hylotrupes* LeConte, 1873:296 (part)  
*Anocomis* Casey, 1912:271  
*Anacomis* Leng, 1920: 275  
*Hemicallidium* Casey, 1912:274  
**amethystinus** (LeConte, 1853:234)  
**australis** Giesbert, 1993:146  
**japonicus** Lacordaire, 1869:47  
**juniperi** (Fisher, 1915:77)  
**ligneus ligneus** (Fabricius, 1787:153)  
*russicum* Stephens, 1831:248  
*nicolas* White, 1855:321  
subsp. **amplus** (Casey, 1912:273)  
*ampla angusta* Casey, 1912:273  
*ampla obliuosa* Casey, 1924:237  
*ampla terracensis* Casey, 1924:237  
subsp. **basalis** (Casey, 1924:237)  
*ligneus thujae* Van Dyke, 1927:103  
subsp. **parvicollis** (Casey, 1912:272)  
*ampla conformis* Casey, 1924:236  
*ampla arizonae* Casey, 1924:236  
subsp. **sequoiae** Van Dyke, 1923:51  
**litigiosus** (Casey, 1891:25)  
*terminata* Casey, 1912:274  
*canadensis* Casey, 1924:238
- wNAmer (Pac Cst)  
Guatemala  
Japan, introduced in Canada (Br Col)  
wUSA (AZ, CA, NV, ID)  
eNAmer  
  
wNAmer (Pac Cst)  
  
nwUSA  
  
wUSA (AZ, UT)  
  
wUSA (CA)  
NAmer - Honduras

**Thrichocalydon** Bosq, 1951:58  
**havrylenkoi** (Bosq, 1951:58)

Chile, wArgentina (NE)

**Xylocrius** LeConte, 1873:172  
*Hylocrius*; Lameere, 1883:38  
**agassizi** (LeConte, 1861:357)  
**cribratus** LeConte, 1873:172

wNAmer (Br Col-CA, NM), Rocky Mts  
wUSA (CA, NV)

?

**Callidium bifasciatum** Fabricius, 1787:152

"America occidentali"

### **Callidiopini** Lacordaire, 1869:340

**Ceresium** Newman, 1842:322  
*Diatomocephala* Blanchard, 1853:266  
*Rhaphidera* Perroud, 1855:336  
*Rhaphidodera* Gemminger & Harold, 1872:2831  
*Pneumida* Thomson, 1864:191  
**compressipenne** (Fisher, 1932:35)  
**flavipes** (Fabricius, 1792:327)  
*simplex* Gyllenhal in Schoenherr, 1817:178  
**miserum** (Thomson, 1878:8)

Haiti  
Mexico ?  
Hispaniola

### **Cerambycini** Latreille, 1802:211

#### **Subtribe Cerambycina** Latreille, 1802:211

**Atiaia** Martins & Monné, 2002:186  
**consobrina** (Gahan, 1892:19)  
**testaceicornis** (Melzer, 1923:7)

Venezuela, Surinam, Fr Guiana, nBrasil (AP, MA)  
Brasil (GO, MT, ES-SC)

**Bothrocerambyx** Schwarzer, 1929:353  
*Parabrasilianus* Fragoso, 1970:99  
**nevermanni** Schwarzer, 1929:353  
*macrocephalus* Fragoso, 1970:99

Costa Rica-wEcuador

**Hamaticherus** Audinet-Serville, 1834:15  
*Hammaticherus* White, 1853:125  
*Hammatochaerus* Gemminger & Harold, 1872:2800  
*Brasilianus* (*Brasilianus*) Jacobson, 1924:238  
*Macrobrasilianus* Fragoso, 1971:7  
**bellator** (Audinet-Serville, 1834:15)  
*macrus* Bates, 1870:251

nwBrasil, Fr Guiana, Surinam, eEcuador

**Hirtobrasilianus** Fragoso & Tavakilian, 1985:231  
**matogrossensis** (Fragoso, 1971:8)  
**seabrai** (Fragoso & Tavakilian, 1985:232)  
**villiersi** (Fragoso & Tavakilian, 1985:235)

Fr Guiana, cBrasil (MT), Bolivia (CO), Ecuador  
Venezuela, Fr Guiana, cBrasil (AM, MT), eEcuador  
Fr Guiana, Surinam, Brasil (AP)

**Juiaparus** Martins & Monné, 2002:166  
**batus batus** (Linnaeus, 1758:390)  
*datus* Linnaeus, 1764:69  
*spinosus* Goeze, 1777:464  
var. *carthagenae* Gahan, 1892:21  
subsp. **lacordairei** (Gahan, 1892:20)  
**erythropus** (Nonfried, 1895:305)

Honduras-Panama, Colombia, Venezuela, ncBrasil,  
Bolivia (CO, SC), Fr Guiana  
sBrasil, Paraguay, Argentina  
Colombia

- lasiocerus** (Gahan, 1892:22)
- mexicanus** (Thomson, 1861:196)  
*castaneus* Bates, 1870:250
- punctulatus** (Gahan, 1892:21)
- Jupoata** Martins & Monné, 2002:195
- brenesi** Duran & Martins, 2012:52
- costalimai** (Zajciw, 1966:105)
- divaricata** Martins & Galileo, 2011:190
- garbei** (Melzer, 1922:4)
- germana** Martins, Galileo & Oliveira, 2011:277
- gigas** Martins & Monné, 2002:212
- paraensis** Martins & Monné, 2002:200
- peruviana** (Tippmann, 1960:111)
- robusta** Martins & Monné, 2002:203
- rufipennis** (Gory in Guérin-Méneville, 1831:pl.44, fig.1)
- spinosa** Martins & Galileo, 2008:56
- Paratitia** Dalens & Giuglaris, 2012:35
- hulini** Dalens & Giuglaris, 2012:37
- Peruanus** Tippmann, 1960:110
- serricornis** Tippmann, 1960:111
- Plocaederus** Dejean, 1835:319
- barauna** Martins & Monné, 2002:239
- bipartitus** (Buquet, 1860:624)
- confusus** Martins & Monné, 2002:243
- dozieri** Martins & Galileo, 2010:565
- fasciatus** (Martins & Monné, 1975:275)
- fragosoi** Martins & Monné, 2002:238
- fraterculus** (Martins, 1979:26)
- glaberrimus** (Martins, 1979:26)
- glabricollis** (Bates, 1870:251)
- inconstans** (Gounelle, 1913:208)
- mirim** Martins & Monné, 2002:230
- pactor** (Lameere, 1885:1xi)  
*murinus* Gahan, 1892:22
- pisinnus** (Martins & Monné, 1975:276)
- plicatus** (Olivier, 1790:299)  
*luridipennis* Gahan, 1892:22
- rugosus** (Olivier, 1795:11)
- rusticus** (Gounelle, 1909:608)
- yucatecus** (Chemsak & Noguera, 1997:6)
- Brasil (MA, AM-SP), Fr Guiana, eEcuador,  
Bolivia (SC)  
Mexico-sBrasil, Bolivia (LP)
- seBrasil (MG, ES, RJ)
- Costa Rica  
seBrasil (SP-SC, RJ), Bolivia (SC)  
Bolivia (SC)  
seBrasil (MG-RS, RJ, SP, SC)  
Brasil (MA)  
Brasil (AP)  
Brasil (PA)  
Peru, Fr Guiana  
sBrasil (BA, MA, PE, GO, RJ, SP, SC, PA)  
Mexico-Panama, Fr Guiana, Surinam, eEcuador,  
Bolivia, Brasil (AM-SC), Argentina (MI)  
Fr Guiana
- Fr Guiana
- Peru, eEcuador
- neBrasil (PB, PE, BA)  
Fr Guiana, Surinam, Brasil (AM, MA, PA, RO),  
eEcuador, Bolivia (SC)  
Brasil (widespread), Bolivia (SC)  
Trinidad & Tobago  
Bolivia (SC), Fr Guiana, eEcuador  
Brasil (AP), Fr Guiana  
Paraguay  
seBrasil (MG, ES, RJ)  
nwBrasil (AM), Peru, eEcuador, Bolivia (SC)  
seBrasil (SC, RS), Argentina, Uruguay  
Brasil (AM)  
Brasil, Paraguay, Argentina, Uruguay, Bolivia (SC)
- Paraguay, nArgentina (SA)  
Venezuela, Surinam, Fr Guiana, Brasil (widespread),  
Bolivia (SC)  
Fr Guiana, Brasil (PA)  
ecBrasil (AM, MG, GO), Bolivia (SC), Fr Guiana  
Mexico (QR, YU), Guatemala, Honduras, Nicaragua,  
Costa Rica?
- Brasil (GO, SP), Fr Guiana, Surinam  
seBrasil (BA, SP)  
seBrasil (RJ), Fr Guiana
- Potiaxixa** Martins & Monné, 2002:219
- gounellei** (Zajciw, 1966:106)
- intermedia** (Martins, 1979:27)
- longipennis** (Zajciw, 1966:107)



## Subtribe Sphallotrichina Martins & Monné, 2002:148

### **Amphelictus** Bates, 1884:242

- aibussu** Martins & Monné, 2005:57  
*abaiba* Martins & Monné, 2005:58  
**aielloae** Eya & Chemsak, 2003:19  
**astales** Martins & Monné, 2005:49  
**bicolor** Chemsak & Linsley, 1964:223  
**brevidens** Chemsak & Linsley, 1964:223  
**caliginosus** Martins & Monné, 2005:59  
**castaneus** Chemsak & Linsley, 1964:225  
**cribripennis** Chemsak & Linsley, 1964:221  
**curoei** Eya & Chemsak, 2003:22  
**fortunensis** Eya & Chemsak, 2003:14  
*jumerim* Martins & Monné, 2005:48  
**fuscipennis** Eya & Chemsak, 2003:1  
*novellus* Martins & Monné, 2005:53  
**gilloglyi** Eya & Chemsak, 2003:16  
**hispidus** Martins & Monné, 2005:58  
**hovorei** Eya & Chemsak, 2003:7  
**melas** Bates, 1884:242  
**milleri** Chemsak & Linsley, 1964:222  
**panamensis** Chemsak & Linsley, 1964:224  
**parvipunctus** Eya & Chemsak, 2003:10  
**potiaiuba** Martins & Monné, 2005:56  
**rugiscapus** Fuchs, 1976:57  
**scabrosus** Eya & Chemsak, 2003:11  
  
**secus** Martins & Monné, 2005:60
- Brazil (MT), Peru (Junin)  
Panama  
Ecuador  
swMexico (GR), Costa Rica, Panama  
Honduras, Costa Rica, Panama  
Peru  
Colombia, Venezuela, Ecuador, Brasil, Bolivia  
Colombia, Ecuador  
Costa Rica (AL, CA, GU), Panama  
Costa Rica (AL, GU), Panama, Ecuador  
  
Colombia  
  
Panama  
Bolivia (LP)  
Costa Rica (AL, GU, PA)  
Mexico  
Costa Rica, Colombia  
Costa Rica (CA, GU, PA, SJ), Panama  
Peru  
Venezuela  
Colombia  
Costa Rica, Panama, Colombia, Ecuador, Bolivia  
(CO)  
Bolivia (CO, LP, SC)

### **Butherium** Bates, 1870:255

- erythropus** (Lucas, 1857:187)
- eBrasil (PE-SC), Paraguay, Argentina, eEcuador

### **Cevaeria** Tavakilian, 2004:2

- estebani** Tavakilian, 2004:5
- Fr Guiana, Bolivia (SC)

### **Coleoxestia** Aurivillius, 1912:64

- Xestia* Audinet-Serville, 1834:16  
**anthracina** Martins & Monné, 2005:143  
**armata** (Gounelle, 1909:615)  
**atrata** (Gounelle, 1909:612)  
*nigra* Lane, 1956:12  
**aurigena** Martins & Monné, 2005:129  
**brevipennis** (Bates, 1870:256)  
**cinnamomea** (Gounelle, 1909:615)  
**corvina** (Germar, 1824:508)  
*scabricolle* Nonfried, 1895:307  
**curoei** Eya & Chemsak, 2005:9  
**denticornis** (Gahan, 1892:29)  
**ebenina** Melzer, 1935:174  
**errata** Martins & Monné, 2005:172  
**exotica** Martins & Monné, 2005:151  
**fasciola** Martins & Monné, 2005:131  
**femorata** (Gounelle, 1909:613)  
**glabripennis** (Bates, 1870:256)  
**globulicollis** (Gahan, 1892:31)  
*semipubescens* Zikan & Zikan, 1944 (not Melzer, 1923)  
**guttula** Martins & Monné, 2005:147
- Brasil (PA)  
ecBrasil (JA, PA, GO)  
Brasil (GO, PR), Colombia, Bolivia (SC)  
  
wEcuador  
nwBrasil (AM)  
ecBrasil (GO, MS, SP), Paraguay, Argentina  
c, seBrasil, Bolivia (SC), Paraguay, Argentina,  
Uruguay  
Panama, Costa Rica  
seBrasil (BA, ES, RJ, PE), Bolivia (SC)  
Brasil, Bolivia (SC), Argentina (MI), Paraguay  
sBrasil (BA-SP), Bolivia (SC)  
seBrasil (MG, RJ), Paraguay  
Argentina  
ecBrasil (GO, ES, MA, SP), Bolivia (SC)  
nBrasil (PA), Bolivia (SC)  
seBrasil (ES, RJ, GO)  
  
eBrasil (MG)

- illex** (Gounelle, 1909:611)  
**julietae** Galileo & Martins, 2006:706  
**kuratai** Eya & Chemsak, 2005:12  
**lissonota** Fragoso, 1993:338  
**nigripes** Martins & Monné, 2005:175  
**nigropicea** (Bates, 1870:256)  
**nitida** (Bates, 1872:172)  
**nitidissima** Eya & Chemsak, 2005:27  
**olivieri** Fragoso, 1993:336  
**pirrensis** Eya & Chemsak, 2005:1  
**polita** (Waterhouse, 1880:486)  
**pubicornis** (Gounelle, 1909:610)  
**rachelae** Eya & Chemsak, 2005:3  
**rubromaculata** (Gounelle, 1909:612)  
     *bimaculata* Fuchs, 1955:48  
**rufosemivittata** Tippmann, 1960:113  
**sanguinipes** (Bates, 1884:242)  
**semipubescens** Melzer, 1923:4  
**setigera** Melzer, 1926:6  
**sobrina** Melzer, 1923:4  
**spinifemorata** Fragoso, 1993:333  
**spinipennis spinipennis** (Audinet-Serville, 1834:17)  
     subsp. **interiorana** Fragoso, 1993:333  
**spinosa** Galileo & Martins, 2010:34  
**striatepunctata** Eya & Chemsak, 2005:20  
**thomasi** Eya & Chemsak, 2005:23  
**tupunhuna** Martins & Monné, 2005:140  
**vittata** (Thomson, 1861:192)  
     *confusa* Lacordaire, 1869:271  
     *longipennis* Gahan, 1892:31  
**waterhousei** (Gounelle, 1909:614)  
     *denticollis* Melzer, 1920:430
- Brasil (GO, AL, PB, RJ, SP, SC)  
 Bolivia (SC)  
 Mexico (VC), Honduras, Guatemala, El Salvador  
 Mexico (VC) -Costa Rica, Colombia  
 Argentina, Bolivia (SC)  
 nBrasil (PA)  
 sMexico-Colombia, Ecuador, seBrasil (RJ, SP, PN)  
 Panama  
 Fr Guiana, cBrasil (MT), Bolivia (SC)  
 Panama  
 eEcuador, Brasil, Bolivia (SC)  
 eBrasil (GO, PE-RJ), Bolivia (SC)  
 Costa Rica, Panama  
 Honduras, Nicaragua-Colombia, wEcuador, Brasil (GO)  
 Bolivia (SC)  
 Guatemala-Panama, Venezuela, Ecuador  
 seBrasil (ES-SC), Paraguay  
 sBrasil (PR, SP, SC)  
 seBrasil (RJ-SC)  
 Fr Guiana, cBrasil (MT)  
 seBrasil (BA-RS), Paraguay, Argentina (MI), Uruguay  
 cBrasil (PA, MT)  
 Brasil (BA)  
 Panama  
 Panama  
 Brasil (PA)  
 Costa Rica, Panama, seBrasil, Paraguay, Argentina  
 Bolivia (SC)
- Brasil (GO, MT, CE-RS), Paraguay, Uruguay,  
 Argentina, Bolivia (SC)

### **Criodion** Audinet-Serville, 1833:571

*Criodon* Chenu, 1870:313

*Criocton* Gounelle, 1909:609

- angustatum** Buquet, 1852:358  
**antennatum** Gahan, 1892:24  
**cinereum** (Olivier, 1795:35)  
  
**dejeani** Gahan, 1892:25  
**fulvopilosum** Gahan, 1892:23  
**murinum** Nonfried, 1895:206  
**pilosum** Lucas, 1857:188  
**rhinoceros** Bates, 1870:253  
**subpubescens** Martins & Monné, 2005:187  
**tomentosum** Audinet-Serville, 1833:572  
     *hirsutum* Bates, 1870:253  
**torticolle** Bates, 1870:252  
  
**tuberculatum** Gahan, 1892:25

### **Ischionorox** Aurivillius, 1922:405

**antiqua** Aurivillius, 1922:406

### **Iuati** Martins & Galileo, 2010

**spinithorax** Martins & Galileo, 2010:85

- sBrasil, Argentina, Paraguay  
 Venezuela  
 Costa Rica (AL, LI, PA), Puerto Rico?, Venezuela,  
 Colombia, Guianas, Bolivia (SC)  
 seBrasil (ES-SP)  
 Brasil (AM), Fr Guiana, Peru, Bolivia  
 Guatemala, Costa Rica  
 Brasil  
 nBrasil (PA), Ecuador  
 Brasil (AM)  
 seBrasil (BA, MA, RJ-RS)  
  
 Brasil (MA), Fr Guiana, Paraguay, Argentina,  
 Bolivia (SC)  
 Fr Guiana, nwBrasil (AM), eEcuador, Bolivia (CO)  
  
 nwArgentina (ME, SE)

Brasil (RO)

- Macrambyx** Fragoso, 1982:145  
**suturalis** (Gory, 1832: pl. 1)  
*feisthamelii* Buquet, 1852:355  
 Fr Guiana, ncBrasil (AM, PA, MT), eEcuador
- Melathemma** Bates, 1870:258  
**polita** Bates, 1870:258  
 nwBrasil (AM), eEcuador
- Metacriodion** Fragoso, 1970:97  
**capixaba** Fragoso, 1970:97  
**pictum** (Waterhouse, 1880:292)  
 eBrasil (ES)  
 eEcuador, Peru, Bolivia, Fr Guiana
- Ochrodion** Fragoso, 1982:144  
**gahani** (Gounelle, 1909:609)  
**quadrimaculatum** (Gahan, 1892:27)  
**sexmaculatum** (Buquet in Guérin-Ménéville, 1844:228)  
*sommeri* Gahan, 1892:27  
**tavakiliani** Martins & Monné, 2005:22  
**testaceum** (Gahan, 1892:26)  
 eBrasil (GO, MG, SP)  
 seBrasil (MG, RJ)  
 seBrasil (ES-PR, MG, SP)  
 Fr Guiana  
 seBrasil (ES-SP), Peru
- Paracriodion** Fragoso, 1982:147  
**modestum** (Buquet, 1852:357)  
*pubicollis* Melzer, 1931:52  
**romani** (Aurivillius, 1926:1)  
 seBrasil (ES-PR)  
 eEcuador, nwBrasil (AM), Fr Guiana
- Parasphallenum** Fragoso, 1982:145  
**fulguratum** (Chabrillac, 1857:196)  
*litteratum* Gahan, 1892:28  
 Brasil
- Poeciloxestia** Lane, 1965:269  
**bivittata** (Buquet, 1852:356)  
*omega* Zajciw, 1967:197  
**carlislei** Fragoso, 1978:134  
**coriacea** Martins & Monné, 2005:90  
**dorsalis** (Thomson, 1861:193)  
**elegans** (Gory, 1833: pl. 64)  
**hirsutiventris** Fragoso, 1978:133  
**lanceolata** Fragoso, 1978:153  
**lanei** Fragoso, 1978:125  
**lateralis** (Erichson, 1847:140)  
**melzeri** Lane, 1965:270  
*sagittaria* Melzer, 1923:5 (not Bates, 1872)  
**minuta** Fragoso, 1978:131  
**ochrotaenia** (Bates, 1870:257)  
**paraensis** Lane, 1965:274  
**parallela** Fragoso, 1978:129  
**plagiata** (Waterhouse, 1880:293)  
**rugosicollis** Fragoso, 1978:126  
**sagittaria** (Bates, 1872:173)  
**signatipennis** (Melzer, 1923:5)  
**suturalis** (Perty, 1832:90)  
**travassosi** Fragoso, 1978:149  
 seBrasil (RJ-SC)  
 Colombia  
 Brasil (AM)  
 seBrasil (BA-RS), Paraguay  
 seBrasil (PE-RS)  
 Peru, Bolivia (SC)  
 Mexico (QR)-Panama  
 cBrasil (MT), Bolivia (SC)  
 Peru, Bolivia (SC), Fr Guiana  
 seBrasil (MG-RJ), Peru, Bolivia  
 seBrasil (PE-RS)  
 ncBrasil (AM, PA)  
 Trinidad, Venezuela, Fr Guiana, ncBrasil (PA), Bolivia  
 n-eBrasil (PA, MG-SP)  
 eEcuador  
 eEcuador, Bolivia (SC)  
 Nicaragua-nSAmer, Bolivia (SC)  
 seBrasil (SP, SC)  
 c, seBrasil (MT, MG-RS), Bolivia (SC), Argentina  
 c, seBrasil (MT, SP, PR)
- Sphallambyx** Fragoso, 1982:145  
**chabrillacii** (Thomson, 1857:123)  
*toledopizai* Melzer, 1934:70  
**mexicanum** Galileo & Martins, 2006:706  
**superbum** (Aurivillius, 1910:147)  
 seBrasil (MG, RJ, SP, PR)  
 Mexico (VC)  
 Colombia, eEcuador, Peru, Bolivia, Brasil (AC)

**Sphallenopsis** Fragoso, 1981:145  
**pilosovittata** (Bates, 1872:172)

Nicaragua-Panama

**Sphallenum** Bates, 1870:253  
**tuberosum** Bates, 1870:255

Brasil (PA, MA, BA, ES, SP, MG), Fr Guiana,  
 eEcuador

**Sphallopterus** Fragoso, 1982:146  
**batesi** Fragoso, 1982:147

nBrasil (PA)

**Sphallotrichus** Fragoso, 1982:145  
**bidens** (Fabricius, 1801:271)  
     *lugubris* Voet, 1806:27  
     *castanopterum* Erichson in Schomburg, 1848:571  
     *femorale* Bates, 1870:254  
**hirsuticorne** Fragoso, 1995:188  
**puncticolle puncticolle** (Bates, 1870:254)  
     subsp. **robustus** (Bates, 1872:172)  
**sculpticolle** (Buquet, 1852:356)  
**sericeotomentosus** Fragoso, 1995:188  
**setosus** (Germar, 1824:507)  
**spadiceus** (Gahan, 1892:29)  
     *setosum* Bondar, 1928:33 not Germar, 1824.

Guianas, nwBrasil (AP, AM, PA), Bolivia (SC)  
 eEcuador  
 ncBrasil (AM, PA), Fr Guiana  
 Nicaragua, Costa Rica, Fr Guiana  
 Colombia  
 Venezuela, Brasil (RO, MA, MT, PA), Bolivia (SC)  
 seBrasil (BA-RS), Paraguay, Argentina  
 e, seBrasil (GO, ES-PR)

**Xestiodion** Fragoso, 1981:379  
**annulipes** (Buquet in Guérin-Méneville, 1844:228)  
**pictipes** (Newman, 1838:396)  
     *octomaculatum* Nonfried, 1894:137  
**similis** (Melzer, 1920:428)

seBrasil (BA-SC), Paraguay, Bolivia (SC)  
 c, seBrasil (GO, MT, BA-SC) , Fr Guiana  
 seBrasil (MG, SP)

### **Clytini** Mulsant, 1839:70

**Amyipunga** Martins & Galileo 2011:154  
**armaticollis** (Zajciw, 1964:305)  
**barbarae** Schmid, 2011: 249  
**canescens** (Martins & Galileo, 2005:10)  
**moritzii** (Thomson, 1861:225)

Bolivia (SC), nwArgentina (JU)  
 Peru  
 Colombia  
 Venezuela

**Anthoboscus** Chevrolat, 1860:455  
*Clytanthus* Thomson, 1864:190  
**oculatus** Giesbert, 1992:158  
**tricolor** (Chevrolat, 1835:75)

ipungasMexico (CHS)  
 Mexico (CHA) - Panama

**Ayriclytus** Martins & Galileo 2011:235  
**bolivianus** Martins & Galileo 2011:237  
**gracilis** (Zajciw, 1958:244)  
**macilentus** (Bates, 1872:187)  
**simoni** (Lameere, 1893:274)

Bolivia (SC)  
 seBrasil (SP, PR)  
 Nicaragua-Panama, Colombia  
 Venezuela

**Calloides** LeConte, 1873:319  
**lorquini** (Buquet, 1859:629)  
**nobilis nobilis** (Harris, 1837:84)  
     subsp. **mormonus** Schaeffer, 1911:124  
         *biformis* Casey, 1912:358  
         *muliebris* Casey, 1912:358  
         *coloradensis* Casey, 1912:358  
**regalis** (Chevrolat, 1860:488)

wUSA (CA, NV, OR)  
 eNAmer  
 swUSA (AZ, CO, UT)  
 Mexico (OA)

<b>Cetimaju</b> Galileo & Martins 2007:346	
<b>abare</b> Galileo & Martins 2007:347	Colombia
<b>Chlorophorus</b> Chevrolat, 1863:290	
<b>annularis</b> (Fabricius, 1787:156)	Asia, introduced in USA and seBrasil
<b>Clytoleptus</b> Casey, 1912:350	
<i>Clytanthus</i> LeConte, 1873:319 (not Thomson, 1864)	
<b>albofasciatus</b> (Laporte & Gory, 1835:96)	eNAmer
<i>gracilicornis</i> Casey, 1912:371	
<i>tristis</i> Casey, 1912:371	
<b>Clytopsis</b> Casey, 1912:350	
<b>dimidiaticornis</b> (Chevrolat, 1860:487)	Mexico (widely distributed)
<i>nimbata</i> Casey, 1912:373	
<b>Clytus</b> Laicharting, 1784:88	
<b>blaisdelli</b> Van Dyke, 1920:39	wUSA (CA)
<b>canadensis</b> Hopping, 1928:264	wNAmer (Br Col-OR-CO)
<b>chemsaki</b> Hovore & Giesbert, 1974:142	wUSA (CA)
<b>clitellarius</b> (Van Dyke, 1920:40)	wUSA (CA)
<b>marginicollis</b> Laporte & Gory, 1835:41	eNAmer
<i>vespoides</i> Haldeman, 1847:40	
<i>carolinensis</i> Casey, 1912:372	
<b>montesuma</b> Laporte & Gory, 1835:42	Mexico
<i>montezuma</i> White, 1855:264	
<b>pacificus</b> (Van Dyke, 1920:38)	wNAmer (Pacific Coast)
<b>planifrons</b> (LeConte, 1874:67)	wNAmer (Pacific Coast)
<b>ruricola</b> (Olivier, 1795:65)	eNAmer
<i>hamatus</i> Say, 1824:423	
<i>catulus</i> Casey, 1912:370	
<b>Cotyclytus</b> Martins & Galileo 2011:127	
<b>amazonicus</b> (Fuchs, 1975:1)	nwBrasil (AM)
<b>basalis</b> (Chevrolat, 1861:384)	Venezuela
<b>cristatus</b> (Chevrolat, 1861:384)	Colombia
<b>curvatus</b> (Germar, 1821:171)	eBrasil, Paraguay, neArgentina (BA, ER), Uruguay
<b>discretus</b> (Melzer, 1934: 223)	seBrasil (RJ)
<b>distinctus</b> (Zajciw, 1963:425)	seBrasil (RJ)
<b>dorsalis</b> (Laporte & Gory, 1835:23)	eBrasil (GO, ES, RJ)
<b>lebasii</b> (Chevrolat, 1861:381)	Costa Rica, Panama, Colombia, Venezuela
<b>magicus</b> (Perty, 1832: 93)	seBrasil (BA-SP)
<b>niger</b> (Aurivillius, 1920:366)	eBrasil (BA)
<b>patagonicus</b> (Bruch, 1911:169)	sArgentina (CT, CH)
<b>peruvianus</b> (Schmid, 2009:279)	Peru (Junin)
<b>potiuna</b> (Galileo & Martins, 2007:350)	Peru (Cuzco)
<b>regularis</b> (Chevrolat, 1861:385)	Trinidad & Tobago, Venezuela
<b>scenicus</b> (Pascoe, 1866:294)	Panama, Colombia, Venezuela
<b>sobrinus</b> (Laporte & Gory, 1835:29)	seBrasil, Paraguay, nArgentina, Uruguay, Bolivia (SC)
<b>stillatus</b> (Aurivillius, 1908:4)	Bolivia (SC), nArgentina (JU, SA, TU, CA), Paraguay
<i>parumnotatus</i> Zajciw, 1963:176	
<b>suturalis</b> (Fuchs, 1963:453)	Brasil (BA)
<b>Dexithea</b> Thomson, 1864:185	
<b>fabricii</b> (Chevrolat, 1860:490)	Mexico (ME, VC)
<b>humeralis</b> Chemsak & Noguera, 2001:50	Mexico (MX, NL, CS, OA)
<b>klugii</b> (Laporte & Gory, 1835:51)	Mexico - Costa Rica

**Euryscelis** Dejean, 1835:331

**suturalis** (Olivier, 1795:62)  
*dejeanii* Chevrolat, 1862:530  
*megalopus* Casey, 1924:271  
*subtropica* Casey, 1924:271

seUSA (FL), W Indies (Bahamas, Hispaniola,  
 Puerto Rico, Cayman Is)

**Glycobius** LeConte, 1873:319

*Arhopalus* Lacordaire, 1869:64 (not Audinet-Serville, 1834)  
*Plagionotus* LeConte & Horn, 1883:304 (not Mulsant, 1842)  
**speciosus** (Say, 1828:53) (not Adams, 1817)  
*hayii* Gray in Griffith, 1831: pl. 65, fig. 6  
*haiji* Gray in Griffith, 1832:118

neUSA, sCanada

**Isotomus** Mulsant, 1863:143

*Caloclytus* Fairmaire in Jacquelin du Val, 1864:145  
**comptus** (Mannerheim in Hummel, 1825:36)  
*perspicillus* Fischer, 1832:438  
*pubicollis* Laporte & Gory, 1835:73  
*insularis* Laporte & Gory, 1835:74

Europe, introduced in Hispaniola

**Itaclytus** Martins & Galileo 2011:163

**justini** (Chevrolat, 1861:382)  
**olivaceus** (Laporte & Gory, 1835:30)  
*burmeisteri* Chevrolat, 1862:57  
**tumulifer** (Aurivillius, 1908:3)

Costa Rica, Panama, Colombia, Venezuela  
 eBrasil (GO, MT, BA-SC), Paraguay

Bolivia

**Mecometopus** Thomson, 1860:222

**aesopus** (Chevrolat, 1860:502)  
**aurantisignatus** Zajciw, 1964:307  
**batesii** (White, 1855:257)  
**bicinctus** Aurivillius, 1920:367  
**cauaburi** Martins & Galileo 2011:210  
**centurio** (Chevrolat, 1862:58)  
*accensus* Chevrolat, 1862:59  
**curtus** (Laporte & Gory, 1835:34)  
*crassicornis* Chevrolat, 1862:519  
**giesberti** Chemsak & Noguera, 1993:86  
**globicollis** (Laporte & Gory, 1835:32)  
*troglodytes* Laporte & Gory, 1835:33  
**ion** (Chevrolat, 1860:496)  
*jon* Chevrolat, 1860:496  
 var. *ionides* Bates, 1885:300  
**latithorax** Martins & Galileo, 2008:276  
**leprieuri** (Laporte & Gory, 1835:29)  
*consanguineus* Chevrolat, 1862:523  
**melanion** Bates, 1885:300  
**mundus** (Chevrolat, 1860:498)  
**palmaris** (Olivier, 1795: 29)  
*festivus* Chevrolat, 1862:520  
**polygenus** Thomson, 1861:223  
**remipes** Bates, 1885:300  
**riveti** Gounelle, 1910:16  
 var. *pilosa* Gounelle, 1910:16  
**sarukhani** Chemsak & Noguera, 1993:87  
**triangularis** (Laporte & Gory, 1835:31)  
*maronensis* Chevrolat, 1862:522  
*funereus* Chevrolat, 1862:523  
**wallacei** (White, 1855:259)

Mexico (VC) - Costa Rica  
 ncBrasil (PA), Fr Guiana  
 ncBrasil (PA, AM), Ecuador  
 seBrasil (ES-SP), Argentina (MI)  
 Brasil (AM)  
 seBrasil (ES-RS), neArgentina (MI), Uruguay

Fr Guiana, Brasil (PA)

wMexico (JA)  
 Fr Guiana, Brasil (AM, PA, MA)

Mexico (ME) – Nicaragua, Costa Rica (GU)

Panama, Costa Rica (GU)  
 Fr Guiana, Brasil (AM, PA)

eMexico (VC)  
 Guatemala, Honduras  
 Surinam, Fr Guiana, Brasil (GO, PA)

nwBrasil (AM, PA), Fr Guiana, eEcuador,  
 Bolivia (BN)  
 Panama  
 Colombia, wEcuador

wMexico (JA)  
 Fr Guiana, ncBrasil (RR, PA)

Guianas, nwBrasil (AM, RO), Bolivia (SC), Peru

**Megacheuma** Mickel, 1919:198

- brevipennis brevipennis** (LeConte, 1873:197)  
*melanosticum* Mickel, 1919:199  
 subsp. **tiemanni** Hovore, 1979:459

wUSA (UT, NV)

swUSA (CA)

**Megacyllene** Casey, 1912:348*Cyllene* Newman, 1840:7 (not Gray, 1834)

- abnormis** (Aurivillius, 1920:365)  
 var. *montana* Tippmann, 1953:217  
**acuta** (Germar, 1821:170)  
*exsanguis* Chevrolat, 1862:527  
*consimilis* Chevrolat, 1862:52  
*rufipes* Laporte & Gory, 1835:8  
**anacantha** (Chevrolat, 1862:52)  
**andesiana** (Casey, 1912:352)  
**angulata** (Fabricius, 1775:192)  
*amazonica* Bates, 1870:395  
*boliviana* Chevrolat, 1862:525  
*cayennensis* Laporte & Gory, 1835:10  
*caracasensis* Chevrolat, 1862:380  
*chiliensis* Laporte & Gory, 1835:11  
*chilensis* Blanchard in Gay, 1851:486  
*ziczac* Voet, 1778:21  
**angulifera** (Casey, 1912:354)  
**antennata** (White, 1855:252)  
*eurystethus* LeConte, 1858:82  
**bonplandi** (Gounelle, 1911:185)  
**boryi** (Laporte & Gory, 1835:12)  
*minuta* Chevrolat, 1862:62  
**caryae** (Gahan, 1908:141)  
**castanea** (Laporte & Gory, 1835:10)  
**castroi** Prosen, 1947:255  
*cryptofasciata* Di Iorio, 1998:5  
**chalybeata** (White, 1855:250)  
**cleroides** (Melzer, 1931:194)  
**comanchei** Rice & Morris, 1992:200  
**congener** (Laporte & Gory, 1835:8)  
*patruelis* Chevrolat, 1862:53  
**costaricensis** (Thomson, 1861:218)  
**decora** (Olivier, 1795:63)  
*charus* Say, 1835:193  
*infaustus* LeConte, 1850:17  
 ab. *castelnaui* Aurivillius, 1912:384  
 ab. *horni* Aurivillius, 1912:384  
 ab. *mediana* Aurivillius, 1912:384  
*chara kansana* Casey, 1912:355  
*chara solida* Casey, 1912:355  
*chara genitiva* Casey, 1912:355  
**designata** (Chevrolat, 1862:50)  
**ebenina** Monné & Napp, 2004: 323  
**ellifranziana** (Fuchs, 1961:448)  
**falsa** (Chevrolat, 1862:51)  
*acutus* Laporte & Gory, 1835:9 (not Germar, 1821)  
**gaucha** Martins & Galileo, 2011:58  
**globosa** Aragao & Monné, 2011:167  
**guarani** Aragao & Monné, 2011:161  
**hoffmanni** (Laporte & Gory, 1835:13)

Bolivia

Brasil (GO, MT, BA-RS), Paraguay, Uruguay  
 nArgentina (SA-BA), Bolivia (SC)

seBrasil (RJ-RS), Argentina (SA)  
 Ecuador, Peru  
 Mexico - Panama, Fr Guiana, nwBrasil (AM, MA ),  
 Chile, Bolivia (BN, SC), Venezuela,  
 W Indies (Dominica), Colombia

c NAmer (Alberta-KS)  
 swUSA (CA-TX), nMexico (BC, SO)

seBrasil (MG, PR, RJ, SC, SP), nArgentina (SA-MI)  
 Brasil (MG, RJ, SP, SC, RS), Argentina, Uruguay

eNAmer-TX, nMexico  
 sBrasil (MG, SP, SC), eArgentina (MI-BA), Paraguay  
 Argentina (SA-RN)

seBrasil (ES, PA, SC, SP)  
 seBrasil (ES, SP, PR)  
 swUSA (TX)  
 seBrasil (MG, RJ, RS, SC, SP)

Costa Rica  
 eNAmer-TX, Alberta

seBrasil (MG, RJ, SP)  
 seBrasil (SC)  
 Costa Rica  
 eBrasil (GO, BA-RS), neArgentina (FO, MI),  
 Uruguay, Paraguay  
 Brasil (RS)  
 Brasil (PA)  
 Argentina, Uruguay  
 sBrasil (AM, PR-RS, SP), Paraguay

**horioni** Tippmann, 1960:133  
 ab. *bifasciata* Tippmann, 1960:134  
 ab. *suturaalba* Tippmann, 1960:134  
**insignita** Perroud, 1855:388  
**lanei** (Tippmann, 1953:218)  
**latreillei** (Laporte & Gory, 1835:91)  
*insignita* (Perroud, 1855:388)  
**lutosa** (LeConte, 1861:356)  
**magna** Di Iorio, 1997: 389  
**mellyi** (Chevrolat, 1862:54)  
 ab. *modesta* Tippmann, 1960:135  
**menalaspis** (Chevrolat, 1862:378)  
**multiguttata** (Burmeister, 1865:176)  
*megaspilota* Martins, 1974:153  
**murina** (Burmeister, 1879:201)  
**neblinosa** Di Iorio, 1995:320  
**nebulosa** Laporte & Gory, 1835:11  
*spinifera* (Newman, 1840:8)  
**nevermanni** Martins & Galileo, 2008:272  
**panamensis** (Bates, 1885:295)  
**powersi** Linsley & Chemsak, 1963:211  
*infausta* Hopping, 1937:445 (not LeConte, 1850)  
**proxima** (Laporte & Gory, 1835:5)  
*elongata* Chevrolat, 1862:379  
**punensis** Martins & Galileo, 2008:273  
**quinquefasciata** (Melzer, 1931:55)  
**robiniae** (Forster, 1771:43)  
*pictus* Drury, 1773:91  
*flexuosum* Fabricius, 1775:191  
**robusta** Linsley & Chemsak, 1963:211  
**rotundicollis** Zajciw, 1963:174  
**rufofemorata** Di Iorio, 1997:394  
**sahlbergi** (Aurivillius, 1913:237)  
**snowi snowi** (Casey, 1912:353)  
 subsp. **zuniana** (Casey, 1912:353)  
**spixii** (Laporte & Gory, 1835:92)  
  
**tafivallensis** Di Iorio, 1998:9  
**trifasciata** Viana, 1994:165  
**unicolor** Fuchs, 1955:49  
*lateripilosa* Zajciw, 1963:171  
**unicoloricollis** Fuchs, 1961:447

**Miriclytus** Martins & Galileo 2011: 240  
**miri** (Galileo & Martins 2007:347)  
**quadrifasciatus** (Chevrolat, 1861:386)  
*solidicornis* Bates, 1885:300  
**triangularis** Martins & Galileo 2011: 243

**Neoclytus** Thomson, 1860:67  
*Rhopalopachys* Chevrolat, 1860:457  
*Rhopalomerus* Chevrolat, 1860:457  
*Plagithmysus* Horn, 1875:150  
*Plagithmesus* Schaufuss, 1915: 859 (error for *Plagithmysus*)  
**acteon** (Chevrolat, 1860:499)  
*actaeon* Bates, 1880:58  
**acuminatus acuminatus** (Fabricius, 1775:194)  
*erythrocephalum* Fabricius, 1787:156  
*americanus* Gmelin, 1790:1854

Bolivia

Brasil (RS, PR, SP), Argentina, Uruguay  
 seBrasil (SP- RS, PR)  
 sBrasil (MG, PR, RJ, RS, SC, SP), Uruguay,  
 Argentina (BA)  
 wcUSA (CO, KS, IA)  
 nArgentina (SA, CA, LR)  
 seBrasil (MG-RS), Bolivia (CO, SC), Paraguay,  
 Uruguay, Argentina (BA)  
 Colombia, Venezuela, Peru, eEcuador  
 Bolivia, wArgentina

Paraguay, ncArgentina (SA, ER, SE, SF), Uruguay  
 nArgentina (SA, TU), Bolivia (SC), seBrasil (RJ)  
 Paraguay, Bolivia, Argentina, Uruguay, Chile

Costa Rica  
 Costa Rica, Panama  
 wcUSA (ND)

Venezuela, Brasil, Paraguay, Bolivia (SC)  
 nArgentina (SA-MI, SL)  
 Peru  
 Bolivia (LP), nArgentina (SA, JU), Chile  
 eNAmer

swUSA (NM, AZ)  
 nArgentina (TU)  
 nArgentina (CA, CO, SA, SL, TU)  
 Brasil  
 wUSA (CO, AZ), nMexico  
 swUSA (NM)  
 sBrasil (GO, SP), Paraguay, Argentina (BA, CO),  
 Uruguay  
 Argentina (TU)  
 nArgentina (TU, CA)  
 Brasil (RJ, RS), neArgentina (CO, ER, MI ),  
 Paraguay, Uruguay  
 Brasil (SC)

Bolivia (SC)  
 Costa Rica, Panama, Colombia

Bolivia

eMexico (VC), Guatemala, Honduras

eNAmer-Manitoba-TX, Argentina



<i>aspericolle</i> Germar, 1824:517	
subsp. <b>hesperus</b> Linsley, 1935:163	wUSA (TX-CO), nMexico
<b>anama</b> Galileo & Martins 2007:350	wEcuador
<b>angelicus</b> Van Dyke, 1927:107	wUSA (CA)
<b>approximatus</b> (LeConte, 1862:42)	c USA (OK, MO, KS)
<b>araneiformis</b> (Olivier, 1795:61)	Hispaniola, Puerto Rico, Guadeloupe, Saba
<i>koechlini</i> Hagenbach, 1822:12	
<b>augusti</b> (Chevrolat, 1835:73)	swUSA (TX), Mexico-Guatemala
<i>abbreviatus</i> Schaeffer, 1908:340	
<i>dubius</i> Chevrolat, 1835:74	
<b>bahamicus</b> Cazier & Lacey, 1952:36	Bahamas
<b>balteatus</b> LeConte, 1873:201	wNAmer (Pac Coast)
<i>magnus</i> Van Dyke, 1927:109 (not Schaeffer, 1904)	
<i>interruptus</i> Van Dyke, 1927:109 (not LeConte, 1873)	
<b>beltianus</b> Bates, 1885:301	Nicaragua, Costa Rica
<i>lebasii</i> Bates, 1872:186 (not Chevrolat, 1862)	
<b>cacicus</b> (Chevrolat, 1860:493)	Mexico - Panama
<b>caprea</b> (Say, 1824:424)	eNAmer-AZ, UT
<i>gibbicollis</i> Laporte & Gory, 1835:24	
<i>elevatus</i> Laporte & Gory, 1835:32	
<b>chevrolatii</b> (Laporte & Gory, 1835:26)	Cuba
<b>clavipes</b> (Chevrolat, 1860:495)	Guatemala
<b>columbianus</b> Fuchs, 1963:451	Panama, Colombia, Venezuela
<b>conjunctus</b> (LeConte, 1857:61)	wNAmer (Pacific Coast)
<i>conjunctus occiduus</i> Casey, 1912:369	
<i>tularensis</i> Casey, 1912:369	
<b>curtulus</b> (Chevrolat, 1860:497)	Mexico
<b>englemani</b> Giesbert, 1989:270	Panama
<b>fraterculus</b> Martins & Galileo, 2008:273	Venezuela
<b>hoegei</b> (Bates, 1880:56)	Mexico (PU, SLP, VC), Guatemala, Honduras, Costa Rica (GU)
<b>horridus</b> (LeConte, 1862:42)	eNAmer-TX
<i>confusus</i> Van Dyke, 1937:115	
<i>longipes</i> LeConte, 1873:200 (not Drury, 1773)	
<i>kirbyi</i> Hopping, 1932:558 (not Aurivillius, 1912)	
<i>fulguratus</i> Casey, 1912:367	
<b>impar</b> (Germar, 1824:571)	seBrasil (BA, ES-SC)
<b>interruptus</b> LeConte, 1873:201	wUSA (CA)
<b>irroratus</b> (LeConte, 1858:26)	swUSA (CA), nMexico (BC) - Honduras
<i>morosus</i> Chevrolat, 1860:501	
<b>jekeli</b> (White, 1855:254)	
<i>longipes</i> Laporte & Gory, 1835:16 (not Drury, 1773)	
<b>jibacoense</b> Zayas, 1975:137	Cuba
<b>jouteli</b> <i>jouteli</i> Davis, 1904:34	eUSA (NJ-VA-TN)
subsp. <b>simplarius</b> Blatchley, 1917:240	seUSA (GA, FL)
<b>leucozonus</b> <i>leucozonus</i> Laporte & Gory, 1835:90	NAmer (boreal)
<i>muricatus</i> Kirby in Richardson, 1837:177	
<i>muricatus</i> Haldeman, 1847:41	
<i>longipes</i> Kirby in Richardson, 1837:176 (not Drury, 1773)	
<i>kirbyi</i> Aurivillius, 1912:392	
<i>ascendens</i> LeConte, 1878:462	
subsp. <b>infans</b> Casey, 1912:368	wUSA (CA, OR)
<b>longipes</b> (Drury, 1773:84)	seUSA (GA, FL), Cuba, Jamaica
<i>drurii</i> Fabricius, 1775:181	
<i>angulatum</i> Fabricius, 1792:335	
<i>rhombifer</i> Olivier, 1795:46	
<i>hopei</i> Laporte & Gory, 1835:18	
<b>magnus</b> Schaeffer, 1904:224	swUSA (CA), Mexico (BC)

<b>modestus modestus</b> Fall, 1907:81	wUSA (CA)
<i>carus</i> Fall, 1907:81	
subsp. <b>zebratus</b> Van Dyke, 1927:108	wUSA (CA, OR)
<b>mucronatus mucronatus</b> (Fabricius, 1775:193)	eUSA-TX
<i>luscum</i> Fabricius, 1798:152	
<i>maculosus</i> Gmelin, 1790:1854	
<i>humeralis</i> Newman, 1838:394	
<i>luscus strictulus</i> Casey, 1912:369	
subsp. <b>vogti</b> Linsley, 1957:35	swUSA (TX, AZ), neMexico (NL)
<b>nubilus</b> Linsley, 1933:93	wUSA (CA)
<i>modestus</i> Fall, 1907:81 (part)	
<b>pallidicornis</b> Fisher, 1932:58	Haiti
<b>peninsularis</b> Schaeffer, 1905:133	Mexico (BC)
<b>personatus</b> Chemsak & Linsley, 1974:132	Costa Rica
<b>podagricus</b> (White, 1855:254)	Hispaniola
<b>provoanus</b> Casey, 1924:272	wUSA (Pacific Coast-UT)
<i>basalis</i> Van Dyke, 1927:106	
<i>basillaris</i> Van Dyke, 1929:136	
<b>pubicollis</b> Fisher, 1932:59	Cuba
<b>purus</b> Bates, 1885:302	Mexico (VC), Guatemala
<b>pusillus</b> (Laporte & Gory, 1835:22)	Brasil, Bolivia (LP, SC), Paraguay, Argentina,
<i>guianensis</i> (Laporte & Gory, 1835:22)	Uruguay, Peru, Colombia, Guiana, Surinam
<i>tapajonus</i> Bates, 1870:395	
<b>resplendens</b> Linsley, 1935:163	wUSA (CA)
<b>rufitarsis</b> (Chevrolat, 1860:494)	Guatemala
<b>rufus</b> (Olivier, 1795:28)	Panama-nArgentina, Colombia, Venezuela
var. <i>meridionalis</i> Aurivillius, 1926:3	Guyana, Brasil, Paraguay, Fr Guiana
<b>scutellaris</b> (Olivier, 1790:266)	eNAmer-KS-TX
<i>elegans</i> Haldeman, 1847:40	
<b>senilis</b> (Fabricius, 1798:152)	seUSA (GA, FL), Cuba, Bahamas
<i>cordifer</i> Klug, 1829:13	
<i>devastator</i> Laporte & Gory, 1835:17	
<i>rufescens</i> Laporte & Gory, 1835:16	
<b>smithi</b> Bates, 1892:164	swMexico (NA-OA)
<b>steelei</b> Chemsak & Linsley, 1978:138	Mexico (Revillagigedo Is., Socorro I.)
<b>tenuiscriptus</b> Fall, 1907:82	wUSA (CA, AZ, UT), nMexico
<b>torquatus</b> LeConte, 1873:200	swUSA (TX)
<b>unicolor</b> (Laporte & Gory, 1835:34)	Ecuador, Peru, Chile
<i>jekeli</i> White, 1855:254	
<i>longipes</i> Laporte & Gory, 1835:16 (not Drury, 1773)	
<b>vanduzeei</b> Van Dyke, 1927:107	swUSA (AZ)
<b>vitellinus</b> Martins & Galileo, 2008:274	Costa Rica (GU)
<b>ypsilon</b> Chevrolat, 1862:63	sBrasil (SC, RS), Paraguay, Argentina, Uruguay
<i>famelicus</i> Burmeister, 1865:176	
<b>zonatus</b> Martins & Galileo, 2008:273	Guatemala
<b>Ochraethes</b> Chevrolat, 1860:454	
<i>Ochroesthes</i> Chevrolat, 1860:472	
<i>Ochraethes</i> Thomson, 1861:219	
<i>Ochrestes</i> Lacordaire, 1869:65	
<i>Ochresthes</i> Bates, 1880:50	
<b>brevicornis</b> (Chevrolat, 1860:480)	Mexico
<b>citrinus</b> (Chevrolat, 1860:474)	swUSA (TX), Mexico - Honduras
<i>sigmoideus</i> Bates, 1885:298	
<b>clerinus</b> Bates, 1892:162	swMexico (GR)
<b>cristoforii</b> (Chevrolat, 1860:477)	cMexico (MO)
<i>christofori</i> Aurivillius, 1912:386	
<b>litura</b> Bates, 1885:298	Guatemala
<b>nigrescens</b> Chemsak & Linsley, 1974:134	wcMexico (DU)
<b>nigritus</b> Bates, 1892:162	swMexico (GR)

<b>nigropunctatus</b> (Chevrolat, 1860:486)	Mexico
<b>obliquus</b> (Chevrolat, 1860:473)	Mexico (VC), Honduras
<b>obscuricornis</b> Bates, 1892:163	swMexico (GR)
<b>octomaculata</b> Chemsak & Noguera, 2001:51	Mexico (GU, OA)
<b>palmeri</b> Bates, 1880:52	ecMexico (JA, SLP)
<b>picticornis</b> Bates, 1880:52	Guatemala
<b>pollinosus</b> (Chevrolat, 1835:71)	Mexico (CHS, VC) - Panama
<b>sommeri</b> (Chevrolat, 1835:72)	Mexico (SI, PU, HI, GU, OA)
<i>tibialis</i> Laporte & Gory, 1835:71	
<i>circuliferus</i> Chevrolat, 1860:472	
<i>circulifer</i> Aurivillius, 1912:386	
<b>tomentosus</b> (Chevrolat, 1860:479)	cMexico (PU)
<b>tulensis</b> Bates, 1892:163	ecMexico (JA, HI)
<b>umbratilis</b> Bates, 1885:297	Guatemala
<b>virescens</b> (Chevrolat, 1860:481)	Mexico (including MX, PU)
<b>viridiventris</b> (Chevrolat, 1860:479)	swMexico (OA)
<b>zebratus</b> Bates, 1885:298	Guatemala
<b>z-littera</b> (Chevrolat, 1860:476)	eMexico (VC)
<i>z-litterata</i> Linsley, 1935:86	
<b>Pirangoclytus</b> Martins & Galileo 2011:181	
<b>amaryllis</b> (Chevrolat, 1861:387)	Nicaragua-Panama, Colombia, Guyana, French Guiana
<i>jansonii</i> Bates, 1870:399	
<b>chaparensis</b> Martins & Galileo 2011:186	Bolivia (SC)
<b>flavius</b> (Bates, 1870:399)	ncBrasil (AM, PA), Venezuela
<b>fraternus</b> Martins & Galileo 2011:186	Bolivia (BE)
<b>granulipennis</b> (Zajciw, 1963:178)	Peru, Brasil (AM, PA)
<b>insignis</b> (Chevrolat, 1862:65)	seBrasil (MG-SC), Paraguay, Argentina
<i>palmatum</i> White, 1855:260 (not Olivier, 1790)	
<i>palmatum</i> Lameere, 1884:91	
<b>jauffreti</b> Martins & Galileo 2011:192	Brasil (PA)
<b>laetus</b> (Fabricius, 1801:348)	?Colombia, Peru, ncBrasil (PA)
<i>femoralis</i> Fuchs, 1963:454	
<b>latecinctus</b> (Bates, 1870:398)	nwBrasil (AM), Bolivia (SC)
<b>mendosus</b> (Galileo & Martins, 1996:58)	Brasil (MG-SC), Paraguay, Argentina
<b>mniszechii</b> (Chevrolat, 1862:64)	seBrasil (MG-SC)
<b>nubicollis</b> (Zajciw, 1964:308)	Peru, Brasil (AM)
<b>placens</b> (Chevrolat, 1862:64)	seBrasil (RJ)
<b>purus</b> (Bates, 1870:398)	nwBrasil (AM), Bolivia (LP)
<i>ellifranzae</i> Fuchs, 1963:456	
<b>rhinotragoides</b> (Thomson, 1861:224)	Fr Guiana, Brasil (AM)
<i>amabilis</i> Chevrolat, 1862:521	
<b>rubefactus</b> (Bates, 1870:398)	nwBrasil (AM), Colombia
<b>sulphurosus</b> (Di Iorio, 2006:17)	Bolivia
<b>ycoca</b> (Galileo & Martins 2007:347)	Brasil (AM)
<b>Placoclytus</b> Chemsak & Linsley, 1974:129	
<b>championi</b> (Bates, 1885:302)	sMexico (CHS), Guatemala, Honduras
<b>distortus</b> (Chevrolat, 1860:500)	Mexico
<b>virgulatus</b> Chemsak & Linsley, 1974:130	wcMexico (MI)
<b>Placosternus</b> Hopping, 1937:447	
<b>crnicornis</b> (Chevrolat, 1860:460)	Mexico-Colombia, Venezuela
var. <i>sanguinipes</i> Chevrolat, 1860:460	
<i>similiguttatus</i> Chevrolat, 1862:380	
<b>difficilis</b> (Chevrolat, 1862:263)	sUSA (CA-FL), nMexico, Honduras, Cuba, Bahamas
<i>crnicornis</i> Horn, 1880:134 (not Chevrolat 1860)	
<i>reducta</i> Casey, 1912:351	
<i>filicornis</i> Casey, 1912:352	

<b>erythropus</b> (Chevrolat, 1835:4) <i>mexicanus</i> Laporte & Gory, 1835:6 <i>variegatus</i> Laporte & Gory, 1835:6 <b>guttatus</b> (Chevrolat, 1860:459)	swUSA (TX), Mexico - Costa Rica  Mexico - Colombia, Venezuela
<b>Plagionotus</b> Mulsant, 1842:1 <i>Platynotus</i> Mulsant, 1839:71 <i>Plagyonotus</i> Thomson, 1861:220 <i>Echinocerus</i> Mulsant, 1863:143 <b>astecus</b> (Chevrolat, 1860:489)	    Mexico (VC, MO, GR, CM)
<b>Plesioclytus</b> Giesbert, 1993:129 <b>relictus</b> Giesbert, 1993:129	 seUSA (FL)
<b>Rostrocllytus</b> Martins & Galileo 2011:158 <b>capixaba</b> (Napp & Monné, 2006:41) <b>rondonianus</b> (Napp & Monné, 2006:40) <b>turuna</b> (Galileo & Martins 2007:349)	 sBrasil (ES, BA) Brasil (MT, RO), eEcuador Brasil (AM, PA), Fr Guiana
<b>Sarosesthes</b> Thomson, 1864:185 <i>Arhopalus</i> LeConte, 1873:319 (not Audinet-Serville, 1834) <b>fulminans</b> (Fabricius, 1775:192)	  eNAmer
<b>Tanyochraethes</b> Chemsak & Linsley, 1965:148 <b>anthophilus</b> (Chevrolat, 1860:485) <b>cinereolus</b> (Bates, 1892:162) <b>clathratus</b> (Chevrolat, 1860:483) <b>hololeucus</b> (Bates, 1892:163) <b>minca</b> Galileo & Martins, 2007:349 <b>ochrozona</b> (Bates, 1885:299) <b>smithi</b> Chemsak & Linsley, 1965:151 <b>tildeni</b> Chemsak & Linsley, 1965:148 <b>truquii</b> (Chevrolat, 1860:484)	 swMexico (OA) Mexico (JA, GR, VC) Mexico nMexico (CO) Colombia Guatemala-Costa Rica wMexico (JA) swUSA (TX) Mexico
<b>Trichoxys</b> Chevrolat, 1860:454 <b>abbreviatus</b> Bates, 1880:50 <b>apelles</b> (Newman, 1838:394) <b>atripes</b> (Chevrolat, 1860:469) <b>bilineatus</b> (Chevrolat, 1860:461) <b>hirtellus</b> (Chevrolat, 1860:467) <i>ochraetheoides</i> Linsley, 1935:85 <b>labyrinthicus</b> (Chevrolat, 1860:463) <b>longipes</b> Chemsak & Linsley, 1974:135 <b>melanotelus</b> (White, 1855:273) <i>flexus</i> Chevrolat, 1860:468 <b>pellitus</b> (White, 1855:272) <b>penrosei</b> Lingafelter & Wappes, 2012:158 <b>rubripes</b> (White, 1855:273) <b>sulphurifer</b> (Chevrolat, 1860:470) <b>viridicollis</b> (Chevrolat, 1860:464) <b>vitticollis</b> (Laporte & Gory, 1835:7) <i>fortunatus</i> Chevrolat, 1860:465 <b>westwoodii</b> (Chevrolat, 1860:471)	 Mexico, Guatemala, Honduras sMexico (CHS), Honduras Mexico swMexico (OA, GR) Mexico  wMexico (DU, OA, CM), Honduras swMexico (OA) Mexico  swMexico (OA) Mexico (Sinaloa, Durango) swMexico (OA) cMexico (ME, PU) Guatemala - Panama ncMexico (DU, GU, OA, ZA)  swMexico (ME, OA, VC)

**Triodoclytus** Casey, 1913:387*Paraclytus* Casey, 1912:351 (not Bates, 1884)*Synclitus* Lucas, 1920:480**lanifer** (LeConte, 1873:198)

wUSA (CA, OR)

*brevitarsis* Casey, 1912:375*crucialis* Casey, 1912:375**Tylcus** Casey, 1912:348**hartwegii** (White, 1855:252)

swUSA (TX, AZ), Mexico, Guatemala

**Unaiuba** Martins & Galileo 2011:169**aulai** (Bruch, 1911:168)

Brasil (AM), ?Argentina (SF)

**bruchii** (Melzer, 1927:570)

seBrasil (SP-RS)

**catarina** (Napp & Monné, 2006:39)

sBrasil (SC, SP)

**flava** Martins & Galileo 2011:176

Brasil (AM), Venezuela

**icterica** (Gounelle, 1911:187)

ecBrasil (GO)

**ludicrus** (Melzer, 1934:224)

sBrasil (SC)

**pinima** (Galileo & Martins, 2007:349)

Peru, Bolivia (CO)

**vitticollis** (Aurivillius, 1920:365)

Peru

**Xylotrechus** Chevrolat, 1860:456**aceris** Fisher, 1917:215

neNAmer

**albonotatus** Casey, 1912:361

wUSA (CA), Mexico (BC)

*cinereus* Van Dyke, 1920:41*abietis* Van Dyke, 1929:136**annosus annosus** (Say, 1826:277)

eNAmer-Rocky Mts

subsp. **emotus** Brown, 1952:335

wNAmer (Br Col-CA, CO)

**bowditchi bowditchi** Hopping, 1928:247

wUSA (AZ, UT, CO)

subsp. **hoppingi** Linsley, 1957:35

wUSA (NM, CO)

*mormonus* Hopping, 1932:540 (not LeConte, 1861)*obliteratus* Hopping, 1932:542 (part)**colonus** (Fabricius, 1775:191)

eNAmer-TX

*coloreum* Fabricius, 1801:345*campestre* Olivier, 1795:65*villicum* Olivier, 1795:64*terminans* Fabricius, 1798:151*upsilon* Stephens, 1831:244*agrestis* LeConte, 1850:28**convergens** LeConte, 1873:198

eNAmer

**durangoensis** Chemsak & Linsley, 1974:137

wcMexico (DU)

**gemellus** Casey, 1893:590

c USA (IN)

**hovorei** Swift, 2007:287

Southern California

**insignis** LeConte, 1873:199

wUSA (WA, OR, CA), Mexico (BC)

*obliteratus* Leng, 1887:199 (not LeConte, 1873)*planifrons* Fall, 1901:147 (not LeConte, 1874)*diruptus* Casey, 1912:367var. **incongruens** Casey, 1912:366

wUSA (CA)

**integer** (Haldeman, 1847:41)

neNAmer

*fuscus* LeConte, 1850:27 (not Kirby, 1837)*frosti* Van Dyke, 1937:114**lengi** Schaeffer, 1908:340

wNAmer (Pacific Coast)

**longitarsis** Casey, 1912:362

wNAmer (Br Col-CA, CO)

*inflaticollis* Casey, 1912:360*montanicus* Casey, 1912:361*columbianus* Casey, 1912:361*undulatus*; Hardy, 1926:23 (not Say, 1824)**mormonus** (LeConte, 1861:357)

wNAmer (Yukon-CA, UT)

*obliteratus* Hopping, 1932:534 (part)

<b>nauticus</b> (Mannerheim, 1843:305) <i>gramineus</i> Haldeman, 1847:40	wUSA (Pacific Coast), Mexico (BC)
<b>nitidus</b> (Horn, 1860:570)	neUSA-TX
<b>nunenmacheri</b> Van Dyke, 1920:43 <i>uniformis</i> Casey, 1924:270	nwUSA (OR)
<b>obliteratus</b> LeConte, 1873:199	wUSA (Rocky Mts)
<b>quadrimaculatus</b> (Haldeman, 1847:41)	neNAmer
<b>quercus</b> Schaeffer, 1905:163	swUSA (AZ, NM), nwMexico (CHA, SI)
<b>robustus</b> Hopping, 1941:29	wUSA (AZ, CO)
<b>sagittatus sagittatus</b> (Germar, 1821:171) <i>sagittarius</i> Thomson, 1861:226 <i>pubescens</i> Haldeman, 1847:40 <i>cylindrus</i> Casey, 1912:364 <i>salebrosus</i> Casey, 1912:364 subsp. <b>chiricahuae</b> Chemsak, 1959:114	eNAmer-NM
<b>sartorii</b> (Chevrolat, 1860:492)	swUSA (AZ), wMexico (DU)
<b>schaefferi</b> Schott, 1925:224	Mexico (NL, VC), Guatemala, Honduras
<b>undulatus</b> (Say, 1824:291) <i>sayi</i> Laporte & Gory, 1835:55 <i>interruptus</i> Laporte & Gory, 1835:57 <i>lunulatus</i> Kirby in Richardson, 1837:175 <i>undatus</i> Kirby in Richardson, 1837:176 <i>fuscus</i> Kirby in Richardson, 1837:176	neNAmer neNAmer-Alaska
<b>?</b>	
<b>Clytus carinatus</b> Laporte & Gory 1835:19	"North America"
<b>Ygapema</b> Martins & Galileo 2011:224	
<b>accentifer</b> (Gounelle, 1910:15)	Ecuador
<b>arixi</b> (Martins & Galileo, 2005:10)	Colombia
<b>boliviana</b> (Belon, 1899:156)	Bolivia (SC)
<b>clavata</b> (Chevrolat, 1861:386)	Venezuela
<b>delicata</b> (Gounelle, 1911:188)	eBrasil (GO, PE)
<b>errata</b> (Martins & Galileo, 2008:274)	Colombia
<b>michelleae</b> Schmid, 2011:250	Peru
<b>mulleri</b> (Fuchs, 1955:50)	sBrasil (RJ-RS), nArgentina (SA-CO)
<b>plaumanni</b> (Fuchs, 1966:9)	ncBrasil (PR, SC), Argentina
<b><u>Compsocerini</u></b> Thomson, 1864:260	
<b>Acabyara</b> Napp & Martins, 2006:64	
<b>aruama</b> Napp & Martins, 2006:65	Brasil (RO), Colombia, Fr Guiana, Ecuador
<b>Achenoderus</b> Napp, 1979:582	
<b>octomaculatus</b> (Fairmaire & Germain, 1861:107)	Chile, sc Argentina (NE, CT)
<b>Aglaoschema</b> Napp, 1994:658	
<b>acauna</b> Napp 2008	Brasil (PA), Fr Guiana
<b>albicorne</b> (Fabricius, 1801:269)	ncBrasil (PA), Fr Guiana
<b>apixara</b> Napp, 2007:810	Brasil (BA, ES, MG)
<b>basale</b> (Melzer, 1933:369)	nArgentina (JU, SE)
<b>camusi</b> Dalens, Tavakilian, & Touroult, 2010:82	French Guiana
<b>collorata</b> (Napp, 1993:653)	wBrasil (MA, RO)
<b>concolor</b> (Gounelle, 1911:177)	ecBrasil (GO)
<b>cyaneum</b> (Pascoe, 1860:62) <i>bicoloricorne</i> Fuchs, 1959:3	nBrasil (AM, PA), Peru
<b>dulce</b> (Napp & Martins, 1988:483)	sBrasil (MS)
<b>erythrocephala</b> (Napp & Martins, 1988:484)	seBrasil (SP-RS), Argentina
<b>geoffroyi</b> Dalens, Tavakilian, & Touroult, 2010:88	French Guiana

- haemorrhoidale** (Germar, 1824:496)  
**inca** Napp, 2007:802  
**mimos** Napp, 2008:354  
**mourei** (Napp, 1993:655)  
**potiguassu** Napp, 2008:357  
**prasinipenne** (Lucas, 1857:185)  
*nigricorne* Bates, 1870:393  
*tibiale* Aurivillius, 1920:364  
**prasiniventre** (Gounelle, 1911:178)  
**quieci** Dalens, Tavakilian, & Touroult, 2010:86  
**rondoniense** Napp, 2008:353  
**ruficeps** (Bates, 1870:393)  
**rufiventre** (Germar, 1824:495)  
*erythrogaster* White, 1853:146  
**tarnieri** (Bates, 1870:392)  
**ventrale** (Germar, 1824:494)  
**viridipenne** Thomson, 1860:254  
**vinolenta** Dalens, Tavakilian, & Touroult, 2010:84  
**violaceipenne** (Aurivillius, 1897:244)
- Caperonotus** Napp, 1993:657  
**cardinalis** (Bates, 1870:393)  
**guianensis** Dalens & Touroult, 2009:236  
**superbum** (Aurivillius, 1897:245)  
**tucurui** Napp & Monné, 2008:26
- Chaetosopus** Napp & Martins, 1988:480  
**contiguus** Napp & Martins, 1988:483  
**infalsatus** Napp & Martins, 1988:481  
**violaceus** (Martins, 1973:208)
- Chlorethe** Bates, 1867:24  
*Chimoreia* Lane, 1956:15  
**brachyptera** Zajciw, 1963:416  
**ingae** Bates, 1867:24  
*mandibularis* Lane, 1956:16  
**lalanecassoui** Dalens, Tavakilian, & Touroult, 2010:90  
**scabrosa** Zajciw, 1963:418
- Compsoceridius** Bruch, 1908:207  
**gounellei** (Bruch, 1908:208)
- Compsocerus** Lacordaire 1830:175  
*Orthostoma* White, 1853:146 (part)  
*Compsocera* Thomson, 1861:253  
*Orthostoma* (*Orthostomidius*) Bruch, 1908:209  
**barbicornis** Audinet-Serville, 1834:62  
*opacipennis* Gounelle, 1910:140  
**bicoloricornis** Schwarzer, 1923:258  
**chevrolati** Gounelle, 1910:141  
**deceptor** Napp, 1976:20  
*barbicornis* Melzer, 1918:420 (not Audinet-Serville, 1834)  
**parviscopus** (Burmeister, 1865:169)  
*vicinus* Bosq, 1951:100  
**proximus** Napp, 1977:97
- seBrasil (BA-PR), Argentina, Bolivia (SC)  
Peru, Colombia  
Brasil (RO)  
eBrasil (BA)  
Argentina  
sBrasil (PR-RS), Bolivia (SC)
- eBrasil (BA-ES)  
French Guiana  
Brasil (RO)  
seBrasil (MG-RS)  
seBrasil (ES-RS), Argentina
- ncBrasil (PA), Fr Guiana  
seBrasil (BA-RS), Paraguay, Argentina, Bolivia (SC)  
Brasil (BA, ES, MG, RS, SP, SC)  
French Guiana  
sBrasil (SC)
- nwBrasil (AM), Peru  
Fr Guiana  
Brasil, Ecuador  
Brasil (PA)
- sBrasil (PR)  
seBrasil (MG, RJ)  
seBrasil (SP)
- sBrasil (MS, PR)  
nwBrasil (AM), Peru, eEcuador, Bolivia (LP, SC)  
Fr Guiana  
French Guiana  
sBrasil (MS, PR)
- sBrasil (PR-RS), Paraguay, Argentina,  
Uruguay
- seBrasil (ES, RJ)  
seBrasil (ES)  
sBrasil (PR-RS)  
seBrasil (MG, RJ)  
nwArgentina (JU-CA)  
Bolivia, sBrasil (PR), nwArgentina (SA)

- violaceus** (White, 1853:147)  
*igneum* White, 1853:147  
*aulica* Thomson, 1861:253  
*thyrsophora* Burmeister, 1865:169  
*equestris* Gounelle, 1911:181 (not Guérin-Ménéville, 1844)  
 eBrasil (GO, BA-RS), Paraguay, Argentina,  
 Uruguay
- Compsoypyris** Dalens, Touroult & Tavakilian, 2010:49  
**pereuræ** Dalens, Touroult & Tavakilian, 2010:50  
 French Guiana
- Cosmisomopsis** Zajciw, 1960:135  
**viridis** Zajciw, 1960:136  
 eBrasil (PB, BA), nArgentina (SA, MI)
- Cosmoplatidius** Gounelle, 1911:233  
**abare** Napp & Martins, 2006:474  
**lycoides** Guérin-Ménéville, 1844:233  
*annulipes* (Blanchard in D'Orbigny, 1846:207)  
**sellatus** (White, 1853:82)  
*ochraceus* Linsley, 1961:5  
**simulans** (Bates, 1870: 428)  
*mandibularis* Gounelle, 1911:234  
 Peru, Brasil (AM, PA, MG), Bolivia (SC)  
 Guianas, Fr Guiana, Brasil (AM, GO, MG, SP)  
 Bolivia (SC)  
 Mexico-Panama, Colombia, Trinidad  
 Ecuador, Peru, Brasil (AM, GO, PA, RO),  
 Bolivia (SC), Fr Guiana
- Dilocerus** Napp, 1980:193  
**brunneus** Napp & Martins, 2006:247  
**marinonii** Napp, 1980:195  
 Bolivia (SC)  
 Bolivia (SC), nArgentina (JU)
- Ecoporanga** Napp & Martins, 2006:245  
**achira** Napp & Martins, 2006:246  
 Bolivia (SC)
- Goatacara** Napp & Martins, 2006:33  
**boliviana** Napp & Martins, 2006:34  
 Bolivia
- Hylorus** Thomson, 1864:261  
**armatus** (Chabrillac, 1857:199)  
*hamaticornis* Chevrolat, 1859:28  
 eBrasil (GO, MG, RJ)
- Maripanus** Germain, 1898:653  
**quadrimaculatus** (Germain, 1892:clxvi)  
*decoratus* Germain, 1898:656  
 Chile, wArgentina (NE)
- Mimochariergus** Zajciw, 1960:57  
**carbonelli** Zajciw, 1960:58  
**fluminensis** Napp & Mermudes, 1999:82  
 seBrasil (RJ), Uruguay  
 seBrasil (RJ)
- Orthostoma** Lacordaire, 1830:174  
*Maxillaria* Gistel, 1848:  
*Orthoschema* Thomson, 1861:253  
*Orthoschema* (*Orthoprasis*) Aurivillius, 1910:159  
**abdominale** (Gyllenhal in Schoenherr, 1817:157)  
*tenuicorne* Bates, 1870:392  
**chryseis** (Bates, 1870:393)  
**vittata** (Aurivillius, 1910:156)  
 Brasil (AM ,BA, RJ), eEcuador, Colombia, Paraguay,  
 Bolivia (SC)  
 ncBrasil (PA), Fr Guiana  
 Venezuela
- Protuberontum** Barriga & Cepeda, 2004:6  
**roitmani** Barriga & Cepeda, 2004:6  
 Chile



**Rosalia (Rosalia)** Audinet-Serville, 1833:561

**funeris** Motschulsky, 1845:87  
*alpina* LeConte, 1852:177 (not Linnaeus, 1758)  
*funeris mandibularis* Casey, 1912:313  
*funeris acomana* Casey, 1912:313

wNAmer (NM, CA-Alaska)

**Upindauara** Napp & Martins, 2006:32**bella** Napp & Martins, 2006:33

Brasil (RO)

**Curiini** LeConte, 1873:304**Curius** Newman, 1840:17

**chemsaki** Nearns & Ray, 2006:51  
**dentatus** Newman, 1840:17  
*concinatus* Haldeman, 1847:43  
**panamensis** Bates, 1885:268  
**punctatus** (Fisher, 1932:55)

Colombia, Venezuela  
seUSA (MD-FL)Panama  
Cuba, Haiti**Diorini** Lane, 1950:373**Diorus** White, 1853:135*Salobra* Lane, 1939:74

**biapiculatus** White, 1853:135  
*discreta* Lane, 1939:75

Brasil (ES, SP, GO, MS), Fr Guiana, Bolivia (SC)

**Dodecosini** Aurivillius, 1912:132*Olexandrellaeini* Zajciw, 1959:605**Diringsiella** Martins & Galileo, 1991:134**femoralis** Martins & Galileo, 1991:135

sBrasil (SC)

**Dodecosis** Bates, 1867:27

**nigricornis** Martins & Galileo, 1991:135  
**saperdina** Bates, 1867:27

nwBrasil (AM, PA)  
nBrasil (AP, PA), Fr Guiana**Monneella** Martins, 1985:172**bicolor** Martins, 1985:173

eBrasil (MG, ES)

**Olexandrella** Zajciw, 1959:606

**frederici** Dalens, Giuglaris & Tavakilian, 2010:106  
**rafaeli** Galileo & Martins, 2011:577  
**serotina** Zajciw, 1959:606

French Guiana  
Brasil (RO)  
seBrasil (RJ)**Dryobiini** Linsley, 1964:7**Anisotyma** Napp & Monné, 2009:30**soteri** Napp & Monné, 2009:30 new species

El Salvador

**Dryobius** LeConte, 1850:23

**sexnotatus** Linsley, 1957:287  
*sexfasciatum* Say, 1824:415 (not Olivier, 1792)

eNAmer

**Ornithia** Thomson, 1864:213**mexicana mexicana** (Sturm, 1843:354)*chevrolatii* Guérin-Méneville, 1844:228subsp. **zapotensis** Tippmann, 1960:135

swUSA (TX), Mexico - Panama

wMexico (JA)-Guatemala

**Eburiini** Blanchard, 1845:145**Beraba** Martins, 1997:67**angusticollis** (Zajciw, 1961:121)**cauera** Galileo & Martins, 1999:194**cheilaria** (Martins, 1967:51)**decora** (Zajciw, 1961:123)**erosa** (Martins, 1981:209)**grammica** (Monné & Martins, 1992:273)**inermis** Martins & Galileo, 2002:9**iuba** Martins, 1997:69**limpida** Martins, 1997:70**longicollis** (Bates, 1870:264)**marica** Galileo & Martins, 1999:193**moema** Martins, 1997:69**odettae** Martins & Galileo, 2008:56**pallida** Galileo & Martins, 2008:50**piriana** Martins, 1997:68**spinosa** (Zajciw, 1967:527)**tate** Galileo & Martins, 2010:368

seBrasil (RJ)

Brasil (AM), Fr Guiana

sBrasil (MS), Bolivia (CO, SC)

ecBrasil (MA, GO)

eBrasil (BA, MG)

eBrasil (MG, ES)

Colombia

wEcuador

Venezuela

Venezuela, nwBrasil (AM)

Colombia

wEcuador

Fr Guiana

Bolivia (SC)

Panama, Colombia

Peru

Bolivia (SC)

**Cupanoscelis** Gounelle, 1909:618**clavipes** Gounelle, 1909:619**heteroclita** Gounelle, 1909:619**inermis** Monné & Martins, 1992:271**latitibialis** Monné & Martins, 1992:270**sanmartini** Martins & Monné, 1975:279**serrana** Martins & Galileo, 1999:808

ecBrasil (GO), Bolivia (SC)

eBrasil, Paraguay, Argentina, Bolivia (SC)

eBrasil (BA, MG)

eBrasil (BA, MG)

Venezuela

Brasil (GO)

**Dioridium** Zajciw, 1961:217*Mocajuba* Lane, 1972:358**borgmeieri** (Lane, 1972:358)**hirsutum** Zajciw, 1961:218

nBrasil (PA), eEcuador

cBrasil (MT)

**Eburella** Monné & Martins, 1973:152**longicollis** Martins & Galileo, 1999:807**pinima** Martins, 1997:67**pumicosa** Monné & Martins, 1973:152

Bolivia (SC)

Bolivia (SC), Peru

scBrasil (MT, MS), Bolivia (SC)

**Eburia (Eburia)** Lacordaire, 1830:177*Dissacanthus* Hope, 1835:107*Dissacantha* Thomson, 1864:240*Coeleburia* Thomson, 1861:237*Drymo* Thomson, 1864:242*Eleutho* Thomson, 1864:242**aegrota** Bates, 1880:21*minutivestis* Chemsak & Linsley, 1973:347**albolineata** Fisher, 1944:4**aliciae** Noguera, 2002:17**amabilis** Boheman, 1859:150**bahamicae** Fisher, 1932:11**baroni** Bates, 1892:148

eMexico (VC, YU) – Nicaragua, Costa Rica (GU)

Venezuela

Mexico (MO, JA)

Panama [erroneously listed as Galapagos Is.]

Bahamas

swMexico (GR, MI, OA, VC)

- bimaculata** (Voet, 1778:16)  
**blancaneau** Bates, 1880:20  
*blancaneauxi* Bates, 1884:pl. 17, fig. 5  
**bonairensis** Gilmour, 1968:115  
**brevicornis** Chemsak & Linsley, 1973:339  
**brevispinis** Bates, 1880:21  
*affluens* Chemsak & Linsley, 1973:338  
**brunneicomis** Chemsak & Linsley, 1973:340  
**cacapyra** Martins, 1999:246  
**caymanensis** Fisher, 1941:109  
var. *obsoleta* Fisher, 1948:226  
**championi** Bates, 1880:20  
**charmata** Martins, 1981:207  
**chemsaki** Noguera, 2002:31  
**cinerea** Franz, 1959:189  
**cinereopilosa** Fisher, 1932:13  
**cinnamomea** Fleutiaux & Sallé, 1889:463  
**clara** Bates, 1884:245  
**concisispinis** Fisher, 1941:111  
**confusa** Zayas, 1975:61  
**consobrina** Jacquelin du Val in Sagra, 1857:265  
*pedestris* White, 1853:88 (part)  
**copei** Noguera, 2002:36  
**crinitus** Noguera, 2002:38  
**cruciata** (Linsley, 1935:73)  
**cubae** Fisher, 1932:16  
**decemmaculata** (Fabricius, 1775:181)  
*quinquemaculatus* Fabricius, 1792:296  
**dejeani** Gahan, 1895:94  
**didyma** (Olivier, 1795:125)  
*pulverea* Chevrolat, 1862:266  
**distincta** Haldeman, 1847:150  
**elegans** Chemsak & Linsley, 1973:342  
**elongata** Fisher, 1932:18  
**falli** Linsley, 1940:257  
*semipubescent* Fall, 1909:163 (not Thomson, 1861)  
**fisheri** Russo, 1930:144  
**frankiei** Noguera, 2002:48  
**fuliginea** (Bates, 1872:173)  
**giesberti** Noguera, 2002:52  
**haldemani** LeConte, 1851:102  
**hatsueae** Chemsak & Giesbert, 1986:21  
**hovorei** Noguera, 2002:58  
**inarmata** Chemsak & Linsley, 1973:343  
**inermis** (Fleutiaux & Sallé, 1889:461)  
**inexpectata** Touroult, 2012:71  
**insulana** Gahan, 1895:93  
**jamaicae** Fisher, 1942:6  
**juanitae** Chemsak & Linsley, 1970:300  
*megalops* Chemsak & Linsley, 1973:346  
**lanigera lanigera** Linell, 1898:259  
*amabilis* Howard, 1889:192 (not Boheman, 1859)  
subsp. **costaricensis** Martins & Galileo, 2012:311  
**laticollis** Bates, 1880:22  
*sinaloae* Chemsak & Linsley, 1970:302  
**latispina** Chemsak & Linsley, 1973:344  
**lewisi** Fisher, 1948:225  
**linsleyi** Lacey, 1949:1  
**longicornis** Fisher, 1932:9  
**maccartyi** Noguera, 2002:71  
W Indies (Antigua)  
sMexico (CH), Belize, Guatemala, El Salvador  
Curaçao, Bonaire, Surinam  
seMexico (YU, QR)  
eMexico (VC, QR), Nicaragua  
seMexico (YU, QR)  
wEcuador  
W Indies (Cayman Is)  
Mexico (CHS)-Costa Rica  
eBrasil (ES)  
wMexico (JA, MO)  
Peru  
FL, Cuba  
Guadeloupe  
Mexico (TA, NL, ME, OA, CHS)  
W Indies (Cayman Is)  
Cuba  
Cuba, Jamaica  
Costa Rica  
Nicaragua  
scMexico (GU, MI, ME)  
seMexico (QR), Guatemala, Cuba  
W Indies  
Guadeloupe, Martinique  
Cuba, R Dominicana  
seUSA, Bahamas  
seMexico (QR)  
Cuba  
swUSA (CA, AZ), nMexico (BC, SO)  
Cuba, Hispaniola  
Costa Rica, Panama  
seMexico (VC, CHS) - Panama  
Honduras  
sUSA (FL-NM), nMexico (TA, NL)  
wMexico (JA, GR, MI, OA)  
Honduras, Costa Rica, Panama  
wMexico (SI, JA)  
Guadeloupe, Martinique  
Lesser Antilles (Martinique)  
Martinique, St. Vincent  
Jamaica  
wMexico (SI, JA, CO, OA)  
Galapagos Is, wEcuador  
Costa Rica (GU)  
wMexico (SI, DU, JA) - Honduras  
wMexico (NA)  
W Indies (Cayman Is)  
swUSA (AZ), nMexico (CHA)  
Cuba  
Mexico (JA, CO, GU, OA)

- macrotaenia** Bates, 1880:20  
**marginalis** Fisher, 1947:29  
**mutata** Bates, 1884:245  
**mutica** LeConte, 1853:233  
     *manca* LeConte, 1858:24  
     *tumida* LeConte, 1873:181  
**nigrovittata** Bates, 1884:246  
     *nigrovittata* Linsley, 1935:73  
     *conspersa* Horn, 1894:399  
**octomaculata** Chevrolat, 1862:265  
**opaca** Chemsak & Linsley, 1973:347  
**ovicollis** LeConte, 1873:180  
     *quadricollis* Casey, 1924:259  
     *densa* Casey, 1924:259  
**paraegrota** Chemsak & Linsley, 1973:348  
**patruelis** Bates, 1884:244  
**pedestris** White, 1853:88  
**pellacia** Zayas, 1975:69  
**perezi** Chemsak & Giesbert, 1986:22  
**pilosa** (Erichson in Meyens, 1834:267)  
     *bauri* Linell, 1898:260  
     *proletaria* Blair, 1933:481 (not Erichson, 1847)  
     *rospigliosii* Bréthes, 1925:15  
**pinarensis** Zayas, 1975:69  
**poricollis** Chemsak & Linsley, 1973:351  
**portoricensis** Fisher, 1932:15  
**porulosa** Bates, 1892:149  
     var. *porifera* Bates, 1892:149  
**postica** White, 1853:89  
**powelli** Chemsak & Linsley, 1970:301  
**pseudostigma** Lingafelter & Nearn, 2007:182  
**quadrigeminata** (Say, 1826:275)  
**quadrimaculata** (Linnaeus, 1767:626)  
     *ramphygeus* Linnaeus, 1767:633  
     *binodosa* Gahan, 1895:95  
**quadrinotata** (Latreille, 1811:165)  
     *speciosa* Blanchard, 1843:208  
**ramsdeni** Fisher, 1932:14  
**ribardoi** Noguera, 2002:102  
**rotundipennis** Bates, 1884:245  
**rufobrunnea** Perroud, 1855:367  
**schusteri** Giesbert, 1993:137  
**semipubescens** (Thomson, 1861:238)  
     *meinerti* Aurivillius, 1912:79  
     *nigrovittata* Aurivillius, 1893:184 (not Bates, 1884)  
**sericea** Sallé, 1855:271  
**sexnotata** Boheman, 1859:151  
**sordida** Burmeister, 1865:165  
**stigma** (Olivier, 1795:126)  
     *duvalii* Chevrolat, 1862:266  
**stigmatica** Chevrolat, 1834:fasc. 3, N° 60  
     *perforata* LeConte, 1873:180  
**stroheckeri** Knull, 1949:104  
**submutata** Chemsak & Linsley, 1973:352  
**terrioni** Noguera, 2002:118  
**tetrastalacta** White, 1853:89  
     *maculatus* Drury, 1773:84  
     *quadrimaculatus* Panzer in Drury, 1788:141 (not Linnaeus, 1767)  
**thoracica** White, 1853:92  
     *virginensis* Gilmour, 1963:77
- sMexico (CHS) - El Salvador, Nicaragua  
 Cuba  
 Panama  
 swUSA (TX), nMexico (TA, NL, HI, MO, SLP, VC)
- wMexico (BC, JA, CO, NA, SI, ME)
- Cuba, Guadeloupe, Dominica, Barbados  
 seMexico (YU, QR), Guatemala, Honduras  
 swUSA (TX), nMexico (TA, SLP)
- wMexico (SI, JA, CO)  
 nMexico (CHA, GU, HI, NL, SLP, SI, VC)  
 sMexico-Honduras  
 Cuba  
 wMexico (JA, MO, GU)  
 wEcuador, Galapagos Is, Peru, Bolivia, Chile
- Cuba, Jamaica  
 cMexico (OA, GR, MO, MI, PU)  
 Puerto Rico  
 seMexico (NL, YU, QR, CHS), Belize, Honduras
- Jamaica  
 wMexico (SO, SI, JA)  
 R Dominicana  
 eNAmer, introduced in Cuba and Argentina  
 Cuba, Puerto Rico, Virgin Is, Guadeloupe
- Colombia, wEcuador -Chile
- Cuba  
 sMexico (OA)  
 Mexico (DU, VC, PU, OA)  
 Guatemala, wEcuador  
 sMexico (CHS), Guatemala, Honduras  
 Venezuela
- Cuba, Jamaica, Hispaniola  
 wEcuador  
 eBrasil (MA, CE-PR), Paraguay, Argentina, Uruguay  
 seUSA (FL), Cuba, Mexico-Costa Rica,  
     Hispaniola, Bahamas  
 swUSA (TX, AZ), Mexico (widespread)
- seUSA (FL)  
 sMexico (CHS) - Honduras  
 eMexico (YU, QR)  
 Bahamas, Jamaica
- W Indies (Virgin Is), Curaçao, Surinam

<b>ulkei</b> Bland, 1862:270	swUSA (AZ), Mexico (BC, NA, SI, SO, DU)
<b>velmae</b> McCarty, 1993:336	eMexico (VC)
<b>wappesi</b> Noguera, 2002:123	Guatemala, Honduras
<b>Eburia (Eleutho)</b> Thomson 1864:242	
<b>consobrinoides</b> Vitali, 2007:42	Jamaica
<b>Eburiaca</b> Martins, 1999:162	
<b>sinopia</b> Martins: 1999:153	Brasil (MG)
<b>Eburodacrys</b> White, 1853:93	
<i>Eburogutta</i> Gemminger & Harold, 1872:2815	
<i>Oncoptera</i> Lacordaire, 1869:297	
<i>Sarquinopus</i> Martins, 1970:45	
<b>aenigma</b> Galileo & Martins, 2006:181	Unknown
<b>alini</b> Napp & Martins, 1980:77	seBrasil (MG-SP)
<b>amabilis</b> Galileo & Martins, 2009:145	Fr Guiana
<b>amazonica</b> Melzer, 1927:561	nBrasil (PA)
<b>apua</b> Martins & Galileo, 2005:769	Bolivia (SC)
<b>asperula</b> Bates, 1880:23	Mexico-Panama, Venezuela
<b>assimilis</b> Gounelle, 1909:625	cBrasil (GO, MA, MT, SP), Bolivia (SC)
<b>ayri</b> Galileo & Martins, 2006:184	Colombia
<b>biffipradorum</b> Martins & Galileo, 2012:558	Brasil (RR)
<b>bilineata</b> Joly, 1992:139	Venezuela
<b>callixantha</b> Bates, 1872:174	Mexico (VC)-Panama
<b>campestris</b> Gounelle, 1909:633	eBrasil (MA, GO, BA-SP), Paraguay, Argentina, Bolivia (BN, SC)
<b>catarina</b> Galileo & Martins, 1992:1	seBrasil (SC)
<b>cincora</b> Martins, Galileo & Oliveira, 2011:278	Brasil (MA)
<b>coalescens</b> Bates, 1884:247	Mexico-Panama
<b>costai</b> Gounelle, 1909:628	ecBrasil (GO)
<b>crassimana</b> Gounelle, 1909:621	ecBrasil (MA), Paraguay, Argentina, Bolivia (SC)
<b>crassipes</b> Martins & Galileo, 2008:58	Fr Guiana
<b>cunusaia</b> Martins, 1997:66	eBrasil (BA, PB, MA, MG, MS)
<b>curialis</b> Gounelle, 1909:624	ecBrasil (GO), Bolivia (SC)
<b>decipiens</b> Gounelle, 1909:626	ecBrasil (GO, MA)
<b>dubitata</b> White, 1853:95	seBrasil, (MA, BA-RS), Paraguay, Argentina, Bolivia (SC)
<b>eburioides</b> (White, 1853:114)	seBrasil (ES-RS)
<i>arcifera</i> Bates, 1870:271	
var. <b>concolor</b> Gounelle, 1909:620	ecBrasil (GO)
<b>elegantula</b> Gounelle, 1909:631	cBrasil (GO, MT), Bolivia (SC)
<b>errata</b> Galileo & Martins, 2010:370	Bolivia (SC)
<b>eurytibialis</b> Monné & Martins, 1992:265	scBrasil (MT)
<b>flexuosa</b> Gounelle, 1909:627	ecBrasil (GO, MT, PB, MG), nArgentina (CH), Bolivia (SC)
<b>fortunata</b> Lameere, 1884:87	ecBrasil (GO, MA, MT, PI-SP), Bolivia
<b>fraterna</b> Galileo & Martins, 2010:371	Bolivia (SC)
<b>gaucha</b> Galileo & Martins, 1992:4	seBrasil (RS), Bolivia (SC)
<b>gigas</b> (Gounelle, 1909:629)	Guianas, ecBrasil (e MG, SP, GO, MT)
<i>longilineata</i> var. <i>gigas</i> Gounelle, 1909	
<i>longilineata</i> <i>gigas</i> Napp & Martins, 1980:84	
<b>granipennis</b> Gounelle, 1909:629	ecBrasil (GO, MT), eEcuador, Bolivia (BN, SC)
<b>guttata</b> Martins & Galileo, 2005:6	Colombia
<b>havanensis</b> Chevrolat, 1862:267	Cuba, Mexico-Panama, SAmer, Bolivia (BN, SC)
<b>hesperidis</b> Chemsak & Linsley, 1970:304	Mexico (SI, JA, CHS) - Nicaragua
<b>hirsutula</b> Bates, 1870:269	ncBrasil (AM, PA)
<b>inaequalis</b> Galileo & Martins, 2009:164	Bolivia (SC)
<b>laevicornis</b> Bates, 1884:247	Nicaragua, Panama, Venezuela

- lancinata** Napp & Martins, 1980:81  
**lanei** Zajciw, 1958:233  
**lenkoi** Napp & Martins, 1980:81  
**lepida** Martins, 1973:206  
**longilineata** White, 1853:93  
     *basicornis* Dohrn, 1882:373  
**luederwaldti** Melzer, 1922:4  
**lugubris** Gounelle, 1909:622  
**mancula** White, 1853:94  
**martinezi** Martins, 1997:66  
**megaspilota** White, 1853:95  
**monticola** Monné & Martins, 1973:149  
**moruna** Martins, 1997:66  
**nemorivaga** Gounelle, 1909:623  
**notula** Gounelle, 1909:632  
**obscura** Martins, 1973:204  
**perspicillaris** (Erichson in Schomburg, 1848:572)  
     *cacica* Bates, 1870:267  
**pilicornis** Fisher, 1944:5  
**pinima** Martins, 1999:365  
**prolixa** Monné & Martins, 1992:266  
**puella** (Newman, 1840:196)  
**pumila** Monné & Martins, 1992:268  
**punctipennis** White, 1853:94  
**putia** Galileo & Martins, 2006:183  
**quadridens** (Fabricius, 1801:308)  
     *virgo* Newman, 1840:196  
     *citreoguttata* Thomson, 1861:240  
**raripila** Bates, 1870:270  
     *laticlavia* Monné & Martins, 1973:150  
**rhabdota** Martins, 1967:48  
**rubicunda** Monné & Martins, 1992:267  
**rufispinis** Bates, 1870:269  
**sanguinipes** Gounelle, 1909:632  
**seabrai** Zajciw, 1958:235  
**seminigra** Gounelle, 1909:622  
**separata** Martins, Galileo & Oliveira, 2011:278  
**sexguttata** Lameere, 1884:87  
**sexmaculata** (Olivier, 1790:305)  
     var. *approximata* Aurivillius, 1926:2  
**silviamariae** Galileo & Martins, 2006:181  
**stahli** Aurivillius, 1893:181  
**sticticollis** Bates, 1874:220  
**subaffinis** White, 1853:95  
**sulfurifera** Gounelle, 1909:630  
**sulphureosignata** (Erichson, 1847:140)  
     var. *umbrosa* Kirsch, 1875:285  
     *longipilis* Bates, 1870:268  
**superba** Napp & Martins, 1980:79  
**translucida** Galileo & Martins, 2010:370  
**trilineata** (Aurivillius, 1893:183)  
**triocellata** (Stål, 1857:63)  
     *mexicana* Thomson, 1861:239  
     *mexicana* var. *interrupta* Bates, 1884:247  
**truncata** Fuchs, 1956:572  
     *asperipennis* Zajciw, 1963:421  
**tuberosa** Gounelle, 1909:625  
**vespertina** Monné & Martins, 1973:147  
**vidua** (Lacordaire, 1869:298)  
     *grossipes* Martins, 1970:46  
  
 eBrasil (ES)  
 Peru, wcBrasil (RO, MT), Bolivia (SC)  
 seBrasil (MG-SP)  
 nwBrasil (AM), eEcuador  
 eBrasil (CE, ES, w MG, SP, PR), Paraguay,  
     Argentina, Uruguay  
 eBrasil (MA-SP)  
 ecBrasil (GO), Bolivia (SC)  
 ec, seBrasil (GO, MT, MG-RS)  
 nArgentina (SA)  
 nwBrasil (AM)  
 eBrasil (MG)  
 Colombia  
 ecBrasil (GO, MG, SP), Colombia, Bolivia (SC)  
 eBrasil (MA, GO, MG, SP), Bolivia  
 seBrasil (SP)  
 Guianas, nBrasil (PA), Peru  
  
 Nicaragua, Panama, Venezuela, Colombia  
 Brasil (PA)  
 scBrasil (RO, MT)  
 Guianas, nBrasil (PA)  
 eBrasil (BA-ES), Bolivia (SC)  
 eBrasil (GO, BA-PR), Fr Guiana, Paraguay  
 Bolivia (SC)  
 Fr Guiana, Brasil (MA, PA), Colombia, Peru,  
     Bolivia (BN, SC)  
  
 Fr Guiana, Peru, eEcuador, Bolivia (SC)  
  
 eBrasil (PB, PE)  
 scBrasil (GO, MT)  
 nwBrasil (AM), Colombia, Fr Guiana, Peru, Bolivia  
 cBrasil (RO, GO, MT), Bolivia (BN, SC)  
 eBrasil (MA-BA, SP), Bolivia (SC)  
 ecBrasil (GO, MA, MT, MG, SP)  
 Brasil (MA)  
 Brasil (GO, PB-RS), Paraguay, Argentina, Bolivia  
 SAmer (widely distributed), incl. eEcuador  
  
 Peru  
 Brasil (MA, GO, MG-RS), Uruguay, Bolivia (SC)  
 Nicaragua, Costa Rica  
 seBrasil, Paraguay, Argentina, Uruguay  
 eBrasil (GO, CE, MG-SP), Bolivia  
 Trinidad, Guianas, nwBrasil (AM), Peru,  
     Bolivia (BN, SC), eEcuador, Colombia  
  
 cBrasil (MT), Bolivia (BN, LP, SC), eEcuador  
 Brasil (PB)  
 seBrasil (ES-RS)  
 Mexico-Colombia, Venezuela  
  
 eBrasil (GO, MA, MT, PI-SP), Bolivia (SC)  
  
 eBrasil (GO, MG, SP), Argentina  
 eBrasil (MG, ES)  
 seBrasil (SP-SC), Argentina, Uruguay

<b>vittata</b> (Blanchard in D'Orbigny, 1847:20)	Brasil, Bolivia (SC), Paraguay, Argentina, Uruguay
<b>xirica</b> Martins & Galileo, 2005:769	Bolivia (SC)
<b>Eburodacrystola</b> Melzer, 1928:146	
<b>pickeli</b> Melzer, 1928:146	eBrasil (MA, CE, PE, GO)
<b>Eburostola</b> Tippmann, 1960:115	
<b>amazonica</b> Tippmann, 1960:116	nBrasil (PA)
<b>Erosida</b> Thomson, 1860:242	
<b>delia</b> Thomson, 1861:242	Colombia, Venezuela, Bolivia (SC)
<i>elegans</i> Lacordaire, 1869:295	
<b>formosa</b> (Blanchard in D'Orbigny, 1846:208)	Bolivia (LP, SC), Brasil (PA, MA, MS)
ab. <i>conjunctula</i> Tippmann, 1960:166	
<b>gratiosa</b> (Blanchard in D'Orbigny, 1846:208)	seBrasil, Paraguay, Argentina, Uruguay
<b>lineola</b> (Fabricius, 1781:228)	Venezuela, Brasil
<i>brasilianus</i> Gmelin, 1790:1860	
<b>yucatana</b> Giesbert, 1985:82	sw, seMexico (JA, QR)
<b>Neoeburia</b> Galileo & Martins, 2006:179	
<b>turuna</b> Galileo & Martins, 2006:179	Peru
<b>Opades</b> Lacordaire, 1869:288	
<b>costipennis</b> (Buquet in Guérin-Méneville, 1844:221)	eEcuador, Surinam, Fr Guiana, nwBrasil (AM, MA),
<i>vittipennis</i> Bates, 1870:261	Colombia
<i>costifera</i> Waterhouse, 1880:486	
<b>Pantomallus</b> Lacordaire, 1869:286	
<b>costulatus</b> (Bates, 1870:265)	Peru, nwBrasil (AM), Fr Guiana
<b>martinezi</b> Martins & Galileo, 2002:6	Colombia
<b>morosus</b> (Audinet-Serville, 1834:10)	eBrasil (GO, PB-RS), Paraguay, Uruguay,
<i>villosicornis</i> Lacordaire, 1869:287	Argentina
<b>pallidus</b> Aurivillius, 1923:440	seBrasil (MG-SC)
<b>piruatinga</b> Martins, 1997:76	nBrasil (PA, MA)
<b>proletarius</b> (Erichson, 1847:140)	Peru, Bolivia (SC)
<b>reclusus</b> (Martins, 1981:209)	scBrasil (MT, SP), Bolivia (LP, SC)
<b>rugosus</b> Martins & Galileo, 2005:767	Bolivia (SC)
<b>titinga</b> Galileo & Martins, 2004:325	Bolivia (SC)
<b>tristis</b> (Blanchard in D'Orbigny, 1846:208)	Bolivia (SC), cBrasil (MT)
<i>crassicornis</i> Martins, 1981:208	
<b>Pronuba</b> Thomson, 1860:241	
<i>Microspiloma</i> Bates, 1867:24	
<b>decora</b> Thomson, 1861:241	seBrasil (BA-RS), Paraguay, Argentina
<b>dorilis</b> (Bates, 1867:25)	cBrasil (AM, PA, RO), eEcuador, Bolivia (CO)
<b>gracilis</b> Hovore & Giesbert, 1990:792	Costa Rica
<b>incognita</b> Hovore & Giesbert, 1990:789	Guatemala-Panama
<b>lenkoi</b> Monné & Martins, 1974:25	sBrasil (MS), Bolivia (SC)
<b>Quiacaua</b> Martins, 1997:70	
<b>abacta</b> (Martins, 1981:206)	eBrasil (ES)
<b>taguaiba</b> Martins, 1997:71	nBrasil (AM, MA, PA)
<b>Simplexeburia</b> Martins & Galileo, 2010:589	
<b>divisa</b> Martins & Galileo, 2010:590	Brasil (AM)

**Solangella** Martins, 1997:73**lachrymosa** (Martins & Monné, 1975:280)**meridana** (Bates, 1872:174)**micromacula** Martins, 1997:74

Bolivia (SC)

Venezuela

wEcuador

**Styliceps** Lacordaire, 1869:291**striatus** (Voet, 1778:17)*sericata* Pascoe, 1859:16*amazonica* Thomson, 1861:210*sericans* Lacordaire, 1869:292

wMexico (JA)-Panama, Fr Guiana, Surinam,

ncBrasil (AM, MA, PA), eEcuador,

Bolivia (CO, SC)

**Susuacanga** Martins, 1997:60**maculicornis** (Bates, 1870:266)**octoguttata** (Germar, 1821:168)ab. *basibiguttata* Tippmann, 1960:115ab. *inguttata* Tippmann, 1960:115ab. *melanescens* Tippmann, 1960:115ab. *basiquadriguttata* Tippmann, 1960:115ab. *quadricostata* Tippmann, 1960:115**unicolor** (Bates, 1870:265)

seBrasil (ES-SC)

Brasil (RO, GO, MA, MT, BA-RS), Paraguay,

Bolivia (BN, PN, SC), Peru, Argentina

Venezuela, Colombia, Peru, Brasil, Paraguay

**Tumiditarsus** Zajciw, 1961:124**cicatricornis** Zajciw, 1961:125

nArgentina (FO)

**Uncieburia** Martins, 1997:72**nigricans** (Gounelle, 1909:618)*rogersi* var. *nigricans* Gounelle, 1909:618*cornuta* Aurivillius, 1925:505**quadrilineata** (Burmeister, 1865:165)**rogersi** (Bates, 1870:266)*subcornuta* Fuchs, 1955:47

Bolivia (SC), eBrasil (MA, PI-SP)

Brasil, Paraguay, Argentina, Uruguay

seBrasil (MG, RR, SP), Bolivia (SC)

**Volxemia** Lameere, 1884:85**dianella** Lameere, 1884:86**seabrai** Zajciw, 1968:539

seBrasil (ES, RJ)

eBrasil (ES)

**Ectenessini** Martins, 1998:82**Acanthonessa** Napp & Martins, 1982:355**quadrispinosa** (Melzer, 1931:192)

eBrasil (PB-SP)

**Bomarion** Gounelle, 1909:674**achrostum** Napp & Martins, 1982:378**affabile** Napp & Martins, 1982:380**amborense** Galileo & Martins, 2008:50**anormale** (Thomson, 1867:145)**aureolatum** Martins, 1968:21**boavidai** Martins, 1968:18**carenatum** Martins, 1962:150**caudatum** Martins & Galileo, 2012:331**fraternum** Napp & Martins, 1982:379**heteroclitum** (Thomson, 1867:137)**lineatum** Gounelle, 1909:675**signatipenne** Gounelle, 1909:675

Peru, Bolivia (SC)

eBrasil (ES)

Bolivia (SC)

eBrasil (BA)

Bolivia (SC)

seBrasil (MG-PN)

Bolivia (SC)

Bolivia (SC)

seBrasil (SP)

seBrasil (ES, SP)

eBrasil (GO, BA-ES)

eBrasil (PE, BA)



**Cotynessa** Martins & Galileo, 2006:175  
**abatinga** Martins & Galileo, 2006:175

Bolivia (SC)

**Ectenessa** Bates, 1885:257

**andrei** Martins & Galileo, 1996:292  
**angusticollis** (Buquet, 1860:627)  
*fenestratum* Thomson, 1865:572  
*sexmaculata* Bates, 1885:257  
**argodi** Belon, 1902:15  
**decorata** (Melzer, 1935:173)  
**fenestrata** (Gounelle, 1909:601)  
*quadrimaculatus* Zajciw, 1961:104  
**guttigera** (Lucas, 1857:183)  
**gymnopennis** Dalens & Giuglaris, 2012:331  
**lurida** Martins, 1973:203  
**melanicornis** Napp & Martins, 1982:374  
**nitida** Bates, 1885:258  
**ocellata** (Gounelle, 1909:600)  
**ornatipennis** Tippmann, 1960:109  
**quadriguttata** (Burmeister, 1865:168)  
**scansor** (Gounelle, 1909:675)  
**spinipennis** (Buquet, 1860:626)  
**villardi** Belon, 1902:13  
**zamalloae** Galileo & Martins, 2008:49

seBrasil (RS)  
seBrasil (ES-SC)

eBrasil (GO, MG, SP)  
seBrasil (MG-PR)  
eBrasil (BA, ES, SP)

Brasil (GO, MT, CE-ES)  
Fr Guiana  
Trinidad  
seBrasil (BA-PR)  
Mexico (VC) - Nicaragua, Costa Rica  
ecBrasil (MA, MT, GO, SP), Paraguay  
Peru, cBrasil (MT), Bolivia  
Bolivia (SC), ec-seBrasil, Paraguay, Argentina  
seBrasil (GO, BA-RJ)  
Fr Guiana, c-seBrasil, Peru, Bolivia (BN, SC)  
eBrasil (GO, MA, MG), Bolivia (SC)  
Bolivia (SC)

**Ectenesseca** Martins & Galileo, 2005:765  
**clavula** Martins & Galileo, 2005:766

Brasil (RO)

**Ectenessidia** Gounelle, 1909:603

**metallica** Napp & Martins, 2006:32  
**nigriventris** (Belon, 1902:15)  
*varians*, var. *cyaneipennis* Gounelle, 1909:604  
**varians** (Gounelle, 1909:604)  
var. *simplicipennis* Gounelle, 1909:604

Brasil  
eBrasil (GO, MA, MG), Bolivia (SC)

eBrasil (GO, BA, ES, MA), Bolivia (SC)

**Eurymerus** Audinet-Serville, 1833:566

**eburioides** Audinet-Serville, 1833:566  
*flavosignatus* White, 1853:115  
var. *nigricans* Tippmann, 1960:109

eBrasil (GO, PE-RS), Paraguay,  
Argentina, Uruguay, Bolivia (SC)

**Lissoeme** Martins, Chemsak & Linsley, 1966:207

**maculata** Martins & Galileo, 1998:48  
**testacea** Martins, Chemsak & Linsley, 1966:209

Brasil (BA)  
Venezuela

**Meryeurus** Martins & Galileo, 1998:115  
**servillei** Martins & Galileo, 1998:117

Brasil (MG), Bolivia (SC)

**Niophis** Bates, 1867:27

*Trumais* Gounelle, 1909:605  
*Apomethia* Martins, Chemsak & Linsley, 1966:210  
**aper** (Germar, 1824:510)  
**antennata** (Martins, Chemsak & Linsley, 1966:211)  
**bucki** Martins & Monné, 1973:24  
**coptorrhina** Bates, 1867:28  
*coptorrhina* Bates, 1870:245  
**neotropica** (Martins, 1961:190)  
**picticornis** (Martins, 1964:195)  
**rufula** (Gounelle, 1909:605)

eBrasil (ES)  
Costa Rica, Panama  
seBrasil (ES, RJ)  
nBrasil (MA, PA), Fr Guiana

Costa Rica, Panama, Peru  
wcBrasil (AM, PA, RO)  
ecBrasil (GO, MA), Paraguay

**Paralissoeme** Dalens & Touroult, 2010:288  
**maculipennis** Dalens & Touroult, 2010:289

French Guiana

**Tricheurymerus** Zajciw, 1961:106  
**obscurus** (Prosen, 1947:254)  
**quadristigma** (Gounelle, 1909:602)

Paraguay, Argentina, Bolivia (SC)  
 cBrasil (RO, GO, MA, MT), Fr Guiana,  
 Paraguay, Argentina, Bolivia (SC)

**Elaphidiini** Thomson, 1864:235  
*Elaphidionitae* Thomson, 1864:235  
*Elaphidiini* Ivie, 1985:303  
*Elaphidiini* Lingafelter, 1998:7  
*Sphérionides* Lacordaire, 1869:312  
*Stenosphenini* LeConte, 1873:316

**Adiposphaerion** Martins & Napp, 1992:471  
**rubrum** Martins & Napp, 1992:473

ncBrasil (AM), French Guiana, eEcuador

**Aetheibidion** Martins, 1968:327  
**hirtellum** (Gounelle, 1913:215)

Bolivia (SC), Paraguay, nArgentina (SA,SE)

**Alicianella** Noguera, 2006:165  
*Aliciana* Noguera, 2005: 65 (not *Aliciana* Clarke, 1978)  
**quadrimaculata** (Noguera, 2005:66)

Mexico (CH)

**Ambonus** Gistel, 1848:11  
*Trichophorus* Audinet-Serville, 1834:17 (not *Trichophorus* Temminck, 1821)  
*Crocidastus* Pascoe, 1867:319

**albomaculatus** (Burmeister, 1865:167)  
**distinctus** (Newman, 1840:6)

Argentina, Uruguay, Bolivia (SC)  
 eBrasil, Bolivia (BN, LP, SC), Paraguay, Argentina,  
 Paraguay, Fr Guiana  
 Honduras, Colombia, Surinam, Brasil, Bolivia (SC),  
 Argentina

**electus** (Gahan in Gahan & Arrow, 1903:254)  
**interrogationis** (Blanchard in Orbigny, 1846:208)  
**lippus** (Germar, 1824:508)  
**proximus** (Berg, 1889:117)  
**variatus** (Newman, 1841:94)  
**yucatanus** (Fuchs, 1961:4)

eBrasil, Bolivia (BN, SC), Paraguay, Argentina  
 eBrasil, Paraguay, Argentina, Bolivia (SC)  
 wArgentina (ME)  
 seBrasil (RJ)  
 seMexico (QR)

**Amethysphaerion** Martins & Monné, 1975:290

*Ametisphaerion* Martins, 2005:294

*Amethysphaerion* Martins, 2005:373

**eximium** Martins & Napp, 1992:466  
**falsus** Martins, 1995:747

wEcuador  
 Venezuela

*trinidadense* Martins & Napp, 1992:470 (not Gilmour, 1963)

**guarani** Martins & Napp, 1992:468

Paraguay

**jocosum** Martins & Napp, 1992:468

seBrasil (ES)

**nigripes** Martins & Monné, 1975:290

sBrasil (PR), Bolivia (SC)

**submetallicum** Martins & Napp, 1992:468

eBrasil (MG)

**trinidadensis** (Gilmour, 1963:90)

Trinidad

**tuna** Martins, 2005:373

eEcuador

**Amorupi** Martins, 2005:260  
**fulvoterminalata** (Berg, 1889:113)  
**hudepohli** (Martins, 1974:144)

eBrasil (GO, MT, AP-RJ), Argentina  
 Bolivia (SC)

**Anama** Martins, 2005:258

**limpida** Martins, 2005:260

Panama, Brasil (AM, MT), Fr Guiana

**Aneflomorpha** Casey, 1912:291

*Anepsyra* Casey, 1912:291

**aculeata** (LeConte, 1873:184)

**arizonica** Linsley, 1936:475

**australis** Linsley, 1942:37

**brevipila** Chemsak & Noguera, 2005:20

**cazieri** Chemsak, 1962:107

**citrana** Chemsak, 1960:149

**cribellata** (Bates, 1892:152)

**crinita** Chemsak & Linsley, 1975:202

**delongi** (Champlain & Knull, 1922:147)

**exilis** Chemsak & Noguera, 2005:22

**fisheri** Linsley, 1936:475

**giesberti** Chemsak & Linsley, 1975:201

*wappesi* Chemsak & Noguera 1997:7

**gilana** Casey, 1924:243

**gracilis** (Linsley, 1935:75)

**grandicollis** (Linsley, 1942:40)

**hovorei** Chemsak & Noguera, 2005:23

**lineare** (LeConte, 1859:80)

*longipennis* Casey, 1912:294

*tenue* Craighead, 1923:75 (not LeConte, 1854)

**linsleyae** Chemsak, 1962:105

**longispina** Chemsak & Noguera, 2005:24

**longitudinis** Chemsak & Noguera, 2005:25

**luteicornis** Linsley, 1957:285

**martini** Chemsak & Linsley, 1968:32

**mexicana** (Linsley, 1935:74)

**minuta** Chemsak, 1962:103

**modica** Chemsak & Noguera, 2005:27

**opacicornis** Linsley, 1957:285

**parkeri** Knull, 1934:334

**parowana** Casey, 1924:242

*testacea* Casey, 1924:243

*elongata* Linsley, 1936:473

*californica* Linsley, 1936:476

**parvipunctata** Chemsak & Noguera, 2005:28

**preclara** Chemsak & Linsley, 1975:203

**pueblae** Chemsak & Noguera, 2005:29

**rectilinea rectilinea** Casey, 1924:243

*spinicornis* Linsley, 1935:147

*duncani* Linsley, 1936:472

subsp. **yumae** Giesbert & Hovore, 1976:97

**rosaliae** Linsley, 1942:38

**ruficollis** Chemsak & Linsley, 1975:203

**rufipes** Chemsak & Linsley, 1968:31

**seminuda** Casey, 1912:294

*texana* Linsley, 1936:473

**semirufa** Linsley, 1935:146

**subpubescens** (LeConte, 1862:41)

**tenuis** (LeConte, 1854:81)

**unispinosa** Casey, 1912:295

**volitans** (LeConte, 1873:186)

**wappesi** Chemsak & Noguera, 2005:30

**wernereri** Chemsak, 1962:106

swUSA (TX)

swUSA (AZ)

Mexico (BC)

Mexico (MI)

swUSA (AZ)

swUSA (AZ)

swMexico (GU, OA)

wcMexico (MI, ME)

seUSA (FL, GA)

Mexico (CHA)

swUSA (TX)

Mexico (SI, JA, CHS) – Honduras

swUSA (AZ)

cMexico (ME)

Mexico (BC)

Mexico (JA)

wUSA (CA, NV, OR), Mexico (BC)

swUSA (AZ)

Mexico (OA)

Mexico (CHA)

swUSA (AZ)

wMexico (SI)

cMexico (ME)

swUSA (AZ)

Mexico (YU)

swUSA (TX)

swUSA (AZ)

wUSA (CA, OR, UT, NM)

Mexico (OA, PU)

sMexico (CHS)

Mexico (PU)

swUSA (AZ, NM, TX)-wMexico (BC, SI, JA)

swUSA (AZ)

Mexico (BC)

wMexico (SI, DU)

wMexico (SI, MI, OA)

swUSA (TX)

swMexico (OA, CHS), Guatemala

eUSA

swUSA (TX), nMexico

swUSA-nwMexico (CHA)

Mexico (BC)

Mexico (NA)

swUSA (TX)

**Aneflus** LeConte, 1873:185*Protaneflus* Linsley, 1934:233*Axestinus* LeConte, 1873:177*Proteinidium* Bates, 1892:149**basicornis** Linsley, 1936:471**bullocki** Chemsak & Giesbert, 1986:28**calvatus** Horn in Leng, 1885:132**cylindricollis** Bates, 1892:147**glabropunctatus** Chemsak & Linsley, 1963:84**humeralis** Chemsak & Linsley, 1963:90**levettei** (Casey, 1891:29)*levetti* Linsley, 1936:475**longissimus** (Bates, 1885:250)**maryannae** Chemsak & Linsley, 1968:27**minutivestis** Chemsak & Linsley, 1963:85**nivarius** Chemsak & Linsley, 1963:91**obscurus** (LeConte, 1873:177)*brevicorne* Bates, 1892:150**paracalvatus** Knull, 1955:221*prosopidis* Linsley, 1957:20**pilosicornis** Chemsak & Linsley, 1965:26**planus** Franz, 1954:219**poriferus** Giesbert, 1993:139**prolixus prolixus** LeConte, 1873:203subsp. **fisheri** Knull, 1934:335subsp. **insoletus** Chemsak & Linsley, 1963:88**protensus protensus** (LeConte, 1858:82)*cochisensis* Casey, 1912:296subsp. **pallidus** Tyson, 1968:142**pubescens** (Linsley, 1934:233)**rugicollis** Linsley, 1935:74**sericatus** Chemsak & Linsley, 1968:26**sonoranus** Casey, 1924:241*obscurus* Leng, 1885: pl.2, fig.27 (not LeConte, 1873)**variegatus** Chemsak & Linsley, 1963:93**zilchi** Franz, 1954:218

wMexico (SI)

wMexico (JA)

swUSA, nwMexico (BC, SO, SI)

eMexico (VC)

seMexico (YU)

cMexico (ME)

swUSA (AZ), nwMexico

eMexico (VC)

wMexico (SI)

Mexico (SLP, TB)-Panama

sMexico (JA, OA, VC, CHS)

swUSA (AZ-TX), nwMexico (CHA)

swUSA (AZ), nwMexico

Guatemala, Costa Rica

El Salvador, Costa Rica

sMexico (CHS)

Mexico (BC)

swUSA (AZ, NM), nMexico (SO)

swUSA (TX), nMexico (CHA-TA, SLP, HI, DU)

swUSA (CA-TX), nMexico (BC, SO)

swUSA (AZ, CA)

Mexico (JA, VC, YU)-Panama

wMexico (SO, SI, NA, MO, ME, GR)

seMexico (YU)

swUSA (AZ, TX), nwMexico (SO)

seMexico (YU)

El Salvador

**Anelaphus** Linsley, 1936:464*Elaphidionoides* Linsley, 1957:283*Peranoplium* Linsley, 1957:17**albofasciatus** (Linell, 1897:393)*linelli* Casey, 1924:246**albopilus** Chemsak & Noguera, 2003:58**badius** Chemsak, 1991:478**belkini** Skiles, 1985:307**bravoi** Galileo & Martins, 2010:34**brevidens** (Schaeffer, 1908:333)*quadricolle* Casey, 1924:246**cerussatus** (Newman, 1841:111)**cinereus** (Olivier, 1795:69)*subtropicum* Casey, 1924:245*nanum* Gahan, 1895:103 (not Fabricius, 1792)**cinnabarinum** (Fisher, 1942:11)**colombianus** Martins & Galileo, 2003:178*colombianus* Chemsak & Noguera, 2003:62**crispulum** (Fisher, 1947:30)**curacaoensis** Gilmour, 1968:133**daedaleus** (Bates, 1874:219)**davisi** Skiles, 1985:308

swUSA (AZ, CA)

Mexico (JA)

wMexico (JA, SI)

swUSA (TX)

Brasil (BA)

swUSA (CA-TX), nMexico (BC)

Argentina, Bolivia (SC)

seUSA (FL), Bahamas, Cuba, Hispaniola, Jamaica

Cuba

Colombia, Brasil (MA)

Puerto Rico, R Dominicana

Curaçao

sMexico (YU, QR)-Costa Rica

swUSA (TX)

- debilis** (LeConte, 1854:442)  
**dentatus** Chemsak, 1962:110  
**eximium** (Bates, 1885:250)  
**fasciatum** (Fisher, 1932:28)  
     *truncatipenne* Fisher, 1941:113  
**giesberti** Chemsak & Linsley, 1979:269  
**guttiventre** (Chevrolat, 1862:261)  
**hirtus** Chemsak & Noguera, 2003:61  
**hispaniolae** (Fisher, 1932:30)  
**hoferi** (Knull, 1934:69)  
**inermis** (Newman, 1840:29)  
     *truncatum* Haldeman, 1847:33  
     *griseszens* Bates, 1885:249  
**inflaticollis** Chemsak, 1959:165  
**inornatum** (Chemsak & Linsley, 1979:270)  
**jansonii** Linsley, 1961:7  
**lanuginosus** (Bates, 1885:250)  
**maculatum** (Chemsak & Noguera, 1993:76)  
**martinsi** Monné, 2006:166  
     *fasciatus* Martins, 2005:308  
**michelbacheri** Linsley, 1942:42  
**misellus** (Bates, 1885:251)  
**moestus** **moestus** (LeConte, 1854:442)  
     *laterale* Casey, 1914:365  
     subsp. **pinorum** (Casey, 1914:365)  
**mutatum** (Gahan, 1890:32)  
     *tomentosum* Chevrolat, 1862:260 (part)  
     *lanatum* Leng, 1890:214 (not Chevrolat, 1862)  
     *pilosum* Fisher, 1932:36  
**nanus** (Fabricius, 1792:300)  
     *thomae* Gahan, 1895:104  
**nitidipennis** Chemsak & Linsley, 1968:33  
**niveivestitus** (Schaeffer, 1905:132)  
     *niveipenne* Schaeffer, 1908:327  
**panamensis** Linsley, 1961:39  
**parallelus** (Newman, 1840:29)  
     *pulverulentum* Olivier, 1795:69  
     *arctum* Newman, 1840:29  
     *oblitum* LeConte, 1850:14  
     *medialis* Casey, 1912:302  
     *medialis canadensis* Casey, 1912:303  
     *medialis densicollis* Casey, 1912:303  
     *defectus* Casey, 1912:303  
     *molliculus* Casey, 1912:304  
**piceum** (Chemsak, 1962:111)  
**pilosus** Chemsak & Noguera, 2003:62  
**praeclarus** Lingafelter 2008:359  
**pumilus** (Newman, 1840:29)  
**punctatus** (LeConte, 1873:185)  
**robi** Hrabovsky, 1987:135  
**rusticus** (LeConte, 1850:14)  
**simile** (Schaeffer, 1908:334)  
**souzai** (Zajciw, 1964:433)  
  
**sparsus** Martins & Galileo, 2003:178  
**spurcus** (LeConte, 1854:442)  
**subdepressum** (Schaeffer, 1904:222)  
**subfasciatus** (Gahan, 1895:103)  
**subinermis** Linsley, 1957:286  
     *antennatus* Chemsak, 1959:166  
  
swUSA (TX), neMexico, Honduras  
swUSA (AZ)  
swMexico (OA), Honduras  
Cuba, Bahamas, Cayman Is  
  
Guatemala, Honduras  
Cuba  
Mexico (MO)  
Hispaniola  
swUSA (AZ), nMexico  
sUSA (GA-TX), Bahamas, Guadeloupe,  
Greater Antilles, eMexico (VC)-Nicaragua  
  
swUSA (CA)  
Honduras  
Nicaragua, Costa Rica  
Guatemala, Costa Rica (GU)  
wMexico (JA)  
Venezuela  
  
Mexico (BC)  
Guatemala-Panama  
swUSA (TX-AZ), Mexico (CO)  
  
eUSA (NC)  
seUSA (FL), Cuba, Puerto Rico, Bahamas  
  
W Indies (Puerto Rico, Virgin Is)  
  
wMexico (CM, SI, JA, MI, OA)  
swUSA (TX)  
  
Panama  
eNAmer  
  
swUSA (CA, AZ)-wMexico (JA)  
Honduras  
R Dominicana  
eUSA-TX  
Mexico (BC)  
cBrasil (AM, PA, MT), Fr Guiana  
NAmer  
swUSA (AZ), nMexico  
cBrasil, Bolivia (SC), Fr Guiana, Argentina, Fernando de  
Noronha  
Colombia  
swUSA (TX), Mexico  
swUSA (AZ), nwMexico (BC)  
Guadeloupe  
swUSA (TX), Mexico

- submoestus** Linsley, 1942:42  
**subseriatus** (Bates, 1885:250)  
**tikalinus** Chemsak & Noguera, 2003:62  
**transversus** (White, 1853:101)  
**trinidadensis** Martins & Galileo, 2010:566  
**tuckeri** (Casey, 1924:247)  
*nanulum* Casey, 1924:247  
**undulatum** (Bates, 1880:25)  
**velteni** Vitali, 2009:352  
**vernus** Chemsak, 1991:479  
**villosus** (Fabricius, 1792:302)  
*putator* Peck, 1819:307  
*pruinsum* Guérin-Méneville, 1844:225  
*abruptus* Casey, 1912:301  
*villosus scuticularis* Casey, 1912:302  
*lacustris* Casey, 1912:302  
*breviusculus* Casey, 1914:364  
*militaris* Casey, 1914:364  
**yucatecus** Chemsak & Noguera, 2003:64
- Anopliomorpha** Linsley, 1936:465  
**antennata** Chemsak & Noguera, 1993:73  
**antillarum** (Fisher, 1932:42)  
*xylebora* Cazier & Lacey, 1952:21  
*monticola* Fisher, 1935:191  
**gracilis** Chemsak & Noguera, 1993:74  
**hirsutum** (Linsley, 1935:76)  
**reticolle** (Bates, 1885:254)  
**rinconium** (Casey, 1924:248)
- Anoplocurius** Fisher, 1920:153  
**altus** Knull, 1942:224  
**canotiae** Fisher, 1920:154  
**incompletus** Linsley, 1942:47
- Apoclausirion** Martins & Napp, 1992:475  
**nigricorne** Martins & Napp, 1992:475
- Aposphaerion** Bates, 1870:275  
*Xenoibidion* Martins, 1968:323  
**fasciatum** (Martins, 1971:1434)  
**longicolle** Bates, 1870:275  
**nigritum** Galileo & Martins, 2010:368  
**punctulatum** Martins & Napp, 1992:470  
**unicolor** (White, 1855:233)  
*uniforme* Berg, 1889:112
- Appula** Thomson, 1864:245  
**aliena** Martins, 1981:210  
**argenteoapicalis** Fuchs, 1961:8  
**diamantinensis** Franceschini, 2002:22  
**eduardae** Franceschini, 2002:21  
**lateralis** (White, 1853:113)  
**melancholica** Gounelle, 1909:650
- swUSA (AZ), Mexico (BC)  
 Costa Rica (LI), Panama, Colombia  
 Guatemala  
 Jamaica  
 Trinidad & Tobago, Trinidad  
 swUSA (CA-TX)  
 Mexico (VC)-Costa Rica  
 Dominican Republic (fossil)  
 wMexico (JA)  
 eNAmer-TX, Cuba  
 Mexico (YU)  
 wMexico (JA, NA)  
 Haiti, Bahamas, Cuba  
 wMexico (SO, SI, JA, OA, CHS), Honduras  
 Mexico (ME, MO, SI), Honduras, Costa Rica (GU)  
 Mexico (DU, OA, JA, NA, CH)-Honduras,  
 Costa Rica (GU, PA)  
 swUSA (AZ)-wMexico (BC)  
 swUSA (TX, NM, AZ)  
 swUSA (AZ), nwMexico (SO)  
 swUSA (CA), Mexico (BC)  
 cBrasil (MT)  
 ecBrasil (GO)  
 ncBrasil (AM), Fr Guiana  
 Bolivia (SC)  
 ncBrasil (AM)  
 Costa Rica, Panama-Colombia, e SAmer-Argentina  
 cBrasil (MT, RO), Bolivia (SC)  
 Brasil (AM, MT, RO, GO, MS), Peru,  
 Bolivia (BN, CO, LP, SC)  
 Brasil (MT, PA), Bolivia (SC)  
 Brasil (MT, GO, MS)  
 cBrasil (BA, ES, RJ, PR, SC, MS), Fr Guiana  
 ecBrasil (DF, PA, MT, RO, GO), Bolivia, (CO, SC),  
 Paraguay

- nigripes** Bates, 1870:279  
**santarensis** Franceschini, 2002:19  
**sericatulula** Gounelle, 1909:649  
**undulans** (White, 1853:114)
- Apyrauna** Martins, 2005:247  
**annulicornis** Martins, 2005:249  
**maculicorne** (Germain, 1898:665)  
*larsoni* Cerda, 1980:63
- Astromula** Chemsak & Linsley, 1965:145  
**nitidum** Chemsak & Linsley, 1965:147
- Atharsus** Bates, 1867:25  
**nigricauda** Bates, 1867:25
- Atylostagma** White, 1853:97  
**glabra** Schaeffer, 1909:99  
**polita** White, 1853:97
- Centrocerum** Chevrolat, 1861:189  
**divisum** Martins & Monné, 1975:283  
**elegans** Chevrolat, 1861:190  
var. *puberulum* Chevrolat, 1861:190  
var. *hirsutum* Chevrolat, 1861:191  
var. *jocosum* Chevrolat, 1861:191  
**exornatum** (Newman, 1841:111)  
*argentinum* Burmeister, 1865:174  
**hirsuticeps** Bosq, 1952:95  
**richteri** Bruch, 1911:167
- Clausirion** Martins & Napp, 1984:63  
**bicolor** Galileo & Martins, 2000:160  
**comptum** Martins & Napp, 1984:63
- Conosphaeron** Linsley, 1935:77  
*Conosphaerion* Linsley, 1961:173  
**concolor concolor** Linsley, 1935:78  
subsp. **bicolor** Chemsak & Linsley, 1967:289  
subsp. **piceum** Linsley, 1935:141  
**spinipenne** Chemsak & Linsley, 1967:289
- Cotyperiboeum** Galileo & Martins, 2010:387  
**antennarium** Galileo & Martins, 2010:387
- Cratericus** Galileo & Martins, 2012:298  
**divaricatus** Galileo & Martins, 2012:299
- Curtomerus** Stephens, 1839:275  
*Cylindera* Newman, 1833:509  
*Lampromerus* Thomson, 1861:202  
*Cyrtomerus* Gemminger & Harold, 1872:2836  
*Cylindrodera* Gemminger & Harold, 1872:2922  
*Sotenus* Sharp, 1878:205  
**brunneus** (Kirsch, 1889:37)  
**fasciatus** (Fisher, 1932:49)
- nBrasil (PA, RO), Bolivia (LP, SC), Fr Guiana  
Brasil (PA)  
eBrasil (SC, BA, GO, ES, MG, SP), Paraguay  
eBrasil (BA, MG, ES, RJ)
- Brasil  
Chile
- swUSA (CA)
- cBrasil (PA, MA, MT), Bolivia (SC)
- swUSA (AZ)-sMexico  
Mexico-Panama, seBrasil (SP)
- sBrasil (SC, RS)  
eBrasil (GO, MT-RS), Paraguay, Argentina, Bolivia  
SC)
- Argentina  
nArgentina (JU, TU)  
sArgentina (CT)
- Brasil (MG, PA), Fr Guiana  
Guianas, cBrasil (RO, MT)
- Mexico (MO, ME, JA, GR, PU, CHS)  
nMexico (SO)  
wMexico (SI)  
Panama
- Bolivia (SC)
- Jamaica
- Ecuador  
seUSA (FL), Cuba

**flavus** (Fabricius, 1775:191)

*pilicorne* Fabricius, 1792:327

*luteum* Stephens, 1831:249

*pallida* Newman, 1833:510

*setiger* Sharp, 1878:205

*subflavus* Chemsak, 1966:213

**glabrus** (Fisher, 1932:51)

**lingafelteri** Galileo & Martins, 2011:577

**piraiuba** Martins & Galileo 2006:176

**politus** Martins, 1995:743

**puncticollis** (Fisher, 1932:50)

**purus** Martins, 1974:150

seUSA (FL), Honduras, W Indies, Guiana, Venezuela,  
Surinam, Brasil (PE,SC), Hawaii, Tahiti

Cuba  
Bolivia (SC)  
Colombia  
Colombia  
Haiti  
Bolivia (SC)

## **Elaphidion** Audinet-Serville, 1834:66

*Elaphidium* Agassiz, 1846:135

*Cycliopleurus* Hope, 1835:107

*Centrocerum* Thomson, 1864:244 (not Chevrolat, 1861)

**albosignatum** Chevrolat, 1862:259

**androsensis** Fisher, 1942:7

**angustatum** Zayas, 1975:79

**auricoma** Lingafelter 2008:366

**bahamicae** Cazier & Lacey, 1952:15

**bidens** (Fabricius, 1787:143)

*bispinosus* Gmelin, 1790:1859

**cayamae** Fisher, 1932:24

**clavis** Linsley, 1957:284

**consersum** Newman, 1841:110

*excelsum* Zayas, 1975:86 (not Gahan, 1895)

**costipenne** Fisher, 1932:39

**cristalensis** Zayas, 1975:82

**cryptum** Linsley, 1963:79

**cubae** Fisher, 1932:27

**curacaoe** Gilmour, 1968:128

**densevestitum** Fisher, 1942:10

**diffflatus** Zayas, 1975:84

**depressum** Zayas, 1975:83

**elongatum** Fisher, 1942:14

**excelsum** Gahan, 1895:101

**frisevestitum** Fisher, 1942:13

**fullonium** Newman, 1841:110

*confusum* Fisher, 1932:32

**glabratum** (Fabricius, 1775:180)

*mite* Newman, 1840:27

*insulare* Newman, 1840:27

*glabratum* Gahan, 1895:100 (part) (not Fabricius, 1775)

*cobbeni* Gilmour, 1963:81

*hummelincki* Gilmour, 1963:84

*insulare* Chemsak, 1966:212 (not Newman, 1840)

**glabriusculum** (Bates, 1885:251)

**inclusum** Vitali 2007:30

**irroratum** (Linnaeus, 1767:633)

*ordinatum* Newman, 1840:26

*tessellatum* Newman, 1840:26

*insulare* Gilmour, 1963:81 (not Newman, 1840)

subsp. **debieni** Chalumeau & Touroult, 2005:754

**iviei** Lingafelter 2008:367

**jamaicensis** Fisher, 1932:40

**jibacoense** Zayas, 1975:92

**knulli** Linsley, 1957:18

**laeve** White, 1853:102

Cuba  
Bahamas, R Dominicana  
Cuba  
R Dominicana  
Bahamas  
America

Cuba  
seUSA (SC-FL)  
W Indies

Haiti  
Cuba  
seUSA (FL), Bahamas  
Cuba  
Curaçao  
Jamaica  
Cuba  
Cuba  
Cuba  
Guadeloupe  
Cuba  
Haiti

W Indies

Panama  
Hispaniola, R Dominicana (Fossil)  
USA, Mexico-Panama, W Indies (part), Bahamas

St-Martin, St-Barthélemy, Puerto Rico  
R Dominicana, Cuba  
Jamaica  
Cuba  
seUSA (FL)  
Honduras



<b>lanatum</b> Chevrolat, 1862:260	Cuba, Bahamas
<b>lewisi</b> Fisher, 1941:111	W Indies (Cayman Is)
<b>linsleyi</b> Knull, 1960:7	swUSA (TX)
<b>manni</b> Fisher, 1932:21	Bahamas
<i>wickhami</i> Fisher, 1935:192	
<b>mayesae</b> Ivie, 2007:58	Puerto Rico
<b>micheelii</b> Ivie, 2007:56	Puerto Rico
<b>mimeticum</b> Schaeffer, 1905:132	swUSA (TX), Mexico (JA, QR), Belize, Honduras
<i>elaphidionoides</i> Fuchs, 1961:2	
<b>mucronatum</b> (Say, 1824:427)	eNAmer-TX
<i>glabratum</i> Newman, 1840:27 (not Fabricius, 1775)	
<i>nebulosum</i> Guérin-Ménéville, 1844:225	
<i>muricatum</i> Haldeman, 1847:33	
<i>muricatum</i> var. <i>vestitum</i> Haldeman, 1847:34	
<b>nearnsi</b> Lingafelter 2008:370	R Dominicana
<b>niveonotatum</b> Zayas, 1975:96	Cuba
<b>paupilosum</b> Zayas, 1975:98	Cuba
<b>pseudonomon</b> Ivie, 1985:312	Virgin Islands
<b>quadrituberculatum</b> Chevrolat, 1862:259	Cuba, Bahamas
<b>rotundipenne</b> Fisher, 1932:23	R Dominicana
<b>scabricolle</b> (Bates, 1872:175)	Nicaragua - Panama
<b>scaramuzzai</b> Fisher, 1951:77	Cuba
<b>spinicorne</b> (Drury, 1773:92)	W Indies (Greater Antilles, St. Martin)
<i>insularis</i> Gmelin, 1790:1859	
<i>armatus</i> Voet, 1806:27	
<b>splendidum</b> Fisher, 1932:19	Cuba, Hispaniola
<b>tectum</b> LeConte in Schwarz, 1878:414	seUSA (FL)
<b>thompsoni</b> Fisher, 1941:112	W Indies (Cayman Is)
<b>tozanum</b> Vitali, 2009:224	Dominican Republic (fossil)
<b>tomentosum</b> Chevrolat, 1862:260	W Indies (Greater Antilles, Montserrat)
<b>truncatipenne</b> Fisher, 1941:113	W Indies (Cayman Is)
<b>tuberculicolle</b> Fisher, 1932:25	Cuba, Jamaica
<b>uncinatum</b> Zayas, 1975:105	Cuba
<b>unispinosum</b> Fisher, 1942:9	Cuba
<b>wappesi</b> Lingafelter 2008:361	R Dominicana
<b>williamsi</b> Chemsak, 1967:185	Bahamas
<b>Elaphidionopsis</b> Linsley, 1936:467	
<i>fasciatipennis</i> Linsley, 1936:467	swUSA (TX), nMexico (CO)
<b>Enaphalodes</b> Haldeman, 1847:151	
<i>Romaleum</i> White, 1855:309	
<i>Hypermallus</i> Lacordaire, 1869:302	
<i>Thersalus</i> Pascoe, 1865:372	
<b>archboldi</b> Lingafelter & Chemsak, 2002:571	seUSA (FL)
<b>atomarius</b> (Drury, 1773:93)	eNAmer- AZ, Mexico (VC)-Honduras
<i>marylandicus</i> Fabricius, 1775:179	
<i>marilandicum</i> Haldeman, 1847:32	
<i>pulverulentus</i> Degeer, 1775:299	
<i>variegatus</i> Goeze, 1777:481	
<i>multicolor</i> Gmelin, 1790:1857	
<i>bispinosus</i> Pascoe, 1863:562	
<i>bispinus</i> Lacordaire, 1869:303	
<i>thoracicum</i> Casey, 1912:297	
<i>decipiens</i> Bates, 1884:248	
<i>atomarium</i> Bates, 1880:24 (not Drury, 1773)	
<b>boyacanus</b> Martins, 2005:287	Colombia, Panama, Costa Rica
<b>coronatus</b> (White, 1853:100)	Mexico-Costa Rica

<b>cortiphagus</b> (Craighead, 1923:69) (larva) <i>cylindricus</i> Knull, 1927:116	neUSA- AZ , nMexico (SO)
<b>hispicornis</b> (Linnaeus, 1767:634) <i>spinicornis</i> Chevrolat, 1861:248 <i>simplicicollis</i> Haldeman, 1847:151 <i>lecontei</i> Haldeman, 1847:151 <i>operarium</i> White, 1855:309 <i>procerum</i> LeConte, 1859:88	USA, nMexico
<b>niveitectus</b> (Schaeffer, 1905:160)	swUSA (AZ), nMexico
<b>rufulus</b> (Haldeman, 1847:32) <i>mancum</i> Casey, 1912:298 <i>crinicornis</i> Casey, 1912:298	eNAmer, AZ
<b>seminitidus</b> (Horn in Leng, 1885:130)	swUSA (AZ, CA)
<b>taeniatus</b> (LeConte, 1854:81) <i>senex</i> Bates, 1884:248	swUSA (TX), neMexico

**Etymosphaerion** Martins & Monné, 1975:285  
**unicolor** Martins & Monné, 1975:285

Bolivia (SC)

**Eurysthea** Thomson, 1860:247

<i>Euristhea</i> Lacordaire, 1869:321	
<i>Paramallocera</i> Aurivillius, 1912:100	
<i>Mallocera</i> (section 2); Lacordaire, 1869:321	
<b>caesariata</b> (Martins, 1995:746)	Venezuela
<b>cribripennis</b> (Bates, 1885:256)	Costa Rica-Colombia, Ecuador
<b>hirca</b> (Berg, 1889:116)	nwArgentina (JU, SA, CA), Bolivia (SC)
<b>hirta</b> (Kirby, 1818:441) <i>vau</i> Berg, 1889:115 <i>oblita</i> Lameere, 1890:clxxii	eBrasil (PB-RS), Paraguay, Argentina, Uruguay
<b>ilinizae</b> (Kirsch, 1889:38) <i>angusticollis</i> Bates in Whymper, 1891:37	Ecuador
<b>koepcke</b> (Franz, 1956:137)	Ecuador, Peru
<b>lacordairei</b> (Lacordaire, 1869:321)	seBrasil, Paraguay, Argentina
<b>latefasciata</b> (Fonseca-Gessner, 1990:837)	Ecuador
<b>magnifica</b> Martins, 1985:174	Bolivia
<b>martinsi</b> (Fonseca-Gessner, 1990:834)	Bolivia (CO)
<b>nicolai</b> (Aurivillius, 1908:2)	Bolivia (BN, SC), nArgentina (JU)
<b>obliqua</b> (Audinet-Serville, 1834:18)	seBrasil (MG-RJ)
<b>punctata</b> (Fonseca-Gessner, 1990:839)	Ecuador
<b>robertsi</b> (Fonseca-Gessner, 1990:833)	Ecuador, Peru
<b>rotundicollis</b> (Martins, 1995:744)	Colombia
<b>sordida</b> (Erichson, 1847:140) <i>dysoni</i> White, 1853:106	Colombia, Venezuela, eEcuador, Peru, Bolivia (SC)
<b>squamifera</b> (Martins, 1967:45)	Peru, Ecuador
<b>subandina</b> (Fonseca-Gessner, 1990:836)	Bolivia

**Eustromula** Cockerell, 1906:242

<i>Eustroma</i> LeConte, 1873:186	
<b>keiferi</b> Linsley, 1934:108	Mexico (Tres Marias Is)
<b>validum</b> (LeConte, 1858:82) <i>huachucae</i> Casey, 1924:245 <i>politum</i> Casey, 1924:246	swUSA (CA-TX), nMexico (BC)

**Gymnopsyra** Linsley, 1937:67

<b>aspera</b> Knull, 1962:105	swUSA (TX, NM, AZ)
<b>bupalpa</b> Chemsak, 1991:477	wMexico (JA)
<b>chemsaki</b> Linsley, 1963:98	swUSA (AZ)
<b>magnipunctata</b> (Knull, 1934:12) <i>phoracanthoides</i> Linsley, 1937:68	swUSA (TX, NM, AZ)

**Hemilissopsis** Lane, 1959:306**clenchi** Lane, 1959:306**fernandezae** Hovore & Chemsak, 2006:46cBrasil (PA, RO), Fr Guiana, Ecuador  
Costa Rica (GU), Panama**Hoplogrammicosum** Gounelle, 1913:210**cinnamomeum** Gounelle, 1913:211

nArgentina (SE)

**Ironeus** Bates, 1872:178**duplex** Bates, 1872:179**mutatus** Bates, 1885:255**pulcher** Bates, 1880:29

Mexico (JA, OA) - Costa Rica

eMexico (VC), Honduras

Mexico-Panama, Venezuela, Bolivia (SC)

**Iuaca** Galileo & Martins, 2000:162**nigromaculata** Galileo & Martins, 2000:163

Bolivia (SC)

**Jampruca** Napp & Martins, 1982:362**nigricornis** Napp & Martins, 1982:364**tyligma** Napp & Martins, 1982:365

eBrasil (MG, ES)

eBrasil (BA, MG)

**Lanephus** Martins, 2005:288**njumanii** (Haldeman, 1847:375)*bidens* Newman, 1840:25 (not Fabricius, 1787)*newmanii*; LeConte, 1850:16

cBrasil (MA, MT), Bolivia (SC)

**Linsleyonides** Skiles, 1985:316**albomaculatus** (Champlain & Knull, 1922:146)**chemsaki** Skiles, 1985:317**portoricensis** (Fisher, 1932:33)

seUSA (FL), Cuba, Bahamas

Jamaica

Puerto Rico

**Magaliella** Galileo & Martins, 2008:25**punctata** Galileo & Martins, 2008:25

Brasil (ES)

**Mallocera** Audinet-Serville, 1833:567**amazonica** Bates, 1870:278*aureotincta* Linsley, 1934:198**glauca** Audinet-Serville, 1833:567*sericata* Newman, 1840:5**ramosa** Gounelle, 1909:647**simplex** White, 1853:113*pickeli* Melzer, 1931:52**spinicollis** Bates, 1872:179**umbrosa** Gounelle, 1909:648cBrasil (AM, MA, PA, MT), Peru, Fr Guiana,  
eEcuador, Trinidad, Bolivia (PN, SC)Guianas, Brasil (AM, PE-SC), Paraguay,  
Argentina

eBrasil, Paraguay, Argentina, Bolivia (SC)

eBrasil (PE-ES)

Nicaragua-Panama

eBrasil (GO, MG), Paraguay, Argentina, Bolivia (SC)

**Meganeflus** Linsley, 1961:180**fulvipennis** (Bates, 1892:148)

eMexico (VC, SLP), Belize

**Megapsyrassa** Linsley, 1961:176*Pseudaneflus* Chemsak & Linsley, 1963:85**atkinsoni** Chemsak & Giesbert, 1986:31**auricomis** (Chemsak & Linsley, 1963:86)**chiapaneca** Giesbert, 1993:142**linsleyi** Chemsak & Giesbert, 1986:29**puncticollis** (Chemsak & Linsley, 1963:87)**testacea** Giesbert, 1993:140**xestioides** (Bates, 1872:177)

wMexico (JA, CHS), Costa Rica

seMexico (YU)

sMexico (CHS)

wMexico (JA)

swMexico (OA), Honduras

sMexico (CHS), Guatemala, Honduras

Guatemala-Panama

**Mephritus** Pascoe, 1866:479*Nephalius* Gounelle, 1907:243 (not Newman, 1841)**adelphus** (Martins, 1973:207)**amictus** (Newman, 1841:93)*cinerascens* Lucas, 1857:186*cinerascens* Pascoe, 1866:480**apicatus** (Linsley, 1935:140)**apicepullus** Galileo & Martins, 2011:578**auricolle** Tavakilian & Martins, 1991:193**blandus** (Newman, 1841:112)*detritum* Lameere, 1890:clxxii**callidioides** (Bates, 1870:272)*diabolicus* (Lameere, 1890:clxxi)**castaneus** Martins & Napp, 1992:464**citreus** Napp & Martins, 1982:85**destitutus** Napp & Martins, 1982:83**estoni** Galileo & Martins, 2011:580**flavipes** (Gounelle, 1909:641)**fraterculus** Martins & Napp, 1992:464**genuinus** Napp & Martins, 1982:81**guttatus** Napp & Martins, 1982:82**quadrimaculatus** Martins & Napp, 1992:462**serius** (Newman, 1841:93)**vescus** Galileo & Martins, 2011:578

eBrasil (MG)

eBrasil (GO, ES-SP)

Costa Rica, Panama, Brasil (RO)

Brasil (AM)

Fr Guiana, nwBrasil (AM)

Guianas, Brasil (GO, MA, MT, MG-RS), Bolivia (LP, SC), Paraguay

Brasil (PB, GO, MA, MT, MG, SP)

Peru

eBrasil (BA)

cBrasil (GO, MA, MT)

Brasil (AM)

eBrasil (GO, BA-SP)

Peru

seBrasil (RJ-PR)

eBrasil (MG)

Bolivia (CO)

eBrasil (BA, GO, ES-SP)

Brasil (AM)

**Metironeus** Chemsak, 1991:470**hesperus** Chemsak, 1991:470**hovorei hovorei** Chemsak, 1991:471subsp. **ruficollis** Chemsak, 1991:473

wMexico (SI, SO, NA, GR, OA, PU, MO)

wMexico (JA, OA)-Guatemala

seMexico (YU, QR)-Guatemala

**Micraneflus** Linsley, 1957:284**imbellis** (Casey, 1914:363)

swUSA (AZ, CA), Mexico (BC)

**Micranoplum** Linsley, 1957:18*Anoplum* Haldeman, 1847:34 (part)**unicolor** (Haldeman, 1847:34)*cinerascens* LeConte, 1850:15

eUSA

**Micropsyrassa** Linsley, 1961:170*Haplosphaerion* Linsley, 1961:173**bimaculata** (Bates, 1872:176)**doyeni** Chemsak & Giesbert, 1986:26**glabrata** Martins & Chemsak, 1966:123**meridionalis** Martins, 1974:143**minima** Martins & Chemsak, 1966:122**nitida** Martins & Chemsak, 1966:122**opaca** Martins & Chemsak, 1966:124**pilosella** (Bates, 1892:153)**reticulata** Martins & Chemsak, 1966:124**stellata** Martins & Chemsak, 1966:126

Mexico-Costa Rica

wMexico (JA)

swMexico (OA)

Bolivia (SC), seBrasil (SP)

Honduras, El Salvador, Costa Rica

Mexico (SLP, CHS), Honduras

Mexico (GR, PU)

Mexico (JA, MO, PU, GR, YU), Guatemala

cMexico (MI, GR, MO, PU)

swMexico (OA)

**Miltesthus** Bates, 1872:177*Aulacoscapus* Linsley, 1935:148**marginatus** Bates, 1872:178*ataxiiformis* Linsley, 1935:148

Guatemala-Panama

- Minipsyrassa** Martins, 1974:141  
**bicolor** Martins, 1974:142  
**guanabarina** Martins & Napp, 1992:473  
 Bolivia (LP, SC)  
 seBrasil (RJ)
- Morphaneffus** Martins & Napp, 1992:465  
**prolixus** Martins & Napp, 1992:465  
 nwArgentina (SA, JU), Paraguay
- Neaneffus** Linsley, 1957:19  
**brevispinus** Chemsak, 1962:109  
**fuchsii** (Wickham, 1905:170)  
 swUSA (CA-TX)-wMexico (ZA)  
 wUSA (AZ, CA, UT, TX), Mexico (BC)
- Neomallocera** Martins & Napp, 1992:460  
**opulenta** (Newman, 1841:94)  
 seBrasil (ES-SC), Paraguay
- Neoperiboeum** Linsley, 1961:171  
**juanitae** Chemsak, 1991:476  
**villosulum** (Bates, 1872:176)  
 wMexico (JA, CM, GR)-Guatemala  
 Mexico (VC)-Panama
- Nephalioides** Linsley, 1961:172  
**nigriventris** (Bates, 1874:220)  
**rutilus** (Bates, 1872:177)  
 Mexico-Costa Rica  
 Mexico-Costa Rica
- Nephalius** Newman, 1841:93  
*Miopteryx* Blanchard in Orbigny, 1843:209  
**cassus** (Newman, 1841:94)  
**levigatus** Martins & Galileo, 2012:332  
**spiniger** (Blanchard in Orbigny, 1847:209)  
 eBrasil (GO, MT, MA-PR), Fr Guiana  
 Brasil (PB)  
 Brasil (GO, MT), Bolivia (SC, TR), Paraguay,  
 Argentina, Uruguay
- Nesanoplium** Chemsak, 1966:214  
**dalensi** Chalumeau & Touroult, 2005:90  
**puberulum** (Fleutiaux & Sallé, 1889:464)  
 St. Lucie  
 W Indies (widely distributed)
- Nesiosphaerion** Martins & Napp, 1982:62  
**caymanensis** (Fisher, 1948:225)  
**charynae** Lingafelter, 2008:361  
**insulare** (White, 1853:109)  
**testaceum** (Fisher, 1932:45)  
 W Indies (Cayman Is)  
 R Dominicana  
 Jamaica  
 Haiti, R Dominicana
- Nesodes** Linsley, 1935:72  
**insularis** Linsley, 1935:74  
 Mexico (Revilla Gigedo Is)
- Nyssidostylus** Melzer, 1923:5  
**melzeri** Chemsak & Martins, 1966:193  
**overali** Galileo & Martins, 1990:12  
**paraba** Martins, 2005:87  
**subopacus** (Bates, 1885:257)  
*phthisicus* Bates, 1885:257  
*aurivillii* Melzer, 1923:6  
 Venezuela  
 nBrasil (PA)  
 Bolivia (SC)  
 seBrasil (widespread)
- Nyssicus** Pascoe, 1859:17  
*Lampracantha* Thomson, 1861:244  
*Lampracanthus* Thomson, 1861:376  
**contaminatus** Martins, 2005:74  
**fernandezi** Joly & Martinez, 1981:102  
**mendosus** Martins, 2005:73  
**quadriguttatus** (Swederus, 1787:196)  
*aureopilosus* Lacey, 1949:4  
 Bolivia (CO)  
 Venezuela  
 seBrasil (RJ, PA, AL, BA, ES, SP)  
 Brasil (AM, PA, MT, RO), Fr Guiana, eEcuador, Peru

- rosalesi** Joly & Martinez, 1981:107  
**topographicus** Linsley, 1935:109  
*setosus* Lacey, 1949:7  
 Venezuela, Fr Guiana, eEcuador, Bolivia  
 Honduras, Costa Rica, Panama
- Orion** Guérin-Méneville, 1844:229  
**maurus** (Newman, 1841:111)  
*patagonus* Guérin-Méneville, 1844:229  
*lachesis* Blanchard, 1843:209  
*lacordairei* Ritsema, 1889:144  
*brunneus* Guérin-Méneville, 1844:229  
 seBrasil (RJ, RS), Argentina, Uruguay
- Orwellion** Skiles, 1985:311  
*Elaphidionoides* Linsley, 1963:86 (part)  
**fasciatum** Skiles, 1985:314  
**gibbulum gibbulum** (Bates, 1880:25)  
 subsp. **arizonense** (Casey, 1891:28)  
**lineatum** Skiles, 1985:313  
**occidentalis** (Giesbert & Hovore, 1976:95)  
 Mexico (OA, VC, QR), Guatemala, Belize, Honduras  
 cMexico-Costa Rica  
 swUSA (AZ, NM), nMexico (CHA, SO)  
 seMexico (QR), Honduras  
 swUSA (AZ, CA), Mexico (BC)
- Pantonyssus** Bates, 1870:276  
**bitinctus** Gounelle, 1909:646  
**erichsonii** (White, 1853:108)  
**flavipes** Fisher, 1944:6  
**glabricollis** Fuchs, 1961:7  
**nigriceps** Bates, 1870:276  
**obscurus** Martins, 2005:372  
**pallidus** Martins, 1995:742  
**puncticollis** Martins, 1995:741  
**santossilvai** Martins, 2005:150  
**suturale** Martins & Galileo, 2003:178  
 Panama?, Bolivia (SC), scBrasil (MA, MT, MS, GO)  
 nBrasil (PA), Fr Guiana  
 Venezuela  
 nBrasil (PA)  
 seBrasil (RJ), Bolivia (SC)  
 wEcuador  
 Colombia  
 wEcuador  
 nBrasil (MG, AM)  
 Colombia
- Paranyssicus** Martins, 2005:75  
**conspicillatus** (Erichson, 1847:141)  
*quadriguttatus* Buquet, 1860:627 (not Swederus, 1787)  
*quadrinus* Bates, 1870:271  
**tresorensis** Dalens, 2011:11  
 Fr Guiana, cBrasil (MA), Peru, Bolivia, eEcuador  
 French Guiana
- Parapantonyssus** Galileo & Martins, 2010:367  
**ipiri** Galileo & Martins, 2010:368  
 Guatemala
- Parasphaerion** Martins & Napp, 1992:461  
**granulosum** Martins & Napp, 1992:462  
 Surinam
- Parastizocera** Linsley, 1961:176  
**procera** (Erichson in Schomburg, 1848:572)  
*suturale* Pascoe, 1866:479  
*rubricollis* Fisher, 1944:6  
 Mexico (YU)-Panama, Colombia, Venezuela, Brasil
- Parelaphidion** Skiles, 1985:310  
*Elaphidionoides* Linsley, 1963:86 (part)  
**aspersum** (Haldeman, 1847:32)  
*vicinum* Haldeman, 1847:33  
*flumineus* Casey, 1912:300  
*incertus externus* Casey, 1912:300  
*compactus* Casey, 1914:364  
 eUSA-TX

<b>incertum</b> (Newman, 1840:28) <i>neglectum</i> LeConte, 1850:13 <i>brevicornis</i> Casey, 1912:300 <i>obsolescens</i> Casey, 1924:244	eNAmer-TX
<b>Periboeum</b> Thomson, 1864:245 <i>Nephalius</i> Thomson, 1861:245 (not Newman, 1841) <b>acuminatum</b> (Thomson, 1861:245) <b>aduncum</b> Napp & Martins, 1984:129 <b>atylodes</b> Salvador, 1978:19 <b>bolivianum</b> Martins & Monné, 1975:289 <b>dilectum</b> Napp & Martins, 1984:128 <b>guttigerum</b> Napp & Martins, 1984:127 <b>maculatum</b> Magno, 1987:433 <b>metallicum</b> Magno, 1987:431 <b>obscuricorne</b> Martins & Monné, 1975:288 <b>ocellatum</b> Gounelle, 1909:640 <b>paraense</b> Napp & Martins, 1984:128 <b>paucispinum</b> (Lameere, 1890:clxx) <b>piliferum</b> (Erichson, 1847:141) <i>latericum</i> Gounelle, 1909:638 <b>pubescens</b> (Olivier, 1790:309) <i>ebeninum</i> Bates, 1870:274 <b>spinosum</b> Galileo & Martins, 2010:386 <b>terminatum</b> (Perroud, 1855:374) <b>umbrosum</b> Gounelle, 1909:640 <b>vicinum</b> (Perroud, 1855:377)	eBrasil (BA, MG-SP) eBrasil (ES), Bolivia (SC) seBrasil (RJ) Bolivia (SC) eEcuador eBrasil (ES) nArgentina (TU) wcBrasil (RO, MT) Bolivia (LP, SC) cBrasil (GO, MA, MT), Bolivia (SC), Paraguay nBrasil (PA), Fr Guiana ec, seBrasil (GO, MG-PR), Bolivia (SC) Peru, Bolivia (SC), ecBrasil (GO, MA, MT, MG-SP)  Trinidad, Venezuela, nBrasil (AM, MA), Guianas, Peru, Bolivia, eEcuador Bolivia (SC) seBrasil (ES-RS), Argentina, Bolivia (LP) ecBrasil (GO, MT, MG), Bolivia (SC) Panama, Colombia
<b>Piezophidion</b> Galileo & Martins, 1992:59 <b>bordoni</b> Martins, 2005:92 <b>intricatum</b> Galileo & Martins, 1992:60 <b>punctatum</b> Martins, 2005:93 <b>simplex</b> Martins, 2005:94 <b>thoracicum</b> Martins, Galileo & de-Oliveira, 2009:506,	Venezuela Brasil (MS), Paraguay, Bolivia (SC) sBrasil (RS, SC), Bolivia (SC) wEcuador Brasil (MA)
<b>Pilisphaerion</b> Martins & Napp, 1992:470 <b>exoticum</b> Martins & Napp, 1992:471	nBrasil (PA), Fr Guiana
<b>Poecilomallus</b> Bates, 1892:151 <b>palpalis</b> Bates, 1892:151	seMexico (YU), Guatemala, Nicaragua. Costa Rica
<b>Protomallocera</b> Martins & Napp, 1992:460 <b>hilairei</b> (Gounelle, 1909:648)	Surinam, ecBrasil (GO), Paraguay, Bolivia (SC)
<b>Protosphaerion</b> Gounelle, 1909:634 <b>loreum</b> Gounelle, 1909:636 <b>pictum</b> Martins, 2005:325 <b>punctatum</b> Martins, 2005:324 <b>signatipenne</b> Gounelle, 1909:636 <b>variabile</b> Gounelle, 1909:635 var. <i>bimaculata</i> Gounelle, 1909:635 var. <i>bivitta</i> Gounelle, 1909:635 var. <i>fuscipes</i> Gounelle, 1909:635 var. <i>seminigra</i> Gounelle, 1909:635	ecBrasil (GO, MT), Fr Guiana Bolivia (SC) Bolivia (SC) Fr Guiana, ncBrasil (AM, MA), Peru, Bolivia (SC) eBrasil (GO, MT, BA-RS), Bolivia (SC), Argentina, Uruguay

**Pseudomallocera** Zajciw, 1961:219**auriflua** (Klug, 1825:460)*assimilis* Zajciw, 1961:220

eBrasil (ES)

**Pseudoperiboeum** Linsley, 1935:77**lengi** (Schaeffer, 1909:101)*pullum* Knoll, 1958:185**subarmatum** Linsley, 1935:77

swUSA (AZ), nwMexico (SO)

Mexico (NA-GR, PU)

**Psyrassa** Pascoe, 1866:481*Pseudibidion* Casey, 1912:291*Hemistizocera* Linsley, 1961:172*Stizocera* Haldeman, 1847:43 (not Audinet-Serville, 1834)**aliena** (Linsley, 1934:235)**angelicae** Toledo, 2005:12**basicornis** Pascoe, 1866:482**brevicornis** Linsley, 1934:164*basicornis* Schaeffer, 1905:161 (not Pascoe, 1866)*sallei* Linsley & Martin, 1933:180 (not Bates, 1885)**castanea** Bates, 1880:28*texana* Schaeffer, 1905:160**cerina** Toledo, 2005:20**chamelae** Toledo, 2005:23**chemsaki** Toledo, 2002:57**clavigera** Toledo, 2005:21**cribricollis** (Bates, 1885:253)*punctulata* Bates, 1892:152**cylindricollis** Linsley, 1935:144**ebenina** Linsley, 1935:143**graciliatra** Toledo, 2005:30**jaumei** (Fisher, 1935:193)**katsurae** Chemsak & Noguera, 1993:77**levicollis** Chemsak & Noguera, 1993:78**linsleyi** Toledo, 2002:58**maesi** Audureau, 2010:4**megalops** Chemsak & Noguera, 1993:79**meridionalis** Martins, 2005:370**nigricornis** Bates, 1892:153**nigripes** Linsley, 1935:78**nigroaenea** Bates, 1892:153**oaxacae** Toledo, 2002:60**pertenuis** (Casey, 1924:248)**proxima** Toledo, 2005:45**rufescens** Nonfried, 1894:139**rufofemorata** Linsley, 1935:79**sallaei** Bates, 1885:255**sinaloae** Linsley, 1935:145**sthenias** Bates, 1892:152**subglabra** Linsley, 1935:142**subpicea** (White, 1853:109)**testacea** Linsley, 1935:144**tympanophora** Bates, 1885:255**unicolor** (Randall, 1838:42)**woodleyi** Lingafelter, 2008:363

wMexico (JA)-Belize

Mexico (CHS)

Mexico-El Salvador, Honduras

swUSA (TX)

USA (TX), Mexico (HI, PU, SLP, TA, VC)

Guatemala, Honduras

Mexico (GR, JA)

sMexico (CHS) - Guatemala

Costa Rica, Panama

eMexico (VC, QR)

wMexico (SI, JA)

El Salvador, Honduras

Honduras

Cuba, Bahamas

wMexico (JA)

wMexico (JA)

Guatemala

Nicaragua

wMexico (SO, SI, JA, MO)

wEcuador

swMexico (JA, GR)

cMexico (ME)

swMexico (CM, GR)

sMexico (OA)

eUSA

Guatemala, Honduras, Mexico (CHS)

nwBrasil (AM)

cMexico (ME)

swUSA (TX), Mexico, Costa Rica (GU)

wMexico (SI)

swMexico (JA, GR)

Panama

Honduras, Nicaragua, Costa Rica

Guatemala-Panama, Fr Guiana

eMexico (VC), Guatemala, Honduras

eUSA-TX

R Dominicana

**Psyrassaforma** Chemsak, 1991:473**janzeni** Chemsak, 1991:475**nitida** Chemsak, 1991:474

Costa Rica

seMexico (VC, QR, GR)- Honduras



**Rhomboidederes** Zajciw, 1963:278*Moureana* Zajciw, 1967:529**iuba** Galileo & Martins, 2010:386**minutus** Napp & Martins, 1984:132**ocellicollis** Zajciw, 1963:279**ravidus** (Gounelle, 1909:639)*reticulicollis* Zajciw, 1963:280**unicolor** (Zajciw, 1967:529)

Bolivia (SC)

Guianas, nBrasil (PA), Colombia, Bolivia (SC)

eBrasil (ES)

eBrasil (GO, ES-RS), Uruguay

nBrasil (PA)

**Romulus** Knull, 1948:82**globosus** Knull, 1948:83

seUSA (FL)

**Sphaerioeme** Martins & Napp, 1992:473**rubristerna** Martins & Napp, 1992:474

Surinam, Brasil (MA, MT, GO, MG, SP, PR)

**Sphaerion** Audinet-Serville, 1834:68*Sphoerion* Thomson, 1864:244**cyanipenne** Audinet-Serville, 1834:68**extutum** (Newman, 1841:93)*ducale* Bates, 1870:272*dubius* Lane, 1951:1**inermis** White, 1853:108*myrrheum* Gounelle, 1909:637**lentiginosum** Berg, 1889:119**rusticum** Burmeister, 1865:167**sladeni** Gahan in Gahan & Arrow, 1903:253

eBrasil (PB-SC), Paraguay, Bolivia (SC)

swUSA (TX)?, Mexico (CHS) - Argentina

Brasil, Bolivia (BN, SC), Argentina, Uruguay,  
Paraguay

nArgentina (CO), Uruguay, Bolivia (SC)

Argentina, Uruguay

ecBrasil (GO, MA, MT), Bolivia (SC)

**Sphaerionillum** Bates, 1885:256**castaneum** Chemsak & Linsley, 1967:42**pictum** Bates, 1885:256**quadrisignatum** Bates, 1885:257

sMexico (OA)-Guatemala

eMexico (VC, QR, CHS), Guatemala

eMexico (VC)

**Stenelaphus** Linsley, 1936:477**alienus** (LeConte, 1875:173)

swUSA (AZ, NM), Mexico

**Stenosphenus** Haldeman, 1847:39*Stenosphenopsis* Linsley, 1935:95**beyeri** Schaeffer, 1905:163**bivittatus** Giesbert & Chemsak, 1989:276**cordovanus** Giesbert & Chemsak, 1989:293**cribripennis** **cribripennis** Thomson, 1861:372subsp. **novatus** Horn, 1885:178*lucanus* Casey, 1912:346**debilis** Horn, 1885:179*comus* Bates, 1892:169*pruddeni* Casey, 1912:346*aridus* Linsley, 1935:166*nigricornis* Fisher, 1946:90**dolosus** Horn, 1885:179*longicollis* Casey, 1891:34*castaneus* Casey, 1924:269**gaumeri** Bates, 1892:169**insulicola** Fisher, 1942:24**langurioides** **langurioides** Bates, 1885:313*langurioides* Aurivillius, 1912:443*nitidicollis* Linsley, 1935:95subsp. **wappesi** Giesbert & Chemsak, 1989:283

swUSA (AZ, NM)

sMexico (CHS, TB, QR), Guatemala, Honduras

wMexico (JA, OA, SI, MI)

Mexico, Honduras, Costa Rica (GU)

Mexico (BC)

swUSA (CA-UT), nMexico (BC, DU)

swUSA (TX), Mexico (CO, NL, SLP, TA, VC)

seMexico (YU, QR)

Cuba

Mexico-Costa Rica

seMexico (CHS, QR), Nicaragua

- lineatus lineatus** Bates, 1885:313  
 subsp. **costaricensis** Giesbert & Chemsak, 1989:285  
**lugens** LeConte, 1862:41  
*hirsutipennis* Bates, 1872:191  
**maccartyi** Giesbert & Chemsak, 1989:289  
**notatus** (Olivier, 1795:61)  
*deflendum* Newman, 1840:6  
*discoideus* Sturm, 1826:199  
*discicollis* Dejean, 1835:330  
*pinorum* Casey, 1924:268  
**ochraceus ochraceus** Bates, 1872:190  
 subsp. **sexlineatus** Bates, 1892:169  
**penicilliventris** Giesbert & Chemsak, 1989:292  
**proruber** Giesbert & Chemsak, 1989:280  
**protensus** Bates, 1880:66  
**rubidus** Linsley, 1935:94  
**rufipes** Bates, 1872:191  
*sublaevicollis* Bates, 1892:168  
**sobrius** (Newman, 1840:30)  
*sobrinus* Fisher, 1946:94  
*amabile* Newman, 1841:112  
*subtilis* Bates, 1880:66  
*lepidus* Horn, 1885:179  
*basicornis* Linsley, 1934:60  
*arizonicus* Linsley, 1935:165  
*blairi* Linsley, 1935:94  
*rossi* Linsley, 1942:45  
*piceus* Knull, 1947:253  
*texanus* Knull, 1947:254  
**suturalis** Bates, 1872:191  
**trispinosus** Bates, 1872:191  
*ebeninus* Bates, 1872:234  
*erythroderus* Bates, 1885:313  
**vitticollis** Bates, 1892:169
- Mexico (CHS), Guatemala  
 Costa Rica  
 swUSA (TX), Mexico (CHS,  
 NL, OA, SLP,TA, VC)  
 wMexico (JA, MI, GR, CM, OA)  
 eNAmer-TX
- Mexico-Costa Rica  
 seMexico (YU)  
 sMexico (CHS)  
 wMexico (JA, OA, GR)  
 Mexico-El Salvador  
 wcMexico (SI, JA, ME, NA, GR)  
 Mexico (CM, GR, JA, MO, NA, OA, PU, SI)
- swUSA (AZ, NM, TX)-Mexico (widely distributed),  
 Guatemala, Honduras
- seMexico (MI, PU, OA)  
 Mexico-Costa Rica
- sMexico (VC, CHS, TB), Guatemala, Honduras
- Stizocera** Audinet-Serville, 1834:107  
*Styzocera* Thomson, 1861:188  
*Nesostizocera* Linsley, 1961:170  
*Nephalius* Lacordaire, 1869:188 (part) (not Newman, 1841)  
*Castiale* Pascoe, 1866:480  
**armata** Audinet-Serville, 1834:107  
**armigera** (White, 1853:107)  
**asyka** Galileo & Martins, 2004:326  
**atiaia** (Martins & Napp, 1983:89)  
**bisignata** Zajciw, 1958:237  
**boyi** Melzer, 1927:562  
**caymanensis** Fisher, 1941:114  
**consobrina** Gounelle, 1909:642  
**curacaoae** Gilmour, 1968:139  
*rugulosa* Galileo & Martins, 2000:160  
**daudini** Chalumeau & Touroult, 2005:751  
**debilis** Galileo & Martins, 2010:33  
**delicata** Lingafelter, 2004:2  
**diversispinis** Zajciw, 1962:197  
**dozieri** (Fisher, 1947:33)  
**elegantula** (Perroud, 1855:381)  
*viridipennis* Pascoe, 1866:480  
**evanescens** Vitali, 2011: 340  
**floridana** Linsley, 1949:154  
**fragilis** (Bates, 1870:274)
- seBrasil (BA-RS, MS), Argentina, Bolivia (SC)  
 seBrasil (ES-SC)  
 Paraguay  
 eBrasil (ES)  
 wcBrasil (AM, PA, RO)  
 wcBrasil (AM, RO), eEcuador, Bolivia, Paraguay  
 W Indies (Cayman Is)  
 eBrasil (GO, MA, BA-RS)  
 Curaçao, Colombia
- Martinique  
 Brasil (BA)  
 Bolivia (SC)  
 seBrasil (ES, RJ)  
 Haiti  
 eBrasil (GO, MT-RJ), Paraguay
- Dominican Republic (fossil)  
 seUSA (FL)  
 seBrasil (RJ-SC), Bolivia (SC)

- geniculata** (Pascoe, 1866:479)  
**horni** Melzer, 1923:6  
**howdeni** Gilmour, 1963:87  
**ichilo** Lingafelter, 2004:6  
**insolita** Gilmour, 1968:141  
**insulana** (Gahan, 1895: 106)  
*punctiventris* Cazier & Lacey, 1952:25  
**jamaicensis** Vitali, 2007:46  
**jassuara** (Martins & Napp, 1983:89)  
**juati** Martins & Napp, 1983:87  
**kawensis** Galileo & Martins, 2009:146  
**laceyi** Linsley, 1934:234  
**lissonota** (Bates, 1870:274)  
**longicollis** Zajciw, 1963:277  
**meinerti** (Aurivillius, 1900:409)  
*tricolor* Gounelle, 1909:644  
**melanura** (Erichson in Schomburg, 1848:572)  
**mojuba** Martins & Napp, 1983:85  
**nigroapicalis** Fuchs, 1961:6  
**nigroflava** Zajciw, 1965:88  
**pantonyssoides** Zajciw, 1968:540  
**phtisica** Gounelle, 1909:643  
**plicicollis** (Germar, 1824:506)
- plumbea** Gounelle, 1909:645  
**poei** (Guérin-Méneville, 1838:284)  
*var. conspicillata* Gounelle, 1909:644  
**punctatissima** Martins, 2005:190  
**rugicollis** (Guérin-Méneville, 1844:233)  
**seminigra** Martins & Napp, 1983:84  
**spinicornis** (Fairmaire, 1864:274)  
*spiniformis* Bruch, 1912:191  
**sublaevigata** Zajciw, 1962:198  
**submetallica** (Chemsak & Linsley, 1968:29)  
**suturalis** (Martins & Napp, 1992:464)  
**tristis** (Guérin-Méneville, 1844:233)  
**vanzwaluwenburgi** Fisher, 1932:46)  
**wagneri** (Gounelle, 1913:21)
- Terpnissa** Bates, 1867:25  
**listropterina** Bates, 1867:25
- Trichophoroides** Linsley, 1935:139  
*Eutrichophoroides* Linsley, 1961:174  
*Neotrichophoroides* Linsley, 1961:179  
**albisparsus** (Bates, 1872:175)  
**aurivillii** (Linsley, 1961:179)  
**decipiens** (Bates, 1880:26)  
**dozieri** (Fisher, 1932:38)  
**jansoni** (Bates, 1885:252)  
**niveus** Linsley, 1935:140  
**pilicornis** (Fuchs, 1961:1)  
**signaticolle** (Chevrolat, 1862:261)  
**variolosum** (Fisher, 1947:32)
- Tropimerus** Giesbert, 1987:359  
**cyaneus** Giesbert, 1987:360  
**hovorei** Giesbert, 1987:360
- Venezuela, Brasil  
seBrasil (SP, PR)  
Trinidad  
Bolivia (SC)  
Curaçao  
Cuba, Jamaica, Bahamas
- Jamaica  
seBrasil (ES, RJ)  
eBrasil (MG-RJ), Bolivia (SC)  
Fr Guiana  
Guatemala, Belize  
Panama, cBrasil, Fr Guiana, Bolivia (BN, SC)  
seBrasil (ES, RJ)  
Venezuela, ecBrasil (GO, MT, MA-SP),  
Paraguay, Bolivia (SC)  
Guyana, Fr Guiana  
seBrasil (ES-SP)  
nBrasil (RR), Fr Guiana  
nArgentina (SA)  
eBrasil (ES), eEcuador  
eBrasil (GO, BA-SP)  
Mexico-Argentina, ecBrasil )MA), Uruguay,  
Bolivia (SC)  
ecBrasil (GO, MA), Bolivia (SC)  
Cuba, Costa Rica (PA), Panama, Colombia,  
Venezuela,, Brasil, Bolivia (SC), Fr Guiana  
seBrasil (MG)  
Nicaragua-Colombia  
eBrasil (BA)  
ncArgentina (SE-SL)
- eBrasil (PB-RJ), Bolivia (SC)  
wMexico (SI-CHS), Guatemala  
wEcuador, Peru  
cBrasil (RO, GO, MT, SP), Bolivia (SC), Argentina  
Puerto Rico, Virgin Is. (St. Croix)  
Argentina, Paraguay
- sMexico (CHS), Costa Rica, Panama, eEcuador,  
Brasil, Bolivia (BN, LP, SC), Argentina, Fr Guiana
- wMexico (JA)-Costa Rica  
Panama  
wMexico (JA)-Nicaragua  
Haiti  
Honduras, Nicaragua, Costa Rica  
cMexico (MO)-Costa Rica  
seMexico (QR) - Honduras  
Cuba, Bahamas, Hispaniola  
Cuba
- sMexico (CHS)  
El Salvador, Costa Rica

**Urorcites** Thomson, 1878:21

**cribripennis** Thomson, 1878:22 Chile

**Eligmodermiini** Lacordaire, 1869:337**Acanthoibidion** Lane, 1959:17

**chevrolatii** (White, 1855:219) Venezuela  
*venezuelensis* Lane, 1959:18

**Alienus** Galileo & Martins, 2010:388

**curiosus** Galileo & Martins, 2010:388 Brasil (ES)

**Eligmoderma** Thomson, 1864:246

**aragua** Martins & Galileo, 2009:210 Venezuela  
**convexicolle** Aurivillius, 1923:441 Venezuela  
**ibidionoides** Thomson, 1864:247 Colombia  
*spinicolle* Aurivillius, 1923:441  
**lara** Galileo & Martins, 2012: 297 Venezuela  
**minuta** Martins & Galileo, 2009:211 Venezuela, Trinidad & Tobago  
**politum** Nonfried, 1895:310 Panama  
**trifasciatum** Aurivillius, 1923:440 Venezuela  
**ziczac** Nonfried, 1895:310 Panama

**Limozota** Pascoe, 1866:482

**virgata** Pascoe, 1866:482 Colombia, Venezuela

**Tucanti** Martins & Galileo, 2009:355

**plumicornis** Martins & Galileo, 2009:355 Venezuela

**Erlandiini** Aurivillius, 1912:12**Erlandia** Aurivillius, 1904:205

**inopinata** Aurivillius, 1904:206 Bolivia (SC), Paraguay, nArgentina (TU)  
*megacephala* Di Iorio, 1998:1  
**mexicana** Noguera & Chemsak, 2001:369 sMexico

**Eroschemini** Lacordaire, 1869:515**Tethlimmena** Bates, 1872:185

**aliena** Bates, 1872:185 Guatemala-Panama  
**basalis** Gahan, 1895:111 W Indies (St. Vincent)

**Eumichthini** Linsley, 1940:368**Eumichthus** LeConte, 1873:190

**oedipus** LeConte, 1873:190 wNAmer (Pacific Cst)  
 var. *ater* Hardy & Preece, 1927:188  
 var. *ruber* Hardy & Preece, 1927:188  
*funerbrus* Van Dyke, 1920:34  
*malkini* Fisher, 1942:51

**Poecilobrium** Horn in LeConte & Horn, 1883:291

**chalybeum** (LeConte, 1873:189)  
*rugosipenne* Linell, 1897:395  
*minutum* Casey, 1924:261  
*gibsoni* Hopping, 1931:234

wNAmer (Br Col, CA, CO-NM)

**Graciliini** Mulsant, 1839:99**Araeotis** Bates, 1867:26**fragilis** Bates, 1867:26

nBrasil (PA)

**Arauma** Martins & Napp 2007:191**incognita** Martins & Napp 2007:192

Brasil

**viridis** Martins & Napp 2007:191

Bolivia (SC)

**Caribbomerus** Vitali, 2003:11*Merostenus* White, 1855:244 (not Walker, 1837)**asperatus** (Fisher, 1932:52)

Haiti, Dominican Republic

**attenuatus** (Chevrolat, 1862:263)

W Indies

**brasiliensis** (Napp & Martins, 1984:57)

eBrasil (BA)

**charynae** (Micheli, 2003:192)

Puerto Rico

**decoratus** (Zayas, 1975:121)

Cuba, Dominican Republic

**elongatus** (Fisher, 1932:54)

Cuba, Dominican Republic

**exiguus** (Zayas, 1975:122)

Cuba

**howdeni** (Napp & Martins, 1984:56)

neMexico (NL)

**mexicanus** (Napp & Martins, 1984:55)

wcMexico (DU)

**picturatus** (Napp & Martins, 1984:57)

Jamaica

**productus** (White, 1855:244)

Jamaica

*tuberculatus* Fisher, 1942:15**similis** (Fisher, 1932:53)

W Indies (Antigua, Barbuda), Dominica

**Elaphopsis** Audinet-Serville, 1834:101**earinus** Martins & Napp, 1989:57

seBrasil (ES)

**rubidus** Audinet-Serville, 1834:101

seBrasil (ES, RJ)

**Gracilia** Audinet-Serville, 1834:81*Nothrus* Haldeman, 1847:43*Oesyophila* Bedel, 1894:156**minuta** (Fabricius, 1781:235)Europe, introduced in eUSA,  
Argentina and Uruguay*pygmaeum* Fabricius, 1792:323*picea* Fabricius, 1792:317*vini* Panzer, 1799:10*fuscus* Haldeman, 1847:43*approximata* Fairmaire, 1883:clix*obliquata* Horn, 1885:174*albanica* Csiki, 1931:278**Hypexilis** Horn, 1885:173**longipennis** Linsley, 1935:82

cMexico (ME)

**pallida** Horn, 1885:173

swUSA (TX), Mexico (NL)

**Lianema** Fall, 1907:85**tenuicornis** Fall, 1907:86

Mexico (BC)

**Parommidion** Martins, 1974:151**extricatum** Martins, 1974:152

ecBrasil (GO), Bolivia (SC), Paraguay

**inauditum** Napp & Martins, 1984:52

Argentina (CD, CA)

**Penichroa** Stephens, 1839:270*Exilia* Mulsant, 1863:131 (not Conrad, 1860)*Liagrica* Costa, 1855:59**fasciata** (Stephens, 1831:250)

Europe, Asia, n USA (NY, PA, ID)

*bipunctatum* Zoubkoff, 1833:336*fasciolatum* Krynicky, 1834:170*timidum* Ménétries, 1832:288*champlaini* Knull, 1941:695**Perigracilia** Linsley, 1942:48**delicata** Knull, 1942:225

swUSA (AZ)

**tenuis** Linsley, 1942:49

Mexico (BC)

**Hesperophanini** Mulsant, 1839:61**Subtribe Hesperophanina** Mulsant, 1839:61**Alastos** Napp & Martins, 1982:358**batesi** (Pascoe, 1888:493)

Costa Rica-eEcuador, Venezuela, Bolivia (SC)

*improvisus* Moxey, 1965:241**pascoei** Martins & Galileo, 1999:97

Bolivia (LP), Ecuador

**Anatinomma** Bates, 1892:150**alveolatum** Bates, 1892:151

Mexico (SLP, VC, TB, CHS), Guatemala, Honduras

**bispinosum** Aurivillius, 1916:337

Mexico (PU) - Panama

**brevicornis** Fisher, 1944:1

Guatemala - Costa Rica

**insularis** Chemsak & Linsley, 1964:217

seMexico (Cozumel I.)

**Anoplomerus** Guérin-Méneville, 1844:224**buqueti** Belon, 1890:ix

eBrasil, Paraguay, Argentina, Uruguay

**globulicollis** Buquet, 1860:625

Fr Guiana, nBrasil (AP, PA)

*gracilis* Bates, 1870:260**rotundicollis** Guérin-Méneville, 1844:224

seBrasil (ES-PR), Paraguay, Argentina, Bolivia (SC)

**Austranoplium** Chemsak & Linsley, 1963:209**concolor** Chemsak & Linsley, 1963:210

sMexico (OA, YU)

**Austrophanes** Chemsak & Linsley, 1963:218**robustum** Chemsak & Linsley, 1963:218

swMexico (JA, OA)

**Brittonella** Fisher, 1932:7**chardoni** Fisher, 1932:8

Puerto Rico

**Brothylus** LeConte, 1859:80**conspersus** LeConte, 1859:285

wUSA (CA, OR)

**gemmulatus** LeConte, 1859:80

wUSA (OR, UT)-wMexico (SI)

*castaneus* Casey, 1924:253*consors* Casey, 1924:254*longicollis* Casey, 1924:254**Cacophrissus** Bates, 1885:252*Knullanoplium* Linsley, 1957:16**maculipennis** Chemsak & Linsley, 1963:221

swMexico (GR)

- pauper** Bates, 1885:252  
*subpubescens* Schaeffer, 1909:100  
*duncani* Knull, 1927:117  
*insoletum* Linsley, 1942:43  
**pubescens** Chemsak & Linsley, 1963:220
- Catoptronotum** Zajciw, 1959:610  
**bipenicillatum** Zajciw, 1959:611
- Cetimaïque** Martins & Galileo, 1999:72  
**trinodosa** Martins & Galileo, 1999:74
- Corupella** Martins & Napp 2007:191  
**asperata** Martins & Napp 2007:191
- Dubiefostola** Tavakilian & Monné, 1991:161  
**auricollis** Tavakilian & Monné, 1991:161
- Eucrossus** LeConte, 1873:174  
**villicornis** LeConte, 1873:175  
*phoenicis* Casey, 1924:249
- Eusapia** Gounelle, 1909:687  
**amazonica** (White, 1855:240)  
*rubiginosa* Gounelle, 1909:688  
**guyanensis** Huedepohl, 1988:526  
**matogrossensis** Huedepohl, 1988:525
- Grammicosum** Blanchard in Orbigny, 1846:209  
**flavofasciatum** Blanchard in Orbigny, 1847:209
- Haplidus** LeConte, 1873:175  
**glabricollis** Chemsak & Linsley, 1964:218  
**laticeps** Knull, 1941:317  
**mandibularis** Chemsak & Linsley, 1963:229  
**nitidus** Chemsak & Linsley, 1963:228  
**parvulus** Chemsak & Linsley, 1963:230  
**pubescens** Chemsak & Linsley, 1964:219  
**testaceus** LeConte, 1873:176  
*breviceps* Casey, 1924:250
- Hesperanoplium** Linsley, 1957:18  
**antennatum** (Linsley, 1932:115)  
**notabile** (Knull, 1947:72)
- Hespereburia** Tavakilian & Monné, 1991:166  
**balouporum** Tavakilian & Monné, 1991:168  
**blancheti** Dalens & Tavakilian, 2009:4  
**brachypa** (Bates, 1870:260)
- Hesperophanes** Dejean, 1835:328  
*Anoplium* Haldeman, 1847:34  
*Trichoferus* Wollaston, 1854:427  
*Stromatium*; LeConte, 1873:301 (not Audinet-Serville, 1834)  
**pubescens** (Haldeman, 1847:34)
- swUSA (AZ), wMexico (BC, SI)
- swMexico (OA)
- seBrasil (MG, RJ, PR)
- eBrasil (ES)
- Brasil (SC, RJ)
- Fr Guiana, cBrasil (MT)
- swUSA -Mexico (SO, CHA), Mexico (BC)
- eBrasil (PA, GO, MA-ES), Fr Guiana, Surinam,  
Bolivia (LP, SC), Paraguay  
Fr Guiana, Brasil (AM, PA), Colombia  
cBrasil (MT)
- Chile, sArgentina (RN-SC)
- sMexico (CHS)  
swUSA (TX), Mexico  
scMexico (PU)  
cMexico (MO)  
cMexico (ZA)  
wcMexico (DU)  
wUSA (CA, AZ, NM)
- wUSA (CA)  
wUSA (CA)
- Fr Guiana  
French Guiana  
nBrasil (PA), Fr Guiana, Bolivia (BN)
- eNAmer

**Hesperophanoschema** Zajciw, 1970:263  
**hirsutum** Zajciw, 1970:264

eBrasil (ES)

**Hesperophymatus** Zajciw, 1959:613  
**chydaeus** Martins & Monné, 1975:277  
**limexylon** Zajciw, 1959:614

nArgentina (SA), Bolivia (SC)  
 seBrasil (RJ)

**Heteraneflus** Chemsak & Linsley, 1963:226  
**castaneus** Chemsak & Linsley, 1963:227

seMexico (QR)

**Limernaea** Thomson, 1878:20  
*Lymernaea*; Thomson, 1878:21  
**picta** Thomson, 1878:21

Brasil

**Liosteburia** Tavakilian & Monné, 1991:158  
**bleuzeni** Tavakilian & Monné, 1991:158

Fr Guiana, nwBrasil (AM)

**Liostola** Zajciw, 1962:241  
**nitida** Zajciw, 1962:242

Fr Guiana, Brasil (AM, AP, RO, MT), eEcuador

**Malobidion** Schaeffer, 1908:336  
**auricome** Chemsak & Linsley, 1963:211  
**brunneum** Schaeffer, 1908:337  
*uteanum* Casey, 1924:258  
*palpalis* Linsley, 1932:114  
**grande** Chemsak & Linsley, 1963:211

seMexico (YU) - Honduras  
 wUSA (UT, AZ), Mexico (SO)

Mexico (OA) - Honduras

**Meganoplium** Linsley, 1940:258  
**imbelle** (LeConte, 1881:27)

swUSA (CA), Mexico (BC)

**Megosmidus** Hovore, 1988:5  
**tuberculatus** Hovore, 1988:6

Mexico (BC)

**Nesophanes** Chemsak, 1967:184  
**fulgidum** Chemsak, 1967:184

Bahamas

**Ochrus** Lacordaire, 1869:225  
*Jabaquara* Lane, 1956:1  
*Eurymeropsis* Zajciw, 1960:397  
**chapadense** Napp & Martins, 1982:367  
**duplicatus** Napp & Martins, 1982:368  
**grammoderus** Lacordaire, 1869:225  
*fuscofasciata* Zajciw, 1960:398  
**ornatus** (Fisher, 1935:189)  
**tippmanni** (Lane, 1956:1)  
*bucki* Fuchs, 1961:5  
**trifasciatus** Dalens & Touroult, 2011:333

cBrasil (MA, MT)  
 cBrasil (PA, MT)  
 Fr Guiana, Surinam, ncBrasil (AM, PA), eEcuador

W Indies (Guadeloupe, St. Lucia)  
 seBrasil (ES-RS)

Fr Guiana

**Oraphanes** Chemsak & Linsley, 1984:283  
**binotatum** Chemsak & Linsley, 1984:284

wMexico (CM)

**Osmidus** LeConte, 1873:177  
**guttatus** LeConte, 1873:178  
*obscorellus* Casey, 1924:255  
*vestitus* Casey, 1924:255

swUSA (CA, AZ, NV), wMexico (BC, OA, SO)



- Paracorupella** Martins & Galileo 2009:529  
**pallida** Martins & Galileo 2009:530  
 Venezuela
- Paraliostola** Tavakilian & Monné, 1991:163  
**durantoni** Tavakilian & Monné, 1991:164  
**nigramacula** Martins & Galileo 2010:588  
 Fr Guiana, cBrasil (AM, MT)  
 Brasil (RO)
- Parandraceps** Giesbert, 1998:75  
**turnbowi** Giesbert, 1998:75  
 R Dominicana
- Perilasius** Bates, 1880:17  
**brunneus** Franz, 1954:217  
**championi** Bates, 1880:18  
 Guatemala, El Salvador  
 sMexico (CHS)-Honduras
- Phrynocris** Bates, 1867:26  
**notabilis** Bates, 1867:26  
 cBrasil (AM, MA, PA, MT), Fr Guiana, Costa Rica,  
 eEcuador
- Phymatioderus** Blanchard in Orbigny, 1847:209  
**bizonatus** Blanchard in Orbigny, 1847:209  
 Chile, wArgentina (NE)
- Potiaete** Martins & Galileo, 1999:60  
**maculata** Martins & Galileo, 1999:61  
 eBrasil (ES)
- Stromatium** Audinet-Serville, 1834:80  
*Solenophorus* Mulsant, 1839:65  
**alienum** Pascoe, 1857:95  
**chilensis** Cerda, 1968:105  
**longicorne** (Newman, 1842:246)  
*asperulum* White, 1855:300  
**unicolor** Olivier, 1795:58  
*fulvum* Villers, 1789:256  
*inerme* Tournier, 1872:260  
*pallidum* Zoubkoff, 1833:336  
*platyfemur* Chevrolat, 1882: 57  
*strepens* Fabricius, 1798:150  
 eBrasil (ES)  
 Chile  
 Asia, introduced in USA  
 Europe, introduced in NAmer, Cuba, SAmer
- Thecladoris** Gounelle, 1909:616  
**tylonotoides** Gounelle, 1909:617  
 cBrasil (GO, MT)
- Tippmannia** Monné, 2006:180  
*Dolichopterus* Tippmann, 1953:335 (preoccupied by *Dolichopterus* Hall, 1859, Eurypterida)  
**bucki** Lane, 1973:112  
 Costa Rica, Panama, eEcuador, Brasil (MT),  
 Argentina (TU, LR), Bolivia (SC)  
**olivascens** Lane, 1973:113  
**rhamnusioides** Tippmann, 1953:337  
 eBrasil (MG, ES), Argentina (MI)  
 seBrasil (MG-SC)
- Trichoferus** Wollaston 1854:427  
**campestris** (Faldermann) 1835:435  
*flavopubescens* Kolbe, 1886:219  
*rusticus* Ganglbauer, 1887:133  
*turkestanicus* Heyden, 1886:193  
 Europe, Asia, Oriental, introduced Canada
- Tylonotus** Haldeman, 1847:37  
**bimaculatus** Haldeman, 1847:38  
**masoni** (Knull, 1928:11)  
 eNAmer-TX, AZ  
 eUSA

**Vilchesia** Cerda, 1980:63**valenciai** Cerda, 1980:63

Chile

**Xeranoplum** Linsley, 1957:15**bicolor** Chemsak & Linsley, 1963:224

swMexico (GR)

**flavofemoratum** Chemsak & Linsley, 1963:226

swMexico (GR)

**gracilis** (Fisher, 1932:43)

Cuba

**peninsulare** Chemsak & Linsley, 1963:223

Mexico (BC)

**pubescens** Chemsak & Giesbert, 1986:25

wMexico (JA)

**puncticollis** Chemsak & Linsley, 1963:224

wMexico (JA, CM)

**ruficollis** Chemsak & Linsley, 1963:225

scMexico (PU)

**tricallosum** (Knull, 1938:140)

wUSA (AZ, CO)

*gracile* Linsley, 1957:16**Zamodes** LeConte, 1873:187**obscurus** LeConte, 1873:188

eUSA (PA)

**Zathecus** Bates, 1867:26**graphites** Bates, 1867:26

cBrasil (AM, MT), Bolivia (SC), eEcuador

**Heteropsini** Lacordaire, 1869:121**Allodemus** Zajciw, 1962:200**centromaculatus** Zajciw, 1968:553

seBrasil (ES)

**tricolor** (Perty, 1832:91)

Brasil (PB-SP, MS), Paraguay, Uruguay,

*flavofasciatus* Zajciw, 1962:200

Argentina

**Alloesia** Chevrolat, 1862:761**bicolor** Waterhouse, 1880:488

eEcuador

**bivittata** Chevrolat, 1862:763

Venezuela

**chlorophana** Chevrolat, 1862:762

Costa Rica (PA), Panama, Colombia

var. *aeneipenne* Chevrolat, 1862:762var. *hilare* Chevrolat, 1862:762var. *nitidipenne* Chevrolat, 1862:762**vittata** (Fabricius, 1801:309)

Brasil

**Amoaba** Napp & Martins, 2006:35**plumosa** Napp & Martins, 2006:36

Ecuador

**Callideriphus** Blanchard in Gay, 1851:487*Callideryphus* Bruch, 1912:202**grossipes** Blanchard in Gay, 1851:487

Argentina (BA, CH, ER), sBrasil (BA, MG, ES, RJ, RS, SP), Bolivia (SC)

var. *brasiliensis* Melzer, 1923:10*rubricollis* Melzer, 1934:79subsp. **flavipennis** Melzer, 1934:78

sBrasil (SC, RS)

*signaticollis* Melzer, 1934:80m. *frontalis* Fuchs, 1961:8**tucumanus** Napp & Martins, 2002:128

Argentina (TU)

**Championa** Bates, 1880:69**aliciae** Noguera & Chemsak, 1997:2

Mexico (JA)

**aurata** Bates, 1880:69

Guatemala

**badeni** Bates, 1892:170

Mexico

**chemsaki** Martins & Napp, 1992:461

sMexico (CHS)

*bifasciata* Noguera & Chemsak, 1997:3**ctenostomoides** Bates, 1885:315

Mexico (VC, GR)

**elegans** Chemsak, 1967:45

wMexico (SI)

- suturalis** Chemsak, 1967:47  
**westcottii** Noguera & Chemsak, 1997:3
- Chrysoprasis** Audinet-Serville, 1834:5  
*Chrysoprasus* Perty, 1832:89
- aeneicollis** (Buquet in Guérin-Méneville, 1844:226)  
*ignicollis* Bates, 1870:417
- aeneiventris** Bates, 1870:416
- abyara** Napp & Martins, 1998:477
- airi** Napp & Martins, 1997:36
- atrata** Bates, 1872:190
- aurata** Aurivillius, 1910:164
- aureicollis** White, 1853:149  
*brevicornis* Bates, 1870:415
- aurigena** (Germar, 1824:496)  
*latemarginata* Zajciw, 1960:349
- auriventris auriventris** Redtenbacher, 1868:195  
*chrysogastra* Bates, 1870:416  
 subsp. **longipes** Aurivillius, 1910:163  
*chlorota* Gounelle, 1911:214
- basalis** Chevrolat, 1859:27
- beraba** Napp & Martins, 1997:20
- bicolor** (Olivier, 1790:258)  
*flavicollis* Martins, 1964:53
- bipartita** Zajciw, 1963:281
- catarina** Napp & Martins, 1998:489
- chalybea** Redtenbacher, 1868:195
- chevrolati** Lameere, 1884:108
- collaris** Chevrolat, 1859:27
- concolor** Redtenbacher, 1868:194  
*punctiventris* Bates, 1870:417
- cuiciuna** Napp & Martins, 1998:468
- dutreuxi** Lameere, 1884:108
- festiva** Audinet-Serville, 1834:7  
 var. *caerulescens* Gounelle, 1911:215
- globulicollis** Zajciw, 1958:252
- grupiara** Napp & Martins, 2009:76
- guerrerensis** Bates, 1892:167
- hirtula** White, 1853:150  
*jacintha* Bates, 1880:65  
*hirtula* Bates, 1872:190 (not White, 1853)
- hispidula** Bates, 1870:416
- hypocrita** Erichson, 1847:142  
*auronitens* Bates, 1870:411  
*bouchardi* Pascoe, 1866:292  
*sthenias* Bates, 1870:411  
 var. *chalybeomera* Aurivillius, 1910:170 *nomen nudum*  
 var. *leptosthenias* Bates, 1892:167
- ibaca** Napp & Martins, 1997:23
- icuará** Napp & Martins, 1998:470
- itaiuba** Napp & Martins, 1997:22
- linearis** Bates, 1870:417
- marta** Napp & Martins, 1999:151
- melanostetha** Bates, 1870:414
- moerens** White, 1853:150  
*floralis* Bates, 1870:415
- morana** Napp & Martins, 2009:79
- nana** Bates, 1870:414
- nigrina** Bates, 1870:417
- nigristernis** Zajciw, 1960:291
- Mexico (DU)  
 Mexico (PU, OA)
- Fr Guiana, nBrasil (PA)
- seBrasil, Argentina, Paraguay, Uruguay  
 Brasil (RO, AM, PA)  
 Bolivia (CQ), nArgentina (SA, TU)  
 Venezuela  
 sBrasil (RS), nArgentina (SA), Uruguay  
 Guianas, nBrasil (AM, PA), Colombia
- Brasil (MG, GO, MA-RS), Paraguay, Argentina,  
 Uruguay, Bolivia (SC)  
 seBrasil (ES-RS), Paraguay, Argentina
- eBrasil (BA,GO)
- eBrasil, Paraguay, Argentina, Bolivia (SC)  
 nBrasil (PA), Fr Guiana  
 eBrasil (BA, ES)
- ncBrasil (AM, PA), Fr Guiana  
 Brasil (SC)  
 eBrasil (PA, RJ, SP, MG)  
 Colombia  
 sBrasil (ES, MS)  
 seBrasil (GO, MG-RS), Paraguay, Argentina,  
 Uruguay, Bolivia (SC)  
 Venezuela  
 Venezuela  
 Costa Rica (LI), Panama, Fr Guiana, Brasil,  
 Bolivia (SC)  
 eBrasil (PB)  
 Brasil (RO)  
 swMexico (GR)  
 Nicaragua-Panama, Venezuela, eEcuador
- nwBrasil (AM)  
 Mexico-Uruguay, Bolivia (CO, LP, SC)
- wBrasil (RO)  
 Brasil (PA)  
 ncBrasil (AM, PA), Fr Guiana  
 seBrasil (BA-RS), Paraguay, Argentina  
 Colombia  
 ncBrasil (AM, PA)  
 ncBrasil (AM, PA, MA), Venezuela, Fr Guiana
- Bolivia (SC)  
 ncBrasil (PA), Fr Guiana  
 seBrasil (ES, RJ)  
 seBrasil (RJ)

**nitidisternis** Zajciw, 1960:350 (emended name)  
*nitidisternis* Zajciw, 1960:350 (error)

**nymphula** Bates, 1870:417

**obiuna** Napp & Martins, 1997:28

**pacifica** Napp & Martins, 1995:907

**para** Napp & Martins, 1998:483

**pilosa** Galileo & Martins, 2003:32

**piriana piriana** Napp & Martins, 1999:155

subsp. **margarita** Napp & Martins, 1999:159

**pitanga** Napp & Martins, 1999:159

**poticuara** Napp & Martins, 1997:19

**potiuna** Napp & Martins, 1997:19

**principalis** Napp & Martins, 2009:78

**punctulata** Bates, 1870:413

**quadrimaculata** Gounelle, 1913:419

**reticulicollis** Zajciw, 1958:254

**ritcheri** Gounelle, 1913:226

*aspericollis* Melzer, 1931:56

*parumbilobata* Zajciw, 1960:351

**rotundicollis** Bates, 1870:411

**rubricollis** Napp & Martins, 2006:36

**rugulicollis** Bates, 1870:417

**sapphirina** Gounelle, 1911:214

**seticornis** Bates, 1880:65

*sobrina* Bates, 1872:190 (not Bates, 1870)

**sobrina** Bates, 1870:415

**suturalis** Lameere, 1884:107

**suturella** White, 1853:149

**tendira** Napp & Martins, 1998: 470

**timapeba** Napp & Martins, 1997:25

**tobiuna** Napp & Martins, 1998: 482

**tybyra** Napp & Martins, 1998: 479

**valida** Bates, 1870:416

**variabilis** Zajciw, 1958:256

**viridis** Fisher, 1944:8

**vittata** Aurivillius, 1910:164

eBrasil (PB)

seBrasil (GO-RS), Argentina, Uruguay

nBrasil (MT)

wEcuador

Brasil (PA)

Colombia

Colombia

Venezuela

Venezuela

nBrasil (PA)

nBrasil (PA), Fr Guiana

Trinidad & Tobago (Trinidad)

ncBrasil (AM, MA, PA), Fr Guiana

Colombia

eBrasil (PB)

eBrasil (PB), Paraguay, nArgentina (SE, TU)

Costa Rica (CA), Panama, ncBrasil (AM),

Fr Guiana, Peru

Panama

seBrasil (RJ, SP)

ecBrasil (GO, MG, MS), Bolivia (CQ)

Nicaragua, Costa Rica

nwBrasil (AM), Bolivia (CO)

Venezuela

Colombia, Venezuela

Brasil (MG)

seBrasil (ES, RJ)

Bolivia (SC)

Brasil (MG), Bolivia (SC)

seBrasil (MS, ES, RJ, MG, SP, SC), Bolivia (CQ)

eBrasil (RN, PB, CE, PE)

Venezuela

Venezuela

## **Eburiola** Thomson, 1864:203

**geminata** (Fabricius, 1787:144)

*maculosus* Olivier, 1790:305

*erythrocephala* Thomson, 1864:203

Jamaica, R Dominicana

## **Eriphosoma** Melzer, 1922:10

**barbiellinii** Melzer, 1922:11

**bipartitum** (Buquet in Guérin-Ménéville, 1844:226)

var. *axillaris* Melzer, 1922:11

**jacobi** Fuchs, 1961:17

**marcela** Napp & Monné, 2006:232

**mermudes** Napp & Monné, 2006:232

seBrasil (RJ, SP)

seBrasil (MG-RJ)

Paraguay, Brasil (SC)

Brasil (ES)

Brasil (BA, MG)

## **Eryphus** Perty, 1832:91

**bipunctatus** (Perty, 1832:91)

*atricollis* Melzer, 1931:56

**bivittatus** (Melzer, 1934:77)

**carinatus** (Zajciw, 1970:265)

**carioca** Napp & Martins, 2002:87

**flavicollis** (Fisher, 1938:135)

**laetus** (Blanchard in Gay, 1851:488)

seBrasil (MG-RS), Paraguay, Argentina (MI)

Argentina (TU), Uruguay

seBrasil (RJ)

seBrasil (RJ)

sBrasil (SC, RS), Uruguay

Chile, sArgentina (RN-CT)

- picticollis** (Gounelle, 1911:216)  
 m. *quadripunctatus* Fuchs, 1961:8  
 m. *reductus* Fuchs, 1961:8  
**marginatus** (Zajciw, 1970:266)  
**transversalis** (Fairmaire & Germain, 1864:389)  
**tacuarembu** Napp & Martins, 2002:85
- Erythrochiton** Zajciw, 1957:305  
**jucundum** (Gounelle, 1913: 225)  
 ab. *dalessandroi* Prosen, 1947:256  
**nigrosignatum** Zajciw, 1957:307  
**rubronigrum** Napp & Santos, 1996:238  
**sellatum** (Buquet in Guérin-Méneville, 1844: 226)  
*plagiatus* White, 1855:293
- Erythropterus** Melzer, 1934:76  
**amabilis** Melzer, 1934:76  
**boliviensis** Clarke, 2007:155  
**cuissi** Napp & Monné, 2005:57  
**kochi** Clarke, 2007:156  
**urucuri** Martins & Galileo, 2004:229
- Eupempelus** Bates, 1870:401  
**illuminus** Mermudes & Napp, 2001:250  
**olivaceus** Bates, 1870:401  
**spinithorax** Mermudes & Napp, 2001:251
- Heterops** Blanchard, 1842:51  
**bicolor** Fisher, 1936:346  
**bipartitus** Lacordaire, 1869:128  
**cubaecola** Fisher, 1947:36  
**dimidiatus** (Chevrolat, 1838:283)  
*subangulata* Chevrolat, 1838:283  
**duvali** Fisher, 1947:35  
*lanieri* Jacquelin du Val, 1857:263 (not Chevrolat, 1838)  
**hispaniolae** Fisher, 1932:72  
**lanieri** (Chevrolat, 1838:283)  
*lasnieri* Chevrolat, 1862:264  
**loreyi** (Duponchel, 1837:309)  
**robusta** Cazier & Lacey, 1952:43
- Homogenes** Thomson in Chevrolat, 1862:751  
**albolineatus** (Buquet in Guérin-Méneville, 1844:226)  
**leprieurii** (Buquet in Guérin-Méneville, 1844:226)  
*thoracicum* White, 1853:111  
*rubricolle* Bates, 1870:410  
**mimus** Napp & dos Santos, 1996:433  
**rubrogaster** Napp & dos Santos, 1996:434
- Mallosoma** Audinet-Serville, 1834:68  
**piptadeniae** Giacomel, 1976:2  
**scutellare** White, 1853:110  
**zonatum** (Sahlberg, 1823:52)  
*vinculatus* Germar, 1824:501  
*elegans* Audinet-Serville, 1834:69  
*fuligineum* Newman, 1840:7
- eBrasil (GO, RJ, PA, RS), neArgentina (MI)
- seBrasil (SP)  
 Chile  
 Uruguay
- Argentina, Uruguay
- seBrasil (ES, RJ)  
 eBrasil (MG, ES)  
 seBrasil (MG-RS), Paraguay, Argentina
- seBrasil (ES-RS), Paraguay, Argentina  
 Bolivia (SC)  
 Brasil (RO)  
 Bolivia (SC)  
 Venezuela
- Bolivia (LP, SC)  
 nwBrasil (AM)  
 eEcuador
- Cuba  
 Cuba  
 Cuba  
 seUSA (FL), Bahamas, Cuba
- Cuba
- Hispaniola  
 Cuba
- Cuba  
 Bahamas
- eBrasil (BA, RJ)  
 Fr Guiana, cBrasil (AM, MT, GO), Peru
- w Brasil (RO)  
 w Brasil (RO, MT)
- seBrasil (SP-SC)  
 Fr Guiana, ncBrasil (AM, MA), Peru  
 Brasil (GO, MT, PE-RS), Paraguay,  
 Argentina, Uruguay, Bolivia (SC)

- Monneclles** Napp & dos Santos, 1999:281  
**apollinari** (Gounelle, 1913:420) Costa Rica, Panama, Colombia
- Neopoeciloderma** Monné & Martins, 1981:186  
*Poeciloderma* Jacquelin du Val in Sagra, 1857:267 (not White, 1853)  
**lepturoides** (Jacquelin du Val in Sagra, 1857:267) Cuba, Hispaniola
- Plectrocerum** Dejean, 1835:330  
**cribratum** Sallé, 1856:689 R Dominicana  
**spinicorne** (Olivier, 1795:68) Haiti, Bahamas
- Poeciloderma** White, 1853:122  
*Olbius* Thomson, 1864:204  
**sexfasciatum** (Olivier, 1790:265) Jamaica, R Dominicana  
*quadrifasciatus* Schoenherr, 1817:460
- Potisangaba** Napp & Martins, 2009:73  
**panama** Napp & Martins, 2009:75 Panama
- Pseudothonalmus** Guerrero in Lingafelter & Micheli, 2004:43  
**divisus** (Chevrolat, 1858:210) Cuba  
**major** (Gahan, 1895:117) Jamaica  
**terminalis** (White, 1853:123) Jamaica  
**woodleyi** Lingafelter, Micheli & Guerrero, 2004:44 Puerto Rico
- Purpuricenopsis** Zajciw, 1968:551  
**humeralis** Zajciw, 1968:552 seBrasil (ES)
- Stratone** Thomson, 1864:335  
*Paracalydon* Zajciw, 1961:219  
**aurantia** Galileo & Martins, 1992:60 Paraguay  
**rufotestacea** Thomson, 1864:336 Fr Guiana, nwBrasil (AM)  
**transversalis** (Chevrolat, 1862:752) Fr Guiana, ncBrasil (PA)  
*succinctum* Zajciw, 1961:220
- Tacyba** Napp & Martins, 2002:90  
**tenuis** (Blanchard in Gay, 1851:489) Chile, sArgentina (CT, RN)  
*clathratus* Fairmaire & Germain, 1860:5  
*niger* Philippi & Philippi, 1864:383  
*testaceicornis* Fairmaire & Germain, 1859:505  
*maculata* (Cerdeña, 1988:69)
- Tobipuranga** Napp & Martins, 1996:201  
**auricollis** (Dalman in Schoenherr, 1817:156) Guianas, ncBrasil (PA)  
*nigriventris* Bates, 1870:413  
**auripes** (Bates, 1870:413) cBrasil (AM, PA), eEcuador  
**belti** (Bates, 1872:190) Nicaragua-Panama  
**chlorogaster** (Aurivillius, 1910:165) Fr Guiana  
**igne** (Bates, 1870:413) Fr Guiana  
**longicornis** (Bates, 1870:412) Peru, nwBrasil (AM), eEcuador  
*frontalis* Kirsch, 1875:286  
**ruficoxis** (Bates, 1870:412) Peru, Bolivia (LP, SC), eEcuador, cBrasil (AM-MT)  
**ybyra** Napp & Martins, 1996:205 Brasil (PA, RO, MT, GO, SP)

**Trichrous** Chevrolat, 1858:210

<b>basalis</b> (White, 1853:122)	Jamaica
<b>bicolor</b> (Sallé, 1856:687)	R Dominicana
<b>brevicornis</b> Zayas, 1975:148	Cuba
<b>dimidiatipennis</b> (Chevrolat, 1838:282)	Cuba, Bahamas
<b>fisheri</b> Monné & Giesbert, 1992:251	Hispaniola
<i>bicolor</i> Fisher, 1932:70 (not Sallé, 1856)	
<b>irroratus</b> (Olivier, 1795:70)	Cuba, Hispaniola
<b>jaegeri</b> Chevrolat, 1858:211	R Dominicana
<b>jamaicensis</b> Chevrolat, 1858:211	Jamaica
<b>lineolatus</b> (White, 1853:122)	Jamaica
<i>leucogrammus</i> White, 1855:294	
<b>nigripes</b> Fisher, 1942:21	R Dominicana
<b>pilipennis</b> Chevrolat, 1862:262	Cuba, Bahamas
<b>prasinus</b> Cazier & Lacey, 1952:41	Bahamas
<b>violaceipennis</b> Fisher, 1942:22	R Dominicana
<b>vittatus</b> Fisher, 1932:69	Cuba

**Unabiara** Napp & Martins, 2002:71

<b>collaris</b> (Philippi & Philippi, 1864:382)	Chile
<b>nigerrima</b> (Di Iorio, 2002:69)	Argentina

**Unatara** Martins & Napp 2007:195

<b>atinga</b> Martins & Napp 2007:196	Colombia
---------------------------------------	----------

**Hexoplonini** Martins, 2006:22**Calycibidion** Martins, 1971:1432

<b>multicavum</b> Martins, 1971:1433	eBrasil (BA)
<b>rubricolle</b> Galileo & Martins, 2010:4	Brasil (BA)
<b>turbidum</b> Napp & Martins, 1985:122	eBrasil (BA)

**Ctenoplon** Martins, 1967:60

<b>x-littera</b> (Thomson, 1865:575)	eBrasil (GO, MA, PE-RS), Bolivia (SC), Paraguay, Argentina
--------------------------------------	--

**Epacroplon** Martins, 1967:54

<b>armatipes</b> (Martins, 1962:280)	Bolivia (SC)
<b>cruciatum</b> (Aurivillius, 1899:262)	seBrasil (BA-RS), Paraguay, Argentina

**Glyptoceridion** Martins, 1959:270

<b>quincunx</b> (Thomson, 1867:162)	ncBrasil (AM, PA), Peru
-------------------------------------	-------------------------

**Glyptoscapus** Aurivillius, 1899:264

<b>bivittatus</b> Gounelle, 1909:660	eBrasil (MG)
<b>cicatricosus</b> Aurivillius, 1899:264	seBrasil (BA-PR)
<b>flaveolus</b> (Bates, 1870:285)	ncBrasil (AM, PA), eEcuador, Colombia
<b>pallidulus</b> (White, 1855:234)	Panama?, nBrasil (PA), Fr Guiana, Peru
<b>vanettii</b> Martins, 1959:270	Colombia, Peru, ecBrasil (GO), Bolivia (SC)

**Gnomidolon** Thomson, 1864:219

<b>amaurum</b> Martins, 1967:194	Peru
<b>analogum</b> Martins, 1967:192	seBrasil (ES, RJ)
<b>basicoeruleum</b> Martins, 1962:127	sMexico (CHS, QR)-Costa Rica
<b>bellulus</b> Martins, 2006:128	Bolivia
<b>bellus</b> Martins & Galileo, 2002:13	Colombia
<b>biarcuatum</b> (White, 1855:228)	Guianas, ncBrasil (AM), Colombia, Peru

- excelsum* Martins, 1962:274  
**bipartitum** Gounelle, 1909:661  
**bonsae** Martins, 1967:268  
**bordoni** Joly, 1991:17  
**brethesi** Bruch, 1908:204  
**cingillum** Martins, 1967:186  
**colasi** Martins, 1967:221  
**conjugatum** (White, 1855:231)  
*eganum* Bates, 1870:287  
**cruciferum** (Gounelle, 1909:659)  
**denticorne** Bates, 1892:155  
**elegantulum** Lameere, 1885:88  
*bituberculatum* Thomson, 1864:219 (not Audinet-Serville, 1834)  
**fraternum** Martins, 1971:1426  
**friedi** Clarke, 2007:258  
**fuchsi** Martins, 1971:129  
**gemuseusi** Clarke, 2007:261  
**glabratum** Martins, 1962:273  
**gounellei** Martins, 1967:295  
**gracile** (Gounelle, 1909:658)  
**grantsaui** Martins, 1967:234  
**guianense** (White, 1855:225)  
*meinerti* Aurivillius, 1900:410  
**hamatum** Linsley, 1935:479  
**humerales** Bates, 1870:287  
**ignicolor** Napp & Martins, 1985:126  
**incisum** Napp & Martins, 1985:127  
**insigne** Martins, 1967:180  
**insulicola** Bates, 1885:260  
*elegantulum* Aurivillius, 1900:410 (not Lameere, 1884)  
*piceicollis* Linsley, 1935:481  
*seabrai* Martins, 1960:2  
**laetabile** Bates, 1885:260  
**lansbergei** (Thomson, 1867:159)  
**longipenne** Martins, 1967:225  
**maculicorne** Gounelle, 1909:661  
**melanosomum** Bates, 1870:288  
*costaricense* Martins, 1962:272  
**meridanum** Napp & Martins, 1985:129  
**musivum** (Erichson, 1847:141)  
*subburneum* White, 1855:234  
*clymene* Thomson, 1867:161  
*confusum* Fisher, 1944:6  
**nanum** Martins, 1962:269  
**nigritum** Martins, 1967:188  
**nympha** Thomson, 1865:575  
**oeax** Thomson, 1867:160  
**opacicolle** Napp & Martins, 1985:124  
**ornaticolle** Martins, 1960:6  
**pallidicauda** Gounelle, 1909:662  
**parallelum** Clarke, 2007:257  
**peruvianum** Martins, 1960:5  
**picipes** Bates, 1870:287  
**picticorne** Martins, 1971:134  
**pictum** (Audinet-Serville, 1834:106)  
**pilosum** Martins, 1962:271  
**primarium** Martins, 1967:190  
**proseni** Martins, 1962:270  
**proximum** Martins, 1960:4  
eBrasil (GO, BA-SP), Bolivia (SC)  
Bolivia (SC)  
Venezuela  
cBrasil (GO, MT), Paraguay, Argentina  
wEcuador  
Peru  
Fr Guiana, Peru, ncBrasil (AM), Bolivia (SC),  
eEcuador, Colombia  
Peru, eBrasil (GO, PB, BA), Bolivia (SC)  
Panama  
eBrasil (GO, BA-RS), Paraguay, Argentina  
nBrasil (PA)  
Bolivia (SC)  
Bolivia (SC)  
Bolivia (SC)  
Colombia, nBrasil (PA)  
eBrasil (BA)  
cBrasil (GO, MT)  
Venezuela, Bolivia (SC), Paraguay  
Colombia, Venezuela, Guiana, Brasil  
Costa Rica, Panama  
Panama, Fr Guiana, Peru, nBrasil (PA)  
eBrasil (MG)  
Venezuela  
eBrasil (BA, ES)  
Panama, Colombia, Venezuela, Brasil (PA)  
Honduras-Panama  
Venezuela, Brasil (AM)  
Colombia  
ncBrasil (AM, GO), Fr Guiana  
Guatemala-Panama, nSAmer- eEcuador, Bolivia (SC)  
Venezuela  
Venezuela, eEcuador, Peru, ncBrasil (AM, MA),  
Guianas, Bolivia (SC)  
Bolivia (SC)  
wEcuador  
seBrasil (ES-RS)  
Guianas, Surinam  
wcBrasil (RO, MT)  
Panama, seBrasil (RJ-RS), Paraguay, Argentina  
Peru, Bolivia (BN, SC), Brasil (MA, AC-RS),  
Paraguay  
Bolivia (SC)  
Peru  
ncBrasil (AM, PA), Bolivia, Fr Guiana  
wEcuador  
eBrasil (GO-RS), Paraguay, Argentina, Bolivia (SC)  
nArgentina (TU)  
eBrasil (BA)  
Costa Rica?, cBrasil (MT), Bolivia (SC)  
Bolivia (SC), nArgentina (SA, JU)



**pubicollis** Joly, 1990:211  
**pulchrum** Martins, 1960:7  
**rubricolor** Bates, 1870:286  
     *pygmaeum* Martins, 1962:275  
**simplex** (White, 1855:230)  
     *dubium* Bates, 1870:290  
**sinopium** Martins, 2006:179  
**subfasciatum** Martins, 1967:184  
**suturale** (White, 1855:222)  
     *tricolor* Linsley, 1935:481  
**sylvarum** (Bates, 1892:155)  
**tomentosum** Martins, 1971:131  
**ubirajarai** Joly, 1990:174  
**varians** **varians** Gounelle, 1909:662  
     *micans* Fisher, 1937:146  
     *micans* var. *brunneicaudatum* Fisher, 1937:147  
     *addictum* Melzer, 1935:175  
**wappesi** Martins, 2006:178

### **Hexocycnidolon** Martins, 1960:27

**unoculum** (Bates, 1870:292)  
     *vulcani* Martins, 1960:27  
     *hylaeanum* Martins, 1962:134

### **Hexoplion** Thomson, 1864:219

*Gnomidolon* Lacordaire, 1869:330 (part)  
**affine** (Thomson, 1865:575)  
     *consanguineum* Aurivillius, 1899:261  
**albipenne** Bates, 1872:179  
     *colombianum* Martins, 1959:340  
**annulatum** Martins & Galileo, 2011:192  
**anthracinum** Martins, 1967:135  
**armatum** Aurivillius, 1899:263  
**bellulum** Galileo & Martins, 2010:387  
**bucki** Martins, 1967:106  
**calligrammum** Bates, 1885:259  
     *smithi* Bates, 1892:154  
**carissimum** (White, 1855:223)  
**cearense** Martins & Galileo, 1999:301  
**ctenostomoides** Thomson, 1867:162  
**eximium** Aurivillius, 1899:260  
**illumium** Napp & Martins, 1985:124  
**immaculatum** Galileo & Martins, 2009:161  
**integrum** Tippmann, 1960:118  
**juno** Thomson, 1865:575  
  
**leucostictum** Martins, 1959:343  
**longispina** Aurivillius, 1899:261  
**lucidum** Martins, 1962:267  
**navajasi** Martins, 1959:344  
     *eganum*; Linsley, 1935:480 (not Bates, 1870)  
**nigricolle** Gounelle, 1909:657  
**nigritarse** Aurivillius, 1899:262  
**nigropiceum** Martins, 1959:343  
**praetermissum** Bates, 1870:442  
     var. *simplex* Gounelle, 1909:657  
     *lanei* Martins, 1959:345  
**reinhardti** Aurivillius, 1899:262  
**rosalesi** Martins, 1971:1423

Venezuela  
 cBrasil (MT), Paraguay, Argentina  
 Panama, Venezuela, Colombia, Peru, ncBrasil (AM),  
 Bolivia (SC)  
 Guianas, ncBrasil (AM, PA)

Brasil (PA, MT)  
 Peru, ncBrasil (AM, PA), Bolivia (SC)  
 Panama, Colombia. Venezuela

seMexico (VC)-Honduras  
 eBrasil (ES)  
 Venezuela  
 Brasil (GO, MT, MG, SC, PB-RS), Paraguay,  
 Bolivia, Argentina, Uruguay

Bolivia, Brasil (RO)

ncBrasil (AM, PA), eEcuador, Fr Guiana, Peru

Brasil (MG-RJ)

Guatemala-Colombia, Venezuela

Bolivia (SC)  
 Peru  
 eBrasil (GO, MT, MG, SP)  
 Bolivia (SC)  
 eBrasil (BA-RJ)  
 Mexico-Honduras

Fr Guiana, cBrasil (MA), Peru, Bolivia (SC)  
 Brasil (CE)  
 seBrasil (BA-RS), neArgentina (MI)  
 eBrasil (MG, ES)  
 w Brasil (RO)  
 Ecuador  
 Bolivia (SC)  
 Brasil (GO, MT, BA-PR), Peru, Bolivia (SC),  
 Paraguay, Argentina  
 Colombia  
 seBrasil (RJ, SP)  
 wEcuador  
 Panama

cBrasil (PA, GO, MT)  
 eBrasil (PE-SC)  
 Paraguay  
 Colombia, Brasil (PA, GO, MT, PE-ES)

Peru, eBrasil (GO, BA-SP)  
 Venezuela

- scutellare** Napp & Martins, 1985:123  
**speciosum speciosum** Fisher, 1937:145  
 subsp. **ferruginosum** Martins, 1959:347  
**uncinatum** Gounelle, 1909:659  
**venus** Thomson, 1864:219
- Brasil (BA, MG)  
 seBrasil, Bolivia, Paraguay, Argentina  
 seBrasil (SP, PR)  
 Argentina, Brasil, Paraguay, Peru, Bolivia (SC)  
 Colombia, Fr Guiana
- Isostenygra** Martins & Galileo, 1999:315  
**monnei** Martins & Galileo, 1999:317
- Brasil (AM), Bolivia (SC)
- Neognomidolon** Martins, 1967:39  
**pereirai** (Martins, 1960:8)  
**poecilum** Martins, 1967:43
- seBrasil (SP)  
 eBrasil (MG)
- Notosphaeridion** Martins, 1960:153  
**brevithorax** (Martins, 1960:3)  
**scabrosum** (Gounelle, 1909:663)  
**umbrinum** Martins, 1971:1421  
**vestitum** Martins, 1960:154
- seBrasil (SP, PR), Argentina  
 ecBrasil, Bolivia (SC), Paraguay, Argentina  
 Venezuela  
 eBrasil (PB, BA)
- Ophtalmoplön** Martins, 1965:119  
**aurivillii** Martins, 1965:128  
**diversum** Martins, 1965:123  
**impunctatum** Martins, 1965:126  
**inermis** Martins, 1965:124
- seBrasil (RJ)  
 seBrasil (ES, RJ)  
 cBrasil (MT)  
 Guyana, Fr Guiana, cBrasil (MA, MT, RO),  
 Bolivia (SC)  
 eBrasil (BA)  
 Brasil (MA)  
 seBrasil (RJ)
- Pronoplön** Martins, 1967:317  
**rubriceps** (Gounelle, 1909:662)
- cBrasil (MA, GO, MT), Bolivia (SC), Paraguay
- Pseudoplön** Martins, 1971:1418  
**oculatum** Martins, 1971:1419  
**rasile** Napp & Martins, 1985:116  
**transversum** Napp & Martins, 1985:114
- eBrasil (BA, MG)  
 neBrasil (RN)  
 eBrasil (BA, MG)
- Spinoplön** Napp & Martins, 1985:119  
**bicolor** Napp & Martins, 1985:121  
**inusitatum** Napp & Martins, 1985:119  
**tutoia** Martins, 2006:190
- eBrasil (BA)  
 eBrasil (BA, MG)  
 Bolivia
- Stenygra** Audinet-Serville, 1834:95  
**angustata** (Olivier, 1790:252)  
*coarctatus* Fabricius, 1801:349  
**apicalis** Gounelle, 1911:225  
**brevispinea** Delfino, 1985:500  
**conspicua** (Perty, 1832:91)  
*tricolor* Audinet-Serville, 1834:97  
**contracta** Pascoe, 1862:355  
**cosmocera** White, 1855:221  
**euryarthron** Delfino, 1985:497  
**globicollis** Kirsch, 1889:38  
**histrio** Audinet-Serville, 1834:97  
*histrio nigrina* Franz, 1954:220  
**holmgreni** Aurivillius, 1908:5
- Guianas, ncBrasil (AM, PA)
- seBrasil (BA-SC), Argentina  
 Peru  
 nc,eBrasil (AM, PB-RS), Paraguay,  
 Argentina  
 eEcuador, nwBrasil (AM), Peru  
 Brasil, Peru, Bolivia (PN, SC), Paraguay, Argentina  
 Peru  
 Ecuador  
 Mexico - Costa Rica  
 ncBrasil (PA), Peru

- seabrai** Delfino, 1985:498  
**setigera** (Germar, 1824:516)
- Tapuruia** Lane, 1973:149  
**beebei** (Fisher, 1944:7)  
**felisbertoi** Lane, 1973:150  
**jolyi** Napp & Martins, 1985:118
- Tetraibidion** Martins, 1967:307  
**aurivillii** (Gounelle, 1909:656)  
*aeneonigrum* Fisher, 1937:147  
**concolor** Martins, 2006:210  
**ephimerum** Martins, 1967:312  
**sahlbergi** (Aurivillius, 1899:260)
- Tetroplon** Aurivillius, 1899:259  
**caudatum caudatum** Aurivillius, 1899:259  
subsp. **nigricornis** Bruch, 1926:340
- Trichoplon** Martins, 1967:66  
**extremum** (Martins, 1959:341)
- Uirassu** Martins & Galileo, 2010:438  
**beckeri** Martins & Galileo, 2010:439
- Holopleurini** Chemsak & Linsley, 1974:183
- Holopleura** LeConte, 1873:193  
**marginata** LeConte, 1873:194  
*helena* LeConte, 1873:194
- Hyboderini** Linsley, 1940:371
- Hybodera** LeConte, 1873:191  
**debilis** LeConte, 1874:66  
**tuberculata** LeConte, 1873:191
- Megobrium** LeConte, 1873:192  
**edwardsi** LeConte, 1873:193
- Pachymerola** Bates, 1892:161  
**mariaeugeniae** Noguera, 2005:68  
**ruficollis ruficollis** Giesbert, 1987:44  
subsp. **humeralis** Giesbert, 1987:47  
**toledo** Chemsak & Noguera, 1997:9  
**vitticollis** Bates, 1892:161  
**wappesi** Giesbert, 1993:143
- Pseudopilema** Linsley, 1940:373  
**hoppingi** (Van Dyke, 1920:36)
- Peru  
eBrasil (GO, BA-RS), Paraguay, Argentina, Bolivia (SC)
- Venezuela, Guianas, Brasil (AM), Ecuador  
ncBrasil (AM, PA), Fr Guiana, Bolivia (SC)  
Panama, Venezuela
- eBrasil (PE-RS, GO), Paraguay, Argentina, Bolivia (SC)  
Bolivia  
seBrasil (SP, SC)  
seBrasil (RJ)
- Peru, Brasil, Bolivia (SC), Paraguay, Argentina  
Bolivia, Argentina (SA, CD)
- eBrasil (PA, MG-RJ)
- Brasil (BA)
- wNAmer (Br Col-CA)
- wUSA (CA, OR)  
wNAmer (Pacific Cst)
- wUSA (CA)
- Mexico (OA)  
Mexico-El Salvador  
Costa Rica  
Mexico (CHS)  
swMexico (GR)  
Guatemala
- wUSA (CA)

**Hylotrupini** Zagajkevitch, 1991:67**Hylotrupes** Audinet-Serville, 1834:77

**bajulus** (Linnaeus, 1758:396)  
 var. *bullatus* Haldeman, 1847:36  
*inaequalis* Casey, 1924:233  
*latus* Casey, 1924:233  
*nematocerus* Casey, 1924:234  
*puncticollis* Casey, 1924:234  
*incertus* Casey, 1924:234  
*pedicellatus* Casey, 1924:235  
*minutus* Casey, 1924:235  
*caudata* Degeer, 1775:86  
*linneiana* Laicharting, 1784:69  
*livida* Mulsant, 1839:56  
*puella* Villa, 1833:36  
*similis* Marsham, 1802:335

Europe, introduced in eNAmer, sBrasil,  
 Argentina, Uruguay

**Ideratini** Martins & Napp, 2009:216**Ideratus** Thomson, 1864:183

*Beaveria* Lane, 1970:51

*Beaveriella* Napp & Martins, 2005:434

**cyanipennis** (Thomson, 1864:183)  
**nactus** (Lane, 1970:52)  
**sagdus** (Monné & Martins, 1972:76)  
**virginiae** (Dalens & Tavakilian, 2006:711)

Colombia  
 Brasil (RO, MG)  
 Brasil (MG, PA)  
 Fr Guiana

**Lissonotini** Swainson in Swainson & Shuckard, 1840:289, 291**Lissonotus** Dalman in Schoenherr, 1817:364

**andalgalensis** Bruch, 1908:218  
**biguttatus** Dalman in Schoenherr, 1817:159  
**bisignatus** Dupont, 1836:13  
**confinis** Aurivillius, 1915:325  
**corallinus** Dupont, 1836:11  
 m. *nigriventris* Fuchs, 1966:13  
**cruciatus** Dupont, 1836:8  
**ephippiatus** Bates, 1870:437  
**equestris** (Fabricius, 1787:153)  
*unidentatus* Olivier, 1795:20  
*cinctus* Panzer in Voet, 1798:2  
*cingulatus* Panzer in Voet, 1798:2  
*biserratus* Voet, 1806:29  
*shepherdi* Pascoe, 1859:16  
**fallax** Bates, 1870:436  
**flabellicornis** (Germar, 1824:504)  
**flavocinctus flavocinctus** Dupont, 1836:9  
 subsp. **multifasciatus** Dupont, 1836:10  
 subsp. **puncticollis** Bates, 1885:333  
*lucanus* Casey, 1912:317  
*multifasciatus* Leng, 1886:62 (not Dupont, 1836)  
**kuaiuba** Martins & Galileo, 2004:232  
**nigrofasciatus** Aurivillius, 1925:508  
**princeps** Bates, 1870:438  
**rubidus** White, 1853:63

Paraguay, wArgentina (CA, SE, ME)  
 Brasil  
 Brasil, Fr Guiana  
 ncBrasil (PA)  
 Panama, Colombia, Venezuela  
 Fr Guiana  
 nwBrasil (AM), Peru  
 Venezuela, Guianas, nBrasil (AM, PA), eEcuador  
 nwBrasil (AM), Bolivia (SC)  
 ec, seBrasil, Paraguay, Argentina, Bolivia (SC)  
 Bolivia, Colombia, Venezuela  
 Mexico (widely distributed)-Panama  
 swUSA (CA-TX), nMexico (BC)  
 Venezuela  
 Venezuela  
 Bolivia  
 ncBrasil (PA)

<b>rubripes</b> Tippmann, 1960:150	eBrasil (AL, BA)
<b>rugosus</b> Fuchs, 1958:53	Argentina
<b>simplex</b> Bates, 1870:438	nwBrasil (AM)
<b>spadiceus</b> Dalman, 1823:65	seBrasil (BA-RS), Paraguay, Argentina
<i>purpuratus</i> Germar, 1824:503	
<b>unifasciatus</b> Gory in Guérin-Méneville, 1831: pl 43, fig. 1	seBrasil (ES, RJ), Bolivia (LP, SC)
<i>abdominalis</i> Dupont, 1836:12	
<b>zellibori</b> Tippmann, 1953:331	ncBrasil (PA)

### **Luscosmodicini** Martins, 2003:30

#### **Luscosmodicum** Martins, 1970:47

<b>beaveri</b> Martins, 1970:48	Colombia, Brasil (MA, AM - SP)
---------------------------------	--------------------------------

### **Methiini** Thomson, 1861:5

#### **Coleomethia** Linsley, 1940:32

<b>australis</b> Hovore, 1987:14	swMexico (OA)
<b>bezarki</b> Galileo & Martins, 2009:162	Costa Rica (GU)
<b>chemsaki</b> Hovore, 1987:9	Mexico (BC)
<b>crnicornis</b> Hovore, 1987:11	wMexico (JA)
<b>mexicana</b> Chemsak & Linsley, 1964:161	ecMexico (HI)
<b>xanthocollis</b> (Knull, 1935:98)	swUSA (TX)
<i>evaniformis</i> Knull, 1937:306	

#### **Cyanomethia** Philips & Ivie, 1998:60

<b>pseudothonalmus</b> Philips & Ivie, 1998:60	W Indies (Virgin Is)
--	----------------------

#### **Methia** Newman, 1842:418

<i>Thia</i> Newman, 1840:18	
<i>Staphylinoeme</i> Gounelle, 1913:197	
<b>acostata</b> Linsley, 1940:287	swUSA (AZ)
<b>aestiva</b> Fall, 1907:86	wUSA (CA)
<i>mormona</i> Fall, 1901:151 (not Linell, 1896)	
<i>fragilis</i> Linsley, 1932:121	
<b>argentina</b> Bruch, 1918:20	nwArgentina (LR, CA)
<b>arizonica</b> Schaeffer, 1908:352	swUSA (AZ)
<b>batesi</b> Chemsak & Linsley, 1971:120	Mexico
<i>Callia</i> (?) Bates, 1885:425	
<b>bicolor</b> (Horn, 1885:196)	swUSA (TX)
<b>bicolorata</b> Linsley, 1962:34	Mexico
<i>bicolor</i> ; Linsley, 1935:72 (not Horn, 1885)	
<b>brevis</b> Fall, 1929:58	swUSA (AZ, CA), Mexico (BC)
<b>carinata</b> Linsley, 1940:289	swUSA (AZ)
<b>curvipennis</b> Chemsak & Linsley, 1965:143	swUSA (CA)
<b>debilis</b> (Horn, 1895:246)	Mexico (BC)
<b>dentata</b> Chemsak & Linsley, 1964:58	wcMexico (DU)
<b>dubia</b> Linsley, 1940:286	swUSA (AZ)
<b>dolichoptera</b> Lingafelter, 2010:26	Dominican Republic
<b>enigma</b> Martins, 1981:12	Paraguay
<b>falli</b> Martin, 1920:215	swUSA (CA)
<b>fischeri</b> Melzer, 1923:5	Brasil (ES-RS, MT), Paraguay
<i>incauta</i> Lane, 1939:73	
<b>flavicornis</b> Casey, 1924:257	swUSA (AZ)
<b>jamaicensis</b> Philips & Ivie, 1998:71	Jamaica
<b>juniperi</b> Linsley, 1937:64	swUSA (CA)
<b>knulli</b> Linsley, 1940:288	swUSA (AZ)
<b>lata</b> Knull, 1958:282	swUSA (TX)

- lineata** Linsley, 1935:72  
**longipennis** Martins, 1997:167  
**lycoides** Chemsak & Linsley, 1971:120  
**maculosa** Chemsak & Linsley, 1964:56  
**mormona** Linell, 1897:399  
*mormonica* Casey, 1924:257  
*delicata* Casey, 1924: 257  
**necydalea** (Fabricius, 1798:148)  
*pusilla* Newman, 1840:18  
*dejeanii* Haldeman, 1847:42  
*constricticollis* Schaeffer, 1908:351  
*impressicollis* Chemsak, 1966:211  
*insularum* Chemsak, 1966:210  
*pallida* Fisher, 1932:6  
*pulchra* Chemsak & Linsley, 1964:159  
*punctata* LeConte, 1873:240  
*rhizophorae* Chemsak & Feller, 1988:181  
**occidentalis** Chemsak & Linsley, 1964:59  
**pallidipennis** Linsley, 1942:32  
**picta** Linsley, 1942:29  
*separata* Linsley, 1942:30  
**robusta** Linsley, 1940:285  
**subarmata** Linsley, 1942:31  
**subvittata** Chemsak & Linsley, 1964:55  
**taina** Zayas, 1975:53  
**trium** Gilmour, 1968:100  
**tubuliventris** (Gounelle, 1913:198)  
**violaceipennis** Chemsak & Linsley, 1964:158  
**vittata** Chemsak & Linsley, 1964:57
- Methicula** Chemsak & Linsley, 1971:117  
**dimidiata** Chemsak & Linsley, 1971:118
- Paratessaropa** Zajciw, 1957:301  
**brachyptera** Zajciw, 1957:302
- Pseudomethia** Linsley, 1937:65  
**arida** Linsley, 1937:67
- Styloxus** LeConte, 1873:239  
*Idoemea* Horn, 1880:137  
*Malthopia* Casey, 1912:308  
*Malthopia* Casey, 1918:415  
**angelesae** Noguera, 2005:63  
**bicolor** (Champlain & Knull, 1922:145)  
*ruficeps* Van Dyke, 1927:100  
**fulleri fulleri** (Horn, 1880:138)  
*texana* Schaeffer, 1908:351  
subsp. **californicus** (Fall, 1901:256)  
*oculata* Casey, 1912:309  
**fuscus** Chemsak & Linsley, 1964:51  
**lucanus** LeConte, 1873:240  
**oblatipilis** Chemsak & Linsley, 1964:50  
**parvulus** Chemsak & Linsley, 1964:50
- cMexico (ME)  
eBrasil (MG)  
eMexico (n VC)  
ecMexico (HI)  
wUSA (AZ, NM, UT, CO), nMexico (CHA)
- seUSA, swUSA (TX), Mexico (TA, CHS, OA,  
QR, CA, SLP, NL), Belize, West Indies, Barbados  
Bahamas
- nwMexico (SO, SI)  
Mexico (BC)  
Mexico (BC)
- swUSA (CA)  
Mexico (BC)  
ecMexico (HI), Costa Rica (GU)  
Cuba  
Curaçao, Bonaire, Aruba, Venezuela  
nArgentina (SE)  
nMexico (CHA)  
ecMexico (PU)
- eEcuador
- seBrasil (RJ)
- swUSA (AZ, CA), nwMexico (SO)
- Mexico (OA, MO)  
swUSA (CA, AZ, NM)
- swUSA (TX)
- wUSA (CA, OR), Mexico (BC)
- eMexico (VC)  
wMexico (BC, SO, SI)  
neMexico (TA), swUSA (sTX)  
cMexico (SLP)

**Tessaropa** Haldeman, 1847:375*Dysphaga* LeConte, 1852:143*Tessaroptes* Gemminger & Harold, 1873:3063**boliviana** Martins & Galileo, 2006:174**carioca** Martins, 1981:13**elongata** Galileo & Martins 2009:162**guanabarina** Martins, 1981:13**hispaniolae** Lingafelter, 2010:266**luctuosa** Zayas, 1975:54**mineira** Martins, 1981:14**tenuipes** (Haldeman, 1846:126)*ventralis* Haldeman, 1847:375*laevis* LeConte, 1873:240*apicalis* Casey, 1914:371

Bolivia (SC)

seBrasil (RJ)

Brasil (RO)

seBrasil (RJ)

Dominican Republic

Cuba

eBrasil (MG)

eUSA-TX

**Molorchini** Gistel, 1848:2**Merionoedopsis** Gounelle, 1911:113**aeneiventris** Gounelle, 1911:115**brevipennis** Melzer, 1934:214

ec, seBrasil, Paraguay, Argentina

sBrasil (PR, SC), Paraguay, nArgentina (JU),

Bolivia (SC)

**Molorchus** Fabricius, 1792:356*Heliomanes* Newman, 1840:17*Glaphyra* Newman, 1840:19*Laphyra* Newman, 1842:418*Caenoptera* C.G.Thomson, 1859:150*Linomius* Mulsant, 1863:226*Sinolus* Mulsant, 1863:228*Conchopterus* Fairmaire in Jacquelin du Val, 1864:153**bimaculatus bimaculatus** Say, 1824:428*affinis* J.E. LeConte, 1824:172*obscurus* LeConte, 1850:21subsp. **californicus** Linsley, 1963:161subsp. **ceanothinus** Linsley, 1963:161subsp. **celti** Knull, 1930:101subsp. **corni** Haldeman, 1847:45*ruficollis* LeConte, 1850:21*sanguinicollis* Chevrolat, 1862:257subsp. **semiustus** (Newman, 1840:19)**eburneus** Linsley, 1931:37**longicollis** LeConte, 1873:193

eNAmer-TX

wUSA (CA)

wUSA (CA)

neUSA

seUSA, Cuba

sUSA (FL-TX)

wUSA (CA)

wUSA

**Nathriini** Arnett, 1962:888**Nathrius** Bréthes, 1916:76*Leptidea* Mulsant, 1839:105*Leptideella* Strand, 1936:169*Deuteroleptidea* Paclt, 1946:169**brevipennis** (Mulsant, 1839:105)*minuta* Motschulsky, 1845:84*manca* LeConte, 1850:24*rufipennis* Dufour, 1851:351*porteri* Bréthes, 1916:77Europe; introduced in wUSA, Argentina,  
Chile, Uruguay

**Necydalopsini** Lacordaire, 1868:405, 493**Abaiba** Martins & Napp, 2007:193

**dimorphica** Martins & Napp 2007:193 Colombia

**Austronecydalopsis** Barriga & Cepeda, 2007:23

**curkovici** Barriga & Cepeda, 2007:24 Chile

**iridipennis** (Fairmaire & Germain, 1864:386) Chile

**Eucharassus** Bates, 1885:308

**bicolor** Melzer, 1934:75 Costa Rica

**chemsaki** Monné, 2007:206 Costa Rica (PA)

**confusus** Galileo & Martins, 2001:101 Venezuela

**dispar** Bates, 1885:309 Costa Rica, Panama

**flavotibiale** Galileo & Martins, 2001:98 Colombia

**hovorei** Monné, 2007:208 Costa Rica (PA)

**lingafelteri** Monné 2007:208 Panama

**nevermanni** Melzer, 1934:74 Costa Rica

**nigratus** Martins & Galileo, 2009:531 Colombia

**nisseri** Aurivillius, 1891:100 Colombia

**wappesi** Monné, 2007:209 Panama, Guatemala

**Lissozodes** Bates, 1870:408

**basalis** (White, 1855:213) cBrasil (AM, PA), Colombia, Ecuador

**Necydalopsis** Blanchard in Gay, 1851:473

**trizonatus** Blanchard in Gay, 1851:474 Chile

**cyanipennis** Fairmaire & Germain, 1861:106

**Neozodes** Zajciw, 1958:249

**signatus** Zajciw, 1958:250 nwBrasil (AM), eEcuador, Fr Guiana

**Ozodes** Audinet-Serville, 1834:98

**flavitaris** Gounelle, 1911:211 ecBrasil (GO), Paraguay

**ibidiinus** Bates, 1870:409 ncBrasil (PA)

**infuscatus** Bates, 1870:409 ncBrasil (MA, PA), Fr Guiana, Bolivia (SC)

**malthinoides** Bates, 1870:410 nwBrasil (AM), Fr Guiana, Bolivia (SC)

**multituberculatus** Bates, 1870:409 Guatemala – Panama, Brasil (BA)

**nodicollis** Audinet-Serville, 1834:99 eBrasil (GO, MG-SP)

**sexmaculatus** Zajciw, 1967:531 seBrasil (ES, RJ)

**xanthophasma** Bates, 1872:189 Honduras – Panama

**Parepimelitta** Bruch, 1918:23

**barriai** (Cerde, 1968:106) Chile

**femoralis** (Fairmaire & Germain, 1859:499) Chile, wArgentina (NE)

**valdiviensis** Philippi & Philippi, 1859:674

**gounellei** Bruch, 1918:24

**Piruapsis** Galileo & Martins 2006:708

**antennatus** Galileo & Martins, 2006:709 Trinidad

**nigellus** (White), 1855:217 Venezuela

**vestitus** (White), 1855:217 Venezuela

**Saltanecydalopsis** Barriga & Cepeda, 2007:28

**irwini** Barriga & Cepeda, 2007:28 Argentina



**Sthelenus** Buquet, 1859:621

**ichneumoneus** Buquet, 1859:622  
*braconinus* Bates, 1870:315  
**morosus** Pascoe, 1862:356

Fr Guiana, ncBrasil (AM), Colombia, Bolivia, Ecuador  
 Venezuela

**Neocorini** Martins, 2005:240**Aleiphaquilon** Martins, 1970:47

**castaneum** (Gounelle, 1911:190  
*unicolor* Martins, 1970:48  
**eburneum** Mermudes & Monné, 1999:83  
**myrmex** Napp & Martins, 1984:51  
**plaumanni** Martins, 1975:17  
**rugosum** Martins & Galileo, 1994:686  
**taeniatum** Mermudes & Monné, 1999:83  
**tasyba** Galileo & Martins, 2009:340  
**tricolor** Martins, 1975:16  
**una** Mermudes & Monné, 1999:84

eBrasil, nArgentina (FO), Bolivia (SC), Paraguay  
 seBrasil (RJ)  
 Colombia  
 sBrasil (PR, SC), Bolivia (SC)  
 seBrasil (RS), Bolivia (SC)  
 Brasil (BA)  
 Bolivia (SC)  
 seBrasil (RJ), Bolivia (SC)  
 seBrasil (RJ)

**Coscinedes** Bates, 1885:258

**gracilis** Bates, 1885:259  
**oaxacae** Martins & Galileo, 2006:176

Mexico (OA, VC) - Panama  
 Mexico (OA)

**Fregolia** Gounelle, 1911:192

**listropteroides** Gounelle, 1911:192

Brasil (MA, MT, GO, PE-RS), neArgentina (MI)

**Marauna** Martins & Galileo, 2006:176

**abati** Galileo & Martins, 2007:205  
**bucki** Galileo & Martins, 2007:203  
**punctatissima** Martins & Galileo, 2006:176

Paraguay  
 Brasil (RS)  
 Bolivia (SC)

**Myrmeocorus** Martins, 1975:14

**allodapus** Martins, 1975:15

sBrasil (SC)

**Neocoridolon** Melzer, 1930:188

**borgmeieri** Melzer, 1930:188

seBrasil (ES-SC)

**Neocorus** Thomson, 1864:220

**diversipennis** Belon, 1903:50  
**ibidionoides** (Audinet-Serville, 1834:98)  
*ibidionides* Gounelle, 1909:685  
**zikani** Melzer, 1920:434

seBrasil (RJ, SP, MG), Bolivia, Argentina  
 eBrasil (GO, RJ-RS), Paraguay, Bolivia (SC),  
 Argentina, Fr Guiana  
 eBrasil (MG)

**Neoibidionini** Monné, 2012:34**Subtribe Compsina** Martins & Galileo, 2007:6**Aneuthetochorus** Martins, 1968:25

**bivestitus** (Martins, 1962:149)  
**conjunctus** Napp & Martins, 1984:53  
  
**punctatus** Martins, Galileo & de-Oliveira 2009:509  
**simplex** Martins, 1970:46

seBrasil (RJ, SP)  
 nwBrasil (AP, RJ), Colombia, Fr Guiana, Ecuador,  
 Bolivia (SC)  
 Brasil (MA)  
 nBrasil (AP), Fr Guiana

**Aphatum** Bates, 1870:308

**rufulum** (White, 1855:234)

ncBrasil (AM, PA)

**Asynapteron** Martins, 1970:1151

**contrarium** Martins, 1971:1472  
**eburnigerum** (Aurivillius, 1899:265)  
**equatorianum** (Martins, 1960:89)  
**glabriolum** (Bates, 1872:180)  
**inca** (Martins, 1962:95)  
**ranthum** Martins, 1970:1155

eEcuador  
 Guyana  
 wEcuador  
 Mexico, Nicaragua-Colombia, Ecuador  
 Peru  
 wEcuador

**Cecaibidion** Galileo & Martins, 2001:94

**bivittatum** Galileo & Martins, 2001:95

Panama

**Cephaloplon** Martins & Napp, 1986:236

**pedunculatum** Martins & Napp, 1986:237

Trinidad & Tobago, Venezuela

**Cicatrion** Martins, 1970:965

**calidum** Martins & Napp, 1986:235  
**constricticollis** (Martins, 1962:296)

eBrasil (BA, MG)  
 seBrasil (BA, SP)

**Compsa** Perty, 1832:92

**albomaculata** Martins, 1962:282  
**albopicta** Perty, 1832:92  
**amoena** Fisher, 1937:148  
**curtula** Martins & Napp, 1986:230  
**diringshofeni** (Martins, 1960:173)  
**inconstans** Gounelle, 1909:669  
**leucozona** (Bates, 1885:261)  
**macra** (Thomson, 1867:154)  
*delicatulum* Linsley, 1935:486  
**monrosi** (Prosen, 1961:125)  
**montana** Martins, 1971:1465  
**multiguttata** Melzer, 1935:178  
*lineatoguttata* Melzer, 1935:179  
 var. *confluens* Melzer, 1935:179  
**nebulosa** Martins, 1970:1010  
**nipha** Martins, & Napp, 1986:231  
**quadriguttata** (White, 1855:226)  
**? flavofasciata** (Thomson, 1867:152)  
**? latifascia** Martins, 1970:1029

Colombia  
 Brasil (GO, BA-RS), Peru, Paraguay, Argentina  
 seBrasil (BA-SC), Paraguay, Argentina, Bolivia (SC)  
 Peru, w Brasil (RO)  
 Brasil (MG, SP)  
 eBrasil (GO, BA, MG, RJ, ES)  
 Costa Rica, Panama  
 Panama, Trinidad & Tobago, Colombia,  
 Venezuela  
 sBrasil, Paraguay, Argentina, Uruguay  
 eBrasil (PB, BA)  
 eBrasil (GO, MT, PE-RS), Paraguay,  
 Argentina, Bolivia (SC)  
 Bolivia (SC), Argentina  
 Venezuela  
 nSAmer-Bolivia (BN, CO, LP, SC), Paraguay  
 Colombia, Venezuela  
 eBrasil (GO, BA-SC), Bolivia

**Corimbion** Martins, 1970:883

**balteum** Martins, 1970:891  
**caliginosum** Martins, 1970:896  
**martinsi** Giesbert, 1998:50  
**nigroapicatum** Martins, 1970:893  
**supremum** Martins, 1970:889  
**terminatum** Martins, 1970:897  
**vulgare** Martins, 1970:885

eBrasil (BA)  
 Venezuela  
 Guatemala, Honduras, Costa Rica  
 Bolivia (SC)  
 Venezuela  
 Colombia, nBrasil (RR)  
 seBrasil (BA-PR)

**Dodecaibidion** Martins, 1962:91

**bolivianum** Martins & Galileo, 2012:202  
**brasiliense** Martins, 1962:92  
**modestum** Martins, 1970:993  
**ornatipenne** Martins, 1970:991

Bolivia (SC)  
 seBrasil (RJ)  
 ecBrasil (GO), Paraguay  
 seBrasil (RJ)

**Engyum** Thomson, 1864:216*Phormesium* Thomson, 1864:217**aurantium** Martins, 1970:941**carinatum** Martins, 1970:931**crassum** Martins, 1970:934**euchare** (Martins, 1960:55)**fasciatum** Martins 2009:51**fusiferum** (Audinet-Serville, 1834:106)*eudesmoides* Thomson, 1864:218**howdeni** Martins & Napp, 1986:227**linsleyi** Martins, 1970:942**ludibriosum** Martins, 1970:939*albinum* Gounelle, 1909:668 (not Bates, 1870)**melanodacrys** (White, 1855:235)**oculare** Martins 2009:45**uadrinotatum** Thomson, 1864:217**transversum** Martins, 1970:944**virgulatum** (Bates, 1880:31)**zonarium** Martins & Napp, 1986:228

cBrasil (MT), Fr Guiana

eBrasil (BA, ES)

eBrasil (PE)

Venezuela, Brasil?

Bolivia (SC)

seBrasil (BA-RJ)

Colombia

Peru

eBrasil (MA, GO, BA-SP)

cBrasil (PA, MT)

Colombia

seBrasil (BA-RS), Paraguay, Argentina, Bolivia (SC)

Fr Guiana, eBrasil (BA, PE, RN)

Guatemala, Colombia, Venezuela, Peru-Brasil (ES),

Bolivia (SC)

sMexico (CHS)

**Hadroibidion** Martins, 1967:48**nanum** (Gounelle, 1911:226)**pullum** (Martins, 1962:93)**vulgare** Martins & Napp, 1986:230

Brasil (GO), Bolivia (SC), Peru

sBrasil (MS)

eBrasil (BA)

**Heterachthes** Newman, 1840:9*Ibidion* (*Heterachthon*) Thomson, 1867:133*Heterachthon* Aurivillius, 1912:110*Heterachthes* Aurivillius, 1912:110*Brydaeon* Thomson, 1867:134**aeneolus** Bates, 1885:267**annulicornis** Martins 2009:189**apicalis** (Blair, 1933:481)*arubae* Gilmour, 1968:146**beatrizae** Noguera, 2005:67**bilineatus** (Bates, 1885:262)**candidus** (Bates, 1885:261)**castaneus** Martins, 1970:1301**concretus** Martins, 1970:1286**congener** Martins, 1965:215**delicatus** Martins 2009:191**designatus** Martins, 1970:1321**dimidiatus** (Thomson, 1865:571)**ebenus** Newman, 1840:9*floridanus* Casey, 1912:307*exilissimus* Casey, 1912:307**erineus** Martins, 1970:1312**exiguus** Martins 2009:193**ascinatus** Martins, 1971:1477**figuratus** Martins, 1970:1219**flavicornis** (Thomson, 1865:571)*bonariensis* (Thomson, 1865:572)*implicatum* Thomson, 1867:148*sexsignatus* (Thomson, 1865:572)*bellus* Gounelle, 1909:672**fraterculus** Martins & Napp, 1986:240**gratiosus** Martins, 1970:1237**gutta** Martins 2009:193

eMexico (VC)

Bolivia (SC)

Honduras, Aruba, Colombia, Galapagos Is

Mexico (MO)

Guatemala, Costa Rica

Panama

eBrasil (MG)

Costa Rica, Colombia

Peru, Bolivia

Brasil (PE)

Mexico (VC, OA, CHS), Honduras

seBrasil (RJ-PR), Paraguay

sUSA (FL-TX), Mexico-Uruguay, Cuba,

Bahamas

wMexico (SI, OA)

Bolivia (SC)

Venezuela

Peru

seBrasil (BA, RJ, GO, MG-RS), Argentina, Uruguay,

Paraguay

eBrasil

Mexico (CHS, JA, OA)-Costa Rica

nwBrasil (AM)

Bolivia (SC)

- howdeni** Martins, 1970:1327  
**hystricosus** Martins, 1971:173  
**integripennis** (Bates, 1885:262)  
*usingeri* Linsley, 1935:81  
**inustus** Gounelle, 1909:670  
**laesticollis** (Germar, 1824:511)  
*phoracanthoides* White, 1855:232  
*quadrioveolatum* Chabrilac, 1857:197  
*vitreus* Martins, 1962:293  
**lateralis** Martins, 1962:295  
**lemniscus** Martins, 1970:1229  
**leucoacnus** Martins, 1970:1334  
**longiscapus** Martins, 1970:1231  
**martinsi** Hovore, 1988:10  
**mediovittatus** Martins, 1962:292  
**mucuni** Martins & Galileo, 1999:306  
**myrrheus** Gounelle, 1910:15  
**neocompsoides** Giesbert, 1998:45  
**nigrocinctus** Bates, 1872:182  
**nobilis** LeConte, 1862:41  
**pallidipennis** (Thomson, 1865:573)  
**paraiba** Martins 2009:193  
**pelonioides** (Thomson, 1867:149)  
*longipilis* Bates, 1870:304  
**picturatus** Martins, 1970:1288  
**plagiatus** (Burmeister, 1865:174)  
**polingi** (Fall, 1925:182)  
**quadrinaculatus** Haldeman, 1847:43  
*var. pallidus* Haldeman, 1847:43  
*rotundipenne* White, 1855:233  
*evanescens* Thomson, 1867:148  
*fluvialilis* Casey 1912:308  
**rafaeli** Galileo & Martins 2011:328  
**rubricolor** Melzer, 1935:180  
**rugosicollis** Martins, 1970:1330  
**sablensis** Blatchley, 1920:68  
**sejunctus** Gounelle, 1909:673  
**sexguttatus** (Audinet-Serville, 1834:105)  
**signaticollis** (Thomson, 1865:572)  
**similis** Martins, 1965:213  
**spilotus** Martins, 1971:170  
**symbolus** Martins, 1970:1257  
**taquatinga** Martins 2009:192  
**tenellus** (Burmeister, 1865:175)  
**texanus** Linsley, 1957:159  
**tysiphonis** (Thomson, 1867:137)  
*decipiens* Bates, 1870:303  
**unituberosus** Martins & Galileo, 1999:306  
**vauriae** Martins, 1971:175  
**v-flavus** Martins 2009:177  
**viticulus** Martins, 1970:1332  
**wappesi** Martins & Napp, 1986:239  
**w-notatus** Linsley, 1935:80  
**xenocerus** Martins, 1960:174  
**x-notatus** (Linsley, 1935:109)  
*fisheri* Linsley, 1935:485  
**xyleus** Martins, 1974:149
- neMexico (NL, TA)  
 seBrasil (RJ)  
 cMexico (DU-VC)  
  
 ecBrasil (GO)  
 seBrasil (BA-RJ)  
  
 Panama, Colombia, nBrasil (PA)  
 Ecuador  
 ecMexico (HI)  
 eBrasil (BA)  
 Mexico (BC)  
 Brasil (AM), Peru  
 wEcuador  
 Ecuador  
 Mexico, Guatemala, Honduras  
 sMexico-Panama  
 swUSA (TX)  
 Peru, Chile?  
 Brasil (PB)  
 Fr Guiana, ncBrasil (AM, AP, PA)  
  
 Guatemala, Honduras  
 nwArgentina (JU, CD, ME), Bolivia (SC), Uruguay  
 swUSA (AZ), nwMexico (SO)  
 eNAmer  
  
 Brasil (AM)  
 Costa Rica  
 wcMexico (DU), swUSA (AZ)  
 USA, Belize, Aruba, Colombia, Ecuador (Galapagos)  
 ecBrasil (GO, MT), Fr Guiana, Bolivia (SC)  
 seBrasil (BA-RJ)  
 Colombia, Venezuela  
 Bolivia  
 nArgentina (TU)  
 eBrasil (BA)  
 Brasil (DF, SP)  
 nArgentina (JU-BA), Bolivia (SC)  
 swUSA (TX)  
 Fr Guiana, ncBrasil (AM), Peru, Bolivia (SC)  
  
 Bolivia  
 Colombia  
 Bolivia (SC)  
 neMexico (CO-VC), Guatemala, Honduras  
 seMexico (YU, QR)  
 cMexico (NA-PU)  
 ncArgentina (CD)  
 Mexico, Belize, Honduras  
  
 Bolivia

**Heterocompsa** Martins, 1965:95

**aquilonia** Giesbert, 1998:48  
**eburata** Martins, 1970:914  
**formosa** (Martins, 1962:284)  
**geniculata** (Thomson, 1865:571)  
*heteracantha* Martins, 1962:286  
**nigripes** (Martins, 1962:283)  
**seabrai** (Martins, 1962:285)  
**stellae** (Martins, 1962:145)  
**truncaticornis** (Martins, 1960:87)

Mexico, Guatemala, Panama  
 Bolivia (SC)  
 Paraguay, nArgentina (SE, FO)  
 seBrasil (BA, SP), Paraguay, Argentina

seBrasil (BA, SP)  
 nArgentina (TU), Bolivia (TR)  
 sBrasil (PR, SP)  
 seBrasil (ES-RJ)

**Hormathus** Gahan, 1890:32

*Trinoplon* Zayas 1975:115

**bicolor** (Zayas, 1975:116)  
**cinctellus** Gahan, 1890:33  
**giesberti** Lingafelter & Nearn, 2007:180

Cuba  
 R Dominicana  
 R Dominicana

**Kolonibidion** Martins 2009:77

**femoratum** (Martins 1971:1457)

Bolivia (MA, SC), Brasil (PB, MS), Argentina

**Kunaibidion** Giesbert, 1998:51

**panamensis** Giesbert, 1998:51

Panama

**Microibidion** Martins, 1962:135

**exculptum** Martins, 1962:137  
**exiguum** Martins, 1962:136  
**fluminense** (Martins, 1962:146)  
**mimicum** Martins, 1971:161  
**muticum** (Martins, 1962:147)  
**rubicundulum** (Gounelle, 1913:214)

seBrasil (SP-RS), Paraguay, Argentina  
 seBrasil (BA-RS), Paraguay, Argentina  
 seBrasil (BA-RJ)  
 Bolivia (SC), nArgentina (JU)  
 seBrasil (ES, RJ, SC)  
 ncArgentina (SE)

**Monzonina** Giesbert, 1998:44

**sanmarcosana** Giesbert, 1998:45

Guatemala

**Neocompsa** Martins, 1965:96

**agnosta** Martins, 1970:1081  
**alacris** (Bates, 1885:264)  
**albopilosa** (Martins, 1962:142)  
**aspasia** Martins, 1974:148  
**bimaculata** Martins & Napp, 1986:231  
**chemsaki** Martins, 1970:1117  
**clerochroa** (Thomson, 1867:156)  
*tenuatum* Bates, 1885:263  
*semirufum* Bates, 1885:265  
**comula** Martins, 1970:1058  
**cylindricollis** (Fabricius, 1798:146)  
*clavipes* Fabricius, 1801:316  
*submaculatus* Lameere, 1884:100  
*quadrimaculatum* Thomson, 1864:215 (not Fabricius, 1792)  
**dysthymia** Martins, 1970:1074  
**eburioides** (Thomson, 1867:152)  
**exclamationis** (Thomson, 1861:201)  
*interrogationis* Thomson, 1864:216 (nomen nudum)  
**fefeyei** Joly, 1991:67  
**fulgens** (Fisher, 1932:48)  
**gaumeri** (Bates, 1892:156)  
**giesberti** Martins & Napp, 1986:233  
**glaphyra** Martins, 1970:1100

wMexico (SI, NA, JA)  
 Mexico-Honduras  
 seBrasil (BA-RJ), Bolivia (SC)  
 Costa Rica, wEcuador  
 Guatemala - Costa Rica  
 wMexico (JA, MO, NA)  
 scMexico (CM, ME, MI, VC, OA, CHS), Guatemala

Costa Rica  
 W Indies (Jamaica-Trinidad), Venezuela

neMexico (NL)  
 Colombia, Venezuela  
 swUSA (TX), Mexico (CHS,  
 DF, JA, OA, SLP, VC)  
 Venezuela  
 Dominica, Guadeloupe  
 seMexico (YU)  
 Honduras, Costa Rica  
 Costa Rica, Panama

- habra** Martins, 1970:1065  
**intricata** Martins, 1970:1088  
**leechi** Martins, 1970:1072  
**lenticula** Martins, 1970:1103  
**limatula** Martins & Napp, 1986:235  
**lineolata** (Bates, 1870:301)  
*dilaticornis* Melzer, 1935:177  
**longipilis** Martins & Galileo, 2002:17  
**macroscina** Martins, 1970:1086  
**macrotricha** Martins, 1970:1091  
**magnifica** Martins, 1971:167  
**mendezi** Giesbert, 1998: 46  
**mexicana** (Thomson, 1865:573)  
*hippopsioides* Bates, 1885:265  
*ignobile* Bates, 1885:265  
*townsendi* Linell, 1896:395  
**micromacula** Martins & Galileo, 1999:304  
**mimosa** Martins, 1971:1467  
**obscura** Martins 2009:128  
**pallida** Martins & Galileo, 2010:567  
**ptoma** Martins, 1971:1115  
**puncticollis puncticollis** (LeConte, 1873:188)  
 subsp. **asperula** (Bates, 1885:266)  
 subsp. **orientalis** Martins & Chemsak, 1966:466  
**pysma** Martins, 1970:1136  
**quadriplagiata** (LeConte, 1873:189)  
*griseolum* Bates, 1892:156  
*pubescens* Casey, 1924:260  
*lecontei* Linsley, 1957:87  
**ruatana** (Bates, 1892:155)  
**santarensis** Martins & Galileo, 1998:51  
**sericans** (Bates, 1885:264)  
**serrana** (Martins, 1962:140)  
**sinaloana** (Linsley, 1935:484)  
**spinosa** Martins, 1970:1050  
**squalida** (Thomson, 1867:151)  
**tenuissima** (Bates, 1885:266)  
**textilis** (Thomson, 1865:573)  
*mexicanum* Bates, 1880:32 (not Thomson, 1865)  
**thelgema** Martins, 1971:166  
**tuberosa** Martins, 1970:1098  
**tucumana** (Martins, 1962:290)  
**turnbowi** Giesbert, 1998: 47  
**ventricosa** (Bates, 1885:264)  
**veracruzana** Martins, 1971:1470  
**v-flava** (Melzer, 1931:54)  
**vogti** Martins, 1970:1126  
**wappesi** Giesbert, 1998: 47  
**wernerii** Martins, 1970:1083  
  
**Opsibidion** Martins, 1960:115  
**albifasciatum** Giesbert, 1998:49  
**albinum** (Bates, 1870:307)  
*micron* Martins, 1960:118  
**flavocinctum** Martins, 1960:116  
  
**Paracompsa** Martins, 2009:103  
**flavofasciata** (Thomson 1867:152)  
**latifascia** (Martins 1970:1029)
- Venezuela  
 swUSA (TX), eMexico (SLP, VC)  
 Peru  
 Bolivia (SC), Venezuela  
 wcBrasil (RD, MT), Fr Guiana  
 Costa Rica-Colombia, Ecuador, Fr Guiana,  
 Peru, Brasil (AM, MA, BA-PR), Bolivia (SC)  
 Colombia  
 wMexico (SI)  
 Mexico (MO, OA, CHS), Guatemala, Venezuela  
 Guatemala  
 Guatemala  
 swUSA (TX) , Mexico-Costa Rica  
  
 wEcuador  
 Colombia, Venezuela, Bolivia (SC)  
 Colombia  
 Trinidad & Tobago, Venezuela  
 sMexico (OA, CHS)  
 Mexico (BC)  
 swUSA (AZ)-wMexico (SO-GR)  
 swUSA (TX)-Mexico (NL-OA)  
 seMexico (YU, QR)  
 wMexico (BC, GR, MO)  
  
 Honduras (Roatan I.)  
 Brasil (PA)  
 Panama  
 sBrasil (MS, AL), Argentina  
 wMexico (SI, OA)  
 Guatemala - Costa Rica  
 Mexico - Colombia, Venezuela  
 Mexico (widely distributed)  
 Mexico - Costa Rica  
  
 Honduras, Costa Rica  
 Guatemala - Colombia  
 nArgentina (JU, TU)  
 Mexico  
 Costa Rica, Panama  
 eMexico (VC)  
 Costa Rica  
 Bolivia (SC)  
 Guatemala, Honduras  
 wMexico (SO, SI)  
  
 Panama  
 Brasil, Venezuela, Bolivia (SC)  
  
 seBrasil (BA-RS), Paraguay, Argentina  
  
 Colombia, Venezuela  
 eBrasil (GO, BA-SC), Bolivia

**Pubescibidion** Martins 2009:67  
**pubescens** Martins 2009:68

Bolivia (SC)

**Pygmodeon** Martins, 1970:1163  
**andreae** (Germar, 1824:511)  
*amabile* Thomson, 1867:138 (part)  
**boreale** Martins, 1971:1474  
**buscki** (Linsley, 1935:482)  
**cribripenne** (Bates, 1880:32)  
*chiriquinum* Bates, 1885:266  
**ditelum** (Bates, 1872:181)  
**excelsum** Martins & Napp, 1986:238  
**involutum** (Bates, 1870:304)  
**latevittatum** (Bates, 1885:262)  
**maculatum** Martins & Galileo, 2012:203  
**m-littera** (Martins, 1962:294)  
**mutabile** (Melzer, 1935:179)  
**obtusum** (Bates, 1874:221)  
var. *segregatum* Bates, 1885:265  
**puniceum** Martins, 1970:1193  
**staurotum** Martins, 1970:1174  
**validicorne** (Bates, 1885:261)

seBrasil (BA-RS)

cMexico (ME)  
Panama  
Honduras, Costa Rica, Panama  
  
Nicaragua-Panama  
Costa Rica  
Guianas, ncBrasil (AM), Peru, Bolivia (SC)  
sMexico (CHS), Guatemala, Honduras  
Bolivia (SC)  
Peru, w Brasil (RO), Bolivia (SC)  
El Salvador, Costa Rica  
Mexico-Costa Rica

Colombia, wEcuador  
Venezuela  
Costa Rica, Panama

**Stenoidion** Martins, 1970:1196  
**amphigyum** Martins, 1970:1197  
**apicatum** (Martins, 1962:291)  
**corallinum** (Bates, 1870:304)  
var. *chapadense* (Gounelle, 1909:672)  
var. *tricolor* (Belon, 1896:244)  
**schmidi** Martins & Galileo 2009:530

nBrasil (PA), French Guiana  
Bolivia (SC)  
Peru, nBrasil (GO, MA, MT, PA, CE-SP), Fr Guiana  
Bolivia (SC)

French Guiana

**Xalitla** Lane, 1959:15  
**azteca** Lane, 1959:15  
**genuina** Martins, 1970:961  
**lezamai** Galileo & Martins, 2008:51  
**punctatissima** Martins, 1970:964

wMexico (SO, NA, JA, GR)  
sMexico (OA, CHS) - Costa Rica  
Costa Rica  
wMexico (SI)

#### Subtribe Neoibidionina Monné, 2012:34

**Bomaribidion** Martins, 1962:2  
**angusticolle** (Gounelle, 1909:683)  
**hirsutum** Martins, 1969:670

eBrasil (GO, BA-SC), Paraguay  
eBrasil (MA, MG)

**Brechmoidion** Martins, 1969:639  
**exicisifrons** (Martins, 1960:88)  
**falcatum** Napp & Martins, 1985:131  
**separatum** Martins & Galileo 2007:188

Colombia, Ecuador  
Venezuela  
Bolivia (SC)

**Coleroidion** Martins, 1969:830  
**cingulum** Martins, 1969:833  
**leucotrichum** (Martins, 1960:177)

Venezuela, Peru  
sBrasil (MS), nArgentina (FO, CH)

**Compsibidion** Thomson, 1864:215*Lylibaeum* Thomson, 1864:216*Octoplon* Thomson, 1864:218**aegrotum** (Bates, 1870:305)**amantei** (Martins, 1960:179)**angulare** (Thomson, 1867:159)**balium** Napp & Martins, 1985:136**basale** (White, 1855:229)**callispilum** (Bates, 1870:293)**campestre** (Gounelle, 1909:667)*perelegans* Melzer, 1933:368**capixaba** (Martins, 1962: 156)**carenatum** Martins, 1969:767**charile** (Bates, 1870:297)**circunflexum** Martins, 1971:1462**cleophile** (Thomson, 1865:574)*adelphum* Thomson, 1867:158*laesicolle* Thomson, 1864:218 (not Germar, 1824)**clivum** Martins, 1971:1453**concisum** Napp & Martins, 1985:138**crassipede** Martins, 1971:1460**decemmaculatum** (Martins, 1960:175)**decoratum** (Gounelle, 1909:665)**derivativum** Martins, 1971:1454**divisum** Martins, 1969:769*unifasciatum* Zikan & Zikan 1944:11**elianae** Martins & Galileo, 2012:203**fairmairei** (Thomson, 1865:572)*arcufera* Gounelle, 1909:669**graphicum** (Thomson, 1867:135)*antennatum* Thomson, 1867:156**guanabarinum** (Martins, 1962:138)**ilium** (Thomson, 1864:216)**inornatum** (Martins, 1962:302)**litturatum** (Martins, 1960:91)**maculatum** Martins, Galileo & Oliveira, 2011:283**manauara** Martins & Galileo, 2012:206**maronicum** (Thomson, 1867:135)*herse* Thomson, 1867:136*oedicleme* Bates, 1870:298*rubellum* Bates, 1870:298*leprieuri* Bates, 1870:299*dilectum* Bates, 1870:299*deliciolus* Bates, 1870:305**megarthron** (Martins, 1962:279)**melancholicum** Martins, 1969:726**meridionale** Martins, 1969:775**monnei** Martins, 1969:703**multizonatum** Martins, 1969:796*baria* Joly, 1990:213**muricatum** Martins, 1971:150**mysticum** Martins, 1969:786**nigroterminatum** (Martins, 1965:206)**niveum** (Martins, 1962:143)**novalimae** Martins & Galileo, 2012:204**omissum** Martins, 1969:701**orpa** (White, 1855:227)**paradoxum** Martins, 1971:157**paulista** (Martins, 1962:131)**peti** Martins & Galileo, 2012:204

nwBrasil (AM)

Fr Guiana, seBrasil (MG-RJ)

seBrasil (BA-RJ)

eBrasil (ES)

ncBrasil (AM, PA), Fr Guiana

Venezuela, Fr Guiana, Brasil (PA), Bolivia

ecBrasil (GO, MA, MT, PB-MG, SP), Bolivia (SC),

nArgentina (JU, SA)

eBrasil (BA-ES)

eBrasil (ES)

Fr Guiana, ncBrasil (AM,PA), eEcuador

Argentina (SA-BA), Bolivia (SC)

seBrasil (BA-PR)

Venezuela

eBrasil (MG, ES)

ecBrasil (MT, SP), Paraguay, Argentina

wEcuador

ecBrasil (GO, MT)

cBrasil (MT)

seBrasil (BA-RJ)

Brasil (GO)

eBrasil (MA, GO, MT, BA-RS), Paraguay,

Bolivia (SC), Argentina, Uruguay

Brasil (PA, MA-SC, MT), Bolivia (BN, SC), ,

Paraguay, Argentina, sBrasil (RS)

se Brasil (ES, RJ)

seBrasil (MT, MG-SC), Peru, Bolivia (SC)

seBrasil (BA, SP)

Panama, Colombia, Venezuela

Brasil (MA)

Brasil (AM)

Trinidad, Venezuela, Colombia, Brasil (AM,

MA, MT), Guianas, Peru, Bolivia (SC)

seBrasil (MG, SP)

cBrasil (MT)

sBrasil (SC)

Uruguay

nBrasil (PA), Fr Guiana

eBrasil (ES)

Panama

seBrasil (BA, RJ)

seBrasil (RJ-SC)

Brasil (MT)

ecBrasil (GO)

nBrasil (PA)

Colombia

seBrasil (SP)

Brasil (MG)



- polyzonum** (Bates, 1870:291)  
**psydrum** Martins, 1969:806  
**pumilium** Martins & Galileo, 1999:302  
**punga** Martins & Galileo 2007:317  
**quadrisignatum** (Thomson, 1865:574)  
*amabile* Thomson, 1867:138  
**reichardti** (Martins, 1962:97)  
**rubricolle** Melzer, 1935:176  
**rutha** (White, 1855:227)  
**simillimum** Martins, 1969:720  
**singulare** (Gounelle, 1909:671)  
**sommeri** (Thomson, 1865:573)  
**sphaeriinum** (Bates, 1870:300)  
**taperu** Martins & Galileo 2007:326  
**tethys** (Thomson, 1867:145)  
*polychromum* Bates, 1870:295  
**thoracicum** (White, 1855:228)  
**trichocerum** (Martins, 1962:128)  
**trinidatense** (Gilmour, 1963:93)  
**riviale** Napp & Martins, 1985:137  
**truncatum** (Thomson, 1865:574)  
*albocinctum* Thomson, 1865:574  
*lycoris* Thomson, 1867:153  
**tuberosum** Martins, 1971:153  
**unifasciatum** (Gounelle, 1909:666)  
**uniforme** Galileo & Martins 2011:328  
**vanum** (Thomson, 1867:151)  
*histrionica* Bates, 1870:302  
**varipenne** Martins, 1969:742  
**virgatum** Martins, 1969:724  
**ybyra** Martins & Galileo, 2012:206  
**ytu** Martins, Galileo & Oliveira, 2011:283  
**zikani** (Melzer, 1933:367)
- Cychnidolon** Thomson, 1864:217  
**apicale** Martins & Galileo 2007:233  
**approximatum** (White, 1855:231)  
**batesianum** (White, 1855:230)  
**bimaculatum** Martins, 1960:22  
**binodosum** Bates, 1870:306  
**bruchi** Napp & Martins, 1985:144  
**caracense** Martins, 1964:129  
**clarkei** Martins & Galileo 2007:232  
**eques** Thomson, 1864:217  
**gounellei** Bruch, 1908:206  
**immaculatum** Galileo & Martins, 2004:326  
**minutum** Martins, 1960:19  
*trichotulum* Martins, 1960:71  
**obliquum** Martins, 1969:852  
*unoculum* Gounelle, 1909:668 (not Bates, 1870)  
**phormesioides** Martins, 1960:20  
**podicale** (Thomson, 1867:155)  
**pulchellum** (Lameere, 1893:274)  
*pedunculatum* Martins, 1969:862  
**pumillum** Napp & Martins, 1985:144  
**rufescens** Martins & Galileo, 2012: 333  
**sericeum** Martins, 1960:21  
*guimaraesi* Martins, 1964:132  
**spinosum** Napp & Martins, 1985:143
- nBrasil (PA)  
 Peru  
 Colombia  
 Brasil (ES)  
 eBrasil (GO, ES-SC)
- Bolivia (SC)  
 sBrasil (RS)  
 Fr Guiana, ncBrasil (AM, PA), Peru, eEcuador  
 eBrasil (BA-ES)  
 ecBrasil (GO)  
 eBrasil (GO, BA-SC), Bolivia, Argentina  
 ncBrasil (AM, PA)  
 Brasil (PA)  
 eEcuador, Guianas, nwBrasil (AM), Peru
- cBrasil (PA, GO, MT), Peru, Bolivia (BN, SC)  
 seBrasil (BA-RJ)  
 Trinidad  
 seBrasil (MG, SP)  
 eBrasil (GO, BA-RS), Bolivia (SC), Paraguay,  
 Argentina
- eBrasil (ES)  
 eBrasil (GO, ES, SP)  
 Brasil (AM)  
 Mexico-nSAmer, Argentina, Bolivia (SC),  
 Brasil (MA)  
 Venezuela, Colombia  
 Peru  
 Brasil (MT), Bolivia (SC)  
 Brasil (MA)  
 seBrasil (BA-RS)
- Bolivia (SC)  
 Guianas, ncBrasil (AM), Peru  
 Fr Guiana, ncBrasil (AM, PA, MT), Peru  
 ncBrasil (AM)  
 Panama, nwBrasil (AM), Bolivia (SC)  
 eBrasil (ES)  
 seBrasil (MG, RJ)  
 Bolivia (SC)  
 seBrasil (BA-RJ)  
 Bolivia (SC), nArgentina (SA, TU)  
 Bolivia (LP)  
 seBrasil (BA-SP), Argentina
- Brasil (PA, GO, MT, MA), Fr Guiana, Bolivia (SC)
- nArgentina (SA, TU), Bolivia (SC)  
 Venezuela  
 Venezuela
- eBrasil (BA, MG)  
 Brasil (PB)  
 Brasil (AM, PA, BA-RJ), Peru, Bolivia (SC)
- Panama, Colombia

<b>trituberculatum</b> Martins, 1969:850	Costa Rica
<b>Glomibidion</b> Napp & Martins, 1985:134	
<b>tumidum</b> Napp & Martins, 1985:134	cBrasil (MT)
<b>Megaceron</b> Martins, 1969:672	
<b>antennicrassum</b> (Martins, 1960:53)	eBrasil (ES)
<b>australe</b> (Martins, 1960:176)	seBrasil (SP-SC), Paraguay
<b>Neoctoplon</b> Martins, 1969:826	
<b>brunnipenne</b> (Martins, 1960:85)	seBrasil (RJ-SC)
<b>Neoibidion</b> Monné, 2012:36	
<i>Ibidion</i> Audinet-Serville, 1834:542 (preoccupied, Clytini)	
<b>comatum</b> (Audinet-Serville, 1834:104)	Brasil
<b>Ophtalmibidion</b> Martins, 1969:661	
<b>auga</b> Martins & Galileo, 1999:302	Brasil (AM)
<b>luscum</b> Martins, 1971:1449	sBrasil (MS)
<b>oculatum</b> Martins, 1969:664	eBrasil (ES)
<b>tetrops</b> (Bates, 1870:291)	c, seBrasil (PA, MT, MG-PR), Peru, Bolivia (SC), Argentina
<b>Palpibidion</b> Martins & Galileo, 2003:227	
<b>minimum</b> Martins & Galileo, 2003:228	Brasil (RO, MG), Bolivia (SC)
<b>Neopotiatuca</b> Martins & Galileo, 2008:280	
<b>brevis</b> (Martins & Galileo 2007:199)	Peru
<b>Prothoracibidion</b> Martins, 1960:109	
<b>flavozonatum</b> Martins, 1960:109	Ecuador, Peru
<b>plicatithorax</b> Martins, 1960:111	Colombia
<b>xanthopterum</b> Martins, 1962:281	Bolivia (SC)
<b>Rhysium</b> Pascoe, 1866:483	
<i>Rhyzium</i> Martins, 1969:650	
<b>bimaculatum</b> Pascoe, 1866:483	Peru, Bolivia (SC)
<i>contracticorne</i> Martins, 1960:95	
<b>bivulneratum</b> (Thomson, 1867:141)	Colombia
<i>inarmatum</i> Martins, 1960:94	
<b>guttiferum</b> (Thomson, 1867:142)	Colombia
<b>spilotum</b> Martins & Galileo 2007:197	Bolivia (SC)
<b>Tetraopidion</b> Martins, 1960:23	
<b>geminatum</b> Martins, 1969:840	Bolivia (SC)
<b>mucoriferum</b> (Thomson, 1867:154)	eBrasil (GO, PB-RS), Fr Guiana, Paraguay, Argentina, Bolivia (SC )
<i>modestum</i> Lacordaire, 1869:334	
<b>tetraophthalmum</b> Martins, 1960:26	nArgentina (SA)
<b>venezuelanum</b> Martins, 1960:25	Venezuela

## Subtribe Tropidiina Martins & Galileo, 2007:7

### Alcyopsis Pascoe, 1866:484

**chalcea** Bates, 1874:221

**cyanoptera** Pascoe, 1866:484

**nigromaculata** Aurivillius, 1927:528

**nigrovittata** Gounelle, 1909:685

*pallida* Martins, 1964:141

Mexico (JA, MO, NA)-Costa Rica  
seBrasil, Paraguay, Argentina, Uruguay  
eBrasil (BA)  
ecBrasil (GO, MG, ES)

### Diasporidion Martins, 1968:515

**argentinese** (Martins, 1962:152)

**duplicatum** (Gounelle, 1909:677)

*binoculatum* Linsley, 1935:484

cBrasil (MAG), nArgentina (JU), Bolivia (SC)  
Mexico-Colombia, Venezuela, eBrasil

### Gnomibidion Martins, 1968:580

**araujoi** (Martins, 1962:159)

**armaticolle** (Martins, 1965:211)

**biacutum** Martins, 1968:584

**cylindricum** (Thomson, 1865:570)

*eburnipenne* Linsley, 1935:480

**denticolle** (Dalman, 1823:67)

*gnomoides* Thomson, 1865:570

**digrammum** (Bates, 1870:299)

**flavum** Martins & Galileo 2007:48

**fulvipes** (Thomson, 1865:571)

*biplagiatum* Redtenbacher, 1867:198

*monostigma* Bates, 1870:297

**occultum** Martins, 1968:603

**translucidum** (Martins, 1960:93)

**variabile** Martins & Galileo, 2003:226

nBrasil (PA)  
seBrasil (BA, RJ)  
Guianas, eEcuador  
Panama, Colombia, Venezuela, Peru, Ecuador,  
eBrasil (PE, BA)  
seBrasil (MG-RS, MT), Paraguay,  
Argentina  
Fr Guiana, nBrasil (AM, PA, CE), Peru, Bolivia (SC)  
Brasil (MG)  
Fr Guiana-Uruguay, Peru, Bolivia (SC)

Colombia  
Panama, Fr Guiana, cBrasil (MT), Bolivia (SC)  
Brasil (AM, MG)

### Homaloidion Martins, 1968:506

**pinacopterum** (Martins, 1962:298)

seBrasil (BA-RS)

### Megapedion Martins, 1968:573

**lefebvrei** (Gounelle, 1909:673)

*longitarsi* Martins, 1962:108

**sylphis** (Bates, 1870:305)

eBrasil (GO, BA-SC), Bolivia (SC)

ncBrasil (AM, PA)

### Minibidion Martins, 1968:335

**aquilonium** Martins, 1968:349

**argenteum** Martins & Napp, 1986:6

**basilare** (Martins, 1962:155)

**bondari** (Melzer, 1923:7)

**captiosus** Martins & Galileo, 2012:208

replaces *M. bicolor* Martins, Galileo & Limeira-de-Oliveira 2011:281

**confine** Martins, 1968:351

**craspedum** Martins, 1971:136

**minimum** Martins & Napp, 1986:7

**minusculum** (Martins, 1962:153)

**perfectum** Martins & Galileo, 2011:194

**punctipenne** Martins, 1968:339

*comatum*; Gounelle, 1909:677 (not Audinet-Serville, 1834)

**rurigena** (Gounelle, 1909:681)

**tricolor** Martins & Galileo 2007:23

**unifasciatum** Martins & Galileo 2007:24

Venezuela  
w Brasil (RO), Fr Guiana, Bolivia (SC)  
Peru  
sBrasil (MT, BA-RS)  
Brasil (MA)  
eBrasil (BA)  
wEcuador  
cBrasil (MT), Bolivia (SC)  
seBrasil (BA-RS), Paraguay, Argentina  
Bolivia (SC)  
ecBrasil (GO-SP)  
ecBrasil (GO), Bolivia (SC)  
Bolivia (SC)  
Bolivia (SC)

**Neotropidion** Martins, 1968:609

**nodicolle** **nodicolle** (Dalman, 1823:67)  
*armandinae* Chabrilac, 1857:198  
*biguttatum* Redtenbacher, 1867:198  
 subsp. **binoculare** (Gounelle, 1909:683)  
**pulchellum** Martins, 1968:614

Peru, nc, seBrasil (AM, BA-SP),  
 Bolivia (BN, SC)

ecBrasil (GO, MG)  
 Fr Guiana

**Opacibidion** Martins, 1968:498

**opacicolle** (Melzer, 1931:53)  
**rugicolle** (Nonfried, 1895:309)  
**sulcicorne** (White, 1855:232)

seBrasil (RJ-PR), Paraguay, Argentina  
 eBrasil (PB-PR), Paraguay  
 nBrasil (PA)

**Perissomerus** Gounelle, 1909:684

**alvarengai** Martins, 1961:188  
**dasytes** Martins, 1968:571  
**flammeus** Martins, 1971:146  
**hilairei** **hilairei** Gounelle, 1909:684  
*lenkoi* Martins, 1962:160  
 subsp. **bimaculatus** Gounelle, 1909:685  
**rubrus** Martins & Galileo 2007:80  
**ruficollis** Martins, 1961:187

eBrasil (ES)  
 eBrasil (BA)  
 Venezuela  
 cBrasil (GO, MT), Peru, Bolivia (SC)

seBrasil (BA-PR)  
 Bolivia (BN)  
 eBrasil (PB, BA)

**Phocibidion** Martins, 1968:625

**erythrocephalum** (White, 1855:224)  
**pulcherrimum** (Martins, 1962:277)

Guatemala - Bolivia, Brasil (AM, BA-RJ)  
 nwBrasil (AM), Bolivia (BN)

**Psiloibidion** Martins, 1968:511

**leucogramma** (Perty, 1832:92)  
*thomsoni* Chabrilac, 1857:197

cBrasil (PA-SP), Bolivia (BN, SC),  
 Paraguay, Argentina

**Smaragdion** Martins, 1968:605

**viride** Martins, 1968:606

Peru, cBrasil (PA, RO, MT)

**Thoracibidion** Martins, 1960:105

**buquetii** (Thomson, 1867:139)  
*griseicollis* Bates, 1872:180  
**fasciiferum** (Berg, 1889:110)  
*ruficaudatum* var. *rufa* Gounelle, 1909:664  
**flavopictum** (Perty, 1832:93)

Mexico - Peru, Fr Guiana

Brasil, Bolivia (SC), Paraguay, Argentina

Brasil (GO, MA, MT, MS, RN-SC), Bolivia (SC),  
 Paraguay, Argentina

**franzae** Martins, 1968:540  
**galbum** Martins, 1968:554  
**insigne** Martins, 1968:534  
**io** (Thomson, 1867:141)  
*rugicollis* Bates, 1870:296  
**lineatocollis** (Thomson, 1865:574)  
**pleurostictum** (Bates, 1885:261)  
**ruficaudatum** (Thomson, 1865:571)  
**striatocollis** (White, 1855:224)  
*proserpina* Thomson, 1867:140  
**terminatum** Martins, 1968:552  
**tomentosum** Martins, 1960:108

Venezuela  
 seBrasil (SP)  
 Bolivia (LP)  
 nSAmer-seBrasil (RJ)  
 seBrasil (MA, BA-RS), Paraguay, Argentina  
 Mexico (CHS)-Panama  
 Venezuela, Fr Guiana, Peru, ncBrasil (AM)  
 Fr Guiana, ncBrasil (AM, PA), Peru, eEcuador  
 Bolivia (SC)  
 Venezuela  
 Costa Rica, Panama, Colombia

**Tropidion** Thomson, 1867:134

**abditum** Martins, 1968:484  
**acanthonotum** (Martins, 1962:5)  
**argentina** Galileo & Martins, 2010:5

nArgentina (CH)  
 eBrasil (ES)  
 Argentina (LR)

- atricolle** (Martins, 1962:304)  
**aurulentum** Martins, 1971:141  
**balfourbrowni** Martins, 1968:411  
**batesi** Martins, 1968:496  
**bituberculatum** (Audinet-Serville, 1834:105)  
**boliviensis** Galileo & Martins, 2010:5  
**breviusculum** (Thomson, 1867:147)  
     *borrei* Lameere, 1884:88  
     *geniculatum* Zikan & Zikan 1944:12  
**brunniceps** (Thomson, 1865:571)  
**buriti** Martins & Galileo, 2012:200  
**calciope** (Thomson, 1867:144)  
**carinicolle** (Bates, 1872:180)  
**castaneum** Martins, 1968:383  
**centrale** (Martins, 1962:158)  
**cinctulum** (Bates, 1870:294)  
**citrinum** Martins, 1968:403  
**contortum** Martins, 1968:442  
**cruentum** Martins & Napp, 1986:8  
**ecoparaba** Martins & Galileo 2007:140  
**elegans** (Gounelle, 1909:679)  
     var. *zonata* Gounelle, 1909:679  
**enochrum** Martins, 1968:405  
**epaphum** (Berg, 1889:111)  
     *rubricatum* var. *rubronigra* Gounelle, 1909:681  
**erythrurum** (Martins, 1962:276)  
**extraordinarium** Martins & Galileo, 1999:302  
**fairmairei** (Gounelle, 1909:680)  
     *paraguayensis* Martins, 1962:6  
**fernandezi** Joly, 1991:31  
**festivum** (Martins, 1962:101)  
**flavipenne** (Martins, 1964:139)  
**flavipes** (Thomson, 1867:143)  
**flavum** (Martins, 1962:304)  
**fuscipenne** (Gounelle, 1913:217)  
     *immaculipenne* Melzer, 1935:181  
**hermione** (Thomson, 1867:144)  
**hispidum** Martins, 1971:1441  
**igneicolle** (Martins, 1962:10)  
**inermis** (Martins, 1962:7)  
**intermedium** (Martins, 1962:302)  
**investitum** (Martins, 1962:10)  
     *clavicorne* Martins, 1962:12  
**iuba** Martins & Galileo, 2007:173  
**jolyi** Martins & Galileo, 2012:200  
**kjellanderi** (Martins, 1965:208)  
**lepidum** Martins, 1971:138  
**litigiosum** Martins, 1968:444  
**mirabile** Martins, 1971:1439  
**nordestinum** (Martins, 1962:105)  
**obesum** Martins, 1968:446  
**ochraceum** Martins & Galileo, 2007:129  
**periboeoides** (Thomson, 1867:146)  
**persimile** (Martins, 1960:181)  
**personatum** (Gounelle, 1909:678)  
     *andinum* Martins, 1962:57  
**pictipenne** (Martins, 1962:58)  
**pinima** Martins & Galileo, 2007:174  
**praecipuum** Martins, 1971:1445  
**pubicolle** Martins & Napp, 1986:10  
  
seBrasil (BA-RJ)  
Brasil (GO, SC), Paraguay  
eBrasil (BA)  
eBrasil (ES)  
seBrasil (MA, MG-SP)  
Bolivia (SC)  
seBrasil (BA-SC), Paraguay, Argentina  
  
Panama, Colombia  
Brasil (PI)  
seBrasil (BA-SP)  
Nicaragua - Panama  
seBrasil (BA, MG, MS), Bolivia  
Panama, Venezuela  
nBrasil (PA), Fr Guiana  
eBrasil (BA, ES)  
Bolivia (SC)  
cBrasil (MT)  
Bolivia (SC)  
ecBrasil (GO, MT), Bolivia (SC)  
  
eBrasil (BA)  
ecBrasil (GO, MT, MG, SP), Argentina,  
Bolivia (SC), Paraguay  
Panama-nSamer, Bolivia (SC), seBrasil  
Brasil (DF)  
ecBrasil (GO, MA, MT), Bolivia (SC), Paraguay  
  
Venezuela  
Bolivia (SC)  
sBrasil (MS)  
eBrasil (GO, BA-SP), Bolivia  
seBrasil (BA-SP), Fr Guiana, Argentina, Bolivia (SC)  
Bolivia (SC), nArgentina (SA, SE, ER)  
  
seBrasil (SP-RS), Paraguay, Argentina, Bolivia (SC)  
Venezuela  
seBrasil (MG, SP)  
seBrasil (MT, RJ-PR)  
nArgentina (SA, TU)  
seBrasil (BA-RS), neArgentina (MI), Bolivia (SC)  
  
Brasil (ES)  
Venezuela  
eBrasil (BA)  
cBrasil (MA, MT), Bolivia (SC)  
Colombia, Venezuela  
Venezuela  
neBrasil (RN)  
eBrasil (BA)  
Bolivia (SC)  
seBrasil (BA-RJ)  
ncBrasil (PA, GO, MA, MT)  
ecBrasil (GO, MT, SP), Paraguay, Bolivia (SC),  
Argentina  
seBrasil, Bolivia, Paraguay, Argentina  
Brasil (MA)  
cBrasil (MT), Bolivia  
Brasil (AM, PA, RO)

- pulvinum** Martins, 1968:449  
**pusillum** (Martins, 1960:178)  
**rubricatum** (Gounelle, 1909:680)  
**rusticum** (Gounelle, 1909:682)  
**salamis** (Thomson, 1867:143)  
**semirufum** Martins, 1968:422  
**signatum signatum** (Audinet-Serville, 1834:104)  
*venezuelae* White, 1855:233  
*femoratum* Lucas, 1857:187  
*vicinum*; Bosq, 1943:31 (not Gounelle, 1909)  
 subsp. **punctatum** Martins, 1968:438  
**silvestre** (Martins, 1965:210)  
**sipolisi** (Gounelle, 1909:681)  
*breviusculum* Zikan & Zikan 1944:12  
*haliki* Martins, 1962:301  
**subcruciatum** (White, 1855:226)  
*spinipenne* Thomson, 1865:570  
*calligramum* Bates, 1870:294  
**supernotatum** (Gounelle, 1909:678)  
**tendyra** Martins & Galileo 2007:134  
**terminatum** Martins & Galileo, 2012:199  
**tymauna** Martins & Galileo, 2007:128  
**una** Martins & Galileo, 2012:202  
**validum** (Martins, 1962:104)  
**vianai** Martins, 1971:1437  
**vicinum** (Gounelle, 1913:216)  
**xanthocele** (Martins, 1962:305)  
**zonapterum** (Martins, 1962:299)
- eBrasil (BA)  
 Bolivia (SC)  
 Venezuela, ecBrasil (GO, MT, MG), Bolivia  
 ecBrasil (GO, MG, MT, SP), Paraguay  
 seBrasil (BA-RS), Paraguay, Argentina  
 Brasil  
 seBrasil (BA-RS), Paraguay, Argentina, Bolivia
- ecBrasil (GO, MA, MT), Bolivia  
 eBrasil (ES)  
 eBrasil (GO, BA-SC), Paraguay, Bolivia (SC)
- Guianas, Venezuela, eBrasil (AM, GO, MT, PB-PN), Colombia, Bolivia (SC)
- eBrasil (GO, MA, MT, BA-SP), Bolivia  
 Brasil (MG)  
 Brasil (RO)  
 Bolivia (SC)  
 Brasil (RO)  
 Paraguay, Bolivia (SC)  
 Paraguay  
 ncArgentina (JU-CD)  
 cBrasil (MT)  
 ecBrasil (MT, SP), Bolivia (SC)

### **Obriini** Mulsant, 1839:95

#### **Obrium** Dejean, 1821:110

*Phyton* Newman, 1840:19

*Diozodes* Haldeman, 1847:42

- albifasciatum** Bates, 1872:182  
**angulosum** Bates, 1885:269  
**arciferum** Bates, 1885:270  
**asperatum** Joly, 2010:703  
**balteatum** Hovore & Chemsak, 1980:41  
**batesi** Hovore & Chemsak, 1980:40  
**beckeri** Knull, 1962:105  
**bifasciatum** Martins & Galileo, 2003:18  
**californicum** Van Dyke, 1920:37  
**cantharinum** (Linnaeus, 1767: 673)  
**cicatricosum** Gounelle, 1909:686
- circunflexum** Martins & Galileo, 2003:19  
**clavijoi** Joly, 2010:704  
**clerulum** Bates, 1885:270  
**constricticollae** Schaeffer, 1908:338  
**cordicollae** Bates, 1870:308  
**costaricum** Hovore & Chemsak, 1980:47  
**cribripenne** Bates, 1885:271  
**cruciferum** Bates, 1885:270  
**dimidiatum** Hovore & Chemsak, 1980:45  
**discoideum** (LeConte, 1873:190)  
**dominicum** Linsley, 1957:85  
**giesberti** Hovore & Chemsak, 1980:37  
**glabrum** Knull, 1937:41
- Mexico (VC) - Panama, wEcuador  
 Panama  
 Guatemala  
 Venezuela  
 wcMexico (DU)  
 Mexico (GR, OA), Honduras  
 swUSA (TX)  
 Argentina (BA)  
 wUSA (CA, OR)  
 Europe, Asia, Argentina (introduced)  
 seBrasil (SP, RG, MG,) Paraguay, Argentina (SA, TU, CH), Bolivia (SC)  
 Peru  
 Venezuela  
 Panama  
 swUSA (AZ), nwMexico (BC, CHA)  
 cBrasil (PA, GO)  
 Costa Rica  
 Mexico (OA, TB), Guatemala  
 Mexico (SI-VC)  
 wcMexico (DU)  
 swUSA (AZ), wMexico (BC)-Costa Rica  
 nwMexico (BC, SO)  
 wcMexico (BC, SI)  
 swUSA (TX)

<b>latecinctum</b> Joly, 2010:705	Venezuela
<b>maculatum</b> (Olivier, 1795:32)	Canada – Honduras, Costa Rica (GU)
<i>pallidum</i> Say, 1824:412	
<i>limum</i> Newman, 1840:18	
<i>lituratum</i> Bates, 1885:268	
<i>howdeni</i> Knull, 1955:139	
<b>mozinnae</b> Linell, 1897:395	swUSA (TX), neMexico (TA)
<b>multifarium</b> Berg, 1889:109	sBrasil (RS), Paraguay, neArgentina (MI)
<b>obliquum</b> Martins & Galileo, 2003:21	Colombia
<b>peninsulare</b> Schaeffer, 1908:338	Mexico (BC)
<i>brunneum</i> Schaeffer, 1904:223 (not Fabricius, 1792)	
<b>peculiare</b> Martins & Galileo, 2011:192	Trinidad & Tobago
<b>piperitum</b> Bates, 1885:269	Panama
<b>planicolle</b> Hovore & Chemsak, 1980:49	wMexico (NA)
<b>quadrifasciatum</b> Zajciw, 1965:90	seBrasil (RJ)
<b>rubidum</b> LeConte, 1850:21	eNAmer
<b>ruficolle</b> Bates, 1885:270	Mexico (DU, JA, SI, SO) - Costa Rica
<b>rufulum</b> Gahan, 1908:142	eNAmer
<i>rubrum</i> Leng, 1885: pl.3, fig.16 (not Newman, 1838)	
<b>semidiffusum</b> Joly, 2010:705	Venezuela
<b>trifasciatum</b> Bosq, 1951:98	sBrasil, Uruguay, nArgentina, Fr Guiana, Bolivia (SC)
<b>vicinum</b> Gounelle, 1909:686	eBrasil (MG, BA, GO, PE), Argentina (SA), Bolivia (SC)
<b>xanthum</b> Hovore & Chemsak, 1980:43	sMexico (CHS), Guatemala

### **Oemini** Lacordaire, 1868:216

*Oeminae* Pascoe, 1869:498

*Oemini* Gounelle, 1909:592

### **Subtribe Oemina** Lacordaire, 1868:216

<b>Amphelissoeme</b> Martins, 1981:15	
<b>viridescens</b> Martins, 1981:15	eBrasil (BA)
<b>Aponoeme</b> Martins, 1985:171	
<i>Apanoeme</i> Martins & Galileo, 1998:47	
<b>amazonica</b> Martins, 1985:171	nwBrasil (AM)
<b>castanea</b> Martins & Galileo, 1998:47	sBrasil (MS)
<b>Argentinoeme</b> Bruch, 1911:164	
<b>pseudobscura</b> Di Iorio, 1995:279	neArgentina (ER)
<b>schulzi</b> Bruch, 1911:165	cBrasil (MT), Argentina, Bolivia (SC)
<b>Atenizus</b> Bates, 1867:2	
<i>Ceratoeme</i> Melzer, 1920:426	
<b>capixaba</b> Martins, 1981:10	eBrasil (ES)
<b>castaneus</b> Martins, 1981:10	Venezuela, Colombia
<b>hylaeanus</b> Martins, 1981:11	nwBrasil (AM)
<b>laticeps</b> Bates, 1867:28	Honduras, El Salvador-seBrasil (PR)
<b>plaumanni</b> Tippmann, 1960:105	sBrasil (MS, PR), Bolivia (SC)
<b>simplex</b> Bates, 1884:240	Honduras-Panama, Brasil (MA), Venezuela
<b>taunayi</b> Melzer, 1920:426	Brasil (MG, SP, PA)
<i>vittipennis</i> Tippmann, 1960:106	
<b>Austroeme</b> Martins, Chemsak & Linsley, 1966:217	
<b>femorata</b> Martins, 1997:108	nBrasil (PI)
<b>gentilis</b> (Gounelle, 1909:592)	eBrasil (GO, MA-RJ), Bolivia (SC)
<i>fissithorax</i> Gounelle, 1909:593	
<b>modesta</b> (Gounelle, 1909:593)	ecBrasil (GO), Uruguay

**Gounelleoeme** Monné & Martins, 1974:22*Gounellea* Martins, Chemsak Linsley, 1966:213 (not Lane, 1964)**echinoscapus** (Gounelle, 1913:196)

nArgentina (SE)

**Haplidoeme** Chemsak & Linsley, 1965:142**punctata** Chemsak & Linsley, 1971:118**schlingeri** Chemsak & Linsley, 1965:143

ecMexico (HI)

swUSA (CA), Mexico (BC)

**Liberadaxia** Alten, Alten & Ramey, 2009:1**deslauriersi** Alten, Alten & Ramey, 2009:1

Utah, Arizona

**Macroeme** Aurivillius, 1893:177**condyla** (Martins, 1971:60)**cylindrica** (Thomson, 1857:122)*decorata* Buquet, 1859:625**plana** (Perty, 1832:89)*chabrillacii* Thomson, 1857:121**priapica** (Thomson, 1857:121)

eBrasil (BA, MG)

eBrasil (BA-ES)

Brasil (MG, RJ)

Brasil (PA, GO, MA, MT, BA-RS), Paraguay,

Bolivia (SC), Argentina, Uruguay

Bolivia (SC)

cBrasil (GO, MA, MT)

cBrasil (AM, PA, MT)

**similis** Martins & Galileo, 2011:190**sobrina** Gounelle, 1909:595**vittipennis** (Melzer, 1934:213)**Malacopterus** Audinet-Serville, 1833:565*Malacomacrus* White, 1853:41*Ganimus* LeConte, 1873:173**pavidus** (Germar, 1824:506)*pallescens* White, 1853:41**tenellus** (Fabricius, 1801:335)*lineatus* Guérin-Ménéville, 1844:222*mexicanus* Thomson, 1861:248*vittatus* LeConte, 1873:173

seBrasil (GO, BA-RS), Paraguay,

Argentina, Uruguay

swUSA (CA, AZ)-cBrasil, Cuba, Bolivia (LP, SC)

Guadeloupe, Jamaica, Dominican Republic

**Martinsia** Chemsak & Linsley, 1967:35**cordigera** Touroult, Dalens & Tavakilian, 2010:13**scabrosa** Chemsak & Linsley, 1967:35

Fr Guiana, Brasil (Amapa)

eBrasil (BA, MA), Argentina (SA), Bolivia (SC)

**Neoeme** Gounelle, 1909:595**annulicornis** (Buquet, 1859:627)*picticornis* Bates, 1870:245var. *dubia* Melzer, 1928:144**bouvieri** Gounelle, 1909:595**hudepohli** (Martins & Monné, 1975:270)**opaca** Zajciw, 1958:446**pallida** (Buquet, 1859:626)**quinqulineata** Zajciw, 1958:448

Fr Guiana, c-seBrasil (AM, MA, BA-SC),

eEcuador, Paraguay, Bolivia (SC)

cBrasil (PA-PR), Peru, Bolivia (SC), Fr Guiana

Bolivia (SC), nArgentina (SA)

eEcuador, Fr Guiana, Brasil (AP, RO, MT)

seBrasil (ES, RJ)

eBrasil (ES)

**Nesoeme** Linsley & Chemsak, 1966:209**kuscheli** Linsley & Chemsak, 1966:211

Galapagos Is

**Ocroeme** Martins, Chemsak & Linsley, 1966:213**aspericollis** Martins, Chemsak & Linsley, 1966:214**nana** (Bates, 1870:247)**recki** (Melzer, 1931:191)**tricolor** Martins, 1980:227

Venezuela

nBrasil (AM, PA, MA)

eBrasil, Paraguay, Argentina, Uruguay, Bolivia (SC)

cBrasil (MA, MT)



**Oeme** Newman, 1840:8*Sclerocerus* LeConte, 1850:20**costata costata** LeConte, 1873:174

wUSA , nMX

*strangulata* Horn, 1880:133*minutivestis* Casey, 1924:251*californica* Linsley, 1934:162subsp. **abietis** Chemsak, 1965:352

swUSA (CA)

**rigida rigida** (Say, 1826:274)

eUSA-TX

*linearis* Harris, 1837:85*indecora* Newman, 1840:8subsp. **deserta** Casey, 1924:252

wUSA (TX, UT, AZ, CO)

*strangulata* Craighead, 1923:40 (not Horn, 1880)*incertula* Casey, 1924:252*subobsolata* Casey, 1924:253*truncata* Casey, 1924:253*hirsuta* Van Dyke, 1927:99*rotundicollis* Linsley, 1932:116**Paramartinsia** Martins & Galileo, 2005:764**quadrinaculata** Martins & Galileo, 2005:765

Bolivia (SC)

**Paranoplium** Casey, 1924:250**gracile gracile** (LeConte, 1881:27)

wUSA (CA)

*densicollis* Casey, 1924:250subsp. **laticollis** (Linsley, 1934:163)

wUSA (CA)

**Phrynoeme** Martins, 1980:228*Ochroeme* (*Phrynoeme*) Martins, 1980:228**cucullata** (Gounelle, 1913:199)

Paraguay, Argentina

**Placoeme** Chemsak & Linsley, 1964:45**vitticollis** Chemsak & Linsley, 1964:45

seMexico (VC, QR), Guatemala

**wappesi** Galileo & Martins, 2010:33

Bolivia (SC)

**Sepaicutia** Lane, 1972:355**costata** Martins & Galileo, 2005:765

Bolivia (SC)

**fisheri** Lane, 1972:356

seMexico (VC), Guatemala

**unicolor** Martins, 1981:14

Venezuela

**Sphagoeme** Aurivillius, 1893:178**acuta** Martins & Galileo, 1994:685

eBrasil (MG)

**aurivillii** Gounelle, 1909:598

Brasil (PB, MA, MT, MG-PR), Paraguay

**lineata** Martins, 1981:16

Surinam, Fr Guiana

**nigrotibialis** Martins, 1973:203

Brasil (MA, MT, MG), Bolivia (SC)

**ochracea** Fisher, 1927:23

Costa Rica, Panama, Colombia

**paraensis** Martins, 1977:84

nBrasil (PA)

**sahlbergi** Aurivillius, 1893:179

c, seBrasil (MT, BA-SC), Bolivia (SC)

*bicolor* Zajciw, 1960:130**suturalis** Martins, 1977:86

cBrasil (PA, MA, MT), Fr Guiana

**Sphalloeme** Melzer, 1928:143**costipennis** Melzer, 1928:143

seBrasil (ES-SC), Argentina (MI), Honduras?

**Stenoeme** Gounelle, 1909:597**aguilari** Galileo & Martins, 2010:32

Paraguay

**annularis** Martins, 1980:224

eBrasil (BA, MG)

**bellarmini** Gounelle, 1909:598

eBrasil (BA)

- iheringi** Gounelle, 1909:597  
**kempfi** Martins, 1980:223
- Temnopsis** Audinet-Serville, 1834:90  
**castanea** Martins, 1978:129  
**fasciata** Galileo & Martins, 2003:475  
**forticornis** (Tippmann, 1960:102)  
**fuscipennis** Martins, 1978:133  
**jolyi** Martins, 1978:132  
**latifascia** Martins & Monné, 1975:271  
**martinezi** Martins, 1985:170  
**megacephala** (Germar, 1824:509)  
     *taeniatus* Audinet-Serville, 1834:91  
     var. *fuscipes* Lacordaire, 1869:220  
**nigripes** Aurivillius, 1893:179  
**oculata** Zajciw, 1960:129  
     *apicalis* Tippmann, 1960:102  
**rubricollis** Martins, Galileo & de-Oliveira 2009:510
- Tristachycera** Bates, 1872:170  
*Trichachycera* Gilmour, 1968:89  
**viridis** Bates, 1872:171
- Subtribe Methioidina** Martins, 1997:119
- Chromoeme** Chemsak & Linsley, 1967:36  
**angustissima** (Buquet, 1857:412)
- Eudistenia** Fall, 1907:82  
**costipennis** Fall, 1907:83
- Euryprosopus** White, 1853:136  
**clavipes** White, 1853:137  
     *alexianus* Buquet, 1853:257  
     *dardanus* Buquet, 1853:258  
     *apicalis* Buquet, 1853:259  
     *nigripennis* Buquet, 1853:260  
     *cyanipennis* Buquet, 1853:260  
     *chabrilacci* Buquet, 1857:411  
     *opacipennis* Martins, 1973:202
- Kalore** Martins & Galileo, 2006:173  
**asanga** Martins & Galileo, 2006:174  
**minima** Galileo & Martins, 2011:576
- Metalloeme** Touroult, Dalens & Tavakilian, 2010:7  
**viridescens** Touroult, Dalens & Tavakilian, 2010:11
- Methioeme** Zajciw, 1963:56  
**brevipennis** Zajciw, 1963:57
- Methioides** Chemsak & Linsley, 1967:31  
**cicatricosa** Chemsak & Linsley, 1967:33
- eBrasil (GO, PE)  
eBrasil (ES)
- Brasil (MT, BA, MG), Bolivia (SC), Argentina  
Brasil (PA)  
ecBrasil (GO, ES)  
nBrasil (PA)  
Venezuela  
Brasil (GO, MA, PE-RS), Bolivia (SC), Paraguay,  
Argentina  
ec Argentina (SL)  
eBrasil (RN-RS), Paraguay, Argentina
- Brasil (AM, BA-RJ), Peru  
cBrasil (PA, MT), Fr Guiana, Bolivia (SC)
- Brasil (MA)
- Nicaragua, Costa Rica, Panama
- seBrasil (ES-RS), Argentina, Uruguay
- swUSA (CA)
- seBrasil (ES-SP)
- Bolivia (SC)  
Brasil (AM)
- Fr Guiana
- cBrasil (AM, PA, MT)
- eBrasil (BA)

- Mimoeme** Chemsak & Linsley, 1967:37  
     **lycoides** Chemsak & Linsley, 1967:39  
     **pseudamerica** Touroult, Dalens & Tavakilian, 2010:6  
     Venezuela  
     Fr Guiana
- Necydalosaurus** Tippmann, 1960:119  
     **durantoni** Touroult & Tavakilian, 2008:338  
     **ichneumonides** Touroult & Tavakilian, 2008:340  
     **mysticus** Tippmann, 1960:120  
     Fr Guiana  
     Fr Guiana  
     Panama, Fr Guiana, Peru
- Paratemnopsis** Martins, 1978:134  
     **ambiguus** (Melzer, 1927:141)  
     seBrasil (RJ-SC)
- Proeme** Martins, 1978:118  
     **asimoni** Touroult, Dalens & Tavakilian, 2010:4  
     **bella** Martins, 1978:125  
     **bucki** (Melzer, 1931:51)  
     **cyanescens** (Aurivillius, 1910:145)  
     **latipennis** (Lane, 1973:372)  
     **lyciformis** Martins, 1978:124  
     **plagiata** (Buquet, 1860:622)  
         **rufithorax** Aurivillius, 1893:180  
     **rufoscapus** (Aurivillius, 1910:145)  
     **seabrai** Martins, 1978:120  
     Fr Guiana  
     nwBrasil (AM)  
     seBrasil (BA-RS)  
     eBrasil (ES)  
     Colombia, Ecuador  
     cBrasil (MT)  
     seBrasil (BA-RS), Paraguay, Argentina  
     seBrasil (MG-SC)  
     cBrasil (PA, MT)
- Vandykea** Linsley, 1932:118  
     **tuberculata** Linsley, 1932:118  
     wUSA (CA)
- Xanthoeme** Martins, 1980:225  
     **signaticornis** (Melzer, 1920:421)  
     seBrasil (BA-SC)
- Opsimini** LeConte, 1873:294
- Dicentrus** LeConte, 1880:195  
     *Paraopsimus* Champlain & Knull, 1926:205  
     **bidentatus** (Champlain & Knull, 1926:205)  
     **bluthneri** LeConte, 1880:195  
     nwUSA (OR)  
     wNAmer (Pac Coast)
- Opsimus** Mannerheim, 1843:305  
     **quadrilineatus** Mannerheim, 1843:305  
         *quadrilineatus bipletralis* Casey, 1924:229  
     wNAmer (Pac Coast)
- Oxycoleini** Martins & Galileo, 2003:52
- Oxycoleus** Lacordaire, 1869:485  
     *Stenoptrellus* Bates, 1870:314  
     *Merionoeda* Bates, 1885:287 (not Pascoe, 1858)  
     **bicolor** (Melzer, 1934:214)  
     **brasiliensis** (Tippmann, 1953:223)  
     **carinatipennis** (Zajciw, 1964:249)  
     **clavipes** Lacordaire, 1869:485  
     **culicinus** (Bates, 1870:315)  
     **cyaneus** Martins & Galileo, 2005:770  
     **flavipes** Martins & Galileo, 2006:178  
     **gahani** (Gounelle, 1911:168)  
     **gratiosus** (Bates, 1885:287)  
     **laetus** Julio, 1997:3  
     Honduras, Costa Rica  
     seBrasil (RJ-SC)  
     sBrasil (MG - SC)  
     swMexico (OA)  
     Costa Rica, Panama, nwBrasil (AM)  
     Bolivia (CO)  
     Bolivia (SC)  
     Brasil (MG)  
     eMexico (DU, VC)  
     Brasil (MG, RO)

**obscurus** Julio, 1997:4  
**piceus** Giesbert, 1993:144  
**ruficollis** (Zajciw, 1964:250)  
**tristis** (Melzer, 1933:373)  
*latipennis* (Zajciw, 1964:253)

Brasil (GO, MG)  
 Guatemala, Costa Rica (PA)  
 eBrasil (ES)  
 seBrasil (SC)

**Oxylopsebus** Clarke, 2008:62  
**brachypterus** Clarke, 2008:66

Bolivia (SC)

**Paraholopterini** Martins, 1997:201

**Paraholopterus** Cerda & Cekalovic, 1986:189  
**nahuelbutensis** Cerda & Cekalovic, 1986:190

Chile

**Phlyctaenodini** Lacordaire, 1868:370

**Ancylodonta** Blanchard in Gay, 1851:494  
*Semnus* Lacordaire, 1869:376  
**almeidai** Mendes, 1946:235  
**apipema** Martins & Galileo, 2006:175  
**glabripennis** Zajciw, 1970:502  
**nitidipennis** Germain, 1898:781  
*tristis* Fairmaire & Germain, 1859:510 (not Blanchard, 1851)  
**phlyctaenioides** Lacordaire, 1869:376  
**tristis** Blanchard in Gay, 1851:494  
*granulata* Germain, 1898:762

seBrasil (MG, RJ, SP)  
 Bolivia (SC)  
 Uruguay  
 Chile  
 ecBrasil (GO, MG, RJ)  
 Chile

**Ambeodontus** Lacordaire 1868:374  
*Marileus* Germain, 1897:555  
**tristis** Fabricius 1775  
*chiloensis* Germain, 1897:557

New Zealand, Tasmania, Chile

**Ommidion** Newman, 1840:196  
*Ommatidion* Gemminger & Harold, 1872:2826  
**mirim** Martins, 1998:10  
**modestum** Newman, 1840:196

Brasil (RJ)  
 Brasil

**Parasemnus** Martins, 1998:26  
**regalis** Germain, 1894:453

Chile

**Phoracanthini** Newman, 1840:2

**Phoracantha** Newman, 1840:19  
**recurva** Newman, 1840:19  
**semipunctata** (Fabricius, 1775:180)  
*inscripta* Germar, 1848:226

Australia. Introduced in swUSA (CA), Mexico, Brasil  
 Australia. Introduced in swUSA (CA), Mexico (BC),  
 SAmer, Brasil, Ecuador, Bolivia (SC)

**Piezocerini** Lacordaire, 1868:204 (key), 324  
*Zelliboriinae* Lane, 1951:5

**Subtribe Haruspicina** Martins, 1976:199

**Acruspex** Martins, 1976:225  
**spinipennis** (Zajciw, 1970:591)

eBrasil (BA-ES), Fr Guiana

**Haruspex** Thomson, 1864:221

- bivittis** (White, 1855:220)  
*maculicornis* Bates, 1870:281  
*agnatus* Melzer, 1934:71  
*inermis* Belon, 1903:48  
*pallidus* Gounelle, 1909:652  
**brevipes** (White, 1855:218)  
**celatus** Lane, 1970:59  
**daithmus** Martins, 1976:207  
**inscriptus** Gahan, 1895:107  
*insularis* Fisher, 1935:195  
*similis* Fisher, 1935:196  
**insulsus** Martins & Galileo, 2005:766  
**lineolatus** Bates, 1870:280  
*laevifemoratus* Waterhouse, 1880:294  
**mentitus** Martins, 1976:214  
**modestus** (White, 1855:239)  
**ornatus** Bates, 1870:281  
**pictilis** Martins, 1976:203  
**quadripustulatus** Gounelle, 1909:651  
**submaculatus** (White, 1855:220)

Costa Rica-Panama, Fr Guiana, Brasil, Peru,  
 Bolivia (SC) Argentina

eBrasil (GO, BA-SC)  
 Colombia  
 Colombia  
 Mexico-Colombia, Venezuela, Trinidad,  
 W Indies (Barbados, Grenada)  
 Costa Rica (GU), Panama  
 Venezuela, eEcuador, Guianas, Peru,  
 ncBrasil (AM), Bolivia (SC)  
 Bolivia (LP, SC)  
 ncBrasil (AM, PA, GO), Fr Guiana  
 nBrasil (PA)  
 eBrasil (BA, MG, RJ, SP)  
 ecBrasil, Paraguay, Argentina, Uruguay, Bolivia (SC)  
 Colombia

**Subtribe Piezocerina** Lacordaire, 1868:204 (key), 324**Alienosternus** Martins, 1976:230

- cristatus** (Zajciw, 1970:592)  
**metallicus** Martins, 1976:232  
**simplex** Martins, 1976:236  
**solitarius** (Gounelle, 1909:655)

cBrasil (PI, GO, MA, MT)  
 cBrasil (MT)  
 nwArgentina (SA, LR, SJ)  
 ecBrasil (GO, MG)

**Cicatrizocera** Martins, 1976:239

- bilistrata** (Lane, 1959:303)

Fr Guiana, ncBrasil (AM, PA)

**Colynthaea** Thomson, 1878:5

- coriacea** (Erichson in Schomburg, 1848:573)  
*grossa* Thomson, 1878:6

Guyana, Fr Guiana, Brasil (MA-SC, MT)

**Gorybia** Pascoe, 1866:481

- acuta** Martins, 1976:332  
**adiaphora** Martins, 1976:325  
**alboapex** Martins, 1976:328  
**amazonensis** Martins & Galileo, 2010:590  
**apatheia** Martins, 1976:355  
**armata** Martins, 1976:314  
**bahiensis** Galileo & Martins, 2010:2  
**bispinosa** Martins, Galileo & de-Oliveira, 2009:510  
**calcitrata** Martins, 1976:322  
**castanea** (Gounelle, 1909:653)  
**chontalensis** (Bates, 1880:30)  
**echinata** Martins, 1976:320  
**hirsutella** Martins, 1976:313  
**instita** Martins, 1976:305  
**invicta** Martins, 1976:317  
**lissonota** Martins, 1976:319  
**maculosa** Martins, 1976:353  
**martes** Pascoe, 1866:481  
**minima** Martins, 1976:357  
**montana** Martins & Galileo, 2007:176

eBrasil (ES)  
 eBrasil (GO, PE-RS), Bolivia (SC)  
 Venezuela  
 Brasil (AM)  
 seBrasil (MG-SP)  
 Colombia, Venezuela, Honduras?  
 Brasil (BA)  
 Brasil (MA)  
 nArgentina (FO)  
 ecBrasil (GO, MT, MG, SP)  
 Nicaragua-Panama  
 eBrasil (ES)  
 eBrasil (BA, ES)  
 eBrasil (GO, MA-MG), Bolivia (SC)  
 eBrasil (MG, ES), Bolivia (SC)  
 eBrasil (MA, ES)  
 Paraguay  
 seBrasil (BA-SC), Paraguay, Argentina  
 neBrasil (PE)  
 Fr Guiana

**orygma** Martins, 1976:344  
**pallida** Martins, 1976:346  
**palpalis** Martins, 1976:349  
**picturata** Martins, 1976:352  
**pilosa** Martins, 1976:332  
**procera** Martins, 1976:312  
**proxima** Martins, 1976:336  
**pusilla** (Bates, 1870:282)  
**quadrispinosa** Galileo & Martins, 2008:51  
**reclusa** Martins, 1976:341  
**rondonia** Galileo & Martins, 2010:2  
**ruficauda** (Gounelle, 1909:654)  
**rugosa** Martins, 1976:358  
**semiopaca** Martins, 1976:311  
**senticosa** Martins, 1976:324  
**separata** Martins, 1976:339  
**simplicior** (Bates, 1870:282)  
**stomias** Martins, 1976:348  
**sulcata** Martins & Galileo, 2010:590  
**suturella** Martins, 1976:342  
**thoracica** Martins, 1976:330  
**tibialis** Martins, 1976:328  
**umbella** Martins, 1976:356  
**veneficella** Martins, 1976:307  
**zonula** Martins, 1976:343

### **Hemilissa** Pascoe, 1858:238

**catapotia** Martins, 1976:293  
**cornuta** Bates, 1870:284  
*laevigata* Thomson, 1878:3  
**emblema** Martins, 1976:284  
**fabulosa** Martins, 1985:175  
**gummosa** (Perty, 1832:90)  
**opaca** Martins, 1976:289  
**picturata** Galileo & Martins, 2000:164  
**quadrispinosa** Gounelle, 1913:213  
**rufa** Melzer, 1934:73

**sulcicollis** Bates, 1870:284

**undulaticollis** Zajciw, 1960:399

### **Migmocera** Martins, 1976:237

**flavicauda** (Bates, 1885:258)

### **Migorybia** Martins, 1985:175

**miranda** Martins, 1985:175

### **Othnocerus** Martins, 1976:276

**aethes** Martins, 1976:277

### **Pharcidodes** Martins, 1976:359

**divisus** Martins, 1976:362  
**nigripennis** Martins, 1985:177  
**rubiginosus** (Thomson, 1878:4)  
*var. apicalis* Gounelle, 1909:653  
**suturalis** (Gounelle, 1909:653)

nBrasil (AP)  
 Peru  
 sBrasil (PR-RS)  
 seBrasil (SP), Bolivia (SC)  
 scBrasil (MS)  
 cBrasil (AM, MT)  
 seBrasil, Paraguay  
 Fr Guiana, ncBrasil (AM, PA)  
 Bolivia (SC), Fr Guiana  
 Guatemala-Panama  
 Brasil (RO)  
 ecBrasil (GO, MA, MT, MG, SP)  
 eBrasil (BA)  
 wBrasil (AC), Fr Guiana, Bolivia (SC)  
 eBrasil (MG)  
 eBrasil (BA)  
 ecBrasil (GO, MT, ES, RJ)  
 seBrasil (RJ)  
 Brasil (AM)  
 cBrasil (MA, MT), Bolivia (SC), Fr Guiana  
 nArgentina (SA)  
 Costa Rica (PA), Panama, Venezuela, Bolivia  
 e, sBrasil (BA, RS)  
 ecBrasil (GO, MT), Bolivia (SC)  
 eBrasil (MG, SP)

ncBrasil (AP, PA, MT), Fr Guiana  
 Fr Guiana, ncBrasil (AM), Peru, Bolivia (SC)

Venezuela, Bolivia (SC)  
 Venezuela  
 eBrasil (PB-RS, GO, MT), Argentina, Bolivia (SC)  
 Venezuela, Guianas, ncBrasil (AM), Colombia  
 Venezuela  
 Brasil (AM, MT), Peru, Bolivia (BN, SC), Argentina  
 Costa Rica

Costa Rica-Brasil (AM, RN-SP), Bolivia (BN, SC),  
 Fr Guiana  
 eBrasil (ES)

Guatemala

Venezuela

eBrasil (ES)

seBrasil (RJ, PR)  
 eBrasil (BA)  
 seBrasil (BA-RJ)

Brasil (GO, MT, MG), Bolivia (SC), Paraguay,  
 Argentina

**Piezarina** Martins, 1976:250**smaragdina** Martins, 1976:250Costa Rica, Panama, ncBrasil (AM, PA, MA, MT), Fr  
Guiana, Bolivia (SC)**Piezasteria** Martins, 1976:245**helenae** Martins, 1985:176**sternalis** Martins, 1976:246

Costa Rica, Colombia

ecBrasil (GO, MT, ES), Bolivia (SC), Fr Guiana

**Piezocera** Audinet-Serville, 1834:92*Pyrgotes* Bates, 1867:27**advena** Martins, 1976:268**aenea** (Bates, 1867:27)**araujosilvai** Melzer, 1935:174**ataxia** Martins, 1976:267**bivittata** Audinet-Serville, 1834:93**costula** Martins, 1976:264**flavipennis** (Zajciw, 1970:593)**gratiosa** Lameere, 1893:273**monochroa** Bates, 1885:258**nodicollis** Melzer, 1934:72**rufula** Martins & Galileo, 2010:567**serraticollis** Linell, 1897:394**silvia** Galileo & Martins, 2000:163

Venezuela

nwBrasil (AM)

eBrasil (BA-RJ)

Fr Guiana, cBrasil (PA, MT, BA), Bolivia (SC)

seBrasil (BA-SC), Paraguay

scBrasil (MS)

Peru, nBrasil (PA), Bolivia (SC)

Venezuela

sMexico (VC) - Costa Rica

seBrasil (ES-RS), Paraguay

Trinidad &amp; Tobago

swUSA (TX), nMexico (CHS, OA)

Colombia

**Piezogenista** Martins, 1976:255**callytra** Martins, 1976:257

eBrasil (BA)

**Piezosecus** Martins & Galileo, 2003:225**tymaiuba** Martins & Galileo, 2003:226

sBrasil (SP, ES)

**Pseudocolynthaea** Martins, 1976:244**pectoralis** Martins, 1976:244

eBrasil (BA-ES), neArgentina (MI)

**Thyellocerus** Martins, 1976:248**fulgidipennis** (Gounelle, 1909:652)cBrasil (AM, GO, MT), Peru, Bolivia (SC),  
Paraguay, Argentina, Fr Guiana**Zelliboria** Lane, 1951:5**daedalea** (Perty, 1832:98)

Guianas, cBrasil (AM, MA, MT, PI, ES, MG, SP)

**Platyarthrini** Bates, 1870:419*Coelarthrides* Lacordaire, 1869:138**Platyarthron** Guérin-Méneville, 1844:230*Coelomarthron* Thomson, 1861:199*Coelarthron* Lacordaire, 1869:142*Platyarthrum* Agassiz, 1846:295**bilineatum** Guérin-Méneville, 1844:230**chilense** (Thomson, 1861:200)*quadrinotatum* Bates, 1869:385**laterale** Bates, 1885:316**rectilineum** Bates, 1880:70**semivittatum** Bates, 1885:316**villiersi** Delfino, 1985:500

Mexico (VC)-Honduras

Nicaragua, Costa Rica

Nicaragua, Costa Rica

sMexico(CHS), Guatemala

Costa Rica, Panama

wEcuador

**Plectromerini** Nearn & Branham 2008:19**Plectromerus** Haldeman, 1847:43*Pentomacrus* White, 1855:297*Plectromerus* LeConte, 1873:304*Curiosa* Micheli, 1983:262**acunai** (Fisher, 1936:344)

Cuba

**bidentatus** Fisher, 1942:16

R Dominicana

**dentipes** (Olivier, 1790:268)

SE USA, CA (introduced), Cuba, Bahamas

*dentatum* JE Leconte, 1824:172*scambus* Newman, 1841:79*costatus* Cazier & Lacey, 1952:30**dezayasi** Nearn & Branham, 2008:28

Nicaragua

**distinctus** (Cameron, 1910:186)

Haiti, R Dominicana

*crenulatus* Cazier, 1952:1)**dominicanus** (Micheli, 1983:262)

R Dominicana

**exis** Zayas, 1975:123

Cuba, R Dominicana, Jamaica

**fasciatus** (Gahan, 1895:109)

St Vincent, Grenada, Montserrat

**femoratus** (Fabricius, 1792:316)

Jamaica

*femoratus* White, 1855:297**giesberti** Nearn & Branham, 2008:36

Guatemala

**grimaldii** Nearn & Branham, 2005:19

R Dominicana (fossil)

**hovorei** Nearn & Branham, 2008:38

Honduras, Costa Rica (GU)

**josephi** Nearn & Branham, 2008:40

R Dominicana

**lingafelteri** Micheli & Nearn, 2005:25

R Dominicana

**michelii** Nearn & Branham, 2008:42

Grand Cayman

**morrisi** Nearn & Branham, 2008:43

Panama

**navassae** Nearn & Steiner, 2006:63

Navassa Island

**ornatus** Fisher, 1947:34

Cuba

**pinicola** Zayas, 1975:125

Cuba

**pseudoexis** Vitali & Haxaire, 2007:60

Jamaica

**pumilus** Cazier & Lacey, 1952:33

Cuba, Bahamas

**ramosi** Micheli & Nearn, 2005:30

Puerto Rico, Virgin Is.

**roncavei** Nearn & Miller, 2009:56

Honduras

**serratus** (Cameron, 1910:185)

Haiti, R Dominicana

**tertiarius** Vitali, 2004:453

R Dominicana (fossil)

**thomasi** Nearn & Branham, 2008:51

Haiti

**turnbowi** Nearn & Branham, 2008:52

R Dominicana

**unidentatus** Fisher, 1942:17

Jamaica

**wappesi** Giesbert, 1985:81

Mexico (QR), Honduras, Jamaica

**Pleiarthrocerini** Lane, 1950:371**Pleiarthrocerus** Bruch, 1914:340**opacus** Bruch, 1914:341

neBrasil (AP, PB, PE), Bolivia (SC), ncArgentina (SA, TU)

**Proholopterini** Monné, 2012:44**Neholopterus** Martins & Monné, 1998:59**antarcticus** (Aurivillius, 1910:148)

Argentina, Chile

**ochraceus** (Bruch, 1918:14)

sArgentina (CT)

**reedii** (Bruch, 1918:16)

wArgentina (ME)

**richteri** (Bruch, 1918:18)

sArgentina (CT)



**Proholopterus** Monné, 2012:44*Holopterus* Blanchard in Gay, 1851:475 preoccupied

- annulicornis** (Philippi & Philippi, 1859:674) Chile, sArgentina (NE, SC)  
*araneipes* Fairmaire & Germain, 1859:500  
**chilensis** (Blanchard in Gay, 1851:476) Chile  
**laevigatus** (Philippi & Philippi, 1859:675) Chile  
*compressicornis* Fairmaire & Germain, 1859:501

**Stenophantes** Burmeister, 1861:314

- herrerae** Cerda, 1987:187 Chile  
**longipes** Burmeister, 1861:314 Bolivia, Argentina  
*cujanus* Burmeister, 1865:174  
*sublineatus* Fairmaire, 1864:273  
**martinezi** Cerda, 1980:91 wArgentina (NE)  
**patagonicus** Bruch, 1918:12 sArgentina (CT)

**Psebiini** Lacordaire, 1868:403*Psébiides* Lacordaire, 1869:479*Gracilaires* Mulsant, 1839:99 (part)*Leptideites* Fairmaire in Jacquelin du Val, 1864:193*Cambainae* Lane, 1951:12*Nathriini* Linsley, 1963:153**Dodecocerus** Dalens & Touroult, 2008:305

- poirieri** Dalens & Touroult 2008:305 Fr Guiana

**Fron dipedia** Martins & Napp, 1984:321

- charma** Martins & Napp, 1984:322 sBrasil (SC)

**Hovorea** Chemsak & Noguera, 1993:72

- chica** Chemsak & Noguera, 1993:73 wMexico (JA)

**Nathriobrium** Hovore, 1980:115

- methioides** Hovore, 1980:116 swUSA (TX)

**Paraleptidea** Gounelle, 1913:218*Cambaia* Lane, 1951:12*Necydaliella* Zajciw, 1960:55

- femorata** Gounelle, 1913:219 ncArgentina (SE)  
**longitarsis** (Lane, 1951:13) seBrasil (RJ, SP)  
**sanmartini** (Zajciw, 1960:56) sBrasil (RS), eArgentina (ER), Uruguay  
*femorata* Monné & Zajciw, 1970:30 (not Gounelle, 1913)

**Pseudocephalini** Aurivillius, 1912:154*Ametrocephalitae* Thomson, 1861:256**Pseudocephalus** Newman, 1842:353*Pseudocephala* Pascoe, 1862:361*Ametrocephala* Blanchard in Gay, 1851:480*Orthocephala* Thomson, 1861:257*Orthocephalus* Pascoe, 1862:361*Attodera* Thomson in Pascoe, 1862:361

- monstrosus** (Blanchard in Gay, 1851:481) Chile  
*auromaculatus* Cerda, 1980:66

**Pteroplatini** Thomson, 1861:138, 254**Aphylax** Lacordaire, 1869:165

**lyciformis** (Germar, 1824:502)  
*mentiens* Lacordaire, 1869:165  
*lyciformis bahiae* Aurivillius, 1926:3

eBrasil (GO, BA-RS), Paraguay, Argentina,  
 Uruguay

**Corynellus** Bates, 1885:318

**aureus** Linsley, 1961:6  
**cinnabarinus** Chemsak & Linsley, 1979:269  
**lampyrimorphus** Swift, 2008:5  
**mimulus** Bates, 1885:319  
**ochraceus** Bates, 1885:319

Colombia  
 Guatemala-Costa Rica  
 Costa Rica (GU)  
 Mexico  
 Costa Rica, Panama

**Cosmoplatus** Aurivillius, 1891:101

**brasilianus** Zajciw, 1963:62  
**peruvianus** Aurivillius, 1891:102

nwBrasil (AM)  
 Peru, Bolivia (SC)

**Deltosoma** Thomson, 1864:258

**flavidum** Aurivillius, 1925:489  
**guatemalense** Bates, 1880:72  
**lacordairei** Thomson, 1864:258  
**xerophila** Di Iorio, 1995:208  
*hovorella* Di Iorio, 2003:6

Costa Rica, Panama  
 sMexico (CHS)-Honduras, Costa Rica (PA)  
 Fr Guiana, nwBrasil (AM), Bolivia (SC), Ecuador  
 Brasil (SP, PA, MA, MG), Bolivia (SC), Paraguay

**Nubosoplatus** Swift, 2008:2

**inbio** Swift, 2008:3

Costa Rica (GU)

**Pteroplatus** Buquet, 1840:287

**anchora** Belon, 1903:52  
**arrogans** Buquet, 1840:287  
**atroviolaceus** Kirsch, 1889:39  
**bilineatus** Buquet, 1841:154  
**dimidiatipennis** Buquet, 1841:153  
**elegans** Buquet, 1841:152  
**fasciatus** Buquet, 1841:151  
**gracilis** Buquet, 1840:287  
**nigriventris** Breme, 1844:309  
**pulcher** Buquet, 1840:287  
**quadriscopulatus** Bates, 1880:73  
*terminalis* Bates, 1885:317  
**rostainei** Buquet, 1840:287  
**suturalis** Buquet, 1840:287  
**transversalis** Breme, 1844:309  
**variabilis** Sallé, 1849:430

Bolivia (SC)  
 Colombia  
 Colombia  
 Colombia  
 Colombia  
 Colombia  
 Colombia  
 Colombia  
 Colombia  
 Colombia  
 sMexico (VC, CHS), Guatemala, Honduras  
 Colombia  
 Colombia  
 Colombia  
 Venezuela

**Thelgetra** Thomson, 1864:258

**adustus** Burmeister, 1865:165  
**latipennis** Thomson, 1864:258  
*radiatus* Haase, 1893:est 13

seBrasil, Paraguay, Argentina, Uruguay, Bolivia (CO)  
 seBrasil (BA-RS), Paraguay, Argentina, Uruguay

**Rhinotragini** Thomson, 1861:133 (key), 176 (key), 177**Acatinga** Santos-Silva, Martins & Clarke, 2010:606**boucheri** (Tavakilian & Peñaherrera-Leiva, 2005:28)**gallardi** (Peñaherrera-Leiva & Tavakilian, 2004:126)**maia** (Newman, 1841:92)*alboscuteolata* Fisher, 1947:4**quinquemaculata** (Zajciw, 1966:89)

Fr Guiana

Fr Guiana, Trinidad &amp; Tobago

seBrasil (BA-RS), Argentina, Uruguay

w Brasil (MT, RO), Peru

**Acorethra** Bates, 1873:126**aureofasciata** Gounelle, 1911:164**erato** (Newman, 1840:21)*chrysaspis* Bates, 1873:126

ecBrasil (GO)

seBrasil (ES, RJ)

**Acyphoderes** Audinet-Serville, 1833:549**abdominalis** (Olivier, 1795:8)*olivieri* Bates, 1870:328**acutipennis** Thomson, 1861:179**amoena** Chemsak & Linsley, 1979:74**auricapilla** Fisher, 1947:3*azureoopallescens* Tippmann, 1953:210**aurulenta** (Kirby, 1818:443)*sericinus* White, 1855:195*abdominalis* Gahan, 1895:111 (not Olivier, 1795)**ayalai** Chemsak & Linsley, 1988:124**bayanicus** Giesbert, 1991:381**carinicolis** Bates, 1873:119var. *nigricans* Gounelle, 1911:150**cracentis** Chemsak & Noguera, 1997:7**cribricollis** Bates, 1892:160**crinita** (Klug, 1825:474)*moestus* Bates, 1873:117**dehiscens** Chemsak, 1997:15**delicata** Horn, 1894:400**fulgida** Chemsak & Linsley, 1979:76**hirtipes** (Klug, 1825:473)*femoratus* Klug, 1825:475*brachialis* Pascoe, 1862:369*rufofemorata* Fisher, 1930:12**itaiuba** Martins & Galileo, 2004:230**longicollis** Chemsak & Noguera, 1993:80**magna** Giesbert, 1991:381**odynroides** White, 1855:196**parva** Chemsak & Linsley, 1979:79**prolixa** Chemsak & Linsley, 1979:78**rubrohirsutotibialis** Tippmann, 1953:210**sexualis** Linsley, 1934:349**suavis** Bates, 1885:290**synoecae** Chemsak & Noguera, 1997:8**velutina** Bates, 1885:290**violaceus** Santos-Silva, Bezark & Martins, 2012:78**yucateca** (Bates, 1892:159)

Nicaragua-Panama, cBrasil (AM, GO, MT),

Guianas, eEcuador, Peru, Bolivia (SC)

Mexico (CM, OA, VC) - Honduras

wMexico (SI, NA, JA, OA)

seBrasil (SP, PR), Paraguay

seBrasil (GO, BA-RS), Argentina, Uruguay,

Bolivia, Puerto Rico

wMexico (JA)

Costa Rica, Panama

seBrasil (GO, BA-RS), Bolivia (SC), Paraguay,

Argentina, Uruguay

Mexico (JA)

Mexico-Costa Rica

seBrasil (ES-RS), Bolivia, Paraguay,

Argentina

El Salvador

Mexico (BC)

Mexico (VC)-Costa Rica

seBrasil (BA-RS), Argentina

Venezuela

wMexico (JA)

sMexico (CHS)

ecBrasil (PA, GO), Fr Guiana, Peru, eEcuador

Mexico (SI, NA, JA)

wMexico (CM)

Bolivia

Mexico-Panama

swUSA (sTX), Mexico-Costa Rica

Mexico (OA)

Guatemala, Honduras

Costa Rica (GU)

Mexico (CA, CHS, QR, YU), Honduras

**Aechmutes** Bates, 1867:23**armatus** Gounelle, 1911:120**boliviensis** Clarke, 2011:71**lycoides** Bates, 1867:23**subandinus** Clarke, 2011:74

Peru

Bolivia (SC)

Panama, Surinam, wBrasil (AM, RO)

Bolivia (SC)

**Agaone** Pascoe, 1859:22*Cantharoxylum* Linsley, 1934:346*Cantharoxylum* Neave, 1939:572**amazonica** Bezark, Santos-Silva & Martins, 2011:62**bicolor** (Linsley, 1934:347)**notabilis** (White, 1855:199)**peruviensis** (Fisher, 1952:10)**punctilla** Martins & Santos-Silva, 2010:404

Brazil (PA)

Panama

Peru, Guyana, Fr Guiana, Brasil (AM, MT, PA)

Ecuador, Peru, Bolivia, Brasil (AM, RO)

Brasil (BA, ES, MG, RJ)

**Anomalotragus** Clarke, 2010:240**morrisi** Clarke, 2010:242**recurvilytra** Clarke, 2010:241

Bolivia (SC)

Bolivia (SC)

**Antennommata** Clarke, 2010:243**costata** Clarke, 2010:244

Bolivia (SC)

**Apostropha** Bates, 1873:130**curvipennis** Bates, 1873:130*bivitticollis* Zajciw, 1963:245

seBrasil (MG-SC)

**Bromiades** Thomson, 1864:165**brachyptera** (Chevrolat in Guérin-Ménéville, 1838:285)*meridionalis* Fisher, 1930:14

Cuba, Mexico - Colombia

**Carenoptomerus** Tavakilian & Peñaherrera-Leiva, 2003:280**guyanensis** Tavakilian & Peñaherrera-Leiva, 2003:280

Fr Guiana

**Catorthontus** Waterhouse, 1880:487**collaris** Waterhouse, 1880:487

eEcuador, nwBrasil (AM)

**Chariergodes** Zajciw, 1963:241**anceps** (Melzer, 1927:563)**carinicollis** (Zajciw, 1963:241)**flava** (Zajciw, 1963:243)**turrialbae** (Giesbert, 1991:388)

seBrasil (MG-SC)

seBrasil (ES-SP)

seBrasil (RJ)

Costa Rica

**Chrysaethe** Bates, 1873:27**amboroensis** (Clarke, 2010:253)**amoena** (Gounelle, 1911:124)*laceyi* Fisher, 1952:11**asperiventris** (Bates, 1872:184)**atrata** (Bates, 1872:184)subsp. **guianensis** (Tavakilian & Peñaherrera-Leiva, 2005:29)**atrocephala** (Fisher, 1947:1)**aurantipennis** (Giesbert, 1991:387)**aurata** (Bates, 1870:320)**aureicollis** (Aurivillius, 1920:363)ab. *discinotata* Aurivillius, 1920:363**beltiana** (Bates, 1872:184)**cyanipennis** (Bates, 1872:184)**globulicollis** (Melzer, 1935:181)**iodes** (Bates, 1885:288)**jorgei** (Tavakilian & Peñaherrera-Leiva, 2003:305)**ochraceicollis** (Zajciw, 1965:121)**smaragdina** (Bates, 1870:320)**viriditincta** (Giesbert, 1991:387)

Bolivia (SC)

eBrasil (GO), Paraguay

seBrasil (MG-RJ)

eBrasil (GO, ES-RS)

Fr Guiana

seBrasil (RJ-SC)

Costa Rica, Panama

nwBrasil (AM), Bolivia (SC)

seBrasil (ES, RJ)

Nicaragua, Costa Rica

Nicaragua-Panama

sBrasil (SC)

Panama

Fr Guiana

Fr Guiana, Peru, Bolivia

nwBrasil (AM), Fr Guiana

swMexico (GR)

- Chrysommata** Peñaherrera-Leiva & Tavakilian, 2003:190  
**keithi** (Tavakilian & Peñaherrera-Leiva, 2003:304) Fr Guiana  
**lauracea** (Peñaherrera-Leiva & Tavakilian, 2003:193) Fr Guiana
- Clepitoides** Clarke, 2009:570  
**anae** Clarke, 2009:571 Bolivia (SC)  
**gerardi** Clarke, 2009:573 Bolivia (SC)  
**neei** Clarke, 2009:573 Bolivia (SC)
- Corallancyla** Tippmann, 1960:137  
**durantoni** Peñaherrera-Leiva & Tavakilian, 2003:177 Fr Guiana  
**neotropica** Tippmann, 1960:138 seBrasil (SP, SC)
- Crossomeles** Chemsak & Noguera, 1993:82  
**acutipennis** Chemsak & Noguera, 1993:84 wMexico-Costa Rica  
**aureopilis** (Fisher, 1953:16) Mexico (VC, JA-YU)
- Cylindrommata** Tippmann, 1960:122  
**aurantia** Monné & Mermudes, 2009:2644 Brasil (RJ, SP)  
**longissima** Tippmann, 1960:124 se Brasil (SC, SP)  
**lustrata** Monné & Mermudes, 2009:2645 Brasil (MG)  
**susanae** Monné & Mermudes, 2009:2646 Brasil (MG, RJ)
- Eclipta** Bates, 1873:29  
**abertlenci** (Tavakilian & Peñaherrera-Leiva, 2005:32) Fr Guiana  
**aegrota** (Bates, 1872:233) Nicaragua  
**amabilis** (Melzer, 1934:216) sBrasil (RS), Argentina, Uruguay  
**amanoaphila** Peñaherrera-Leiva & Tavakilian, 2003:201 Fr Guiana  
**anoguttata** (Bates, 1873: 35) seBrasil (RJ-PR)  
**astrigae** (Tavakilian & Peñaherrera-Leiva, 2003:296) Fr Guiana  
**atripes** (Fisher, 1952:13) sBrasil (SC)  
**bilineaticollis** (Zajciw, 1965:124) seBrasil (RJ)  
**bipunctata** (Melzer, 1934:219) sBrasil (PR-RS)  
**bistriaticollis** (Zajciw, 1965:125) seBrasil (RJ)  
**bivittata** (Fuchs, 1961:11) sBrasil (SC)  
**brachialis** (Bates, 1873:31) seBrasil (RJ, SP)  
**brevipennis** (Melzer, 1934:217) seBrasil (SP-RS), Paraguay, Argentina  
    var. *flavofemorata* Fisher, 1937:150  
    var. *fulvipes* Fisher, 1947:50  
    var. *sanguinicollis* Fisher, 1947:50  
**castanea** (Bates, 1873:29) seBrasil (RJ)  
**championella** (Bates, 1880:42) Mexico - Costa Rica  
    *rubriventris* Linsley, 1934:347  
**cribripennis** (Bates, 1873:33) seBrasil (MG-PR)  
**curtipennis** (Zajciw, 1966:325) seBrasil (RJ)  
**cyanea** (Bates, 1885:288) Mexico (VC, OA)  
**discolor** (Gounelle, 1911:136) eBrasil (GO, ES), Bolivia  
**eirene** (Newman, 1841:92) eBrasil (BA-RJ)  
**eperuaphila** (Tavakilian & Peñaherrera-Leiva, 2005:31) Fr Guiana  
**erythrodera** (Bates, 1873:33) seBrasil (RJ, SP)  
**faurei** Peñaherrera-Leiva & Tavakilian, 2003:198 Fr Guiana, Brasil (RO)  
**flavicollis** (Bates, 1873:30) seBrasil (RJ-PN)  
**fritschei** (Gounelle, 1913:386) Colombia  
**gracilis** (Fisher, 1952:15) Paraguay  
**guianensis** (Peñaherrera-Leiva & Tavakilian, 2004:131) Fr Guiana  
**lanuginosa** (Bates, 1873:32) seBrasil (ES, RJ)  
**lateralis** (Fisher, 1952:12) sBrasil (SC)

- liturifera** (Bates, 1873:31)  
*lutifera* Blackwelder, 1946:576  
**malacodermoides** (Peñaherrera-Leiva & Tavakilian, 2003:200)  
**malthinoides** (Bates, 1870:319)  
**melzeri** (Zajciw, 1967:199)  
**minuens** (Giesbert, 1991:390)  
**nais** (Gounelle, 1911:130)  
**nigriventris** (Melzer, 1934:218)  
*m. impunctata* Fuchs, 1961:15  
**notaticollis** (Gounelle, 1911:133)  
**notatipes** (Tavakilian & Peñaherrera-Leiva, 2005:33)  
**pallidicornis** (Zajciw, 1966:346)  
**perplexa** (Gounelle, 1911:132)  
**picturata** (Gounelle, 1911:126)  
**prolixa** (Bates, 1873:32)  
**pseudoruficollis** (Tavakilian & Peñaherrera-Leiva, 2005:30)  
**quadriscopiosa** (Gounelle, 1913:387)  
**ramulicola** (Gounelle, 1911:131)  
**ruficollis** (Bates, 1870:319)  
**sallaei** (Bates, 1885:289)  
**seabrai** (Zajciw, 1960:132)  
**semiflammea** Gounelle, 1911:137  
*bicolor* Fuchs, 1961:15  
*m. puncticollis* Fuchs, 1961:15  
*m. transversefasciata* Fuchs, 1961:16  
**seminigra** (Gounelle, 1911:134)  
**signaticollis** (Melzer, 1922:6)  
**socia** (Melzer, 1934:217)  
**subcastanea** (Zajciw, 1966:324)  
**taraleaphila** (Tavakilian & Peñaherrera-Leiva, 2003:294)  
**thoracica** (Bates, 1873:30)  
**transversemaculata** (Tavakilian & Peñaherrera-Leiva, 2005:34)  
**vitticollis** (Bates, 1873:34)  
*holosericea* Zajciw, 1967:321
- seBrasil (MG-SP)
- Fr Guiana  
nwBrasil (AM)  
seBrasil (RJ)  
Panama  
eBrasil (GO)  
sBrasil (SC)
- eBrasil (GO, MG, RJ, SC)  
Fr Guiana  
seBrasil (RJ)  
eBrasil (GO)  
eBrasil (GO, ES)  
sBrasil (PR)  
Fr Guiana  
Colombia  
eBrasil (GO)  
nwBrasil (AM)  
eMexico (VC) - Panama  
seBrasil (ES, RJ)  
eBrasil (GO, SP-SC)
- eBrasil (GO)  
seBrasil (ES-RS)  
seBrasil (MG-SC)  
seBrasil (ES, RJ)  
Fr Guiana  
seBrasil (MG-RS)  
Fr Guiana  
seBrasil (RJ-PR)

## **Ecliptoides** (Tavakilian & Peñaherrera-Leiva, 2005:37)

- azadi** (Tavakilian & Peñaherrera-Leiva, 2003:299)  
**bauhiniae** (Peñaherrera-Leiva & Tavakilian, 2004:138)  
**bivitticollis** (Fisher, 1952:7)  
*curvatovittata* Fuchs, 1961:12  
**eunomia** (Newman, 1841:92)  
*var. nigrilatera* Gounelle, 1911:126  
**fanchonae** (Tavakilian & Peñaherrera-Leiva, 2003:293)  
**giuglarisi** (Peñaherrera-Leiva & Tavakilian, 2004:136)  
**hogani** Martins, Santos-Silva & Clarke, 2012: 494  
**hovorei** (Tavakilian & Peñaherrera-Leiva, 2003:303)  
**julietae** Clarke, 2009:567  
**lauraceae** (Peñaherrera-Leiva & Tavakilian, 2004:132)  
**monostigma** (Bates, 1869:384)  
**pilosipes** (Peñaherrera-Leiva & Tavakilian, 2004:141)  
**plaumanni** (Fuchs, 1961: 13)  
**pusillus** (Gounelle, 1911: 38)  
*collarti* Fuchs, 1959: 1  
**quadrivittatus** (Melzer, 1922:9)  
**rouperti** (Tavakilian & Peñaherrera-Leiva, 2005:38)  
**rufulus** (Melzer, 1934:76)  
**schmidi** Martins, Santos-Silva & Clarke, 2012:487  
**tavakiliani** Martins, Santos-Silva & Clarke, 2012:491  
**titoi** Clarke, 2009:567
- Fr Guiana  
Fr Guiana  
sBrasil (SC)
- seBrasil (BA-RS), Argentina
- Fr Guiana  
Fr Guiana  
Brasil (SC)  
Fr Guiana  
Bolivia (SC)  
Fr Guiana  
Nicaragua, Costa Rica, Panama  
Fr Guiana  
Brasil (SC, MG, SP, RS)  
Panama, e Brasil (Goiás, Bahia-Rio de Janeiro)  
seBrasil (MG)  
Fr Guiana  
Argentina (Salta)  
Brasil (ES, BA, SC)  
Brasil (RO)  
Bolivia (SC)

- vargasi** Clarke, 2009:569  
**vasconezi** (Peñaherrera-Leiva & Tavakilian, 2004:137)  
**vicinus** (Melzer, 1927:564)
- Ecliptophanes** Melzer, 1934:219  
**bucki** (Melzer, 1934:219)  
**chacunfrancozi** (Tavakilian & Peñaherrera-Leiva, 2003:307)  
**laticornis** (Melzer, 1922:7)  
**scopipes** (Zajciw, 1965:126)  
**silvai** (Zajciw, 1958:241)  
**tommyi** (Hovore, 1989:250)
- Epimelitta** Bates, 1870:330  
*Charis* Newman, 1840:21  
*Charisia* Champion in Bates, 1892:161  
**acutipennis** Fisher, 1947:54  
**aglaia** (Newman, 1840:22)  
var. *rufofemorata* Gounelle, 1911:162  
**barbicrus** (Kirby, 1818:443)  
var. *aeede* Newman, 1841:91  
**bicolor** (Bates, 1873:124)  
**bleuzeni** Peñaherrera-Leiva & Tavakilian, 2003:208  
**consobrina** Melzer, 1931:1  
**debilis** (Gounelle, 1911:161)  
**durantoni** Peñaherrera-Leiva & Tavakilian, 2003:206  
**eupheme** (Lameere, 1884:89)  
var. *cazieri* Fisher, 1952:4  
**euphrosyne** (Newman, 1840:21)  
var. *hirsutipennis* Zajciw, 1973:14  
**laticornis** (Klug, 1825:469)  
var. *melete* Newman, 1841:91  
**lestradei** Peñaherrera-Leiva & Tavakilian, 2003:203  
**longipennis** Zajciw, 1963:423  
**manni** (Fisher, 1930:15)  
**melanaria** (Gounelle, 1911:159)  
**meliponica** Bates, 1870:331  
var. *miranda* Tippmann, 1960:128  
**mimica** (Bates, 1873:123)  
**mneme** (Newman, 1841:90)  
**nigerrima** (Bates, 1892:160)  
var. *flavipubescens* Fisher, 1947:56  
**ornaticollis** (Zajciw, 1973:13)  
**postimelina** Giesbert, 1996:334  
**rufiventris** Bates, 1870:331  
**scoparia** (Klug, 1825:469)  
**triangularis** Fuchs, 1961:6  
**viridimicans** Fisher, 1952:2
- Erythroplatys** White, 1855:201  
**boliviensis** Clarke, 2011:56  
**cardinalis** Monné & Fragoso, 1990:730  
**corallifer** White, 1855:202  
**rugosus** (Lucas, 1857:182)  
var. *tricolor* Lane, 1951:15  
**simulator** Gounelle, 1911:118
- Etimasu** Santos-Silva, Martins & Clarke, 2010:612  
**cosmipes** (Peñaherrera-Leiva & Tavakilian, 2003:183)
- Bolivia (SC)  
Fr Guiana  
seBrasil (MG)
- sBrasil (RS)  
Fr Guiana  
seBrasil (RJ, SP)  
seBrasil (RJ)  
eBrasil (PB)  
Guatemala – Panama
- Guyana, Fr Guiana  
seBrasil (MG, ES)
- seBrasil (MG-PR), Paraguay, Argentina, Bolivia (SC)
- seBrasil (ES, RJ)  
Fr Guiana  
Costa Rica  
eBrasil (GO, BA, MG)  
Fr Guiana  
sBrasil (SC)
- Brasil (ES, RJ)
- seBrasil (BA-SC), Paraguay, Argentina
- Fr Guiana  
seBrasil (RJ)  
Bolivia (BN)  
eBrasil (GO, RJ)  
nwBrasil (AM), eEcuador, Peru
- seBrasil (RJ)  
seBrasil (ES-SC)  
Mexico (VC)-Costa Rica
- seBrasil (ES, RJ)  
sMexico (CHS)  
nwBrasil (AM)  
ncBrasil (PA)  
sBrasil  
seBrasil (ES-PR)
- Bolivia (SC)  
cBrasil (MT)  
ecBrasil (PA, GO), Bolivia (SC)  
seBrasil (SP)
- ecBrasil (GO), Peru, Bolivia (SC)
- Fr Guiana, Brasil (AM)

- Giesbertectipta** Santos-Silva, Bezark & Martins, 2012:69  
*costipennis* (Giesbert 1991:391)  
*monteverdensis* (Giesbert 1991:392)  
 Panama  
 Costa Rica
- Grupiara** Martins & Santos-Silva, 2010:406  
*viridis* (Gounelle 1911:36)  
 seBrasil (GO, SP-RS), Paraguay, Argentina, Bolivia (SC)
- Ischasia** Thomson, 1864:163  
*cuneiformis* Fisher, 1952:3  
*ecclinusae* Peñaherrera-Leiva & Tavakilian, 2004:120  
*exigua* Fisher, 1947:52  
*feuilleti* Peñaherrera-Leiva & Tavakilian, 2003:194  
*indica* Giesbert, 1991:393  
*linsleyi* Giesbert, 1996:330  
*mareki* Peñaherrera-Leiva & Tavakilian, 2004:124  
*nevermanni* Fisher, 1947:53  
*nigripes* Zajciw, 1973:74  
*picticornis* Zajciw, 1973:74  
*pouteriae* Peñaherrera-Leiva & Tavakilian, 2004:123  
*rufina* Thomson, 1864:163  
*sabatieri* Peñaherrera-Leiva & Tavakilian, 2004:122  
*valida* Gounelle, 1911:155  
     var. *atra* Gounelle, 1911:156  
*viridithorax* Peñaherrera-Leiva & Tavakilian, 2004:121  
 sBrasil (PR, SC)  
 Fr Guiana  
 Venezuela  
 Fr Guiana  
 Costa Rica  
 Costa Rica (PA), Panama  
 Fr Guiana  
 Costa Rica, Panama  
 sBrasil (SC)  
 seBrasil (RJ-SC)  
 Fr Guiana  
 Panama?, seBrasil (ES-RS)  
 Fr Guiana  
 ecBrasil (MT-BA)  
 Fr Guiana
- Ischasioides** Tavakilian & Peñaherrera-Leiva, 2003:303  
*berkovae* Martins, Santos-Silva & Clarke, 2012:511  
*crassitarsis* (Gounelle, 1911:156)  
     m. *atrocephala* Fuchs, 1956:571  
     m. *nigrovittata* Fuchs, 1956:571  
     *brasiliensis* Fisher, 1947:2  
*giesberti* Santos-Silva, Bezark & Martins, 2012:72  
*gounellei* Tavakilian & Peñaherrera-Leiva, 2003:311  
 Brasil (ES, SP)  
 eBrasil (GO, MT, BA-RS)  
 eEcuador  
 Fr Guiana
- Isthmiade** Thomson, 1864:166  
*braconides* (Perty, 1832:94)  
     *hephestionoides* Thomson, 1864:166  
*buirettei* Tavakilian & Peñaherrera-Leiva, 2005:44  
*cylindrica* Zajciw, 1972:137  
*ichneumoniformis* Bates, 1870:326  
     ab. *rufithorax* Tippmann, 1960:127  
*laevicollis* Tippmann, 1953:215  
     *carinifrons* Zajciw, 1972:138  
     var. *rubrosignata* Tippmann, 1953:215  
*macilenta* Bates, 1873:122  
*martinsi* Clarke, 2009:586  
*modesta* Gounelle, 1911:153  
*necydalea* (Linnaeus, 1758:399)  
     *glaucescens* Linnaeus, 1767:642  
     *nitida* Degeer, 1775:153  
*parabraconides* Giesbert, 1991:394  
*perpulchra* Linsley, 1961:65  
*planifrons* Zajciw, 1972:137  
*rubra* Bates, 1873:121  
*rugosifrons* Zajciw, 1972:582  
*vitripennis* Giesbert, 1991:396  
*zamalloae* Clarke, 2009:582  
 eBrasil (GO, BA-RS), Paraguay, Argentina  
 Fr Guiana  
 seBrasil (ES)  
 Costa Rica (LI), ncBrasil (AM, PA, GO), Fr Guiana,  
 Peru, Bolivia  
 north central Brasil (Pará), Peru, Bolivia (SC)  
 seBrasil, Uruguay  
 Bolivia (SC)  
 ecBrasil (GO)  
 Surinam, Fr Guiana  
 Costa Rica (GU, PA), Panama  
 Panama  
 seBrasil (ES), Bolivia (SC)  
 seBrasil (GO, ES-SC)  
 seBrasil (SP-SC)  
 Panama  
 Bolivia (SC)



- Laedorcari** Santos-Silva, Clarke & Martins, 2011:184  
**fulvicollis** (Lacordaire, 1868:503) Peru, Colombia, Brasil (AM, ES, RJ, SC)  
*obscuripennis* Zajciw, 1963:254 Bolivia, Brasil (MT)  
*rubroscutellaris* Tippmann, 1960:121  
**pubipennis** (Fisher, 1952:16) Peru  
**vestitipennis** (Zajciw, 1963:252) Brasil (RJ)
- Lygrocharis** Melzer, 1927:566  
**neivai** Melzer, 1927:567 seBrasil (RJ-PR)  
**nigripennis** Mendes, 1938:117 sBrasil, Uruguay
- Mimommata** Peñaherrera-Leiva & Tavakilian, 2003:181  
**mollardi** Peñaherrera-Leiva & Tavakilian, 2003:181 Fr Guiana  
**pernauti** Tavakilian & Peñaherrera-Leiva, 2003:282 Fr Guiana
- Monneus** Magno, 2001:1  
**longiventris** Magno, 2001:2 Bolivia
- Neophygopoda** Melzer, 1933:371  
**exilis** Melzer, 1933:372 Argentina  
**tibialis** Melzer, 1933:371 nArgentina (TU)
- Neoregostoma** Monné & Giesbert, 1992:250  
*Oregostoma* Audinet-Serville, 1833:551 (part),  
**bettelai** Clarke, 2010:261 Bolivia (SC)  
**coccineum** (Gory in Guérin-Méneville, 1831: pl. 44, fig. 7) seBrasil (ES-RS)  
*rubricorne* Audinet-Serville, 1833:553  
**discoideum** (Audinet-Serville, 1833:552) seBrasil (MG, RJ)  
**erythrocallum** (Lane, 1940:1) eBrasil (GO)  
**fasciatum** (Aurivillius, 1920:363) Paraguay  
**giesberti** Clarke 2007:154 Bolivia (SC)  
**luridum** (Klug, 1825:470) eBrasil (GO, RJ-PR), Paraguay, Argentina,  
var. *pallipes* Aurivillius, 1920:362 Uruguay  
m. *flavum* Fuchs, 1961:9  
**spinipenne** (Fuchs, 1961:9) Fr Guiana  
**unicolor** (Aurivillius, 1920:362) Brasil
- Odontocera** Audinet-Serville, 1833:546  
**albicans** (Klug, 1825:471) seBrasil (ES, RJ)  
**albitarsis** Melzer, 1922:9 seBrasil (MG-RJ)  
**annulicornis** Magno, 2001:3 seBrasil (MG), Fr Guiana  
**apicalis** (Klug, 1825:472) seBrasil, Argentina, Uruguay  
**apicula** Bates, 1885:289 Panama  
**armipes** Zajciw, 1963:246 nwBrasil (AM)  
**aurocincta aurocincta** Bates, 1873:42 Mexico (NA, JA, CHS-VC), Honduras  
var. *nigroapicalis* Fisher, 1947:52  
subsp. **arizonensis** Linsley, 1961:163 swUSA (AZ), wMexico (SO, SI)  
**auropilosa** Tippmann, 1953:212 Peru, Bolivia (SC)  
**baeri** (Gounelle, 1913:222) sBrasil (RS), Paraguay, Argentina, Uruguay, Bolivia  
ab. *flavonotata* Gounelle, 1913:223  
ab. *biannulata* Gounelle, 1913:223  
**barnouini** Peñaherrera-Leiva & Tavakilian, 2003:171 Fr Guiana  
**beneluzi** Peñaherrera-Leiva & Tavakilian, 2003:170 Fr Guiana  
**bilobata** Zajciw, 1965:127 seBrasil (ES, RJ)  
**bisulcata** Bates, 1870:326 cBrasil (PA, GO, MT), Fr Guiana  
*flavocalceata* Gounelle, 1911:148  
**buscki** Fisher, 1930:4 Panama  
**chrysostetha** Bates, 1870:320 nBrasil (AM, PA), Fr Guiana, eEcuador, Bolivia (CO)

- clara** Bates, 1873:38  
*carinicolis* Linsley, 1934:348
- colon** (Bates, 1870:319)  
*morii* Tavakilian & Peñaherrera-Leiva, 2003:289
- compressipes** White, 1855:191  
*planitibialis* Fisher, 1953:15
- crocata** Bates, 1873:39
- cylindrica** Audinet-Serville, 1833:548
- darlingtoni** Fisher, 1930:9
- dice** Newman, 1841:91
- dispar** Bates, 1870:321
- exilis** Fisher, 1947:51
- fasciata** (Olivier, 1795:10)  
*vitrea* Audinet-Serville, 1833:547  
*chrysozone* White, 1855:192
- flavicauda** Bates, 1873:40  
var. *notatisternis* Gounelle, 1911:142
- flavirostris** Melzer, 1930:195
- furcifera** Bates, 1870:323
- fuscicornis** Bates, 1885:289
- globicollis** Zajciw, 1971:19
- gracilis** (Klug, 1825:472)  
var. *perplexa* Melzer, 1922:9  
*elegans* Guérin-Ménéville, 1831: pl. 44, fig. 9
- hilaris** Bates, 1873:43  
*punctata*; Bates, 1870:323 (not Klug, 1825)
- hirundipennis** Zajciw, 1962:423
- javieri** Tavakilian & Peñaherrera-Leiva, 2003:287
- josemartii** Zayas, 1956:113
- leucothea** Bates, 1873:42
- lineatocollis** Melzer, 1934:220  
ab. *crucifera* Tippmann, 1960:126
- longipennis** Zajciw, 1962:418
- malleri** Melzer, 1934:221
- margaritacea** (Fabricius, 1801:349)
- mellea** White, 1855:188  
*margaritacea* Fabricius, 1801:372  
*sulfureicauda* Gounelle, 1911:146  
m. *flava* Fuchs, 1916:16
- melzeri** Fisher, 1952:8
- meridiana** Fisher, 1953:14
- molorchoides** (White, 1855:200)
- monnei** Zajciw, 1968:48
- nevermanni** Fisher, 1930:8
- nigriclavus** Bates, 1873:41
- nigrovittata** Tavakilian & Peñaherrera-Leiva, 2003:283
- ochracea** Monné & Magno, 1988:447
- ornaticollis** Bates, 1870:323
- paralela** White, 1855:189  
*paniculata* Monné & Magno, 1988:446
- petiolata** Bates, 1873:44
- poecilopoda** White, 1855:191  
*basalis* Aurivillius, 1925:483
- punctata** (Klug, 1825:471)
- quinaphila** Peñaherrera-Leiva & Tavakilian, 2003:167
- quinquecallosa** Zajciw, 1963:248
- rugicollis** Bates, 1880:43
- sabatieri** Tavakilian & Peñaherrera-Leiva, 2003:289
- sanguinolenta** Bates, 1873:39  
var. *rufifrons* Fisher, 1937:151
- Mexico (CHS, OA, ME) - Costa Rica
- nBrasil (AM, PA), Fr Guiana
- cBrasil (AM, PA, MT), Peru, Bolivia (SC), eEcuador
- seBrasil (MG-RJ)  
eBrasil (BA-SP)  
Colombia  
eBrasil (GO, BA-RS)  
Panama, nwBrasil (AM)  
sMexico (CHS)-Panama  
Nicaragua-Colombia, cBrasil (AM, GO, MT)  
Guianas, Peru, eEcuador, Bolivia (CO, SC), Argentina  
eBrasil (GO, MG-RS), Paraguay, Argentina, Uruguay  
seBrasil (ES)  
cBrasil (PA, MT), Fr Guiana, Peru  
Mexico (JA, TA, VC, CHS)  
cBrasil (MT), Bolivia  
seBrasil (ES-RS)
- cBrasil (PA, RO), Bolivia
- Peru  
Fr Guiana  
Cuba  
seBrasil (ES-SC)  
seBrasil (ES-SC)
- nBrasil (PA)  
seBrasil (MG-SC)  
SAmer  
cBrasil (AM, GO, MT), Fr Guiana, Peru, eEcuador, Bolivia
- sBrasil (SC)  
n Argentina (SA)  
Costa Rica-ncBrasil (AM), Fr Guiana  
Uruguay  
Costa Rica  
seBrasil (RJ-RS)  
Fr Guiana  
cBrasil (MT)  
nBrasil (PA), Fr Guiana, Peru  
nBrasil (PA), Fr Guiana
- ecBrasil (GO, ES, RJ, MT)  
Guyana, Fr Guiana, nBrasil (PA)
- eBrasil (PA, BA, ES), Fr Guiana, Ecuador  
Fr Guiana  
nArgentina (TU, CO)  
Guatemala, Honduras  
Fr Guiana  
seBrasil (BA-RS), Paraguay, Argentina, Uruguay

- scabricollis** Melzer, 1934:222  
**septemtuberculata** Zajciw, 1963:250  
**signatipennis** Zajciw, 1971:20  
**simplex** White, 1855:189  
*cinctiventris* Bates, 1870:321  
**solangae** Magno, 2001:2  
**soror** Gounelle, 1911:143  
**subtilis** Monné & Magno, 1988:446  
**tibialis** Zajciw, 1971:19  
**tridentifera** Gounelle, 1913:221  
**triliturata** Bates, 1870:324  
**triplaris** Fisher, 1930:3  
**tresignata** Gounelle, 1911:145  
**tuberculata** Zajciw, 1967:530  
**tumidicollis** Zajciw, 1965:128  
**typhoeus** Fisher, 1947:5  
**villosa** Monné & Magno, 1988:444  
**virgata** Gounelle, 1911:141  
**vittipennis** Bates, 1873:37  
*subpunctata* Zajciw, 1970:63  
**zeteki** Fisher, 1930:6  
**zikani** Melzer, 1927:565  
*gibbicollis* Zajciw, 1964:435
- Ommata** White, 1855:194  
**andina** Clarke, in Santos-Silva, Martins & Clarke, 2010:604  
**buddemeyerae** Clarke, 2010: 247  
**elegans** White, 1855:194  
**hirtipes** Zajciw, 1965:122  
**nigricollis** Santos-Silva, Martins & Clarke, 2010:602  
**tibialis** Fuchs, 1961:10
- Oxyommata** Zajciw, 1970:153  
**collaris** (Audinet-Serville, 1833:553)
- Optomerus** Giesbert, 1996:327  
**bispeculifer** (White, 1855:190)  
**roppai** (Magno, 1995:554)
- Oregostoma** Audinet-Serville, 1833:551  
**bipartitum** (Bates, 1873:26)  
*var. basinotata* Melzer, 1934:215  
**nigripes** Audinet-Serville, 1833:552  
**nitidiventre** (Gounelle, 1911:123)  
**puniceum** (Newman, 1838:495)
- Ornistomus** Thomson, 1864:166  
**bicinctus** Thomson, 1864:167  
**simulatrix** Clarke, 2011:69
- Oxylymma** Pascoe, 1859:21  
*Oxycalymna* Gemminger & Harold, 1872:2888  
**caeruleocincta** Bates, 1885:436  
**championi** Bates, 1885:288  
**durantoni** Peñaherrera-Leiva & Tavakilian, 2003:172  
**faurei** Peñaherrera-Leiva & Tavakilian, 2003:175
- Costa Rica, Panama  
 nArgentina (SA, TU)  
 Peru  
 nBrasil (AM, PA), Fr Guiana
- eBrasil (ES)  
 ecBrasil (GO)  
 cBrasil (MT), Fr Guiana  
 seBrasil (ES, RJ)  
 seBrasil, neArgentina (MI)  
 nBrasil (MA, PA), Fr Guiana  
 Panama, Colombia  
 ecBrasil (GO), Fr Guiana  
 seBrasil (MG)  
 seBrasil (RJ)  
 Brasil  
 cBrasil (MT), Fr Guiana  
 eBrasil (GO, ES-SC), Argentina  
 seBrasil (MG, RJ)
- Costa Rica, Panama  
 seBrasil (MG, RJ, SP)
- Bolivia (SC)  
 Bolivia (SC)  
 Mexico-Panama, Venezuela, Fr Guiana, Colombia  
 sBrasil (SC)  
 Brasil (ES)  
 sBrasil (SC)
- eBrasil (ES)
- Panama, Fr Guiana, cBrasil (PA, MT)  
 cBrasil (MT), Fr Guiana
- seBrasil (MG-RS), Paraguay, Argentina
- Brasil  
 eBrasil (GO)  
 seBrasil (ES, RJ)
- seBrasil (ES-RS), Argentina, Uruguay, Bolivia (SC)  
 Bolivia (SC)
- Panama, Costa Rica  
 Guatemala  
 Fr Guiana, Brasil (PA)  
 Fr Guiana

- gibbicollis** Bates, 1873:23  
**lepida** Pascoe, 1859:22  
**pallida** Santos-Silva, Bezark & Martins, 2012:76  
**sudrei** Peñaherrera-Leiva & Tavakilian, 2003:174  
**telephorina** Bates, 1870:316  
**tuberculicolle** Fisher, 1947:48
- Pandrosos** Bates, 1867:23  
*Leptorrhophala* Kolbe, 1893:253  
**phtisicus** (Klug, 1825:460)  
*exilis* White, 1855:201  
**proximus** Mermudes & Napp, 2009:62
- Paraeclipta** Clarke, 2011:234  
**bicoloripes** (Zajciw, 1965:204)  
**cabrujai** Clarke, 2011:237  
**clementecruzi** Clarke, 2011:239  
**croceicornis** (Gounelle 1911:25)  
**flavipes** (Melzer, 1922:60)  
**jejuna** (Gounelle, 1911:128)  
**kawensis** (Penaherrera-Leiva & Tavakilian, 2004:128)  
**longipennis** (Fisher, 1947:2)  
**melgarae** Clarke, 2011:241  
**moscosoi** Clarke, 2011:246  
**rectipennis** (Zajciw, 1965:202)  
**soumourouensis** (Tavakilian & Peñaherrera-Leiva, 2003:308)  
**tenuis** (Burmeister, 1865:173)  
**tomhacketti** Clarke, 2011:244  
**unicoloripes** (Zajciw, 1965:205)
- Parischasia** Tavakilian & Peñaherrera-Leiva, 2005:45  
**chamenoisi** Tavakilian & Peñaherrera-Leiva, 2005:48  
**ligulatipennis** (Gounelle, 1911:158)
- Pasiphyle** Thomson, 1864:164  
*Pasyphile* Lacordaire, 1869:508  
*Pasiphile* Bates, 1873:130  
**mystica** Thomson, 1864:164
- Phespia** Bates, 1873:127  
**cercerina** (Bates, 1870:325)  
**corinna** (Pascoe, 1866: 290)  
*corynna*; Lacordaire, 1869:508  
**gibbosa** Magno, 1992:789  
**simulans** Bates, 1873:127
- Phygopoda** Thomson, 1864:164  
**albitarsis** (Klug, 1825:475)  
**fugax** Thomson, 1864:164  
**fulvitarsis** Gounelle, 1911:163  
**ingae** Peñaherrera-Leiva & Tavakilian, 2004:143  
**jacobi** Fuchs, 1961:16  
**nigritarsis** Gounelle, 1911:164  
**panamensis** Giesbert, 1996:332
- eBrasil (BA)  
nBrasil (PA)  
Brasil (RO)  
Fr Guiana, Brasil (AM)  
nwBrasil (AM), ECU  
Costa Rica
- Costa Rica (LI), Panama, cBrasil (AM, GO, MT, BA)
- Brasil (MT)
- southeastern Brasil (RJ, SP, BA, MG, SC)  
Bolivia (SC)  
Bolivia (SC)  
eastern Brasil (Goiás), Bolivia (SC)  
southeastern Brasil (Minas Gerais-Rio de Janeiro)  
eastern Brasil (Goiás)  
Fr Guiana  
southern Brasil (Santa Catarina)  
Bolivia (SC)  
Bolivia (SC, TR)  
s Brasil (SC), Paraguay, Argentina (Buenos Aires)  
Fr Guiana  
sBrasil, Paraguay, Argentina, Uruguay  
Bolivia (SC)  
sBrasil (SC), neArgentina (MI)
- Fr Guiana  
cBrasil (RO-MG)
- eBrasil (GO, MG-SP)
- cBrasil (AM, PA, MT), Fr Guiana  
Guatemala-Colombia
- sw Brasil (RO), Fr Guiana  
seBrasil (BA-SC)
- cBrasil (PA, RO), Bolivia  
seBrasil (MG-RJ)  
Fr Guiana  
Fr Guiana  
sBrasil (SC), Paraguay  
eBrasil (BA)  
Panama

- Phygopoides** Peñaherrera-Leiva & Tavakilian, 2003:184  
*pradosiae* Peñaherrera-Leiva & Tavakilian, 2003:187 Fr Guiana  
*talisiaphila* Peñaherrera-Leiva & Tavakilian, 2003:189 Surinam
- Pseudacorethra** Tavakilian & Penaherrera-Leiva, 2007:84  
*zischkai* (Tippmann) 1960:130 ncBrasil (AM), Fr Guiana, eEcuador, Bolivia
- Pseudagaone** Tippmann, 1960:124  
*cerdai* (Tavakilian & Penaherrera-Leiva 2007:84) Fr Guiana  
*suturafissa* Tippmann, 1960:126 Bolivia  
*williamsi* Santos-Silva, Bezark & Martins, 2012:67 Brasil (RO)
- Pseudisthmiade** Tavakilian & Peñaherrera-Leiva, 2005:39  
*larrei* Tavakilian & Peñaherrera-Leiva, 2005:40 Fr Guiana
- Pseudophygopoda** Tavakilian & Penaherrera-Leiva 2007:103  
*subvestita* (White 1855:190) ncBrasil (PA), Fr Guiana
- Pyrpotyra** Santos-Silva, Martins & Clarke, 2010:614  
*albitarsis* (Galileo & Martins, 2010:7) Brasil (AM, RO)  
*capixaba* Santos-Silva, Martins & Clarke, 2010:602 Brasil (ES)  
*paradisiaca* (Tippmann, 1953:213) Peru, Fr Guiana, Colombia  
*paraensis* Santos-Silva, Martins & Clarke, 2010:617 Brasil (PA)  
*pytinga* Santos-Silva, Martins & Clarke, 2010:617 Brasil (PA)
- Rashelapso** Clarke, Martins & Santos-Silva, 2012:256  
*durantoni* (Penaherrera-Leiva & Tavakilian, 2004:142) Fr Guiana  
*schmidi* Clarke, Martins & Santos-Silva, 2012:257 Brasil (MT)
- Rhinotragus** Germar, 1824:513  
*analís* Audinet-Serville, 1833:550 Brasil  
*antonioi* Clarke, 2011:62 Bolivia (SC)  
*apicalis* Guérin-Méneville, 1844:236 sBrasil, Bolivia, Paraguay, Argentina  
*bizonatus* Gounelle, 1911:117 cBrasil (GO), Bolivia  
    ab. *rufithorax* Tippmann, 1960:121  
*conformis* Monné & Fragoso, 1990:732 cBrasil (MT)  
*dorsiger* Germar, 1824:513 seBrasil (GO, MT, BA-RS), Bolivia,  
    *marginatus* Perty, 1832:94 Argentina, Uruguay  
    *anceps* Newman, 1838:495  
    var. *collaris* Melzer, 1930:193  
    var. *vittatus* Melzer, 1930:194  
    var. *amparensis* Melzer, 1930:194  
*festivus* Perty, 1832:94 seBrasil (GO, MG-SP)  
    *suturalis* Audinet-Serville, 1833:550  
    var. *immaculipennis* Gounelle, 1911:116  
*longicollis* Bates, 1880:41 Nicaragua-Panama  
    *apicalis* Bates, 1872:183 (not Guérin-Méneville, 1844)  
*lucasii* Thomson, 1861:178 Fr Guiana, ncBrasil (AM), Bolivia  
    *zikani* Melzer, 1930:194  
    m. *boliviensis* Fuchs, 1961:9  
    *sanctijacobi* Huedepohl, 1984:409  
*martinsi* Peñaherrera-Leiva & Tavakilian, 2003:178 Surinam, nBrasil (AM)  
*monnei* Clarke, 2011:65 Bolivia (SC)  
*robustus* Peñaherrera-Leiva & Tavakilian, 2003:179 Fr Guiana  
*sulphureus* Giesbert, 1991:385 Panama  
*trilineatus* White, 1855:200 cBrasil (PA, RO)  
*trizonatus* Blanchard in Griffith, 1832: pl. 66, fig. 1 SAmer

**Rhopalessa** Bates, 1873:28

- clavicornis** (Bates, 1873:28)  
*nigricollis* Zajciw, 1969:405  
*nigrotarsis* Fisher, 1937:149  
**demissa** (Melzer, 1934:215)  
**hirticollis** (Zajciw, 1958:239)  
**moraguesi** (Tavakilian & Peñaherrera-Leiva, 2003:309)  
**pilosicollis** (Zajciw, 1966:345)  
**subandina** Clarke, Martins & Santos-Silva, 2011:328

seBrasil, Paraguay, Argentina, Uruguay

seBrasil (RJ-RS), Paraguay

eBrasil (PB)

Fr Guiana

nwArgentina (SA, TU), Bolivia (SC)

Bolivia (SC)

**Sphecomorpha** Newman, 1838:396*Sphecomorpha* Lacordaire, 1869:471**chalybea** Newman, 1838:397*biplagiatus* Lacordaire, 1869:472**faurei** Tavakilian & Penaherrera-Leiva 2007:109**forficulifera** (Gounelle, 1913:388)*propinquus* Linsley, 1934:350**murina** (Klug, 1825:473)**rufa** Gounelle, 1911:151**vespiventris** (Bates, 1880:43)

Surinam, Fr Guiana, Brasil (PA)

Fr Guiana

Costa Rica (GU), Panama, Colombia

eBrasil (GO-RS), Paraguay, Argentina, Bolivia (SC)

ecBrasil (GO), Bolivia

Guatemala

**Stenochariergus** Giesbert & Hovore, 1989:348**doriana** Giesbert & Hovore, 1989:348**hollyae** Giesbert & Hovore, 1989:349

Costa Rica (PA), Panama

Costa Rica

**Stenopseustes** Bates, 1873:131**aeger** Bates, 1873:131**gibbicollis** Fisher, 1947:5**sericinus** Bates, 1880:44

sBrasil (PR)

seBrasil (SP-SC)

Mexico, Guatemala, Costa Rica (CA)

**Stultutragus** Clarke, 2010:255**bifasciatus** (Zajciw, 1965:123)**cerdai** (Peñaherrera-Leiva & Tavakilian, 2003:197)**crotonaphilus** Clarke, 2010:259**endoluteus** Bezark, Santos-Silva & Martins, 2011:65**fenestratus** (Lucas, 1857:182)**linsleyi** (Fisher 1947:47)**mataybaphilus** Clarke, 2010:257**nigricornis** Fisher, 1947:51**poecilus** (Bates, 1873:35)var. *maculicollis* Fisher, 1947:51**romani** (Aurivillius, 1919:3)**tippmanni** Santos-Silva, Bezark & Martins, 2012:73**ventriguttatus** Santos-Silva, Bezark & Martins, 2012:74**xantho** (Bates, 1873:35)

eBrasil (ES)

Fr Guiana

Bolivia (TR), Argentina

Brazil (BA)

eBrasil (GO, BA-SP)

Costa Rica, Panama

Bolivia (SC)

Brazil (RO, BA, DF, GO, SP, SC)

Brazil (ES - RS), Uruguay, Argentina

cBrasil (AM, MT)

Brasil (SP)

Brasil (MG)

sBrasil (PR, SC)

**Sulcommata** Peñaherrera-Leiva & Tavakilian, 2003:210**durantoni** Peñaherrera-Leiva & Tavakilian, 2003:210**ruficollis** Tavakilian & Peñaherrera-Leiva, 2003:281

Fr Guiana

Fr Guiana

**Thomasella** Santos-Silva, Bezark & Martins, 2012:70**igniventris** (Giesbert 1991:389)

Panama

**Thouvenotiana** Peñaherrera-Leiva & Tavakilian, 2003:164**ichneumona** Peñaherrera-Leiva & Tavakilian, 2003:164

Fr Guiana

**Tomopteropsis** Peñaherrera-Leiva & Tavakilian, 2003:165**cerdai** Peñaherrera-Leiva & Tavakilian, 2003:166

Fr Guiana

**Tomopterus** Audinet-Serville, 1833:544**albopilosus** Zajciw, 1964:423*ornatipennis* Zajciw, 1971:314**aurantiacosignatus** Zajciw, 1969:411*tuberculicollis* Zajciw, 1964:427**basimaculatus** Zajciw, 1964:425*tuberculicollis* Zajciw, 1964:427**brevicornis** Giesbert, 1996:325**clavicornis** Magno, 1995:556**consobrinus** Gounelle, 1911:166**exilis** Chemsak & Linsley, 1979:70**flavofasciatus** Fisher, 1947:56**grossefoveolatus** Zajciw, 1964:426**kunayala** Giesbert, 1996:322**larroides** White, 1855:177*vittipennis* Fisher, 1930:17*subvespoides* Zajciw, 1971:316**longicornis** Zajciw, 1969:413**obliquus** Bates, 1870:329**pictipennis** Zajciw, 1969:415**quadratipennis** Bates, 1873:128**rufotibialis** (Zajciw, 1968:541)**seabrai** Magno, 1995:559**servillei** Magno, 1995:555**similis** Fisher, 1930:19**staphylinus** Audinet-Serville, 1833:545*pretiosus* Newman, 1840:21*vespoides*; Burmeister, 1865:173 (not White, 1855)*quadratipennis*; Costa Lima, 1936:302 (not Bates, 1873)*tuberculatus* Zajciw, 1971:313**tetraspilotus** Magno, 1995:557**vespoides** White, 1855:176**Xenocrasis** Bates, 1873:131**anamarcelae** Tavakilian & Peñaherrera-Leiva, 2003:276**badeni** Bates, 1873:132*apicicornis* Fisher, 1952:6**fereyi** Tavakilian & Peñaherrera-Leiva, 2003:277**panamensis** Giesbert, 1991:383**politipennis** (Zajciw, 1971:305)**Xenocrasoides** Tavakilian & Peñaherrera-Leiva, 2003:279**soukai** Tavakilian & Peñaherrera-Leiva, 2003:276**Rhopalophorini** Blanchard, 1845:152**Aguassay** Napp & Mermudes, 2001:6**collaris** (Klug, 1825:459)**Argyrodines** Bates, 1867:24**aurivillii** (Gounelle, 1905:295)**pulchella** Bates, 1867:24**Brachylophora** Clarke, 2011:155**auricollis** (Bruch, 1918:26)

seBrasil (ES-SP)

seBrasil (ES), Fr Guiana

Bolivia, nArgentina (TU)

sMexico (CHS), Costa Rica  
nw Brasil (PA, RO), Fr Guiana  
ecBrasil (GO), Fr Guiana, Peru, Bolivia  
seMexico (QR)seBrasil, Paraguay, Argentina, Uruguay  
Panama, ncBrasil (PA), Fr Guiana  
PanamacBrasil (PA, GO, MT), Bolivia, Paraguay,  
Argentina

seBrasil (RJ)

cBrasil, Fr Guiana, Paraguay, Argentina  
Peru

seBrasil (RJ)

seBrasil (ES)

seBrasil (ES, RJ)

nBrasil (PA), Fr Guiana

ncBrasil (AM, PA), Fr Guiana, Bolivia

seBrasil (ES-RS), Argentina, Uruguay, Bolivia (SC)

w Brasil (RO, AM), Peru  
Mexico - Panama

Fr Guiana

seBrasil (ES-RS)

Fr Guiana

Panama

Fr Guiana, nwBrasil (AM)

Fr Guiana

cBrasil (PA, RO)

ecBrasil (GO), Bolivia (SC)

nwBrasil (AM), Fr Guiana

eBrasil (PB), Paraguay, nArgentina (SA)

**Closteropus** Guérin-Méneville, 1844:222**argentatus** Bates, 1879:418**blandus** Guérin-Méneville, 1844:223**herteli** Tippmann, 1960:131*herteli flavitarsis* Tippmann, 1960:132**speciosus** (Klug, 1825:457)

Venezuela

Brasil

Peru, Bolivia (SC), eEcuador

seBrasil (ES)

**Coremia** Audinet-Serville, 1834:22**plumipes** (Pallas, 1772:5)*hirtipes* Olivier, 1795:14**signaticollis** Buquet in Guérin-Méneville, 1844:232

Nicaragua-cBrasil, Fr Guiana, eEcuador, Bolivia

eBrasil (GO, MG-SP)

**Cosmisoma** Audinet-Serville, 1834:19*Cosmius* Perty, 1832:89*Cosmosoma*; Gemminger & Harold, 1872:2948**acuminatum** Zajciw, 1958:246**aeneicollis** Erichson in Schomburg, 1848:572*subvirescens* White, 1855:214*semicupreum* Chevrolat, 1859:28**albohirsutotibialis** Fuchs, 1966:11**ammiralis** (Linnaeus, 1767:625)*plumifer* Voet, 1806:26*formosa* Blanchard in D'Orbigny, 1846:209*diana* Bates, 1870:404**angustipenne** Zajciw, 1958:247**argyreum** Bates, 1870:405**batesi** Zajciw, 1962:304**brullei** (Mulsant, 1863:215)*nodicollis* Burmeister, 1865:171**cambaia** Monné & Magno, 1988:6**capixaba** Monné & Magno, 1988:4**chalybeipenne** Zajciw, 1962:293**compsoceroideis** Gounelle, 1911:205**cyaneum cyaneum** Gounelle, 1911:207subsp. **psilocerum** Monné & Magno, 1988:13subsp. **rubriventre** Monné & Magno, 1988:14**debile** Monné & Magno, 1988:11**fasciculatum** (Olivier, 1795:14)*leprieurii* Buquet in Guérin-Méneville, 1844:231**flavipes** Zajciw, 1962:297**gratum** Monné & Magno, 1988:9**hirtipes** Zajciw, 1962:299**humerales** Bates, 1870:407**leucomelas** Monné & Magno, 1988:7**lineatum** (Kirsch, 1875:285)**lineellum** Bates, 1870:405**lividum** Monné & Magno, 1988:10**martyr** Thomson, 1861:180*martyra* Bates, 1872:189*nudicorne* Bates, 1892:166**militaris** Giesbert & Chemsak, 1993:54**nitidipenne** Zajciw, 1962:295**ochraceum** (Perty, 1832:89)**persimile** Gounelle, 1911:209**pulcherrimum** Bates, 1870:406**plumicorne** (Drury, 1782:74)**reticulatum** Bates, 1885:311*alboscuteolata* Linsley, 1935:92**rhaptos** Giesbert & Chemsak, 1993:56

cBrasil (PA, RO), Peru

Guianas, nBrasil (AP, PA)

Peru

Guianas, Trinidad, cBrasil (AM, MT, GO), Peru,  
eEcuador, Bolivia

wcBrasil (AM, AC), Fr Guiana, Peru

ncBrasil (AM), Peru, Bolivia (SC)

Brasil (RO, GO, MG-SC)

Brasil (RO, MT, GO, PB-RS), Paraguay,

Argentina, Uruguay

seBrasil (MG, ES)

seBrasil (ES)

seBrasil (SP, MT)

eBrasil (GO, MG, SP)

ecBrasil (GO)

eBrasil (PB)

sw Brasil (RO, MT), Paraguay, Argentina

w Brasil (RO)

Fr Guiana, ncBrasil (AM, PA)

sBrasil (SC)

cBrasil (MT)

seBrasil (MG-SP)

seBrasil (MG-SC)

cBrasil (MT)

wcBrasil (RO, MT), Peru

ncBrasil (AM, GO)

eBrasil (BA, MG)

Guatemala-Panama

Costa Rica, Panama

sBrasil (SC, RS), Uruguay

eBrasil, Paraguay, neArgentina (MI), Bolivia

eBrasil (GO, SP)

nwBrasil (AM)

Honduras-Colombia

Mexico-Panama

Panama, Colombia



**scopipes** (Klug, 1825:457)  
**scopulicorne** (Kirby, 1818:442)  
**seabrai** Monné & Magno, 1988:2  
**speculiferum** (Gory in Guérin-Ménéville, 1831: pl. 4, fig. 2)  
**taunayi** Melzer, 1923:4  
**tenellum** Aurivillius, 1920:368  
**tibiale** Aurivillius, 1920:367  
**titania** Bates, 1870:407  
**violaceum** Zajciw, 1962:290  
**viridescens** Galileo & Martins, 2010:4

seBrasil (SP)  
 seBrasil (MG-RJ)  
 eBrasil (BA, MG)  
 Fr Guiana, ncBrasil (AM)  
 Fr Guiana, ncBrasil (AM)  
 eBrasil (PB-RS)  
 seBrasil (ES, RJ)  
 Nicaragua-Panama  
 ncBrasil (PA)  
 Brasil (BA)

### **Cynoderus (Cynoderus)** Audinet-Serville, 1834:101

**brevicollis** Giesbert & Chemsak, 1993:49  
**chlorizans** Chevrolat, 1859:56  
     var. *concolor* Gounelle, 1911:202  
     var. *semirufus* Gounelle, 1911:202  
**copei** Giesbert & Chemsak, 1993:50  
**expeditus** Chevrolat, 1859:55  
**guatemalicus** Giesbert & Chemsak, 1993:50  
**intincta** (Pascoe, 1866:291)  
**lividus** Giesbert & Chemsak, 1993:51  
**moestulus** (Pascoe, 1866:292)  
**rufithorax** Gounelle, 1911:202  
**tenuatus** Audinet-Serville, 1834:102  
     *taeniatus* Lacordaire, 1869:112  
**virginiae** Giesbert & Chemsak, 1993:51

wMexico (JA)  
 eBrasil (GO, RJ-RS)  
  
 wMexico (GR, JA)  
 Colombia, wEcuador  
 Guatemala  
 Colombia  
 wMexico (GR, CM)  
 Colombia  
 eBrasil (PB-ES)  
 seBrasil (GO, BA-RS), Paraguay, Uruguay,  
     Argentina, Bolivia (SC)  
 sMexico (CHS, OA)

### **Cynoderus (Ulododerus)** Gounelle, 1911:203

**barbatus** Gounelle, 1911:203  
**dispar** Gounelle, 1911:205

Costa Rica-Panama, ecBrasil (GO)  
 eBrasil (BA, ES)

### **Dihammaphora** Chevrolat, 1859:50

*Diammaphora* Chevrolat, 1859:50  
*Dihammaphora* Bates, 1870:403  
*Diammatophora* Gemminger & Harold, 1872:2947  
*Dihammaphora* Bruch, 1912:201  
**aepytus** Chevrolat, 1859:64  
**arnai** Bosq, 1951:102  
**auratopilosa** Bruch, 1908:214  
**auricollis** Martins, 1981:211  
**aurovittata** Bates, 1880:61  
     var. *debilis* Melzer, 1935:184  
**binodula** Chevrolat, 1859:54  
**bivittata** Gounelle, 1911:197  
**bivitticollis** Zajciw, 1964:436  
**brasileira** Napp & Mermudes, 2010:879  
**brevis** Chevrolat, 1859:54  
**bruchii** Aurivillius, 1922:423  
**chaquensis** Bosq, 1951:101  
**chontalensis** Bates, 1872:188  
**cylindricollis** Chemsak & Noguera, 1993:85  
**dispar** Chevrolat, 1859:52  
**falsa** Napp & Mermudes, 2010:873  
**glabripennis** Gounelle, 1911:196  
**gracilicollis** Chevrolat, 1859:53  
     *gracilicornis* Lacordaire, 1869:109  
     *gracilicollis* Aurivillius, 1912:430  
**gutticollis** Gounelle, 1913:389  
**hispida** Bates, 1885:308

neArgentina (BA)  
 nArgentina (TU)  
 nwArgentina (CA)  
 nArgentina (SA, TU), Bolivia  
 Guatemala-Costa Rica  
  
 Argentina, Uruguay  
 eBrasil (GO, PE, BA), Uruguay  
 Uruguay  
 Brasil (ES, BA, MG)  
 SAmer  
 Paraguay, nwArgentina (CA)  
 nArgentina (TU, CH), Bolivia (SC)  
 Nicaragua-Panama  
 wMexico (JA)  
 swUSA (TX), Mexico, Guatemala  
 Brasil (SC, SP, PR), Paraguay  
 ecBrasil (GO)  
 Brazil (MG), Bolivia  
  
 Colombia  
 swMexico (OA, GR)

- ibirijarai** Mermudes, 1998:98  
**laterilineata** Zajciw, 1965:9  
**lineigera** Chevrolat, 1859:53  
**marginicollis** Chevrolat, 1859:51  
**meissneri** Melzer, 1934:222  
**mineira** Napp & Mermudes, 2010:886  
**minuta** Chevrolat, 1859:53  
**nigrita** Chevrolat, 1859:52  
**nigrovittata** Fisher, 1937:151  
**nitidicollis** Bates, 1870:403  
**parana** (Gemminger, 1873:146)  
*perforata* Burmeister, 1865:173 (not Klug, 1825)  
**perforata** (Klug, 1825:459)  
**peruviana** Martins, 1981:212  
**pilosifrons** Gounelle, 1911:195  
**pusilla** Bates, 1870:403  
**ruficollis** Chevrolat, 1859:52  
**scutata** Gounelle, 1911:199  
**signaticollis** Chevrolat, 1859:51  
*var. basinotata* Gounelle, 1911:195  
*var. bipunctata* Gounelle, 1911:195  
*var. furcata* Gounelle, 1911:195  
*var. intermedia* Gounelle, 1911:195  
*var. interrupta* Gounelle, 1911:195  
*var. punctata* Gounelle, 1911:195  
*var. sejuncta* Gounelle, 1911:195  
**uncinata** Napp & Mermudes, 2010:875  
**vittatithorax** Gounelle, 1911:198
- Colombia  
 eBrasil (PB)  
 Panama, Colombia  
 seBrasil (RJ)  
 sBrasil (SC, RS)  
 Brasil (MG)  
 Colombia  
 sBrasil (PR-RS), Paraguay  
 sBrasil (SC)  
 Panama, nwBrasil (AM)  
 Argentina  
  
 ncBrasil (PA, RO)  
 Peru, Bolivia (SC)  
 eBrasil (GO, SP)  
 nwBrasil (AM), Fr Guiana  
 Brasil  
 ecBrasil (GO)  
 eBrasil (GO, MG, RS), Argentina, Uruguay
- Brasil (SP, MG)  
 eBrasil (GO, BA)

**Dihammaphoroides** Zajciw, 1967:202  
**jaufferti** Galileo & Martins, 2003:476  
**sanguinicollis** Zajciw, 1967:202

Brasil (PA), Fr Guiana  
 seBrasil (RJ)

**Dirocoremia** Marques, 1994:311  
**bruchii** (Gounelle, 1905:227)  
**ingae** (Marques, 1994:312)  
**simplicipes** (Gounelle, 1911:183)

sBrasil (SC, RS), Argentina, Uruguay  
 seBrasil (SP-RS), Argentina (CO)  
 eBrasil (PA, MG, BA-SP), Bolivia, nArgentina

**Disaulax** Audinet-Serville, 1833:562  
**hirsuticornis** (Kirby, 1818:442)

eBrasil (GO, MG-RJ), Paraguay

**Gurubira** Napp & Marques, 1999:35  
**apicalis** (Fuchs, 1966:10)  
**atramentarius** (White, 1855:208)  
*vidua* Chevrolat, 1859:59  
**axillaris** (Klug, 1825:458)  
**erythromos** Napp & Marques, 1999:43  
**spectabilis** (Martins & Napp, 1989:59)  
**tristis** (Chevrolat, 1859:58)  
**violaceomaculatus** (Gounelle, 1911:200)

Colombia, Ecuador  
 nBrasil (PA, AM)  
  
 Brasil (BA, GO, MG-PR), Fr Guiana,  
 Brasil (PA)  
 Peru  
 sBrasil (PR-RS), Argentina, Uruguay  
 sBrasil, Argentina, Uruguay

**Haenkea** Tippmann, 1953:220  
**atra** (Chevrolat, 1855:180)  
**thoracica** (Chevrolat, 1855:179)  
*scheerpeltzi* Fuchs, 1958:52  
**zischkai** Tippmann, 1953:222

seBrasil (BA, ES, RJ, PR, SC, MS)  
 Costa Rica, Panama, Venezuela  
  
 nwBrasil (AM), Bolivia (SC), Peru, eEcuador

**Ischionodonta** Chevrolat, 1859:58*Brachyrhopala* Burmeister, 1865:171*Brachyrrhopala* Gemminger & Harold, 1872:2915**amazona** (Chevrolat, 1859:63)**brasiliensis** (Chevrolat, 1859:62)**colombiana** Napp & Marques, 1999:116**earina** Napp & Marques, 1998:128**iridipennis** (Chevrolat, 1859:26)*aurivitta* Burmeister, 1865:172**lansbergei** (Lameere, 1884:107)**mexicana** Giesbert & Chemsak, 1993:59**paraibensis** Napp & Marques, 1998:131**platensis** (Chevrolat, 1859:63)*aenescus* Burmeister, 1865:172*aenescens* Lacordaire, 1869:42*plaumanni* Fisher, 1937:152**pustulosa** (White, 1855:206)**rufomarginata** (Fisher, 1937:153)**semirubra** (Burmeister, 1865:172)*versicolor*; Berg, 1886:239 (not Chevrolat, 1859)**serratula** Napp & Marques, 1999:117**serripes** (Bates, 1872:188)**smaragdina** (Martins & Napp, 1989:63)**spinicornis** (Zajciw, 1970:839)**torquata** (Chevrolat, 1859:63)**versicolor** (Chevrolat, 1859:62)*dimidiata* Chevrolat, 1859:63**viridinigra** Napp & Marques, 1998:128

wcBrasil (AM, RO), Fr Guiana

Brasil (AM)

Colombia

nBrasil (PA)

Venezuela, Brasil (GO, ES-RS), Argentina, Uruguay,

Bolivia (SC)

Venezuela

swMexico (JA, CHS)

neBrasil (PB)

seBrasil (MG-RS), Uruguay

Venezuela

seBrasil (ES-SC)

Argentina (CA, SA)

Brasil (PA, RO), Bolivia (SC)

Nicaragua-Panama, Colombia

sBrasil (ES, MS)

seBrasil (ES)

Peru, Chile

Nicaragua-Colombia, Brasil, Bolivia (SC)

seBrasil (ES)

**Lathusia** Zajciw, 1959:278**ferruginea** (Bruch, 1908:213)**parvipilipes** (Zajciw, 1959:279)

seBrasil (CE, SP), Paraguay, nArgentina (SA),

Bolivia (BO)

neBrasil (PB)

**Listroptera** Audinet-Serville, 1834:71**carbonaria** Chevrolat, 1855:178*germari* White, 1855:209**tenebricosa** (Olivier, 1790:309)*tenebrosum* Fabricius, 1792:322*aterrima* Germar, 1824:497*angulata* White, 1855:208

Venezuela, eEcuador, Bolivia (SC)

Mexico (VC) - eEcuador, Uruguay, nArgentina,

Bolivia (SC), Fr Guiana, Brasil (MA)

**Meringodes** Wappes & Lingafelter, 2010:34**solangeae** Wappes & Lingafelter, 2010:34

Bolivia (SC)

**Merocoremia** Marques, 1994:345**monnei** Marques, 1994:350

eBrasil (BA, ES)

**Muxbalia** Giesbert & Chemsak, 1993:60**monzoni** Giesbert & Chemsak, 1993:60

Guatemala

**Parozodes** Aurivillius, 1897:245**erythrocephalus** Aurivillius, 1897:246**pilosus** Fuchs, 1956:573

eBrasil (BA)

sBrasil (MS)

**Potiapua** Napp & Monné, 2009:31**antonia** Napp & Monné, 2009:33

Brasil (ES)

**Rhopaliella** Monné, 2006:178*Rhopalina* Monné, 1989:740 (preoccupied by *Rhopalina* Tinkham, 1939, Orthoptera)**bicolorata** Monné, 1989:740

eBrasil (BA, MG, SP)

**discicollis** (Chevrolat, 1859:60)

seBrasil (ES)

**Rhopalophora** Audinet-Serville, 1834:100*Rhopalophorus* LeConte, 1873:307*Tinopus* LeConte, 1850:19**angustata** Schaeffer, 1905:162

swUSA (TX), neMexico (NL, TA)

**baracoana** Zayas, 1975:162

Cuba

**bicolorella** Knull, 1934:336

swUSA (AZ), nMexico (BC)

**casignata** Martins & Napp, 1989:62

wEcuador

**collaris** (Germar, 1824:498)seBrasil (BA-RS), Paraguay, Argentina,  
Uruguay, Bolivia (SC)*sanguinicollis* Audinet-Serville, 1834:101*bicolor* Guérin-Méneville, 1839:330**cupricollis** Guérin-Méneville, 1844:235

swUSA (TX), Mexico-Costa Rica

*laevicollis* (LeConte, 1873:193)**dyseidia** Martins & Napp, 1989:60

wEcuador

**eximia** Bates, 1892:166

cMexico (HI, GR)

**lineicollis** Chevrolat, 1859:60

Mexico, El Salvador

**longipes** (Say, 1824:426)

eNAmer-TX

*porosa* White, 1855:296**meeskei** Casey, 1891:30

swUSA (NM, AZ, SD)-Guatemala, Honduras

**miniatocollis** Chevrolat, 1859:61

Mexico (widely distributed)

**neivai** Mendes, 1940:380

seBrasil (SP-RS)

**nigriventris** Bates, 1885:310

Guatemala

**occipitalis** Chevrolat, 1859:59

eBrasil (PB-BA)

**paraensis** Martins & Napp, 1989:58

ncBrasil (MA, PA)

**prolixa** Monné, 1989:737

eBrasil (BA, MG)

**prorubra** Knull, 1944:91

swUSA (AZ), nMexico (SO)

**pulverulenta** Guérin-Méneville, 1844:235

Colombia

**punctatipennis** Linsley, 1935:92

Mexico (widely distributed), Guatemala

**rubecula** Bates, 1880:62

sMexico (CHS)-Costa Rica

*venezuelensis* Bates, 1874:224 (not Chevrolat, 1859)**rugicollis** **rugicollis** (LeConte, 1858:83)

swUSA (TX, AZ), Mexico, Guatemala

*rugulosus*; Knull, 1934:336subsp. **hovorei** Giesbert & Chemsak, 1993:43

Mexico (BC)

**serripennis** Giesbert & Chemsak, 1993:43

swMexico (NA, ME, PU, MO, OA, GR)

**tenuis** (Chevrolat, 1855:181)

Mexico (widely distributed)-Costa Rica

*incrustata* Chevrolat, 1859:62**venezuelensis** Chevrolat, 1859:60

Venezuela

**yucatana** Giesbert & Chemsak, 1993:46

seMexico (YU, QR)

**Rhopalophorella** Linsley, 1942:57**fasciata** (LeConte, 1873:171)

Mexico (BC)

*bicincta* Horn, 1895:245**Thalusia** Thomson, 1864:168**atrata** (Melzer, 1918:432)

eBrasil (ES, MG)

**erythromera** (Audinet-Serville, 1834:23)

seBrasil (MG-RS), Paraguay

**Timabiara** Napp & Mermudes, 2001:61**bahiensis** Napp & Mermudes, 2001:63

so Brasil (BA, MG)

**Smodicini** Lacordaire, 1869:143

**Marupiara** Martins & Galileo, 2006:174  
**castanea** Martins & Galileo, 2006:174

Bolivia (SC)

**Metaphrenon** Martins, 1975:330  
*Smodicum*; Zayas, 1975:46 (not Haldeman, 1847)  
**impressicolle** (Lacordaire, 1869:146)  
*impressicolle* Thomson, 1878:9  
**lucidum** (Olivier, 1795:59)  
*elevatum* Schoenherr, 1817:459

Cuba, Puerto Rico, Hispaniola

Hispaniola

**Nesosmodicum** Martins, 1971:57  
**gracile** (Melzer, 1923:3)

seBrasil (MG-SP)

**Smodicum** Haldeman, 1847:38  
**angusticolle** Aurivillius, 1919:2  
**brunneum** Thomson, 1878:7  
*simulare* Thomson, 1878:8  
*subcylindricum* Thomson, 1878:7  
**clancularium** Martins, 1975:351  
**confusum** Martins, 1985:169  
**cucujiforme** (Say, 1826:277)  
*cylindrides* Newman, 1838:394  
*argentinum* Bruch, 1911:170  
*convergens* Casey, 1912:269  
**depressum** Thomson, 1878:6  
**dinellii** Bruch, 1911:172  
*missionum* Bruch, 1911:174  
**longicorne** Martins, 1975:346  
**pacificum** Linsley, 1934:107  
*pacificum peninsulare* Linsley, 1942:27  
*arizonarium* Knull, 1966:136  
**parandroides** Bates, 1884:241  
**recticolle** Martins, 1975:338  
**semipubescens** Gounelle, 1911:127  
*bonariense* Bruch, 1911:171  
**texanum** Knull, 1966:137  
**torticolle** Martins, 1975:355

cBrasil (AM, GO, MT), Bolivia (SC), Fr Guiana  
 R Dominicana, Colombia, Ecuador, Peru,  
 Brasil

seMexico (QR), Nicaragua  
 Venezuela  
 eUSA-TX, introduced inSAmer

seBrasil (MG-RS)  
 seBrasil (BA-RS), Paraguay, Argentina

Brasil (MG-SC), Bolivia (SC)  
 swUSA (AZ, CA), wMexico (BC, NA)

Mexico (VC), Guatemala, Honduras  
 ncArgentina (SE), Paraguay  
 Peru, ecBrasil (GO), Paraguay, Argentina, Bolivia  
 (SC)  
 swUSA (TX)  
 Panama, Colombia

**Stenoderini** Pascoe, 1869:553  
*Ptérosténides* Lacordaire, 1869:410

**Syllitus** Pascoe, 1859:24  
**beltrani** Cerda, 1968:105  
**chilensis** Cerda, 1953:136  
**cylindricus** Germain, 1899:256  
**elguetai** Cerda, 1991:263  
**pseudocupes** (Fairmaire & Germain, 1864:393)  
**schajovskoi** Bosq, 1953:73

Chile  
 Chile  
 Chile  
 Chile  
 Chile  
 wArgentina (NE), Chile

**Stenopterini** Pascoe, 1867:311

**Callimoxys** Kraatz, 1863:105  
**sanguinicollis** (Olivier, 1795:9)  
**fuscipennis** (LeConte, 1861:356)  
**nigrinus** Hammond & Williams, 2011:283

eNAmer-TX  
 wNAmer (Pacific Coast)  
 Oklahoma, Texas, Florida

**ocularis** Hammond & Williams, 2011:280  
**pinorum** Casey, 1924:261

cNAmer (type locality, Iowa)  
 seNAmer (North Carolina, South Carolina, Georgia)

**Callimus** Mulsant, 1864:4

*Lampropterus* Mulsant, 1863:214  
*Pilema* LeConte, 1873:191  
*Callimellum* Strand, 1928:2

**cyanipennis** (LeConte, 1873:192)  
*variipes* Casey, 1912:311  
*dehiscens* Casey, 1912:312

wUSA (CA, OR)

**ruficollis** (LeConte, 1873:192)  
*longicollis* Casey, 1912:310  
*opacipennis* Casey, 1912:311

wNAmer (Pacific Coast), Mexico (BC)

**Sydacini** Martins, 1997:8

**Sydax** Lacordaire, 1869:335

*Syaax* Melzer, 1935:176

**amazonicus** Martins, 1971:59  
**confragus** Martins, 1971:60  
**flechtmanni** Martins & Galileo, 2012:557  
**gibbus** Joly, 1985:47  
**inexpectatus** Martins, 1981:16  
**stramineus** Lacordaire, 1869:336  
*fuscolineatus* Melzer, 1935:176

nwBrasil (AM)  
 Venezuela  
 Brasil (SP)  
 Venezuela  
 eBrasil (ES)  
 Colombia, Brasil (GO, MA, MT, PE, ES-PR),  
 Bolivia (SC)

**Thyrsiini** Marinoni & Napp, 1984:44

**Thyrsia** Dalman, 1819:117

**lateralis** Dalman, 1819:118  
**piranga** Galileo & Martins, 2006:707

seBrasil (RJ, SP)  
 Bolivia (SC)

**Tillomorphini** Pascoe, 1869:554

**Arawakia** Villiers, 1981:105

**inopinata** Villiers, 1981:106

Guadeloupe

**Bonfilsia** Villiers, 1979:98

**pejoti** Chalumeau & Touroult, 2004:189  
**tricolor** Villiers, 1979:98

Martinique  
 Guadeloupe

**Calliclytus** Fisher, 1932:65

**macoris** Lingafelter, 2011:63  
**schwarzi** Fisher, 1932:66

Dominican Republic  
 Cuba

**Epipodocarpus** Bosq, 1951:193

**andinus** Bosq, 1951:194

Chile

**Epropetes** Bates, 1870:400

**amazonica** Galileo & Martins, 2000:166  
**atlantica** Martins, 1975:9  
**bolivianus** Galileo & Martins, 2008:53  
**deterrima** Martins & Napp, 1984:436  
**elongata** Martins, 1975:11  
**hirsuta** Martins & Napp, 1984:437

Brasil (AM)  
 seBrasil (MG-SC)  
 Bolivia (SC)  
 sBrasil (PR)  
 ncBrasil (PA), Fr Guiana  
 seBrasil (RJ, SP)

**howdenorum** Galileo & Martins, 2000:165  
**latifascia** (White, 1855:218)  
**metallica** Martins, 1975:12  
**ozodiformis** Martins & Napp, 1984:438  
**serrana** Martins & Napp, 1984:434  
**variabile** Martins & Galileo, 2005:10  
**velutina** Martins, 1975:10  
**zonula** Martins & Napp, 1984:435

## **Euderces** LeConte, 1850:30

*Eplophorus* Chevrolat, 1861:248

*Apelocera* Chevrolat, 1862:61

*Apilocera* Chevrolat, 1862:535

*Cleozona* Bates, 1874:223

**acutipennis** Bates, 1885:305

**andersoni** Giesbert & Chemsak, 1997:225

**aspericollis** (Chemsak, 1969:311)

**auricaudus** Giesbert & Chemsak, 1997:227

**azureus** Giesbert & Chemsak, 1997:228

**basimaculatus** Giesbert & Chemsak, 1997:230

**batesi** Giesbert & Chemsak, 1997:231

**bellus** Giesbert & Chemsak, 1997:233

**bicinctus bicinctus** (Linsley, 1935:88)

*balli* Knull, 1935:192

subsp. **peninsularis** (Linsley, 1942:56)

**biplagiatus** Giesbert & Chemsak, 1997:235

**boucardi** (Chevrolat, 1862:535)

**brailovskyi** Giesbert & Chemsak, 1997:237

**cleriformis** (Bates, 1885:306)

*breviformis* Bates, 1892:165

*auricomis* Chemsak, 1969:309

**cribellatus** (Bates, 1885:306)

**cribripennis** Bates, 1892:165

*fenyesi* Linsley, 1957:37

**dilutus** Martins, 1975:18

**dimidiatipennis** (Melzer, 1932:216)

**disparicrus** Giesbert & Chemsak, 1997:244

**elvirae** Giesbert & Chemsak, 1997:245

**grossistriatus** Giesbert & Chemsak, 1997:246

**guatemalensis** Giesbert & Chemsak, 1997:247

**guerini** (Chevrolat, 1862:535)

**hoegei** (Bates, 1885:305)

**howdeni** Chemsak, 1969:314

**laevicauda** Bates, 1885:304

*cribratus* Bates, 1885:304

**linsleyi** Giesbert & Chemsak, 1997:252

**longicollis** (Linsley, 1935:88)

**magnus** (Bates, 1885:305)

**nelsoni** Chemsak, 1969:315

**noguerai** Giesbert & Chemsak, 1997:256

**obliquefasciatus** Giesbert & Chemsak, 1997:257

**parallelus** LeConte, 1873:202

**paraposticus** Giesbert & Chemsak, 1997:259

**perplexus** Giesbert & Chemsak, 1997:260

**picipes** (Fabricius, 1787:157)

*picipes occidentalis* Linsley, 1957:38

**pini** (Olivier, 1795:71)

*piniadeus* Fabricius, 1801:353

var. *testaceipes* Haldeman, 1847:41

Colombia

cBrasil (PA, MT), Fr Guiana

cBrasil (MT)

sBrasil (MS)

seBrasil (MG, RJ)

Colombia

seBrasil (MG, SP, RJ)

seBrasil (MG, SP)

Guatemala

swMexico (GR)

wMexico (SI, DU, JA, GR, MI, OA)

wMexico (OA, GR)

Guatemala

wMexico (CO, NA, DU, MI, OA, GR)

cMexico (PU, OA)

Guatemala, Honduras

swUSA (AZ), nwMexico

Mexico (BC)

cMexico (PU, OA)

sMexico (CHS)-Costa Rica

ecMexico (HI, SLP)

sMexico-Panama

Costa Rica, Panama

wMexico (NA-GR, MO), Costa Rica (GU)

Bolivia (SC)

Nicaragua, Costa Rica

sMexico (OA, CHS)-Honduras

swMexico (OA)

eMexico (VC)

Guatemala, Honduras

Colombia

Mexico (VC, CHS)

wcMexico (DU)

sMexico (OA, CHS), Guatemala

Costa Rica, Panama

swMexico (SI-GR)

Guatemala

swMexico (SI, MI-CHS)

seMexico (QR, YU), Belize

swMexico (GR)

Mexico (BC)

Colombia

scMexico (GR, OA, MO)

eNAmer-OK, TX

eUSA-TX

- posticus** (Pascoe, 1866:295)  
**postipallidus** Giesbert & Chemsak, 1997:264  
**propinquus** Giesbert & Chemsak, 1997:265  
**proximus** Giesbert & Chemsak, 1997:266  
**pulchra** (Bates, 1874:223)  
     var. *rufipes* Bates, 1885:307  
**pusillus** Giesbert & Chemsak, 1997:269  
**reichei** LeConte, 1873:202  
     *exilis* Casey, 1893:591  
**reticulatus** (Bates, 1885:306)  
**rubellus** (Bates, 1885:307)  
**sculpticollis** (Bates, 1885:306)  
**spinicornis** (Chevrolat, 1835:4)  
     *elegans* Laporte & Gory, 1835:124  
**succinus** Giesbert & Chemsak, 1997:275  
**tibialis** Giesbert & Chemsak, 1997:275  
**turnbowi** Giesbert & Chemsak, 1997:277  
**velutinus** (Fisher, 1931:100)  
**venezuelensis** Giesbert & Chemsak, 1997:279  
**waltli** (Chevrolat, 1862:62)  
**wappesi** Giesbert & Chemsak, 1997:280  
**westcotti** Hovore, 1988:13  
**yucatecus** (Bates, 1892:165)
- Gourbeyrella** Lane, 1959:191  
     **alexisi** Chalumeau & Touroult, 2004:191  
     **madininae** Chalumeau & Touroult, 2004:192  
     **romanowskii** (Fleutiaux & Salle, 1889:464)
- Lamproclytus** Fisher, 1932:67  
     **elegans** Fisher, 1932:68  
     *oakleyi* Fisher, 1935:52
- Licracantha** Lingafelter, 2011:58  
     **formicaria** Lingafelter, 2011:60
- Mygalobas** Chevrolat, 1862:66  
     **corticina** (Chevrolat, 1862:60)  
     *ferrugineus* Chevrolat, 1862:66
- Pentanodes** Schaeffer, 1904:222  
     **albofasciatus** Fisher, 1932:64  
     **dietzii** Schaeffer, 1904:222
- Tetranodus** Linell, 1897:396  
     *Tetranodes* Schaeffer, 1904:223  
     **angulicollis** Chemsak, 1969:307  
     **copei** Chemsak & Linsley, 1988:126  
     **niveicollis** Linell, 1897:396  
         *mexicanus* Linsley, 1935:90  
     **reticeps** (Bates, 1880:59)  
     **rugipennis** Chemsak, 1969:306  
     **tropipennis** Chemsak, 1977:124  
     **xanthocollis** Chemsak, 1977:125
- Tilloglomus** Martins, 1975:18  
     **spectabilis** Martins, 1975:19
- Panama, Colombia  
 swMexico (OA)  
 swMexico (OA)  
 Guatemala  
 nwMexico (SO)-Nicaragua  
  
 sMexico (CHS)-Costa Rica  
 ncUSA-TX, nMexico  
  
 sMexico (VC, CHS), Guatemala, Belize  
 Guatemala, Nicaragua  
 Guatemala  
 eMexico, Guatemala, Honduras  
  
 Guatemala, Costa Rica (GU)  
 seMexico (VC, CHS), Guatemala  
 sMexico (CHS), Guatemala  
 Honduras  
 Venezuela  
 Brasil  
 sMexico (CHS), Guatemala  
 Mexico (BC)  
 seMexico (YU)
- Guedeloupe  
 Martinique  
 Guadeloupe
- Puerto Rico, R Dominicana
- R Dominicana
- seBrasil (RJ, SP)
- Cuba  
 swUSA (TX)
- Honduras, Costa Rica  
 wMexico (JA, OA)  
 swUSA (Tex), Mexico (OA, VC)  
  
 sMexico (CHS), Guatemala, Costa Rica  
 wMexico (SI)-Guatemala  
 Costa Rica (PA), Panama  
 Panama, Colombia
- sBrasil (SC)



**Tillomorpha** Blanchard in Gay, 1851:482**lineoligera** Blanchard in Gay, 1851:483

Chile

*roitmani* Cerda, 1993:14**myrmicaria** Fairmaire & Germain, 1859:503

Chile

**Torneutini** Thomson, 1861:139 (key), 271 (key), 272, 273*Thaumasides* Thomson, 1864:314**Coccoderus** Buquet, 1840:293**amazonicus** Bates, 1870:249Costa Rica (AL, CA), ncBrasil (AM, PA), Fr Guiana,  
Bolivia (SC)**biguttatus** Martins, 1985:173

Bolivia, Brasil (MT)

**bisignatus** Buquet, 1840:294

Guianas, ncBrasil (AM, MA, PA)

**guianensis** Tavakilian & Monné, 2002:27

Fr Guiana

**longespiniornis** Fuchs, 1964:7Venezuela, Peru, cBrasil (AM, MA, MT, MG),  
Fr Guiana*spinosus* Lane & Martins, 1965:17**novempunctatus** (Germar, 1824:505)eBrasil (MG, GO, MA, MT, RN-RS), Paraguay,  
Argentina, Uruguay*tuberculatus* Buquet, 1840:295**sexguttatus** Waterhouse, 1880:292

Venezuela, eEcuador, Colombia, Peru

**sexmaculatus** Buquet, 1840:295

eBrasil (BA-RJ)

**sicki** Lane, 1949:36

cBrasil (PA, GO, MT)

**speciosus** Gounelle, 1909:606

ecBrasil (GO, MG, SP, ES, MA, MT, BA)

*teixeirai* Lane, 1939:74**timbaraba** Martins & Duran, 2012:24

Costa Rica (AL)

**Diploschema** Thomson, 1858:404**howdeni** Martins & Monné, 1980:343

Colombia

**maculata** Martins & Monné, 1980:342

Surinam, Guyana, Fr Guiana, nwBrasil (AM, PA)

*brunnea* Martins & Monné, 1980:343**mandibulare** Fuchs, 1964:6Panama, ncBrasil (AM, PA, MA, MT), Peru,  
Paraguay, Bolivia (SC), Fr Guiana, Colombia*klagesi* Lane, 1966:86**rotundicollis** (Audinet-Serville, 1834:29)

seBrasil (GO, MT, PE-RS), Paraguay,

*costicollis* Audinet-Serville, 1834:29

Argentina, Uruguay

*flavipennis* Thomson, 1858:406*fulvipennis* Lacordaire, 1869:240**weyrauchi** Lane, 1966:80Equador, Venezuela, Fr Guiana, Brasil (AM), Peru  
Bolivia**Dragomiris** Gounelle, 1913:206*Monrosia* Bosq, 1953:31**major** Martins & Monné, 1980:347

nArgentina (SE)

**quadricornutus** Gounelle, 1913:207

Argentina (CA, LR, ME, RN, SE), Bolivia (SC)

*subandinus* (Bosq, 1953:32)**Dragoneutes** Martins & Monné, 1980:347**baculus** (Gounelle, 1913:202)

Bolivia, Paraguay, nArgentina (SE)

**obscurus** (Guérin-Méneville, 1843:301)

swArgentina (NE, CT, PA)

**pilosus** Monné, 2004:249

nArgentina (LR, SE)

**Gigantotrichoderes** Tippmann, 1953:197*Mielkea* Zajciw, 1965:85**conicicollis** Tippmann, 1953:199

sMexico-Colombia, eEcuador, Peru

**flabellicornis** (Zajciw, 1965:87)Costa Rica-Colombia, Guianas, nBrasil (PA-MA),  
Bolivia (SC)

**Gnathopraxithea** Seabra & Tavakilian, 1986:227*sarryi* Seabra & Tavakilian, 1986:229

Fr Guiana, nBrasil (AP, PA), eEcuador

**Lophoschema** Monné, 2007:408*guayapa* (Di Iorio, 2003:20)

Argentina (SA)

**Macellidiopygus** Gounelle, 1913:204*debilis* Gounelle, 1913:205

nArgentina (SE)

**Praxithea** Thomson, 1864:254*Praxythea* Gounelle, 1909:606*Phaenicocerus* Audinet-Serville, 1834:28 (part)*angusta* Lane, 1966:91*beckeri* Martins & Monné, 1980:340*borgmeieri* Lane, 1938:95*chavantina* Lane, 1949:34*derourei* (Chabrillac, 1857:196)*collare* Burmeister, 1865:166*fabricii* (Audinet-Serville, 1834:29)*japuhya* Lane, 1956:5*guianensis* Tavakilian & Monné, 2002:13*javetii* (Chabrillac, 1857:195)*mourei* Lane, 1938:92*lanei* Joly, 1999:184*melzeri* Lane, 1956:8*javetii* Lane, 1938:90 (not Chabrillac, 1857)*morvanae* Tavakilian & Monné, 2002:15*peruviana* Lane, 1966:88*seabrai* Tavakilian & Monné, 2002:18*thomsonii* (Chabrillac, 1857:195)*thouvenoti* Tavakilian & Monné, 2002:22*travassosi* Lane, 1939:73

eBrasil (BA-RJ)

eEcuador, nwBrasil (AM), Venezuela

ecBrasil (GO, MT-MG), eEcuador, Fr Guiana

ecBrasil (GO, MA, MT-MG), Fr Guiana

eBrasil (GO, MA, PE-RS), Paraguay, Argentina,

Bolivia (SC), Uruguay

seBrasil (RJ), Bolivia (SC)

Fr Guiana

seBrasil (RJ-SC)

Brasil (MA), Venezuela

eBrasil (GO, MG)

Fr Guiana. Peru

Venezuela, Peru, cBrasil (PA, MA, MT)

Fr Guiana

seBrasil (MG-SC)

Fr Guiana, nBrasil (PA)

Costa Rica, Guianas, cBrasil (AM, MT), eEcuador,

Venezuela, Bolivia

**Psygmatocherus** Perty, 1828:737*Phaenicocerus* Latreille, 1829:113*Phoenicocerus* Latreille in Cuvier, 1832:475*Badariottia* Giglio-Tos, 1893:1*guianensis* Tavakilian & Monné, 2002:24*pubescens* Bruch, 1926:338*wagleri* Perty, 1828:740*suturalis* Perty, 1832:88*dejeanii* Gray in Griffith, 1831: pl. 65, fig. 3*gianelli* Giglio-Tos, 1893:4*elegans* Lane, 1939:74

Fr Guiana, Ecuador

nwArgentina (CA)

seBrasil (AL-RS, MA, MG), Paraguay, Argentina,

Bolivia

**Spathopygus** Lacordaire, 1869:239*eburioides* (Blanchard in D'Orbigny, 1847:209)

sArgentina (NE, CT)

**Thaumasus** Reiche, 1853:420*gigas* (Olivier, 1792:267)

Guatemala-Colombia, nwBrasil (AM), Ecuador

**Torneucerus** Martins & Monné, 1980:344*armatus* Martins & Monné, 1980:345

Guianas, Brasil (RO, PA, MT)

**Torneutes** Reich, 1837:9

**pallidipennis** Reich, 1837:12  
*bouchanti* Buquet, 1843:299

Brasil (MA-AL, PR), Paraguay, Uruguay,  
 Argentina, Bolivia (SC)

**Torneutopsis** Martins & Monné, 1980:341

**translucidus** Martins & Monné, 1980:341

Fr Guiana, nwBrasil (AM)

**Xenambyx** Bates, 1879:14

**lansbergei** (Thomson, 1865:576)  
*laticauda* Bates, 1879:14  
*laticauda meridionalis* Franz, 1954:216

Guatemala-Panama, Colombia, Venezuela, Guianas,  
 cBrasil (PA, MT, GO), Bolivia (SC), Ecuador

**Trachyderini** Dupont, 1836:1

*Purpuricenitae* Thomson, 1861:203  
*Megaderitae* Thomson, 1861:213  
*Metopocoilitae* Thomson, 1864:255  
*Sternacanthitae* Thomson, 1864:259  
*Tropidosomitae* Thomson, 1864:256  
*Poecilopéplides* Lacordaire, 1869:147  
*Dorcacérides* Lacordaire, 1869:192  
*Sténaspides* Lacordaire, 1869:166  
*Tyloses* LeConte, 1873:315

**Subtribe Ancylocerina** Thomson, 1864:210

*Ancylocérides* Lacordaire, 1869:135  
*Ancylocerini* LeConte, 1873:308

**Ancylocera** Audinet-Serville, 1834:107

**amplicornis** Chemsak, 1963:107  
**bicolor** (Olivier, 1795:32)  
*rugicollis* Fabricius, 1801:317  
*lividipennis* Haldeman, 1847:44  
*brevicornis* Casey, 1893:586  
*bicolor spissicornis* Casey, 1924:262  
**bruchi** Viana, 1971:162  
**cardinalis** (Dalman, 1823:67)  
*purpurea* Perty, 1832:93  
**michelbacheri** Chemsak, 1963:108  
**nigella** Gounelle, 1913:421  
**sallei** Buquet, 1857:332  
**sergioi** Monné & Napp, 2001:993  
**spinula** Monné & Napp, 2001:994

sMexico (CHS)-Honduras  
 seUSA-TX

nArgentina (SE, TU)  
 eBrasil (GO, PB-RS), Paraguay, Uruguay,  
 Argentina  
 wMexico (SI, JA, MO, OA)  
 Colombia, Panama  
 seMexico (YU)  
 Costa Rica (LI), Brasil (MG, RO, PA)  
 Colombia

**Assycuera** Napp & Monné, 2001:978

**macrotela** (Bates, 1880:68)  
*rugicollis* Bates, 1872:191 (not Fabricius, 1801)  
**marcelae** Martins & Galileo, 2010:569  
**rubella** (Bates, 1892:170)  
**scabricollis** (Chemsak, 1963:106)  
**waterhousei** (White, 1855:211)

Mexico (MO, PU, CHS)-Costa Rica

Trinidad & Tobago  
 swMexico (JA, GR)  
 cMexico (ME)  
 ncBrasil (AM), Fr Guiana

**Callancya** Aurivillius, 1912:446

*Callopisma* Thomson, 1864:212 (not Dumeril, 1853)  
*Lallancyca* Viana, 1971:189  
**atrocoerulea** Zajciw, 1970:27  
**bimaculata** (Gounelle, 1911:221)  
**capixaba** Monné, 1997:100

seBrasil (RJ)  
 ecBrasil (GO), Paraguay, neArgentina (MI)  
 eBrasil (ES)

**cribellum** (Bates, 1885:315)  
**croceicollis** (White, 1855:292)  
*ruficollis* Bates, 1870:419  
**curvicollis** (Buquet, 1857:138)  
**malleri** Fuchs, 1966:11  
**onorei** Hovore & Chemsak, 2005:48  
**tucumana** Viana, 1971:184

Panama  
 Brasil (PA, MT), Fr Guiana, Bolivia (SC)  
 seBrasil (ES-RS), Argentina  
 sBrasil (BA-SC)  
 wEcuador  
 nArgentina (TU)

### **Ceralocyna** Viana, 1971:165

**aliciae** Hovore & Chemsak, 2005:45  
**amabilis** Monné & Napp, 1999:34  
**coccinea** Monné & Napp, 1999:30  
**cribricollis** (Bates, 1885:314)  
**foveicollis** (Buquet, 1854:345)  
*fulvicornis* (Burmeister, 1865:172)  
**fulvipes** Viana, 1971:173  
**marcelae** Hovore & Chemsak, 2005:50  
**margareteae** Martins & Galileo, 1994:78  
**militaris** (Gounelle, 1911:218)  
**nigricollis** (Gounelle, 1911:218)  
**nigricornis** (Gounelle, 1911:217)  
**nigropilosa** Monné & Napp, 1999:33  
**onorei** Hovore & Chemsak, 2005:48  
**parkeri** (Chemsak, 1964:108)  
**seticornis** (Bates, 1870:418)  
**terminata** (Buquet, 1854:344)  
**variegata** Monné & Napp, 1999:35  
**venusta** Martins & Galileo, 2010:569

wMexico (JA)  
 Brasil (PA)  
 Brasil (BA)  
 Mexico (MO,JA,GR, VC), Nicaragua, Costa Rica (SJ)  
 Colombia, Paraguay, Argentina, Uruguay  
 nArgentina (SA, TU, ME)  
 eEcuador  
 nBrasil (TO, MG), Bolivia (SC)  
 eBrasil (GO, MI)  
 ecBrasil (GO, MG), Bolivia (SC)  
 eBrasil (GO, BA, MI, MG, DF), Uruguay  
 seBrasil (SP,RJ)  
 wEcuador  
 swMexico (OA)  
 ncBrasil (PA)  
 Brasil  
 Brasil (RO), Colombia  
 Trinidad & Tobago

### **Cercoptera** Spinola, 1839: pl. 12

**banonii** Spinola, 1839: pl. 12  
**sanguinicollis** Gounelle, 1911:219

Costa Rica, Venezuela, Fr Guiana  
 ecBrasil (GO)

### **Exallancyla** Monné & Napp, 2000:356

**tuberculicollis** Aurivillius, 1920:369  
*tubericollis* Viana, 1971:190

Bolivia (SC), Peru

### **Mimonneticus** Monné & Napp, 2000:355

**guianae** Monné & Napp, 2000:356

Fr Guiana, Brasil (PA)

## **Subtribe Trachyderina** Dupont, 1836:1

### **Aegoidus** Buquet, 1838:253

*Oegoidus* Guérin-Méneville, 1844:218

*Aegoidius* Lacordaire, 1869:197

**calligrammus** Bates, 1885:331  
**debauvei** (Guérin-Méneville, 1838:287)  
*venustus* Newman, 1840:3  
**earlii** Guérin-Méneville, 1840:334  
**pacificus** Tippmann, 1960:142  
 ab. *corallithorax* Tippmann, 1960:144  
**peruvianus** Buquet, 1838:254  
*peruanus* Erichson, 1847:139  
**weyrauchi** Tippmann, 1953:316

Panama  
 Panama, Colombia, Guianas, nBrasil (RR), Venezuela  
 Colombia  
 Peru  
 Peru, Ecuador  
 Peru

**Aethecerinus** Fall & Cockerell, 1907:154*Aethecerus* Chevrolat, 1862:532 (not Wesmael, 1844)**hornii** (Lacordaire, 1869:184)**latecinctus** (Horn, 1880:134)**wilsonii** (Horn, 1860:570)

seUSA (FL)

swUSA (CA, AZ), nMexico (BC)

swUSA (TX)

**Allocerus** Lacordaire, 1830:173 (not Audinet-Serville, 1832)*Tropidosoma* Perty 1832:35**bicarinatus** (Monné & Monné, 1998:531)**dilaticornis** Gory 1832:384*penniferum* Bates, 1870:423**spencei** (Kirby, 1818:438)

Argentina

Fr Guiana, nwBrasil (AM)

eBrasil (GO, BA-RS), Paraguay, Argentina, Uruguay

**Allopeplus** Zajciw, 1961:222**cordifer** Zajciw, 1961:222

nwBrasil (AM)

**Amannus** LeConte, 1858:24**atriplicis** Linsley, 1957:160**pectoralis** LeConte, 1858:25**vittiger** LeConte, 1858:24*brevis* Casey, 1924:267

swUSA (TX)

swUSA (AZ, CA, NV), Mexico (BC)

wUSA (TX, NM, AZ, UT)

**Amphionthe** Bates, 1879:395**brevicollis** Bates, 1885:291**caudalis** Schwarzer, 1929:359**chiriquina** Achard, 1913:38**dejeani** Gounelle, 1912:115**doris** Bates, 1879:396**oberthuri** Achard, 1913:35

Mexico

Costa Rica

Costa Rica (AL, GU), Panama

Fr Guiana

Colombia

Costa Rica (AL, GU, LI), Colombia

**Ancylosternus** Dupont in Audinet-Serville, 1834:49**annulicorne** Martins & Galileo, 2010:85**morio morio** (Fabricius, 1787:133)*scutellaris* Olivier, 1795:16subsp. **albicornis** Erichson, 1847:139

Brasil (MT)

Colombia, Venezuela, Fr Guiana

Peru, cBrasil (RO, GO, MT), Bolivia (SC)

**Andrachydes** Huedepohl, 1985:36**transandinus** (Tippmann, 1953:324)

Ecuador, Peru

**Andraegoidus** Aurivillius, 1920:369**cruentatus** (Dupont, 1838:26)*cardinalis* Dupont, 1838:28*humeralis* Aurivillius, 1920:370**distinguendus** Huedepohl, 1985:46**fabricii** Dupont, 1838:1*fulvipennis* Dupont, 1838:9**homoplatus** (Dupont, 1838:26)*humeralis* Aurivillius, 1908:7*hassenteufeli* Fuchs, 1958:52**lacordairei** (Dupont, 1838:10)*latreillei* Dupont, 1838:11*nigripes* Dupont, 1838:12*simplicipennis* Dupont, 1838:29*testaceus* Dupont, 1838:13*globicollis* Bates, 1870:432*impunctipennis* Bates, 1870:432*punctipennis* Huedepohl, 1985:50

Paraguay, Argentina, Uruguay, Brasil (RS)

eBrasil (MG)

Brasil (MT, GO, CE-BA, MA, SP),

Bolivia (SC)

eBrasil (GO, MT, PR, PB-MG)

Paraguay, Argentina, Uruguay

Fr Guiana, ncBrasil (AM, PA)

Venezuela, Trinidad &amp; Tobago

- laticollis** Tippmann, 1953:314  
**richteri** Bruch, 1908:215  
**rufipes** (Fabricius, 1787:133)  
     var. *axillaris* Dupont, 1838:8  
     var. *brunnipennis* Dupont, 1838:9  
     *boisduvalii* Dupont, 1838:5  
     *ebeninus* Dupont, 1838:7  
     *zonatus* (Dalman, 1823:63)  
     *cinctus* Dupont, 1838:6  
     *equestris* Dupont, 1838:5  
**translucidus** Botero & Monné, 2011:58  
**variegatus** (Perty, 1832:88)  
     *nigrofasciatus* Gory in Guérin-Ménéville, 1832: pl.43, fig. 3  
     *audouinii* Dupont, 1838:2  
     *gloriosus* Dupont, 1838:4  
     var. *malleri* Tippmann, 1953:320  
     var. *binigromaculatus* Tippmann, 1953:321  
     var. *cordiger* Tippmann, 1953:321  
     var. *dimidiatus* Tippmann, 1953:321  
     var. *bisbiflavomaculatus* Tippmann, 1953:322  
     var. *flavocinctus* Tippmann, 1953:322  
     *variegatus biflavomaculatus* Tippmann, 1953:323
- Colombia  
 Bolivia (LP), Argentina (CA; JU; SA; TU), Paraguay (“Región del chaco”)  
 seBrasil (GO, MS, BA-RS), Paraguay, Bolivia (LP, SC), Argentina
- Bolivia (SC)  
 Brasil (GO, MT, PR, CE-RS), Paraguay, Bolivia (SC), Argentina, Uruguay
- Athetesis** Bates, 1870:428  
**angulicollis** (Zajciw, 1961:402)  
**prolixa** Bates, 1870:428
- ncBrasil (PA), Fr Guiana, Surinam  
 nwBrasil (AM), Peru
- Axestoleus** Bates, 1892:180  
**meridionalis** (Bates, 1880:87)  
**quinquepunctatus** Bates, 1892:181
- Mexico (JA, VC, OA)-Costa Rica  
 wMexico (JA, GR)
- Batus** Thunberg, 1822:307  
*Lophonocerus* Latreille in Cuvier, 1829:112  
*Lophocerus* Chenu, 1870:311  
**barbicornis** (Linnaeus, 1764:68)  
     *guianus* Goeze, 1777:464  
     *speciosus* Voet, 1778:12  
     *barbicornis itaitubensis* Tippmann, 1953:227  
     ab. *picticornis* Tippmann, 1953:228  
**hirticornis** (Gyllenhal in Schoenherr, 1817:176)  
     *hirticornis* Kirby, 1818:441  
     *tuberculicollis* Chabrillac, 1857:198  
     ab. *melancholicus* Tippmann, 1953:228  
**latreillei** (White, 1853:83)  
     *barbicornis* Olivier, 1795: pl. 7, fig. 48 (not Linnaeus, 1764)
- Colombia, Venezuela, eEcuador, Guianas, wBrasil (AM), Peru, Bolivia (PN, SC)
- seBrasil (BA-RS), Paraguay, Argentina
- eBrasil (BA-RJ)
- Batyle** Thomson, 1864:201  
*Batyleoma* Casey, 1912:326  
**ignicollis ignicollis** (Say, 1824:412)  
     *sanguinicolle* Germar, 1824:515  
     *seclusa* Casey, 1912:327  
     *punctipennis* Casey, 1912:328  
     *acomana* Casey, 1912:328  
     subsp. **australis** Linsley, 1957:33  
     subsp. **oblonga** Casey, 1912:328  
**knowltoni** Knull, 1968:233  
**laevicollis** Bates, 1892:181  
**rufiventris** Knull, 1928:126
- wUSA (TX, MT, CO)-OH
- seUSA (AL, MS, FL)  
 wUSA (AZ, UT)  
 wUSA (UT)  
 Mexico (PU, VC-JA, CM)  
 swUSA (AZ)

- suturalis suturalis** (Say, 1824:411)  
*miniatum* Germar, 1824:515  
*rubrum* Newman, 1838:383  
*fontinalis* Casey, 1912:330  
 subsp. **cyliindrella** Casey, 1893:587  
*ruber* LeConte, 1858:82  
 subsp. **infuscatus** Linsley, 1957:33  
 subsp. **melanicollis** Linsley, 1957:34  
 subsp. **pearsalli** (Bland, 1862:272)  
 subsp. **remota** (Casey, 1924:264)  
 subsp. **rutilans** (LeConte, 1850:18)
- e-swNAmer  
  
 swUSA (TX)  
  
 wUSA (CO)  
 swUSA (TX), nMexico (CHA)  
 nc NAmer (CO-Alberta, Saskatchewan)  
 wUSA (NV, UT)  
 swUSA (AZ, NM)
- Callona** Waterhouse, 1840:228  
**basilea** (Bates, 1880:75)  
*thoracicus* Bates, 1880:75 (not White, 1853)  
**championi** (Bates, 1885:320)  
*iridescens* Bates, 1880:74 (not White, 1853)  
**flavofasciata** Chemsak & Hovore in Eya & Tyson, 2011:65  
**iridescens** (White, 1853:80)  
**lampros** (Bates, 1885:321)  
*tricolor* Bates, 1880:75 (not Waterhouse, 1840)  
**praestans** (Casey, 1912:320)  
*semiplicatus* Casey, 1912:320  
**rimosa** (Buquet, 1840:142)  
*splendens* LeConte, 1854:441  
**rutilans** (Bates, 1869:384)  
**thoracica** (White, 1853:78)  
**tricolor** Waterhouse, 1840:228
- swMexico (OA, YU)  
  
 Guatemala  
  
 Costa Rica (AL, GU, PA), Panama  
 Guatemala  
 Panama  
  
 swMexico (GR)  
  
 swUSA (TX), nMexico  
  
 Mexico-Nicaragua, Costa Rica (AL, GU, HE, LI, PA)  
 Honduras  
 Venezuela
- Ceragenia** Audinet-Serville, 1834:32  
*Cerogenia* Gemminger & Harold, 1872:2964  
**aurulenta** Monné & Martins, 1991:199  
**bicornis** (Fabricius, 1801:274)  
*striatus* Olivier, 1795:27  
**insulana** Fisher, 1943:12  
**leprieurii** Buquet in Guérin-Ménéville, 1844:219  
*spinipennis* Bates, 1870:427
- cBrasil (PA, MT)  
 Venezuela, eEcuador, Guianas-cBrasil, Bolivia (SC)  
  
 Panama, Colombia  
 Costa Rica (PA), Fr Guiana, nwBrasil (AM), Surinam
- Cervilissa** Monné & Monné, 2000:1  
**versicolor** Monné & Monné, 2000:2
- Brasil (MG)
- Charinotes** Dupont in Audinet-Serville, 1834:39  
**fasciatus** Dupont in Audinet-Serville, 1834:40
- eBrasil (MG-RJ)
- Chemsakia** Linsley, 1967:168  
**semicostata** (Bates, 1872:195)  
**subarmata** Linsley, 1967:170
- wMexico (OA)-Nicaragua  
 sMexico (CHS)
- Chemsakiella** Monné, 2006:179  
*Linsleyella* Chemsak, 1984:114 (preoccupied by *Linsleyella* Rohr, 1980, Mollusca)  
**michelbacheri** Chemsak, 1984:117  
**ricei** Chemsak, 1984:115  
**virens** (Bates, 1885:323)  
**virgulata** Chemsak, 1987:145
- cMexico (CO, ZA)  
 swUSA (TX, NM)  
 Mexico (MO, PU, OA)  
 cMexico (PU OA)
- Chevrolatella** Zajciw, 1969:119  
**tripunctata** (Chevrolat, 1862:759)  
*ornaticollis* Chevrolat, 1862:759
- eBrasil (PB-RS, GO), Bolivia, Paraguay,  
 Argentina

**Chlorotherion** Zajciw, 1962:202**consimilis** Zajciw, 1962:203**punctatus** Monné, 1998:303

seBrasil (SP)

Brasil (MG)

**Chydarteres** Huedepohl, 1985:72**bicolor** (Voet, 1778:10)**costatus** (Aurivillius, 1908:7)**dimidiatus dimidiatus** (Fabricius, 1787:133)*scapularis* Dupont, 1836:47*conformis* Dupont, 1836:9*ocellatus* Dohrn, 1879:459 (part)subsp. **altissimus** Huedepohl, 1985:79subsp. **notatus** (Dupont, 1836:50)subsp. **taeniatus** (Germar, 1824:512)**formosus** Galileo & Martins, 2010:35**octolineatus** (Thunberg, 1822: 305)*germarii* Dupont, 1836:41*herteli* Tippmann, 1953:330**striatellus** Huedepohl, 1985:82**striatus striatus** (Fabricius, 1787:133)*strigosus* Gmelin, 1790:1822*lineolatus* Dupont, 1836:45*proximus* Dupont, 1836:43subsp. **schaeferi** (Bosq, 1947:298)**strigatus** (Dupont, 1836:42)

Fr Guiana, ecBrasil (PE, MA, MT, GO, BA, SP)

nArgentina (CH, SE)

Colombia, Guianas-Argentina, Uruguay, Bolivia (SC)

Peru

eBrasil (MG, ES-SP)

seBrasil, Paraguay, Argentina, Uruguay

Brasil (BA)

seBrasil (MG, ES-PR)

eBrasil (BA)

Brasil (GO, MT, BA-RS), Fr Guiana,

Paraguay, Argentina, Uruguay

Bolivia, Argentina

seBrasil (MG, ES, RJ, SP)

**Cosmocerus** Guérin-Ménéville, 1844:219**strigosus** Guérin-Ménéville, 1844:219

seBrasil (MG-RS), neArgentina (MI)

**Crioprosopus** Audinet-Serville, 1834:53**amoenus** Jordan, 1895:220**cacicus** Bates, 1885:319**divisus** Bates, 1885:320**gaumeri** Bates, 1892:172**lateralis** LeConte, 1884:22**magnificus** (LeConte, 1875:173)**nieti** Chevrolat, 1857:103*nietoi* Bates, 1880:74**nigricollis** Bates, 1892:173**saundersii** White, 1853:79**servillei** Audinet-Serville, 1834:54**viridipennis** (Latreille, 1811:163)

Costa Rica

Panama, Colombia

eMexico (VC)

seMexico (YU)

swUSA (TX)

swUSA (AZ), nMexico (SO)

Mexico (VC, OA), Costa Rica

eMexico (VC)

Mexico, Honduras

Mexico

Colombia

**Crossidius** LeConte, 1851:102*Oxoplus* LeConte, 1862:41**ater** LeConte, 1861:356**coralinus coralinus** LeConte, 1862:42subsp. **ascendens** Linsley, 1957:43subsp. **caeruleipennis** Linsley, 1957:43subsp. **coccineus** (Casey, 1893:588)subsp. **ferruginosus** Chemsak & Linsley, 1959:178subsp. **fulgidus** Chemsak & Linsley, 1959:179subsp. **jocosus** (Horn, 1885:175)subsp. **monoensis** Linsley & Chemsak, 1961:39subsp. **obfuscipennis** Chemsak & Linsley, 1959:179subsp. **parviceps** (Casey, 1924:264)subsp. **ruficollis** Linsley, 1943:147

wUSA

wUSA (AZ, NM, UT, CO)

swUSA (CA)

swUSA (CA)

wUSA (UT)

swUSA (CA)

wUSA (UT)

wUSA (CO)

wUSA (CA)

wUSA (ID)

wUSA (UT)

wUSA (CA)



- subsp. **tejonicus** Chemsak & Linsley, 1959:178  
 subsp. **temprans** Linsley & Chemsak, 1961:39  
**discoideus discoideus** (Say, 1824:411)  
     *pulchrior* Bland, 1862:272  
 subsp. **blandi** Casey, 1893:589  
 subsp. **sayi** Casey, 1912:340  
     *sayi bilenticulatus* Casey, 1912:340  
     *submetallicus* Casey, 1912:341  
**hirtipes hirtipes** LeConte, 1854:18  
 subsp. **allgewahri** LeConte, 1878:461  
 subsp. **bechteli** Linsley & Chemsak, 1961:59  
 subsp. **brunneipennis** Linsley, 1943:148  
 subsp. **cerarius** Chemsak & Linsley, 1959:177  
 subsp. **flavescens** Chemsak & Linsley, 1959:180  
 subsp. **francesae** Chemsak & Linsley, 1959:181  
 subsp. **immaculatus** Chemsak & Linsley, 1959:182  
 subsp. **immaculipennis** Chemsak & Linsley, 1959:180  
 subsp. **macswaini** Linsley & Chemsak, 1961:58  
 subsp. **nigripennis** Chemsak & Linsley, 1959:180  
 subsp. **nubilus** Linsley, 1957:42  
 subsp. **rhodopus** Linsley, 1955:54  
 subsp. **rubescens** Linsley & Chemsak, 1961:58  
 subsp. **setosus** Chemsak & Linsley, 1959:181  
 subsp. **wickhami** Casey, 1912:337  
     *truncatellus* Casey, 1912:338  
     *curticollis* Casey, 1924:265  
     *parallelus* Casey, 1924:265  
**humeralis humeralis** LeConte, 1858:24  
 subsp. **quadrivittatus** Penrose, 1974:251  
**hurdi** Chemsak & Linsley, 1959:176  
**mexicanus** Chemsak & Noguera, 1997:10  
**militaris** Bates, 1892:177  
     *inflaticollis* Linsley, 1957:159  
**mojavensis mojavensis** Linsley, 1955:63  
 subsp. **linsleyi** Chemsak, 1959:112  
**pulchellus** LeConte, 1861:356  
     *palmeri* Bates, 1880:81  
     *nitidicollis* Casey, 1891:33  
     *pulchellus sinuosus* Casey, 1912:339  
     *pulchellus retractus* Casey, 1912:339  
     *pulchellus vegasensis* Casey, 1912:339  
     *debilis* Casey, 1912:339  
     *lanaticollis* Casey, 1912:339  
**punctatus** LeConte, 1873:197  
     *crassipes* Casey, 1891:32  
     *plagiatus* Casey, 1912:336  
     *hirsuticollis* Casey, 1924:266  
     *vinosus* Casey, 1924:266  
**suturalis suturalis** LeConte, 1858:83  
     *longipennis* Casey, 1891:31  
     *aegrotus* Bates, 1892:178  
 subsp. **intermedius** LeConte, 1873:196  
 subsp. **melanipennis** Penrose, 1984:62  
 subsp. **minutivestis** Linsley, 1957:44  
 subsp. **pubescens** Linsley, 1957:44  
**testaceus testaceus** LeConte, 1851:102  
 subsp. **australis** Linsley, 1942:61  
 subsp. **maculicollis** Casey, 1912:337
- swUSA (CA)  
 wUSA (CA, NV)  
 wNAmer (CO-Canada)  
  
 wNAmer (Alberta, UT)-cMexico  
 wNAmer (Rocky Mts)  
  
 nwUSA (OR, WA)  
 wUSA (ID, UT, WY)  
 wUSA (NV)  
 wUSA (NV)  
 wUSA (NV)  
 wUSA (CA)  
 wUSA (CA)  
 wUSA (CA, NV, OR)  
 wUSA (NV)  
 wUSA (NV)  
 nwUSA (WA, ID, WY)  
 wUSA (CA)  
 wUSA (CA)  
 wUSA (NV)  
 wUSA (CA)  
 swUSA (AZ, NV, UT)  
  
 swUSA (TX, NM)-nMexico  
 swUSA (TX)  
 swUSA (AZ, NM)  
 Mexico (CO, ZA, NL)  
 swUSA (TX, NM)-cMexico (DU)  
  
 swUSA (CA)  
 Mexico (BC)  
 w, cNAmer, nMexico (CHA, NL, ZA)  
  
  
 wNAmer  
  
 swUSA (TX, NM, AZ), nMexico (SO)  
  
 swUSA (AZ, NV), nwMexico (SO)  
 swUSA (TX)  
 swUSA (CA)  
 swUSA (CA)  
 swUSA (CA), Mexico (BCN)  
 Mexico (BCN)  
 swUSA (CA)

**Cryptobias** Dupont in Audinet-Serville, 1834:35*Cryptobius* Chenu, 1870:311*Nosophloeus* Dupont, 1836:15*Nosophlaeus* Dupont, 1838: ix**coccineus** Dupont in Audinet-Serville, 1834:36

seBrasil (RJ, SP)

*concinus* Dupont, 1836:16*ocellatus* Dohrn, 1879:459 (part)**Ctenodes** Olivier, 1807:779**decemmaculata** Olivier, 1807:781

Fr Guiana, Brasil (AM, PA, MA)

*miniata* Klug, 1825:455*minuta*; Latreille in Cuvier, 1836:108**geniculata** Klug, 1825:456

eBrasil (GO, MG, MT)

*thoracicus* Redtenbacher, 1867:201**guianensis** Dalens, Tavakilian & Touroult, 2009:201

Fr Guiana

**zonata** Klug, 1825:454

Brasil (PA, AM), Fr Guiana

*isabellina* Bates, 1870:424**Cyphosterna** Chevrolat, 1862:756*Dioxiotes* Chevrolat, 1862:757**quadrilineata** Chevrolat, 1862:757

eMexico (YU)

**Deltaspis** Audinet-Serville, 1834:7*Eudoxilus* Lacordaire, 1869:172**alutacea** Bates, 1885:323

wcMexico (SI-PU)

*nigrescens* Chemsak, 1959:113**auromarginata** Audinet-Serville, 1834:8

Mexico (including OA)

**cruentus** (LeConte, 1862:42)

Mexico (BCS)

*cruentatus* Horn, 1894:338*marginatus* LeConte, 1862:42**cyanipes** Bates, 1885:322

Mexico

**disparilis** Bates, 1891:160

Mexico (DU, SI, GR)

**ivae** Beierl & Barchet-Beierl, 1999:5

swUSA (CA), Mexico (BCN)

**marginella** Bates, 1891:160

Mexico (DU)

**moesta** Bates, 1885:323

Mexico

**nigripennis** Bates, 1880:77

eMexico (ME, VC, CHS, GR)

**rubens** Bates, 1885:323

Mexico (DU, GU)

*fulva* Bates, 1892:174*tuberculicollis* Bates, 1892:175**rubriventris** Bates, 1880:77

Mexico (DU, SI, GR, PU)

**rufostigma** Bates, 1892:173

swMexico (GR)

**subopaca** Chemsak & Linsley, 1982:74

cMexico (PU, GR)

**thoracica** White, 1853:148

eMexico (VC, GR, MO)

**tumacacorii** (Knull, 1944:91)

swUSA (AZ)

**variabilis** Bates, 1891:161

swMexico (OA, GR)

**Dereetrachys** Huedepohl, 1985:27**chilensis** (Bosq, 1949:79)

Chile

*penai* Cerda, 1953:135**juvencus** (Dupont, 1840:7)

Colombia

**montanus** (Tippmann, 1953:327)

Peru

*itzingeri* Tippmann, 1953:328**pellitus pellitus** (Kirsch, 1889:39)

Ecuador, Peru

*vermiculatus* Bates in Whymper, 1891:38*bonplandi* Gounelle, 1910:17subsp. **meridionalis** Huedepohl, 1985:33

Ecuador

**villiersi** Huedepohl, 1985:29

Ecuador, Peru

**Desmoderus** Dupont in Audinet-Serville, 1834:37*Didymaeus* Thomson, 1861:211**variabilis** Dupont in Audinet-Serville, 1834:38

eBrasil (GO, BA-RJ)

**Dicranoderes** Dupont, 1836:25**annulatus** Dupont 1836:26

eBrasil (GO, BA-SP), Bolivia (SC)

**Dorcacerus** Dejean, 1821:105**barbatus** (Olivier, 1790:300)*auricomus* Germar, 1821:168

Mexico?-Brasil, Argentina, Bolivia (SC), Ecuador

**Drychateres** Huedepohl, 1985:65**bilineatus** (Olivier, 1795:17)*scabricollis* Dalman, 1823:64*dejeani* Dupont, 1838:15*solieri* Dupont, 1838:16*duponti* Dupont, 1838:17*olivieri* Dupont, 1838:18*puncticollis* Dupont, 1838:20*vauthieri* Dupont, 1838:22*dorbignyi* Dupont, 1838:23*nigripennis* Dupont, 1838:24*signaticollis* Dupont, 1838:25Brasil (widely distributed), Paraguay,  
Argentina, Uruguay, Bolivia (SC)**Elytroleptus** Dugès, 1879:182**apicalis** (LeConte, 1884:24)**dichromaticus** Linsley, 1961:13**divisus** (LeConte, 1884:23)**floridanus** (LeConte, 1862:42)**grandis** Linsley, 1935:97**humeralis** Linsley, 1961:14**ignitus** (LeConte, 1884:24)**immaculipennis** Knull, 1935:99var. *obliquus* Knull, 1950:91**limpianus** Skiles & Chemsak, 1982:67**luteicollis** Skiles & Chemsak, 1982:66**luteus luteus** Dugès, 1879:185subsp. **davisi** Knull 1940:558*lineatus* Knull, 1950:91**metallicus** (Nonfried, 1894:140)**nigripennis** Bates, 1885:318**pallidus pallidus** (Thomson, 1861:255)*alfredi* Dugès, 1879:185subsp. **villosus** Linsley, 1961:15**peninsularis** Hovore, 1988:16**rufipennis** (LeConte, 1884:23)*longipennis* Bates, 1885:318*eros* Bates, 1885:318**scabricollis** Bates, 1892:172**similis** Chemsak & Linsley, 1965:197

swUSA (AZ-TX), nMexico

ecMexico (QE, HI)

swUSA (TX), neMexico (NL, TA)

eNAmer-TX

eMexico (ME, MO, VC)-Costa Rica

nMexico (CHA)

swUSA (AZ), nMexico (CHA, DU, SO)

swUSA (TX), wcMexico (DU)

swUSA (Tex)

nMexico (CHA)

nwMexico (SO-ME)-Honduras

swUSA (AZ-TX), wcMexico (DU)

Honduras

swMexico (OA)

Mexico (widely distributed)

wMexico (ME, MI)

Mexico (BC)

swUSA (AZ)-Mexico (widely distributed)

Mexico (widely distributed)-Honduras

cMexico (PU, OA)

**Entomosterna** Chevrolat, 1862:752*Dithymia* Chevrolat, 1862:753**cruentata** Chevrolat, 1862:753**ruficollis** Chemsak & Hovore in Eya, 2010:2

eMexico (VC, CHS), Guatemala

Mexico (MI, GR)

**Eriocharis** Aurivillius, 1912:483*Eriosoma* Blanchard, 1843:207 (not Leach, 1818)

- devestivus** Monné & Martins, 1973:75  
**lanaris** (Blanchard in D'Orbigny, 1847:207)  
*flavocomus* Fairmaire, 1864:272  
*aurulentus* Burmeister, 1865:162  
**richardii** (Dupont, 1838:32)  
*costatus* Dupont, 1838:33  
*haematicus* Fairmaire, 1864:271
- Eriphus** Audinet-Serville, 1834:88  
**bahiensis** Chevrolat, 1862:749  
**bisignatus** (Germar, 1824:516)  
*luctuosus* Chevrolat, 1862:750  
*niger* Fuchs, 1974:243  
**cardinalis** Monné & Fragoso, 1996:115  
**clarkei** Tippmann, 1960:141  
**dimidiatus** White, 1855:293  
**estebani** Touroult, Dalens & Tavakilian, 2012:76  
**flavus** Touroult, Dalens & Tavakilian, 2012: 73  
**giuglarisi** Touroult, Dalens & Tavakilian, 2012:77  
**haematoderus** Chevrolat, 1862:750  
**immaculicollis** Audinet-Serville, 1834:89  
**lineatocollis** Chevrolat, 1862:750  
*xanthoderus* Bates, 1870:429  
**longicollis** Zajciw, 1961:403  
**mathani** Touroult, Dalens & Tavakilian, 2012:78  
**metallicus** Zajciw, 1960:141  
**mexicanus** Audinet-Serville, 1834:89  
*unipunctatus* Buquet in Guérin-Méneville, 1844:226  
**petronillae** Touroult, Dalens & Tavakilian, 2012:73  
**prolixus** Bates, 1872:193  
**purpuratus** Chevrolat, 1862:748  
**rubellus** Martins & Galileo, 2004:230  
**rufomaculatus** Touroult, Dalens & Tavakilian, 2012:73  
**smaragdinus** Monné & Fragoso, 1996:116  
**variegatus** Monné & Fragoso, 1996:117  
**viridis** Monné & Fragoso, 1996:116
- Galissus** Dupont, 1840:1  
**azureus** Monné & Martins, 1981:186  
**cyanopterus** Dupont, 1840:1  
**nigrescens** Martins, Galileo & Campos, 2012:198  
**rubiventris** Martins & Galileo, 2010:592
- Gambria** Chevrolat, 1862:760  
**bicolor** (Chevrolat, 1862:758)  
**leucozona** Bates, 1880:86  
**nigripennis** (Chevrolat, 1862:760)
- Georgiana** Aurivillius, 1912:450  
*Georgia* Thomson, 1857:21 (not Baird & Girard, 1853)  
**xanthomelaena** (White, 1856:408)  
*citrina* Thomson, 1857:21
- Giesbertella** Chemsak & Hovore in Eya, 2010:4  
**mimetica** Chemsak & Hovore in Eya, 2010:4
- Giesbertia** Chemsak & Linsley, 1984:284  
**rugosa** Chemsak & Linsley, 1984:286
- Peru  
Bolivia, Argentina
- Brasil, Argentina
- eBrasil (BA, ES)  
seBrasil (GO, BA, MG-SP)
- sw Brasil (RO, MT)  
Bolivia  
Brasil (PA), Bolivia (SC), Fr Guiana, Peru, Ecuador  
Fr Guiana  
Fr Guiana  
Fr Guiana  
Bolivia  
eBrasil (GO-SC)  
Fr Guiana, ncBrasil (PA)
- Bolivia, nArgentina (SA, TU)  
Peru (Amazonas)  
seBrasil (ES, RJ)  
seBrasil (ES, RJ)
- Fr Guiana  
Nicaragua  
seBrasil (BA-RS), Paraguay, Argentina  
Venezuela  
Fr Guiana  
w Brasil (PA, RO), Fr Guiana  
eBrasil (BA, MG)  
eBrasil (MG, ES)
- cBrasil (MT)  
Fr Guiana, nBrasil (AP, PA)  
Costa Rica (LI)  
Bolivia (SC)
- Mexico (VC)  
wMexico (SO, CM, YU)  
seBrasil, Paraguay, Argentina
- Fr Guiana, nBrasil (AM, GO)
- Panama
- Mexico (MO, MI, GR)

- Gonyacantha** Thomson, 1858:407  
     **rubronigra** Thomson, 1858:498  
         *nigrorubra* Lacordaire, 1869:212  
         *richteri* Fischer, 1888:490  
     seBrasil (ES-SC)
- Gortonia** Hovore, 1987:151  
     **linsleyi** Hovore, 1987:152  
     Costa Rica, Panama
- Hoegea** Bates, 1885:326  
     **distigma** Bates, 1885:327  
     Mexico (VC, CHS)
- Hudepohlellus** Chemsak & Hovore in Eya, 2010:5  
     **semilunatus** Chemsak & Hovore in Eya, 2010:6  
     Costa Rica (PA)
- Ischnocnemis** Thomson, 1864:199  
     **caerulescens** Bates, 1885:328  
     **costipennis** Thomson, 1864:199  
         *tripunctata* Thomson, 1864:199  
     **cribellatus** (Bates, 1892:179)  
     **cyaneus** Bates, 1892:178  
     **eyai** Chemsak & Noguera, 1997:11  
     **glabra** Chemsak & Linsley, 1988:132  
     **luteicollis** (Bates, 1885:329)  
     **minor** Bates, 1880:83  
     **sexualis** Bates, 1885:328  
     **similis** Chemsak & Noguera, 1997:12  
     **skillmani** Chemsak & Hovore in Eya, 2010:7  
     **subviridis** Chemsak & Hovore in Eya, 2010:9  
     **virescens** Eya, 2010:10  
     swMexico (JA, GR, PU), Costa Rica (GU)  
     Mexico  
     eMexico (VC)  
     cMexico (MO)  
     cMexico (JA)  
     wMexico (JA)  
     Mexico (SI, JA, GU)  
     sMexico (PU, CHS)  
     wMexico (JA, GU, PU), Costa Rica (GU)  
     cMexico (JA)  
     Mexico (OA)  
     Guatemala  
     Mexico (GR, OA)
- Lissonomimus** Viana & Martinez, 1992:28  
     *Pujolia* Lane, 1973:380 (preoccupied by *Pujolia* Levasseur, 1968, Coleoptera)  
     *Laniella* Monné, 2006:179  
     **auratopilosus** Di Iorio, 1998:28  
     **megaderinus** (Lane, 1973:382)  
         *narciso* Viana & Martinez, 1992:30  
     Argentina (Chaco)  
     ecBrasil (GO), Paraguay, Argentina
- Lissonoschema** Martins & Monné, 1978:65  
     **fasciatum** (Fisher, 1944:9)  
     **macrocolumn** Martins & Monné, 1978:65  
     **solangeae** Monné & Monné, 2000:161  
     Venezuela, Fr Guiana  
     eBrasil (ES)  
     Brasil (MG)
- Lissonotypus** Thomson, 1864:211  
     *Lissonototypus* Gemminger & Harold, 1872:2982  
     **brasiliensis** (Buquet, 1860:622)  
     **tetraspilotus** (White, 1853:64)  
         *quadrisignatus* Buquet, 1860:621  
     eBrasil (ES, RJ)  
     eBrasil (ES, RJ), neArgentina (MI)
- Lophalia** Casey, 1912:333  
     *Entomosterna* LeConte, 1873:314 (not Chevrolat, 1862)  
     **auricomis** Chemsak & Linsley, 1979:267  
     **cavei** Chemsak & Hovore in Eya, 2010:14  
     **cribricollis** (Bates, 1892:179)  
     Honduras  
     El Salvador  
     swMexico (GR)

- cyanicollis** (Dupont, 1838:59)  
**prolata** Chemsak & Linsley, 1988:127  
**quadrivittata** (Bates, 1892:179)
- swUSA (TX, AZ)-sMexico (ME, PB, VC, CHS)  
wMexico (SI-GR)  
swMexico (JA, GR)
- Mannophorus** LeConte, 1854:442  
**forreri** Bates, 1885:327  
**laetus** LeConte, 1854:442  
*ferreus* Bates, 1880:82
- swUSA (AZ), nwMexico (CHA, DU)  
swUSA (TX), ncMexico (SLP)
- Martinsellus** Huedepohl, 1985:131  
**signatus** (Gyllenhal in Schoenherr, 1817:177)
- Brasil (GO, MS, BA-RS), Paraguay, Argentina,  
Uruguay, Bolivia (SC)
- Metaleptus** Bates, 1872:192  
**angulatus** (Chevrolat, 1834:67)  
*marginellus* Bates, 1872:193  
*binoculus* Bates, 1872:193  
*binoculatus* Linsley, 1935:98  
*coccinatus* Bates, 1872:193  
**batesi** Horn, 1885:174  
**brasiliensis** (Schaufuss, 1871:210)  
**hondurae** Nonfried, 1894:138  
**lecontei** (Casey, 1912:325)  
**pyrrhulus** Bates, 1880:79
- nMexico-Costa Rica
- swUSA (AZ, CA), nMexico  
sBrasil (RS)  
Honduras  
Honduras  
sMexico (CHS), Guatemala
- Metopocoilus** Audinet-Serville, 1832:170  
*Metopocoellus* Laporte, 1840:410  
*Metopocoelus* Lacordaire, 1869:244  
*Coptocephalus* Gray in Griffith, 1832:113  
*Elaterosoma* Tippmann, 1953:205  
**corumbaensis** Lane, 1956:8  
*rojasi* Lane, 1943:102 (not Sallé, 1853)  
**giganteus** Nonfried, 1894:137  
**longissimum** (Tippmann, 1953:206)  
**maculicollis** Audinet-Serville, 1832:171  
*brasiliensis* Gray in Griffith, 1832:113  
**picticornis** Melzer, 1923:3  
**quadrispinosus** (Buquet, 1860:619)  
var. *basimaculatus* Tippmann, 1953:208  
**rojasi** Sallé, 1853:650
- Brasil (PB, CE, MS, PA, TO, MT)
- nwBrasil (AM)  
Venezuela  
seBrasil (SP-RS, RJ)
- seBrasil (MG-SP)  
seBrasil (BA, SP-RS), Argentina
- Venezuela
- Micropelta** Zajciw, 1961:399  
**rugosicollis** Zajciw, 1961:400.
- Peru, wBrasil (RO), Bolivia (SC)
- Molitones** Gounelle, 1913:422  
**flavipennis** Gounelle, 1913:423
- Colombia
- Monneellus** Huedepohl, 1985:136  
**rhodopus** (Bates, 1870:431)  
*vagus* Melzer, 1927:571
- eEcuador, cBrasil (AM, MT), Peru, Bolivia (SC)  
Fr Guiana, Venezuela
- Muscidora** Thomson, 1864:202  
**tricolor** Thomson, 1864:202
- Mexico-Costa Rica
- Neochrysoprasia** Franz, 1969:1  
**zajciwi** Franz, 1969:1
- seBrasil (SP), Bolivia, Paraguay

**Neocrossidius** Chemsak, 1959:131  
**trivittatus** (Bates, 1880:82)

wcMexico (DU, DF, CO, MI)

**Neogalissus** Monné & Martins, 1981:187  
**pelidnos** Monné & Martins, 1981:188

Brasil (AM, PA), Surinam, Fr Guiana

**Neomegaderus** Monné, 2006:179

*Megaderus* Dejean, 1821:106 (preoccupied by *Megaderus* Rafinesque, 1815, Pisces)

**bifasciatus** Dupont, 1836:5

swUSA (TX) - Guatemala, Honduras

*corallifer* Newman, 1840:195

**stigma** (Linnaeus, 1758:395)

Nicaragua-Argentina, Bolivia (BN, SC)

ab. *bimaculatus* Tippmann, 1960:151

ab. *interruptefasciatus* Tippmann, 1960:151

*latifasciatus* Bates, 1870:438

**Neotaphos** Fisher, 1936:324

*Uragus* Guérin-Ménéville, 1844:230 (not *Uragus* Raffinesque, 1815, Coelenterata)

*Vianuragus* Monné, 2006:179

**hamaticollis** (Guerin-Meneville, 1844:231)

Argentina

**rachelis** Fisher, 1936:325

Chile

**Neotaranomis** Chemsak & Linsley, 1982:71

**atropurpurea** Chemsak & Noguera, 2001:51

Honduras

**australis** Chemsak & Linsley, 1982:74

wMexico (SI, OA, CHS)

**sinaloae** Chemsak & Linsley, 1982:72

wMexico (SI, NA, JA, CHS)

**Noguerana** Chemsak & Linsley, 1988:129

**aliciae** Chemsak & Linsley, 1988:130

wMexico (JA)

**rodriguezae** Noguera, 2005:69

Mexico (MO)

**Nothoprodontia** Monné & Monné, 2004:239

**boliviana** Monné & Monné, 2004:240

Bolivia (CO), Fr Guiana

**Oxymerus** Dupont in Audinet-Serville, 1834:50

**aculeatus aculeatus** Dupont, 1838:38

eBrasil (GO, MT, MG-SP, MS, PR)

*confusus* Dupont, 1838:39

*nigricornis* Dupont, 1838:40

*klugii* Dupont, 1838:44

subsp. **lebasi** Dupont, 1838:47

subsp. **meridionalis** Huedepohl, 1979:23

**basalis** (Dalman, 1823:65)

Nicaragua-nSAmer, sW Indies, Jamaica, Cuba

cSAmer, Bolivia (SC)-Uruguay

Venezuela, Guianas-cBrasil, Bolivia (SC)

*deletus* Dupont, 1838:48

**bruchi bruchi** Gounelle, 1913:229

Brasil (MT, RS), Paraguay, Argentina

subsp. **seabrai** Huedepohl, 1985:142

ecBrasil (GO)

**chevrolatii** Dupont, 1838:36

sBrasil (PR-RS), Paraguay, Argentina,

*obliquatus* Burmeister, 1865:163

Uruguay, Bolivia (SC)

*saundersii* Waterhouse, 1886:500

**lineatus** Dupont, 1838:41

Colombia, eBrasil (BA, MA, RR, SP), Fr Guiana

*approximatus* Dupont, 1838:44

*elongatus* Dupont, 1838:45

*distinguendus* Dupont, 1838:48

*aculeatus lineatus* Huedepohl, 1979:20

**luteus luteus** (Voet, 1778:17)

seBrasil (RJ-RS), Paraguay, Argentina

*quadrioculatus* Schaller, 1783:289

*porcatus* Weber, 1801:88

*rivulosus* Germar, 1824:512

*flavescens* Thunberg, 1822:304

- subsp. **abdominalis** Dupont, 1838:37  
*lateriscriptus* Burmeister, 1865:164  
subsp. **australis** Huedepohl, 1979:34  
subsp. **nigriventris** Dupont, 1838:43  
subsp. **occidentalis** Huedepohl, 1979:34  
**pallidus** Dupont, 1838:49  
**punctatus** Gounelle, 1911:240  
**vianai** Huedepohl, 1979:51  
**virgatus** Gounelle, 1913:228
- eBrasil (BA-SP)  
Argentina, Uruguay  
Fr Guiana, Brasil  
Peru, Bolivia  
seBrasil (RJ), Argentina, Uruguay  
eBrasil (GO, MG, MT)  
ncArgentina (CD)  
sBrasil (RS), Paraguay, Argentina, Uruguay
- Ozodera** Dupont, 1840:10  
**callidioides** Dupont, 1840:42  
*xanthospilos* Dupont, 1840:10  
*bipartita* Buquet, 1840:111
- Colombia
- Palaeotrachyderes** Tippmann, 1960:147  
**laticornis** Tippmann, 1960:148
- Panama
- Panchylissus** Waterhouse, 1880:294  
**cyaneipennis** Waterhouse, 1880:295  
**nigriventris** Lane, 1965:289
- Honduras, Costa Rica, Panama, eEcuador, Peru,  
Bolivia (SC)  
Ecuador
- Parabatyle** Casey, 1912:326  
**sanguiniventris** (Chevrolat, 1862:754)
- eMexico (VC)
- Paraethecerus** Bruch, 1926:342  
**sexmaculatus** Bruch, 1926:343
- nwArgentina (CA)
- Paragortonia** Chemsak & Noguera, 2001:52  
**discoideus** Linsley, 1935:98  
**leptoforma** Chemsak & Noguera, 2001:52
- cMexico (ME)  
sMexico (OA)
- Parathetesis** Linsley, 1961:7  
**convergens** (Bates, 1892:171)
- swMexico (GR, CM)
- Parevander** Aurivillius, 1912:453  
*Evander* Lacordaire, 1869:160 (not Thomson, 1861)  
**hovorei** Giesbert, 1984:59  
**nietii** (Guérin-Ménéville, 1844:257)  
*nietoi* Gemminger & Harold, 1872:2964  
**nobilis** (Bates, 1872:192)  
**unicolor** (Bates, 1880:71)  
**xanthomelas** (Guérin-Ménéville, 1844:258)
- swUSA (TX), neMexico (TA, CO, NL, SLP)  
Mexico (VC), Guatemala  
Mexico, Honduras, Nicaragua, Costa Rica  
Costa Rica  
Mexico (PU, OA, GR), Guatemala, Honduras,  
Costa Rica
- Paroxoplus** Chemsak, 1959:111  
*Oxoplus* Bates, 1880:80 (not LeConte, 1862)  
**ornaticollis** (Lacordaire, 1869:180)  
**poecilus** (Bates, 1880:80)
- swMexico (GR, PB, MO, OA)  
swMexico (OA)
- Parozodera** Bruch, 1940:116  
**chemsaki** Huedepohl, 1985:25  
**farinosa** (Burmeister, 1865:161)  
*hamaticollis* Tippmann, 1953:209 (not Guérin-Ménéville, 1844)
- nArgentina (SA)  
c Argentina (SL, ME, RN)



**Perarthrus** LeConte, 1851:101**linsleyi** (Knull, 1942:226)**pallida** (Schaeffer, 1905:132)**vittatus** LeConte, 1851:102

swUSA (CA, AZ), Mexico (BCN)

Mexico (BC)

swUSA (CA), Mexico (BCN)

**Phaedinus** Dupont in Audinet-Serville, 1834:38**abnormalis** Tippmann, 1953:317**carbonelli** Monné, 1999:26**corallinus** Gounelle, 1911:237**flavipes** (Thunberg, 1822:306)*microthorax* Perty, 1832:88**hirtipes** Tippmann, 1960:144**lanio** Guérin-Méneville, 1838:287**martii** (Perty, 1832:86)*biplagiatus* Buquet, 1840:142*moestus* Newman, 1840:195**pictus** White, 1853:65**rubrus** Galileo & Martins, 2010:390**schaufussi** Nonfried, 1890:20**tricolor** Dupont in Audinet-Serville, 1834:39var. *superbus* Tippmann, 1953:317m. *bicoloricornis* Fuchs, 1961:96

sBrasil (SC)

sBrasil (PE)

ecBrasil (GO)

e Brasil (GO, MG-SP)

Bolivia

Fr Guiana, Brasil (MA), Bolivia (SC)

eBrasil (GO, MG-SC), Argentina

Venezuela, Bolivia

wEcuador

Colombia

Fr Guiana, nBrasil (AM), Ecuador

**Phimosia** Bates, 1870:420**ebenina** Bates, 1870:421

cBrasil (PA, RO, MT), eEcuador

**Phoenicus** Lacordaire, 1869:174**sanguinipennis** Lacordaire, 1869:174

Dominican Republic, CAmer ?

**Phoenidnus** Pascoe, 1866:293**lissonotoides** Pascoe, 1866:293

Panama, Colombia, cBrasil (MT), Bolivia (SC)

**Placoschema** Chemsak & Hovore in Eya, 2010:15**dimorpha** Chemsak & Hovore in Eya, 2010:16

Mexico (CHA, DU, HI, ME)

**Pleuromenus** Bates, 1872:194**baccifer** Bates, 1872:194

Mexico - Costa Rica

**Plionoma** Casey, 1912:333*Sphaenothecus* LeConte, 1873:316 (not Dupont, 1838)**basalis** (Horn, 1894:401)**rubens** (Casey, 1891:34)**suturalis** (LeConte, 1858:25)*degener* Casey, 1912:334

Mexico (BC)

swUSA (TX-CA), nMexico (BC)

swUSA (TX-CA), nMexico (BC)

**Poecilopeplus** Dejean, 1835:319**batesi** White, 1853:56**corallifer** (Sturm, 1826:79)*versicolor* Laporte, 1840:412**flavescens** Rosenberg, 1898:92**fontanieri** (Lucas, 1857:178)**haemopterus** (Lucas, 1857:178)**intricatus** (Blanchard in D'Orbigny, 1847:207)**martialis** Rosenberg, 1898:92**tardifi** Michard, 1887:139

ncBrasil (PA)

seBrasil (MG-RS), Argentina

Ecuador

Colombia, Venezuela

seBrasil (MG-RS, GO), Argentina

Bolivia (SC)

Costa Rica, Panama

Colombia

**Polyschisis** Audinet-Serville, 1833:564*Polyschisus* Blackwelder, 1946:578**hirtipes** (Olivier, 1792:460)**melanaria** White, 1853:145**rufitarsalis** Waterhouse, 1880:294**tucumana** Di Iorio, 2003:7

Panama, Fr Guiana, ncBrasil (PA)

seBrasil (ES, RJ, SP)

Ecuador, nwBrasil (AM, GO, RO), Bolivia

*rufitarsis*; Lameere, 1883:33

Argentina (TU)

**Prodontia** Audinet-Serville, 1834:64**dimidiata** Audinet-Serville, 1834:65

seBrasil (RJ-SC), Argentina

**Pseudodeltaspis** Linsley, 1935:99**carolinae** Audureau 2008:2**cyanea** Linsley, 1935:99**punctipennis** Chemsak & Hovore in Eya, 2010:17

Nicaragua

wMexico (SI, ME)-Guatemala

Guatemala, Honduras?, Costa Rica (GU)

**Pseudoeriphus** Zajciw, 1961:405*Pseuderiphus* Villiers, 1971:344**collaris** (Erichson in Schomburg, 1848:572)*balachowskyi* Villiers, 1971:344*ochraceicollis* Zajciw, 1961:407**robustus** Tavakilian & Dalens, 2008:193**sanguinicollis** Zajciw, 1961:406

Guyana, Fr Guiana, Ecuador, Brasil (PA, MG, RO)

Fr Guiana

nwBrasil (AM)

**Pseudophimosia** Delfino, 1990:695**eburioides** (White, 1853:61)**sexlineata** (Buquet, 1859:624)

Colombia, Venezuela

Colombia

**Pseudostenaspis** Melzer, 1932:420**hermanni** Melzer, 1932:421

seBrasil (SP)

**Pteracantha** Newman, 1838:392*Amallocerus* Guérin-Méneville, 1844:218**agrestis** Monné & Monné, 2002:75**fasciata** Newman, 1838:393*spinus* Guérin-Méneville, 1844:218

Brasil (MG)

seBrasil (BA, ES, RJ)

**Pteroplatidius** Linsley, 1961:8**octocostatus** (Bates, 1880:73)

eMexico (VC)

**Purpuricen** Dejean, 1821:105*Cyclodera* White, 1846:510*Philagathes* Thomson, 1864:196**axillaris** Haldeman, 1847:31**dimidiatus** LeConte, 1884:23**humeralis** (Fabricius, 1798:143)**linsleyi** Chemsak, 1961:183**opacus** (Knull, 1937:306)**paraxillaris** MacRae, 2000:150

eNAmer

swUSA (CA)

eNAmer

swUSA (TX)

swUSA (TX)

eNAmer

**Rachidion** Audinet-Serville, 1834:54*Rhachidion* Germar in Guérin-Méneville, 1839:330*Rachidium* Chenu, 1870:310*Calodus* Lucas, 1857:184**gagatinum** (Germar, 1824:504)**nigritum** Audinet-Serville, 1834:55

Brasil

eBrasil (MG)

- obesum** Newman, 1840:195  
*granulicollis* Chabrilac, 1857:198  
*varians* Lucas, 1857:185  
**ramulicorne** Lacordaire, 1869:213  
 ecBrasil (GO, MT, MG), Paraguay  
 Brasil
- Retrachydes** Huedepohl, 1985:68  
**thoracicus thoracicus** (Olivier, 1790:300)  
*morio* Dalman in Schoenherr, 1817:365 (part)  
*virens* Thunberg, 1822:306  
*m. testaceus* Fuchs, 1961:96  
 subsp. **densepilosus** Huedepohl, 1985:72  
 subsp. **sulcatus** (Burmeister, 1865:162)  
 eBrasil (GO, MT, MA-RS), Paraguay,  
 Bolivia, Argentina, Uruguay  
 Bolivia (SC)  
 sBrasil (MS), Bolivia, Paraguay, Argentina, Uruguay
- Rhoduleptus** Linsley, 1962:123  
**comis** (Bates, 1892:175)  
**femoratus** (Schaeffer, 1909:384)  
*gracilior* Fall, 1909:164  
**nigripennis** Giesbert, 1993:147  
**umbrosus** Chemsak & Linsley, 1982:391  
 wMexico (SO-OA) - Honduras  
 swUSA (AZ)-wMexico (SO, SI)  
 sMexico (CHS), Guatemala  
 swMexico (OA)
- Schizax** LeConte, 1873:195  
**senex** LeConte, 1873:196  
 swUSA (CA-TX)
- Scythroleus** Bates, 1885:324  
**picticornis** Bates, 1885:325  
 wMexico (SI, OA)
- Seabraellus** Huedepohl, 1985:60  
**gracilis** Huedepohl, 1985:60  
**splendidior** Huedepohl, 1985:63  
 eBrasil (ES, PE, PB-MG), Fr Guiana  
 eBrasil (BA, ES)
- Seabraia** Zajciw, 1958:257  
**sanguinicollis** Zajciw, 1958:259  
**zajciwi** Lane, 1965:282  
 nwBrasil (AM, RO, MT), Peru  
 ncBrasil (PA), Fr Guiana
- Seabriella** Zajciw, 1960:138  
**fasciata** Zajciw, 1960:139  
 seBrasil (RJ), Fr Guiana
- Sphaenothecus** Dupont, 1838:xii  
*Sphenothecus* White, 1853:85  
*Sphoenothecus* Thomson, 1864:205  
*Taranomis* Casey, 1912:333  
*Iscnocnemis* LeConte, 1873:316 (not Thomson, 1864)  
**argenteus** Bates, 1880:84  
**bivittata** Dupont, 1838:58  
*bilineata* (Gory in Guérin-Méneville, 1831: pl. 45, fig. 9)  
*cylindricollis* Casey, 1924:267  
*nematocera* Casey, 1924:268  
**facetus** Chemsak & Noguera, 1998:21  
**maccartyi** Chemsak & Noguera, 1998:20  
**picticornis** Bates, 1880:84  
**toledo** Chemsak & Noguera, 1998:19  
**trilineatus** Dupont, 1838:57  
*tomentosus* Dupont, 1838:56  
*lateralis* Bates, 1885:329  
 wMexico (SI, MI-CHS) - Costa Rica  
 swUSA (CA-TX), Mexico-Nicaragua,  
 Mexico (BCN)  
 Guatemala, Costa Rica  
 wMexico (JA, SI)  
 cMexico (PU, MI-VC, OA) - Honduras  
 sMexico (CHS, OA), Honduras, Costa Rica  
 swUSA (TX) - Mexico (VC, SI, OA)

**Steinheil** Lane, 1973:377**mandibularis** Lane, 1973:379

Panama, Colombia

**Stenaspis** Audinet-Serville, 1834:51*Smileceras* LeConte, 1850:8**castaneipennis** Dupont, 1838:52**pilosella** Bates, 1892:173**plagiata** Waterhouse, 1877:12**solitaria** (Say, 1824:410)*unicolor* Dupont, 1840:11*lugubris* Casey, 1912:318**superba** Aurivillius, 1908:5**validicornis** Casey, 1912:319**verticalis verticalis** Audinet-Serville, 1834:52*superbus* Newman, 1838:493subsp. **arizonicus** Casey, 1912:318subsp. **insignis** Casey, 1924:262

swMexico (OA)

swMexico (GR)

Guatemala

swUSA (AZ, CA), nMexico (BC, DU, SO)

Bolivia

swMexico (GR)

Mexico (MO, PU, SO, VC), Honduras

swUSA (AZ)

swUSA (TX)

**Stenobatyle** Casey, 1912:326*Leptobatyle* Linsley, 1935:101**eburata** (Chevrolat, 1862:755)*trucidata* Chevrolat, 1862:755*unicostata* Casey, 1912:332**gracilis** Chemsak, 1980:116**inflaticollis** (Linsley, 1935:101)**miniatocollis** (Chevrolat, 1862:756)*cribrata* Casey, 1912:331**prolixa** (Bates, 1892:180)

nMexico (widely distributed)-Costa Rica

wMexico (JA, GR)

Mexico (ME, GR)

Mexico (SO-OA, VC)

swMexico (JA-CHS)

**Sternacanthus** Audinet-Serville, 1832:172**allstoni** Bates, 1870:426**batesi** Pascoe, 1862:355**pivicornis** Thomson, 1861:209**picticornis** Pascoe, 1857:95**sexmaculatus** Bates, 1870:426**undatus** (Olivier, 1795:32)**unifasciatus** Aurivillius, 1922:162

ncBrasil (AM, PA)

ncBrasil (AM, PA)

Peru, Bolivia (PN)

eEcuador, Peru, ncBrasil (AM, PA, RO),

Bolivia (LP, PN)

ncBrasil (PA)

Guianas, ncBrasil (PA, AM, AP, RO, MT), Peru

ncBrasil (PA)

**Stiphilus** Buquet, 1840:172**quadripunctatus** Buquet, 1840:172*quadrisignatus* Thomson, 1864:297

eBrasil (RJ)

**Streptolabis** Bates, 1867:23**hispidoides** Bates, 1867:23

Fr Guiana, wcBrasil (AM, RO, MT), eEcuador,

Bolivia (SC), Peru

**Tamenes** Gounelle, 1912:133**sarda** Gounelle, 1912:134

Panama

**Trachelissa** Aurivillius, 1912:449*Trachelia* Audinet-Serville, 1834:25 (not Scopoli, 1769)**maculicollis** (Audinet-Serville, 1834:26)var. *rufiventris* Gounelle, 1911:227**pustulata** (Audinet-Serville, 1834:25)*octolineata* Audinet-Serville, 1834:26**rugosipennis** (Gounelle, 1911:228)

seBrasil (GO, MT, RJ-RS), Paraguay,

Argentina, Uruguay, Bolivia (SC)

eBrasil (BA-SP)

eBrasil (GO, BA)

**Trachyderomorpha** Tippmann, 1960:149**notabilis** Tippmann, 1960:150

Bolivia, Peru

**Trachyderes (Dendrobias)** Dupont in Audinet-Serville, 1834:41*Dendrobias* LeConte, 1858:40**mandibularis mandibularis** Dupont in Audinet-Serville, 1834:42 swUSA (TX-CA), nwMexico (BC,MI), Honduras*testaceus* Dupont, 1836:24*basalis* Dupont, 1840:6*quadrinaculatus* Dupont, 1836:22*spinicollis* Bates, 1885:332*debilicollis* Casey, 1912:316*peninsularis* Casey, 1912:316subsp. **reductus** Casey, 1912:316subsp. **virens** Casey, 1912:316**maxillosus** Dupont in Audinet-Serville, 1834:44**steinhauseni** Huedepohl, 1987:199

swUSA (CA, AZ), Mexico (BC)

swUSA (TX)

Martinique

Honduras, Nicaragua, Costa Rica

**Trachyderes (Trachyderes)** Dalman in Schoenherr, 1817:364**armatus** Monné & Martins, 1973:71**badius** Dupont, 1840:9*spadiceus* Dupont, 1840: pl. 36**cauaburi** Huedepohl, 1985:101**cingulatus** Klug, 1825:456*reichii* Dupont, 1836:31*reichei peruvianus* Tippmann, 1953:323ab. *reducta* Tippmann, 1960:146**distinctus** Bosq, 1951:105*cochabambae* Tippmann, 1960:146**elegans elegans** Dupont, 1836:30*subpilosus* Bates, 1880:89var. *eximius* Bates, 1885:332subsp. **blandus** Dupont, 1840:8subsp. **nigerrimus** Huedepohl, 1985:124**hermani** Huedepohl, 1985:104**hilaris** Bates, 1880:90*colombiana* Lane, 1973:374**leptomerus leptomerus** Aurivillius, 1908:6subsp. **batesi** Martins, 1975:87subsp. **boliviensis** Aurivillius, 1908:6**melas** Bates, 1870:432**pacificus** Huedepohl, 1985:117**politus** Bates, 1870:432**succinctus succinctus** (Linnaeus, 1758:391)*zonarius* Houttuyn, 1766:566*cayennensis* Dupont, 1836:34*transversalis* Dupont, 1836:35*intermedius* Dupont, 1836:35*rubripes* Dupont, 1836:37*interruptus* Dupont, 1836:38*subfasciatus* Dupont, 1836:38*nigricornis* Aurivillius, 1908:6subsp. **duponti** Aurivillius, 1912:481*mm-ornata* Tippmann, 1960:146subsp. **flaviventris** Aurivillius, 1908:6*nigricornis* Martins, 1975:83 (not Aurivillius, 1908)subsp. **latecinctus** Martins, 1975:88subsp. **melzeri** Schwarzer, 1929:363

Brasil (AM, PR, RJ, SP, SC), Paraguay

Colombia

nwBrasil (AM)

Brasil (AM, MA, MT, PA), Peru, Bolivia (SC)

Bolivia, Paraguay, nArgentina (TU)

Mexico (SO, ME, OA, PU, VC) - Panama

Costa Rica - Colombia, Venezuela

Peru

Panama, Colombia

Costa Rica, Colombia, wEcuador

Peru

Ecuador

Peru, Bolivia (SC)

ncBrasil (PA), Fr Guiana, Colombia

wEcuador

Mexico-Colombia, Venezuela, Fr Guiana

Honduras - Argentina, Bolivia (BN, LP, SC),

W Indies (widely distributed)

Brasil, Paraguay, Argentina

Peru

nwBrasil (AM)

sBrasil (MS), Paraguay, Argentina

**Tragidion** Audinet-Serville, 1834:89*Trichoscelis* Bates, 1885:324**agave** Swift & Ray, 2008:7

sCalifornia, Mexico (BCN)

**annulatum** LeConte, 1858:83

swUSA (TX, AZ, CA), nMexico (BCN, BCS)

*peninsulare peninsulare* Schaeffer, 1908:339*peninsulare californicum* Linsley, 1940:137**armatum** LeConte, 1858:25

swUSA (Texas-California), Mexico (SO, CH, BCN)

*texanum* Schaeffer, 1932:152*armatum brevipenne* Linsley, 1957:33**auripenne** Casey, 1893:586

swUSA (AZ, NM, UT)

*fulvipenne* Casey, 1893:586 (not Say, 1824)*hirsuticollis* Casey, 1912:321*parowanum* Casey, 1924:263**bicolor** Bates, 1885:324

sMexico, Guatemala, Honduras

*cyanovestis* Chemsak & Linsley, 1979:268**carinatum** Thomson, 1861:204

Mexico

**coquus** (Linnaeus, 1758:393)

eNAmer-NM

*lynceum* Fabricius, 1775:191*fulvipenne* Say, 1824:414*melsheimeri* Germar, 1824:502*coquus filicornis* Casey, 1912:323*fulvipenne nubifer* Casey, 1912:323*fulvipenne levipes* Casey, 1912:323*apicatum* Casey, 1912:323**deceptum** Swift & Ray, 2008:17

swUSA (AZ, NM, TX), Mexico (SO, CH, DU)

**densiventris** Casey, 1912:322

swUSA (AZ, NM, TX), Mexico (SO, CH)

**dichromaticum** Linsley, 1957:38

scMexico (Guerrero, Jalisco, Oaxaca)

**gracilipes** Linsley, 1940:136

southwestern USA (CA), Baja California

**Triacetelus** Bates, 1892:176*Paramphionthe* Zajciw, 1964:437**emarginatus** (Chevrolat, 1862:758)

seMexico (YU)

**sericatus** Bates, 1892:176

wMexico (SI, MI, OA, NA, ME, JA, GR) - Honduras

*moestula* Zajciw, 1964:438**viridipennis** Chemsak & Linsley, 1976:217

wMexico (MI)

**Tuberorachidion** Tippmann, 1953:332**lanei** Tippmann, 1953:335

eBrasil (MG-SP)

**pumilio** (Gounelle, 1911:242)

eBrasil (GO, BA-PR)

*zellibori* Tippmann, 1953:334**Tylosis** LeConte, 1850:9**dimidiata** Bates, 1892:177

seMexico (YU)

**hilaris** Linsley, 1957:34

Mexico

**jimenezii** Dugès, 1879:186

swUSA (TX)-cMexico (CO, DU, GU)

**maculatus** LeConte, 1850:9

swUSA (AZ-TX), nMexico (SO)

*sellatus* LeConte, 1858:25*robusta* Casey, 1912:342*argus* Casey, 1912:342*sexualis* Casey, 1912:343*texana* Casey, 1912:343*subtruncata* Casey, 1912:343*brevicollis* Casey, 1912:344*medialis* Casey, 1912:344*medialis bifasciata* Casey, 1912:344*conjuncta* Casey, 1912:344*conjuncta parva* Casey, 1912:345**nigricollis** Chemsak & Hovore in Eya, 2010:18

Mexico (HI)

**oculatus** LeConte, 1850:9

swUSA (TX), Mexico (DU, ME, PU, VC)

- puncticollis** Bates, 1885:325  
*angusticollis* Bates, 1885:325  
*maculata* Bates, 1880:81 (not LeConte, 1850)  
*sellata* Bates, 1880:81 (not LeConte, 1858)  
*puncticollis arizonicus* Linsley, 1957:34  
**suturalis** White, 1853:141  
**triangularis** Monné & Martins, 1981:188
- swUSA (AZ), Mexico (widely distributed)  
 cMexico (GU)  
 wcMexico (DU)
- Unachlorus** Martins & Galileo 2008:5  
**viridis** Martins & Galileo 2008:6
- Brasil (PA)
- Weyrauchia** Tippmann, 1953:226  
**aeruginosa** Monné, 2004:313  
**marcelae** Martins & Galileo 2008:5  
**marinezae** Martins & Galileo 2008:2  
**nobilis** Tippmann, 1960:142  
**viridimicans** Tippmann, 1953:227  
 ab. *rubra* Tippmann, 1960:141
- Brasil (BA)  
 Brasil (BA)  
 Brasil (MG), Bolivia (SC)  
 Peru  
 Peru
- Xylocaris** Dupont in Audinet-Serville, 1834:47  
**oculata** Dupont in Audinet-Serville, 1834:48  
*elegantulus* Dupont, 1838:30  
*argentinus* Bruch, 1908:216
- seBrasil (MG-RS), Paraguay, Argentina,  
 Uruguay
- Zalophia** Casey, 1912:335  
**funebis** (Bates, 1880:85)  
*spissicornis* Casey, 1912:336
- sMexico (CHS), Guatemala, Ecuador
- Zenochloris** Bates, 1885:311  
**barbicauda** Bates, 1892:168  
**densepunctata** Fuchs, 1976:58  
**freyi** Fuchs, 1966:36  
**major** Chemsak & Hovore in Eya, 2010:19  
**paradoxa** Bates, 1885:312  
**vandykei** Linsley, 1935:92
- Mexico (GR), Costa Rica (AL)  
 Mexico (PU)  
 Mexico (PU)  
 Costa Rica (GA, HE, LI), Honduras?  
 Costa Rica (GU), Panama  
 Mexico (SI)
- Zonotylus** Gahan in Grimshaw, 1898:9  
**interruptus** (Olivier, 1790:307)
- ncBrasil (PA), Fr Guiana, Colombia
- Unxiini** Napp 2007:312
- Allopeba** Napp & Reynaud, 1999:290  
**paranaensis** (Napp & Reynaud, 1998:156)  
**quadripunctata** (Lucas, 1857:188)  
**signaticornis** (Lucas, 1857:188)
- seBrasil (PR, SC, RS)  
 seBrasil (MG-RS)  
 eBrasil (GO, MG-RS), nArgentina (MI)
- Chariergus** White, 1855:216  
**caeruleus** Napp & Reynaud, 1998:155  
**tabidus** (Klug, 1825:461)
- eBrasil (MG, BA, ES)  
 Brasil (GO, BA-RS), Uruguay, ecArgentina (CO, ER)
- Chenoderus** Fairmaire & Germain, 1859:532  
*Cynoderus* Blanchard in Gay, 1851:479 (not Audinet-Serville, 1834)  
*Chenoblacus* Thomson, 1868:201  
**bicolor** Fairmaire & Germain, 1861:107  
**testaceus** (Blanchard in Gay, 1851:479)  
**tricolor** (Fairmaire & Germain, 1859:502)  
**venustus** Fairmaire & Germain, 1861:107
- Chile  
 Chile, sArgentina (RN-SC)  
 Chile, wcArgentina (NE)  
 Chile

**Ethemon** Thomson, 1864:262

- basale** (Burmeister, 1865:170) Bolivia (SC), nArgentina (JU-CD)  
**basirufum** Napp, 1979:907 seBrasil (MG, RJ)  
**brevicorne** Napp & Reynaud, 1998:157 cArgentina (CD)  
**imbasale** Tippmann, 1960:133 Bolivia (LP, SC)  
**iuba** Napp & Martins, 2006:247 Bolivia (CO)  
**lepidum lepidum** Thomson, 1864:262 seBrasil (MG, RJ)  
     *diversipennis* Burmeister, 1865:170  
     subsp. **rufofemorale** Napp, 1979:906 seBrasil, nwArgentina (CA)  
**weiseri** Bruch, 1926:340 nwArgentina (CA)

**Paromoeocerus** Gounelle, 1910:139

*Compsocerus* Laporte, 1840:435 (not Lepeletier & Audinet-Serville, 1830)

- barbicornis** (Fabricius, 1792:311) seBrasil (MG-RS), Paraguay, Argentina,  
     *plumigera* Olivier, 1795:13 Uruguay  
     *equestre* Guérin-Méneville, 1844:231  
**notabilis** Melzer, 1918:431 sBrasil (PR, SC)  
**scabricollis** Melzer, 1927:568 seBrasil (SP-SC)  
**stictonotus** Napp, 1976:32 seBrasil (MG, RJ)  
**vestitus** Gounelle, 1910:139 eBrasil (GO, SP)

**Parunxia** Napp, 1977:134

- scopifera** (Klug, 1825:461) seBrasil (ES-RS, MS), Uruguay  
     *simplex* Aurivillius, 1911:188

**Rierguscha** Viana, 1970:145

- bicolor** Viana, 1970:148 nwArgentina (SA), Bolivia (SC)  
**florida** Napp & Martins, 2006:249 Bolivia (SC)  
**viridipennis** (Bruch, 1925:209) nwArgentina (CA)

**Unxia** Thomson, 1860:233

- gracilior** (Burmeister, 1865:171) seBrasil (MG-RS), Paraguay, Argentina, Uruguay  
**insignis** (Guérin-Méneville, 1844:232) Brasil  
**laeta** (Guérin-Méneville, 1844:232) seBrasil (MG-RS)

**Uracanthini** Lacordaire, 1869:388**Uracanthus** Hope, 1833:64

- strigosus** Pascoe, 1875:62 Australia, wEcuador (introduced?)

**Xystrocerini** Blanchard, 1845:147**Xystrocera** Audinet-Serville, 1834:69

- globosa** (Olivier, 1795:27) Introduced in Puerto Rico

**Cerambycine taxa of uncertain identity**

- Acanthoptera violascens** Perty, 1832:90 eBrasil (BA)  
**Callidium brevicorne** Olivier, 1790:261 North America  
**Callidium fulvicolle** Fabricius, 1792:324 Surinam  
**Cerambyx castaneus** Voet, 1778:18 America  
**Cerambyx clavipes** Forster, 1771:42 North America  
**Cerambyx ferruginosus** Goeze, 1777:477 America  
**Cerambyx lucidus** Olivier, 1790:309 America  
**Cerambyx praepes** Voet, 1778:22 America  
**Cerambyx rufus** Voet, 1806:25 America  
**Cerambyx umbraticus** Olivier, 1795:129 Fr Guiana  
**Elaphidion pusillum** Haldeman, 1847:34 North America



Subfamily **Lamiinae** Latreille, 1825:401  
*Clinocephalides* Mulsant, 1839:115

**Acanthocinini** Blanchard, 1845:154

**Acanthocinus** Dejean, 1821:106

- Acanthocinus* (*Graphisurus*) Kirby, 1837:16  
*Astynomus* Haldeman, 1847:46 (not Stephens, 1839)  
*Aedilis* LeConte, 1852:173 (not Audinet-Serville, 1835)  
*Graphisurus* (*Canonura*) Casey, 1913:335  
*Graphisurus* (*Tylocerina*) Casey, 1913:335  
*Neacanthocinus* Dillon, 1956:231
- angulosus** (Casey, 1913:338) swUSA (CA, AZ, NM), nMexico  
**leechi** (Dillon, 1956:228) swUSA (AZ)  
**nodosus** (Fabricius, 1775:164) eUSA  
*bifidator* Fabricius, 1801:286  
*laticollis* Casey, 1913:341  
**obliquus** (LeConte, 1862:39) wNAmer - Honduras  
*acomanus* Casey, 1913:337  
*obliquus sedulus* Casey, 1913:337  
*pacificus* Casey, 1913:338  
*obtusus* Casey, 1924:292  
*obliquus chihuahuae* Casey, 1913:337  
**obsoletus** (Olivier, 1795:310) eNAmer, Cuba, Bahamas  
*floridanus* Casey, 1913:336  
*punctatus* Casey, 1924:293  
**princeps** (Walker in Lord, 1866:331) WCoast NAmer  
*spectabilis* Horn, 1880:130 (not LeConte, 1854)  
*vinctus* Casey, 1913:340  
**pusillus** Kirby in Richardson, 1837:169 Alaska, Canada, eUSA  
**spectabilis** (LeConte, 1854:82) ncUSA (MT, SD)-nMexico

**Acanthodoxus** Martins & Monné, 1974:318

- delta** Martins & Monné, 1974:320 seBrasil (BA, MG, ES, RJ, SP)  
**machacalis** Martins & Monné, 1974:320 seBrasil (MG, ES)

**Alcathousiella** Monné, 2005:11

- Alcathous* Thomson, 1864:24, (not Stal, 1863, Hemiptera)  
*Anniscus* Bates, 1863:103 (not Dejean, 1835)  
**polyrhaphoides** (White, 1855:394) Costa Rica-Venezuela, Ecuador  
*polyrhapoides* Thomson, 1864:24

**Alcathousites** Gilmour, 1962:266

- asperipennis** (Fairmaire & Germain, 1859:513) Chile, Peru  
*chaclacayoi* Gilmour, 1962:267  
**senticosus** Monné & Martins, 1976:46 Peru  
**superstes** (Erichson, 1847:146) Peru, Ecuador

**Alcidion** Sturm, 1843:254

- Probatius* White, 1855:389  
*Hirsutographis* Dillon, 1956:207  
**aestimabilis** (Melzer, 1934:101) seBrasil (SP)  
**albosparsus** (Melzer, 1934:236) seBrasil, Paraguay, Argentina  
**alienum** (Melzer, 1932:431) seBrasil (MG-SP)  
**apicalis** (Bates, 1864:49) nwBrasil (AM)  
**chryseis** (Bates, 1864:47) nBrasil (PA)  
**dominicum** (Fisher, 1926:30) Dominica, R Dominicana

- humeralis** (Perty, 1832:91)  
*mexicanus* Thomson, 1861:17  
**inornatum** Monné & Monné 2007:1038  
**ludicrum** (Germar, 1824:481)  
**partitum** (White, 1855:390)  
**quadriguttatum** (Aurivillius, 1920:387)  
**ramulorum** (Bates, 1864:49)  
**sannio** (Germar, 1824:481)  
**sulphurifer** (White, 1855:390)  
**umbraticum** (Jacquelin du Val in Sagra, 1857:272)  
*pulchra* Dillon, 1956:207  
**unicolor** (Fisher, 1932:87)
- Mexico (OA, VC) - Panama, SAmer, Bolivia (LP, SC)
- Colombia  
 seBrasil, Paraguay, Argentina  
 nBrasil (PA), Fr Guiana  
 seBrasil (ES, RJ)  
 nBrasil (PA)  
 Brasil  
 w Brasil (RO), Peru, eEcuador, Bolivia (CO, SC)  
 seUSA (FL), Cuba, Puerto Rico, Jamaica, Bahamas
- Haiti
- Alloeomorphus** Monné & Monné, 2011:175  
**formosus** Monné & Monné 2011:175
- Brazil (RO), Bolivia (SC)
- Alphinellus** Bates, 1881:153  
**carinipennis** Bates, 1885:391  
**gibbicollis** Bates, 1881:153  
**minimus** Bates, 1881:154  
**subcornutus** Bates, 1881:154
- eMexico (VC)  
 Guatemala  
 Guatemala  
 Guatemala, Honduras, Costa Rica
- Amniscites** Gilmour, 1957:4  
*Amniscus* Bates, 1863:103 (part) (not Dejean, 1835)  
**amboroensis** Monné & Monné, 2012:283  
**pictipes** (Bates, 1863:104)  
**tavakiliani** Monné & Monné, 2012:283
- Bolivia (CO, SC)  
 Costa Rica-Panama, eEcuador, Brasil, Bolivia (SC)  
 Fr Guiana
- Amniscus** Dejean, 1835:338  
*Leptostyloides* Gilmour, 1963:62  
*Paratrypanidius* Gilmour, 1963:14  
**assimilis** (Gahan, 1895:136)  
**praemorsus** (Fabricius, 1792:275)  
**similis** (Gahan, 1895:136)  
*testaceus* Aurivillius, 1923:403 (not Froelich, 1792)  
*turbidus* Gilmour, 1963:63  
*antiguae* Gilmour, 1963:15
- Mexico, W Indies  
 eMexico (VC), W Indies  
 W Indies (Barbados, Lesser Antilles), Puerto Rico
- Anisolophia** Melzer, 1934:233  
**cultrifera** (White, 1855:374)  
**glauca** Melzer, 1934:233
- cBrasil (AM, PA, MT), Bolivia (SC)  
 seBrasil (BA-SP)
- Anisopodesthes** Melzer, 1931:66  
**zikani** Melzer, 1931:67
- seBrasil (RJ)
- Anisopodus** White, 1855:349  
*Anisopadus*; Burmeister, 1865:178  
*Anisopus* Audinet-Serville, 1835:30 (not Haan, 1835)  
*Leptoscelis* Erichson, 1847:145 (not Laporte, 1832)  
**acutus** Thomson, 1865:544  
*auctus* Aurivillius, 1923:396  
**affinis** Martins, 1974:59  
**andicola** Kirsch, 1889:42  
**arachnoides** (Audinet-Serville, 1835:31)  
*phalangodes* Costa Lima, 1936:305 (not Erichson, 1847)  
**batesi** Gilmour, 1965:568  
*arachnoides* Bates, 1863:283 (not Audinet-Serville, 1835)  
**bellus** Martins & Monné, 1974:17
- Brasil
- Costa Rica, Panama, eEcuador, Bolivia  
 Ecuador  
 seBrasil (ES-SC), Paraguay, Argentina
- eEcuador, Fr Guiana, ncBrasil (AM), Peru  
 Bolivia (SC)  
 seBrasil (MG-SP)

- brevis** Gahan, 1892:266  
**callistus** Bates, 1881:164  
**cognatus** Bates, 1863:284  
**consimilis** Aurivillius, 1922:169  
**conspersus** Aurivillius, 1922:169  
**costaricensis** Lara & Shenefelt, 1964:437  
**curvilineatus** White, 1855:350  
**curvipes** Martins, 1974:62  
**degener** Bates, 1885:399  
**dispar** Bates, 1885:399  
**dominicensis** Villiers, 1980:96  
     *brochieri* Chalumeau & Touroult, 2004:193  
**elongatus** Bates, 1863:285  
**gracillimus** Bates, 1863:286  
**haliki** Martins, 1974:63  
**hamaticollis** Bates, 1872:236  
**hiekei** Martins, 1974:57  
     *phalangodes* Bates, 1872:215 (not Erichson, 1847)  
**humeralis** Bates, 1863:288  
**latus** Monné & Martins, 1976:58  
**ligneus** Bates, 1863:287  
  
**lignicola** Bates, 1863:287  
**longipes** Linsley & Chemsak, 1966:244  
**macropus** Bates, 1863:286  
**melzeri** Gilmour, 1965:568  
     *nigrosparus* Melzer, 1935:197 (not Bates, 1885)  
**mexicanus** Bates, 1881:162  
**nigripes** Bates, 1885:399  
**phalangodes** (Erichson, 1847:145)  
     *phalangodes* Duffy, 1960:264  
**prolixus** (Erichson, 1847:145)  
**puncticollis** Monné & Martins, 1976:56  
**punctipennis** Monné & Martins, 1976:57  
**scriptipennis** Bates, 1872:236  
**sparsus** Bates, 1863:284  
**strigosus** (Erichson, 1847:145)  
  
**subarmatus** Melzer, 1931:65  
**varius** Melzer, 1935:196  
     *carinata* Lara & Shenafelt, 1964:437  
**xylinus** Bates, 1881:163  
  
**Antecruris** Gilmour, 1960:93  
     **apicalis** (Bates, 1864:147)  
         *setiger* Bates, 1872:222  
         *picta* Gilmour, 1960:93  
  
**Apteralcidion** Hovore, 1992:37  
     **lapierrei** Hovore, 1992:39  
  
**Astylidius** Casey, 1913:308  
     **parvus** (LeConte, 1873:234)  
         *leiopinus* Casey, 1913:308  
         *versutus* Casey, 1913:308  
         *monki* Knull, 1936:106  
         *versutus downiei* Dillon, 1956:150
- swMexico (GR)  
 Honduras, Guatemala, Costa Rica  
 nwBrasil (AM), eEcuador  
 Peru  
 Peru, Bolivia (SC)  
 Honduras, Costa Rica, Panama  
 seBrasil (RJ-RS), Paraguay  
 seBrasil (ES-SC)  
 eMexico (VC)  
 Costa Rica (PA), Panama  
 Dominica, Martinique  
  
 nwBrasil (AM), eEcuador, Bolivia  
 nwBrasil (AM)  
 seBrasil (MG-SC), Bolivia (SC)  
 eMexico (VC) - eEcuador  
 Honduras, Guatemala-Panama  
  
 Costa Rica-nwBrasil (AM), eEcuador, Bolivia (SC)  
 Colombia, Venezuela  
 ncBrasil (AM, PA), Bolivia (SC), eEcuador,  
     Fr Guiana  
 nBrasil (PA), Fr Guiana, eEcuador, Bolivia (SC)  
 Cocos Is.  
 nwBrasil (AM), eEcuador, Bolivia (SC)  
 seBrasil (RJ-RS), Argentina, Bolivia (SC)  
  
 eMexico (VC) - Panama  
 Panama  
 Peru, cBrasil (AM, RO, MT), Fr Guiana,  
     eEcuador, Bolivia (BN, CO, SC)  
 Peru, eEcuador, Bolivia (SC)  
 Colombia, eEcuador  
 Bolivia (SC), eEcuador, Fr Guiana  
 Honduras, Guatemala-Panama  
 nBrasil (PA), Fr Guiana, eEcuador  
 Costa Rica (PA), nSAmer, eEcuador, Fr Guiana,  
     Bolivia (SC)  
 seBrasil (ES-SC)  
 Costa Rica  
  
 Honduras, Costa Rica  
  
 eMexico (VC) - Nicaragua  
  
 Costa Rica, Panama  
  
 eUSA-swUSA (TX)

**Astyleiopus** Dillon, 1956:161*Leiopus* Lacordaire, 1872:775 (part)*Sternidius* LeConte, 1873:234*Liopus* Leng & Hamilton, 1896:121 (part)**variegatus** (Haldeman, 1847:47)var. *trifasciatus* Haldeman, 1847:47var. *obscurus* Haldeman, 1847:47

eNAmer, swUSA (TX, AZ)

**Astylopsis** Casey, 1913:309*Amniscus* Haldeman, 1847:46 (not Dejean, 1835)*Leptostylus* Leng & Hamilton, 1896:116 (part)**arcuata** (LeConte, 1878:414)*floridanus* Champlain & Knull, 1922:148*knulli* Fisher, 1925:103**collaris** (Haldeman, 1847:46)*interruptus* Haldeman, 1847:48**fascipennis** Schiefer, 2001:533**macula** (Say, 1826:268)*sticticus* Haldeman, 1847:48**perplexa** (Haldeman, 1847:46)**sexguttata** (Say, 1826:269)*commixtus* Haldeman, 1847:47*guttata* LeConte, 1859:328

seUSA

eUSA

seUSA (MS-FL)

eNAmer

sUSA (GA-TX)

eNAmer

**Atelographus** Melzer, 1927:578**decoratus** Monné & Monné 2011:172**sexplagiatus** Melzer, 1927:578*sexplagiatus* Fuchs, 1974:244**susanae** Monné, 1975:249

Brazil (ES)

seBrasil (MG, SP, SC)

seBrasil (ES, PR, SC), nArgentina (MI)

**Atrypanius** Bates, 1864:46*Antrypanius* Melzer, 1927:580*Nyssodrys* Bates, 1864:149 (part)**albocinctus** Melzer, 1930:198**ambiguus** Melzer, 1930:200**conspersus** (Germar, 1824:474)*varipennis* Serville, 1835:87*polymitus* Erichson, 1847:146*lonspersus*; Zajciw, 1974:73**cretiger** (White, 1855:381)*punctatellus* Bates, 1872:219**implexus** (Erichson 1847:146)*sedata* Bates, 1864:150**irrorellus** Bates, 1885:411*trinidadensis* Gilmour, 1963:76*spermophagus* Fisher, 1917:173**remissus** (Erichson, 1847:146)*lentiginosus* Bates, 1864:150**scitulus** (Germar, 1824:479)*multifasciatus* Melzer, 1927:572

seBrasil, Paraguay, Argentina

seBrasil (RJ-SC), Bolivia (SC)

Mexico - Panama, SAmer (widely distributed),  
Bolivia (BN, SC)

Mexico - Panama, Colombia

Mexico - Panama, Ecuador, Brasil, Fr Guiana  
Bolivia (SC)

Mexico - Panama, Trinidad, Bolivia (SC)

nwBrasil (AM), eEcuador, Peru, Fr Guiana  
Bolivia (BN, LP, SC)

eBrasil (BA-SP), eEcuador, Fr Guiana, Bolivia (SC)

**Baecacanthus** Monné, 1975:250**telamon** Monné, 1975:251**trifasciatus** Monné, 1975:252

seBrasil (RJ)

seBrasil (SP)

**Baryssiniella** Berkov & Monné, 2010:51  
**hieroglyphica** Berkov & Monné, 2010:52  
**tavakiliani** Berkov & Monné, 2010:54

**Baryssinus** Bates, 1864:43

**albifrons** Monné & Martins, 1976:79  
**amoenus** Monné & Monné, 2012:195  
**bicirriifer** Bates, 1872:218

**bilineatus** Bates, 1864:44  
**chemsaki** Monné, 1985:369  
*bilineatus* Bates, 1872:218 (not Bates, 1864)  
**giesberti** Monné & Monné 2007:1039  
**huedepohli** Monné & Martins, 1976:77  
**marcelae** Martins & Monné, 1974:330  
**marisae** Martins & Monné, 1974:328  
**melasmus** Monné & Martins, 1976:79  
**mimus** Monné & Monné 2007:1039  
**modestus** Monné, 1985:370  
**penicillatus** Bates, 1864:44  
**robertoi** Monné & Martins, 1976:77  
**silviae** Martins & Monné, 1974:326

**Beloesthes** Thomson, 1864:23  
**megabasoides** Thomson, 1864:24

**Brevoxathres** Gilmour, 1959:33

*Sciadosurus* Gilmour 1959:33  
**albobrunneus** (Gilmour, 1962:259)  
**fasciata** Gilmour, 1959:35  
**irrorata** Monné 2007:293  
**seabrai** Monné 2007:291  
**x-littera** (Melzer, 1932:430)

**Callipero** Bates, 1864:18  
**bella** Bates, 1864:18  
*basalis* Thomson, 1865:545  
**formosa** Monné, 1998:290

**Calolamia** Tippmann, 1953:344  
**bicordifera** Tippmann, 1953:346

**Canidia** Thomson, 1857:193

*Canidiopsis* Dillon, 1955:179  
*Pseudocanidia* Dillon, 1955:176  
**canescens** (Dillon, 1955:184)  
**chemsaki** Wappes & Lingafelter, 2005:4  
**cincticornis cincticornis** Thomson, 1857:194  
    subsp. **balteata** (Lacordaire, 1872:775)  
    *inapicalis* (Tippmann, 1960:190)  
**giesberti** Wappes & Lingafelter, 2005:7  
**mexicana** Thomson, 1861:14  
    *hebes* (Dillon, 1955:185)  
    *similis* (Dillon, 1955:182)  
**ochreostictica** (Dillon, 1956:106)  
**spinicornis** (Bates, 1881:174)  
    *cuernavacae* (Dillon, 1955:177)  
**turnbowi** Wappes & Lingafelter, 2005:10

Peru, Brasil (AM, RO, MT), Fr Guiana  
Fr Guiana

eBrasil (BA-RJ), Fr Guiana  
Fr Guiana  
Panama, Fr Guiana, eEcuador, eBrasil (MT, ES-SC),  
Bolivia (SC)  
nwBrasil (AM), Fr Guiana, eEcuador  
wMexico (SI) – Panama, Fr Guiana

Panama  
Bolivia (SC)  
seBrasil (ES-PR)  
seBrasil (BA-RS), nArgentina (MI)  
cBrasil (MT)  
Brasil (RJ)  
wBrasil (RO), Bolivia (SC)  
cBrasil (PA, MT), eEcuador  
eBrasil (ES-SP)  
wBrasil (RO, MT), Peru, Bolivia (SC)

Venezuela

Peru, Bolivia (BN, SC)  
sBrasil (SC)  
Brasil (SC)  
Brasil (ES, RJ)  
eBrasil (ES), Bolivia

Fr Guiana, nwBrasil (AM), eEcuador

Brasil (AM)

sBrasil (SC)

wMexico (GR, NA)  
Mexico (CH, OA)  
Nicaragua, Costa Rica  
swMexico (OA) - Costa Rica, Colombia

Mexico (CH, OA)  
cMexico

wcMexico (MI)  
Mexico (GR, MO)

Mexico (GR)

**Carpheolus** Bates, 1885:410**sublineatus** Bates, 1885:410

Honduras, Guatemala-Panama

**Carphina** Bates, 1872:223**arcifera** Bates, 1872:223**assula** (Bates, 1864:23)*ypsilon* Kirsch, 1875:288**elliptica** (Germar, 1824:471)**ligneola** (Bates, 1865:216)**lignicolor** (Bates, 1865:215)**melanura** Monné & Monné 2007:1039**occulta** Monné, 1990:684**petulans** Kirsch, 1875:289**sigillata** Monné, 1985:372

eMexico (VC) - Panama

cBrasil (AM), eEcuador, Peru

seBrasil (BA-RS)

nBrasil (PA), Fr Guiana

nwBrasil (AM), eEcuador

Brasil (MT)

seBrasil (MG-SP)

ncBrasil, eEcuador, Fr Guiana, Peru, Bolivia (SC)

nwBrasil (AM), Ecuador

**Carphontes** Bates, 1881:171**paradoxus** Monné & Monné, 2010:54**posticalis** Bates, 1881:172

Venezuela, Bolivia (SC)

sMexico-Panama, Brasil, Ecuador, Fr Guiana, Bolivia (SC)

**Catharesthes** Bates, 1881:158*Catharestes* Aurivillius, 1923:395**elegans** Bates, 1881:158

Guatemala

**Chaetacosta** Gilmour, 1961:354**vittithorax** Gilmour, 1961:356

sBrasil (SC)

**Cleodoxus** Thomson, 1864:24**carinatus** (White, 1855:395)*cristatus* Thomson, 1864:25**lineaticollis** Gounelle, 1910:17

Colombia, eEcuador, nArgentina (SA), Bolivia (LP, SC)

Ecuador

**Cobelura** Erichson, 1847:149*Sphenopsilus* Bates, 1885:409*Acanthosphenopsilus* Tippmann, 1960:196**claviger** (Bates, 1885:409)**howdenorum** Corbett, 2004:280**lorigera** Erichson, 1847:149*choliniformis* Lane, 1956:25*flavocinctus* Tippmann, 1960:197**peruviana** (Aurivillius, 1920:28)**sergioi** Monné, 1984:341**stockwelli** Corbett, 2004:278**vermicularis** Kirsch, 1889:43**wappesi** Corbett, 2004:279

Costa Rica, Panama

Colombia

Peru

Peru, Bolivia (SC)

eEcuador

Costa Rica (LI), Panama

Ecuador

Costa Rica (LI), Ecuador

**Coenopoeus** Horn, 1880:117**niger** Horn, 1894:402**palmeri** (LeConte, 1873:233)

Mexico (BC)

swUSA, nMexico (SO, SLP)

**Colobetrypanus** Tippmann, 1953:353**barclayi** Monné & Monné, 2012:195**ornatus** Tippmann, 1953:354

wEcuador

Costa Rica, Panama, Ecuador

**Cosmotoma** Blanchard, 1845:155*Beltista* Thomson, 1861:16*Cosmotomella* Gilmour, 1955:22**adjuncta** (Thomson, 1861:16)*rubella* Bates, 1864:148*nigricollis* Bates, 1864:148**fasciata** Fisher, 1931:23*rubella* Bates, 1872:237 (not Bates, 1864)**melzeri** Gilmour, 1955:17**nigra** Gilmour, 1955:19**olivacea** Gilmour, 1955:16**pallida** Gilmour, 1955:21**sertifer** (Audinet-Serville, 1835:59)*setifer* Aurivillius, 1923:334*brasiliensis* Plavilstshikov, 1927:59**suturalis** Gilmour, 1955:8**triangularis** Gilmour, 1955:12**viridana** Lacordaire, 1872:781*sertifer* Bosq, 1944:201 (not Audinet-Serville, 1835)**zikani** Melzer, 1927:574nSAmer (widely dist), Bolivia (SC), Panama,  
Costa Rica

Honduras - Panama, wEcuador

eBrasil (BA)

sBrasil (SC)

seBrasil (RJ)

sBrasil (SC)

Brasil

nwBrasil (AM), Peru, Bolivia

seBrasil (RJ)

seBrasil (SP-RS), Paraguay,

Argentina

seBrasil (MG-RJ)

**Cristurges** Gilmour, 1961:358**bimaculatus** Gilmour, 1961:359

sBrasil (SC)

**Dectes** LeConte, 1852:144**nigripilus** Chemsak & Linsley, 1986:29**sayi** Dillon & Dillon, 1953:260*spinosa* Say, 1826:271 (not Drury, 1773)*texanus* Bates, 1881:173 (not LeConte, 1862)*spirrosus* Beckham & Tippins, 1972:865**texanus** LeConte, 1862:39*brevis* Casey, 1913:342*latitarsis* Casey, 1913:342*alticola* Casey, 1913:342*thoracicus* Casey, 1913:342*brevisetosus* Casey, 1913:342*discolor* Casey, 1913:343*aridus* Casey, 1913:343*texanus murinus* Dillon, 1956:355

cMexico (widely distributed)

neUSA

eUSA, swUSA, nMexico (widely distributed)

**Eleothinus** Bates, 1881:154**abstrusus** Bates, 1881:154**longulus** Bates, 1881:155**pygmaeus** Bates, 1885:392

Honduras, Guatemala, Nicaragua

Guatemala

Honduras, Guatemala-Panama

**Eneodes** Fisher, 1926:31**hirsuta** Fisher, 1926:32**viridulus** Fisher, 1942:37

Cuba

Cuba

**Erphaea** Erichson, 1847:144**pumicosa** Erichson, 1847:144*saxuosus* Tippmann, 1960:189**stigma** Martins & Monné, 1974:324

Peru, Bolivia, eEcuador

nwBrasil (AM), Fr Guiana, eEcuador

**Eucharitolus** Bates, 1885:408**bellus** (Melzer, 1927:576)**depressus** Botero & Monné, 2012:44**dorcadoides** (White, 1855:382)

seBrasil (RJ-SC)

Brasil (ES)

cBrasil (AM, MT), Fr Guiana, Bolivia (SC), Peru

- geometricus** (Tippmann, 1960:198)  
**litratus** (Melzer, 1934:108)  
**longus** Botero & Monné, 2012:48  
**pulcher** Bates, 1885:408  
**spilotus** Botero & Monné, 2012:48
- Bolivia (SC)  
 seBrasil (SC, RS)  
 Peru  
 Guatemala, Panama, Bolivia (SC)  
 Brasil (RO, SP)
- Eugamandus** Fisher, 1926:33  
**cayamae** Fisher, 1926:35  
**darlingtoni** Fisher, 1942:38  
**flavipes** Fisher, 1935:59  
**jamaicensis** Vitali, 2003:13  
**oakleyi** Fisher, 1935:57  
*brunneus* Fisher, 1935:58  
**ricarti** Micheli, 2003:194  
**schwarzi** Fisher, 1926:34  
**tuberculatus** Fisher, 1942:40
- Cuba  
 R Dominicana  
 Puerto Rico  
 Jamaica  
 Puerto Rico
- Puerto Rico  
 Cuba  
 Cuba
- Eutrichillus** Bates, 1885:397  
*Ceratographis* Gahan, 1887:300  
*Lepturgoides* Schaeffer, 1905:166  
**biguttatus** (LeConte, 1852:172)  
*pusilla* Horn, 1880:129 (not Kirby, 1837)  
*crinicornis* Casey, 1924:291  
**brevipilus** Chemsak & Linsley, 1986:27  
**canescens** Dillon, 1956:223  
*canescens nelsoni* Dillon, 1956:223  
**comus** (Bates, 1881:155)  
*cornus* Franz, 1954:226  
**neomexicanus** (Champlain & Knull, 1925:470)  
**pini** (Schaeffer, 1905:166)
- eNAmer  
  
 nwMexico (DU)  
 swUSA (AZ, NM, TX)  
  
 wMexico (SI, NA, JA)- Honduras, El Salvador  
  
 swUSA (AZ, TX), Mexico  
 swUSA, Mexico
- Eutrypanus** Erichson, 1847:144  
*Astynomus* Laporte, 1840:463 (part)  
*Astyochus* Aurivillius, 1923:427  
**dorsalis** (Germar, 1824:472)  
*signata* Audinet-Serville, 1835:33  
**mucoreus** (Bates, 1872:221)  
**signaticornis** (Laporte, 1840:464)  
**tessellatus** White, 1855:372  
**triangulifer** Erichson, 1847:144
- eBrasil (GO, MT, BA-RS), Bolivia (SC)  
 Paraguay, Argentina  
 eMexico (VC) - Colombia, Venezuela, Ecuador  
 eBrasil (ES, RJ)  
 seBrasil (ES-RS)  
 Peru, Bolivia (BN, SC)
- Exalcidion** Monné, 1977:698  
*Alcidion* White, 1855:394 (part) (not Sturm, 1843; not Thomson, 1861)  
**carenatum** Monné, 1990:253  
**tetracanthum** Monné & Delfino, 1981:260  
**tetramaston** (White, 1855:395)
- Colombia  
 Peru  
 Venezuela
- Fisherostylus** Gilmour, 1963:60  
**bruneri** (Fisher, 1926:23)
- Cuba, Bahamas
- Georgeana** Monné & Monné, 2011:173  
**azurea** Monné & Monné 2011:175
- Brazil (ES, RJ, SP, SC)
- Glaucotes** Casey, 1913:305  
**yuccivorus** (Fall, 1907:84)  
*yuccavorus* Schaeffer, 1908:330
- swUSA (AZ)



**Granastyochus** Gilmour, 1959:1

**elegantissimus** (Tippmann, 1953:347)  
**fulgidus** Monné & Martins, 1976:45  
**intricatus** Monné & Martins, 1976:44  
**nigropunctatus** (Bates, 1881:183)  
**picticauda** (Bates, 1881:183)  
**trifasciatus** Gilmour, 1959:3

Colombia, eEcuador, Peru, Bolivia, Fr Guiana  
 eEcuador  
 Peru  
 eMexico (VC), Guatemala, Honduras  
 Guatemala - Panama  
 Venezuela, eEcuador

**Graphisurus** LeConte, 1852:174 (not Kirby, 1837)

*Urographis* Horn, 1880:128

**despectus** (LeConte in Agassiz, 1850:234)  
*pusillus* LeConte, 1852:175 (not Kirby, 1837)  
*hebes* Casey, 1913:333  
**eucharis** (Bates, 1885:418)  
**fasciatus** (Degeer, 1775:114)  
*pensylvanicus* Gmelin, 1790:1863  
*mixta* Fabricius, 1798:144  
*fasciata reducta* Casey, 1913:333  
**triangulifer** (Haldeman, 1847:45)  
*texana* Casey, 1924:292  
**vexillaris** (Bates, 1872:222)

eUSA

Guatemala-Panama  
 eNAmer

eUSA-TX

eMexico (VC) - Panama

**Hamatastus** Gilmour, 1957:16

**conspectus** Monné, 1985:28  
**excelsus** Monné, 1978:592  
**fasciatus** Gilmour, 1957:17  
**lemniscatus** Monné, 1985:27  
**simillimus** Monné, 1990:682

seBrasil (ES, RJ)  
 Venezuela, Fr Guiana, cBrasil (MT)  
 Nicaragua, Costa Rica, Panama  
 Fr Guiana, nBrasil (PA), Bolivia  
 nwBrasil (AM), Fr Guiana

**Hexacona** Bates, 1881:157

**armata** Bates, 1881:158

Costa Rica

**Hylettus** Bates, 1864:11

**alboplagiatus** (White, 1855:381)  
**aureopilosus** Monné, 1988:126  
**coenobita** (Erichson 1847:145)  
*vindex* Lacordaire, 1872:788  
**eremita** (Erichson, 1847:145)  
*sallei* Candeze, 1861:384  
*decorticans* Bates, 1864:12  
**excelsus** (Bates, 1864:163)  
**griseofasciatus** (Audinet-Serville, 1835:33)  
**hiekei** Fuchs, 1970:111  
*viridis* Monné, 1998: 290  
**magnus** Monné, 1988:129  
**nebulosus** Monné, 1982:102  
**paraleucus** Monné, 1988:128  
**ramea** (Bates, 1864:163)  
**seniculus** (Germar, 1824:473)  
*ophthalmica* Lameere, 1885:110  
**spilotus** Monné, 1982:104  
**stigmatosus** Monné, 1982:100

Peru, eEcuador, nwBrasil (AM)  
 w Brasil (RO)  
 Guatemala - Panama, Brasil, Bolivia (BN, SC),  
 Peru, eEcuador, Fr Guiana  
 Venezuela, Peru, Bolivia (SC), wEcuador

Ecuador, Peru, Brasil (AM), Bolivia (SC)  
 seBrasil (MT, ES-RS)  
 Colombia, Ecuador

wcBrasil (RO, MT)  
 seBrasil (SP)  
 seBrasil (ES, RJ)  
 cBrasil (AM), Fr Guiana  
 Costa Rica-SAmer (widely dist), Bolivia (BN, CO,  
 SC)  
 eEcuador, Peru, ecBrasil, Fr Guiana  
 seBrasil (MG-SC)

**Hyperplatys** Haldeman, 1847:49

*Liopus* LeConte, 1852:170 (part)

**argentinus** (Berg, 1889:105)  
*canus* Bosq, 1943:23 (not Bates, 1863)  
**argus** (Bates, 1872:216)

Argentina, Uruguay

Nicaragua-Panama, eEcuador

<b>aspersa</b> (Say, 1824:330) <i>maculata</i> Blatchley, 1910:1078 <i>vigilans</i> Casey, 1913:329 <i>laceyi</i> Dillon, 1956:351	eNAmer-TX, UT, CO, NM, AZ
<b>californica</b> Casey, 1892:51	swUSA (AZ, CA)
<b>cana</b> (Bates, 1863:288) <i>spinipennis</i> Fisher, 1938:146	seBrasil (RJ-SC)
<b>femoralis</b> Haldeman, 1847:49	seUSA
<b>griseomaculata</b> Fisher, 1926:28	Trinidad
<b>maculata</b> Haldeman, 1847:49 <i>maculata</i> var. <i>nigrellus</i> Haldeman, 1847:49 <i>aspersa</i> Blatchley, 1910:1078 <i>lentiginosa</i> Casey, 1913:325 <i>robustula</i> Casey, 1913:326 <i>amnicola</i> Casey, 1913:326 <i>delicata</i> Casey, 1913:32 <i>variolata</i> Casey, 1913:327 <i>cryptica</i> Casey, 1913:327 <i>frigida</i> Casey, 1913:328 <i>binocularis</i> Casey 1913:328	eNAmer-TX
<b>montana</b> Casey, 1913:325	swUSA
<b>pardalis</b> (Bates, 1881:164)	wMexico (PU, OA)-Guatemala, Honduras
<b>pusillus pusillus</b> (Bates, 1863:285) subsp. <b>nigrisparsus</b> (Bates, 1885:398) <i>nigrosparsa</i> Aurivillius, 1923:418	nBrasil (PA), wEcuador, Fr Guiana swMexico (OA)-Panama
<b>Idephrynus</b> Bates, 1881:160	
<b>scaber</b> Bates, 1881:160	eMexico (VC)
<b>Kallyntrosternidius</b> Vitali 2009:227	
<b>bucarensis</b> Vitali, 2009:228	Dominican Republic (fossil)
<b>Lagocheirus</b> Dejean, 1835:336 <i>Lagochirus</i> Erichson, 1847:144 <i>Karadinia</i> McKeown, 1942:97 <i>Sternocheirus</i> Dillon, 1957:163 <i>Archlagocheirus</i> Dillon, 1957:164	
<b>araneiformis araneiformis</b> (Linnaeus, 1767:625) subsp. <b>curacaoensis</b> Gilmour, 1968:158 subsp. <b>flavolineatus</b> Aurivillius, 1921:52 subsp. <b>fulvescens</b> Dillon, 1957:151 subsp. <b>guadeloupensis</b> Dillon, 1957:150 subsp. <b>insulorum</b> Dillon, 1957:150 subsp. <b>stroheckeri</b> Dillon, 1956:138 subsp. <b>ypsilon</b> (Voet, 1778:11) <i>parvulus</i> Casey, 1913:304 <i>stroheckeri granulatus</i> Dillon, 1956:139	Jamaica, Hispaniola Aruba, Bonaire, Curac�o Colombia, eEcuador nSAmer, eEcuador Guadeloupe, Puerto Rico, Leeward Is. W Indies (Lesser Antilles) seUSA (FL), Cuba, Bahamas Mexico (widely distributed)-Panama, wEcuador
<b>binumeratus</b> Thomson, 1861:9 <i>tuberculatus</i> Fabricius, 1787:131 (not Degeer, 1775) <i>v-album</i> Bates, 1869:386 <i>binumeratus</i> Bates, 1872:210 (not Thomson, 1861)	ecMexico (ME, VC) - Panama
<b>cristulatus</b> Bates, 1872:209	scMexico (PU) - Costa Rica
<b>delestali</b> Toledo & Esteban 2008:27	Costa Rica (PA)
<b>foveolatus</b> Dillon, 1957:152	Panama
<b>funestus</b> Thomson, 1865:545 <i>nubila</i> McKeown, 1942:97	wMexico (OA, PU)
<b>giesberti</b> Hovore, in Toledo, 1998:23	Costa Rica
<b>integer</b> Bates, 1885:384	eMexico (VC) - Panama
<b>jamaicensis</b> Toledo & Hovore, 2005:30	Jamaica

- kathleenae** Hovore, in Toledo, 1998:25  
**lugubris** Dillon, 1957:163  
**mecotrochanter** Toledo, 1998:29  
**obsoletus** Thomson, 1861:10  
     *undatus* Voet, 1778:11 (not Linnaeus, 1758)  
     *longipennis* Bates, 1880:145  
     *zimmermani* Dillon, 1952:207  
     *texensis* Dillon, 1956:139  
     *mariorum* Dillon, 1957:144  
     *aukena* Dillon, 1957:145  
     subsp. **dezayasi** Dillon, 1957:144  
     *obsoletus* Gahan, 1895:130 (not Thomson, 1861)  
**plantaris plantaris** Erichson, 1847:144  
     subsp. **gorgonae** Dillon, 1957:159  
     subsp. **indistinctus** Dillon, 1957:158  
     *fasciculatus* White, 1855:377  
**praecellens** Bates, 1872:209  
**procerus** Casey, 1913:304  
     *obsoletus* Horn, 1880:117 (not Thomson, 1861)  
**rogersi** Bates, 1880:146  
     *hondurensis* Dillon, 1957:155  
     *panamensis* Dillon, 1957:154  
**rosaceus** Bates, 1869:386  
**simplicicornis** Bates, 1872:210  
**unicolor** Fisher, 1947:38  
**xileuco** Toledo, 1998:53  
**wenzeli** Dillon, 1957:146
- Lasiolepturges** Melzer, 1928:154  
**zikani** Melzer, 1928:155
- Lathroeus** Thomson, 1864:25  
**mysticus** Melzer, 1932:426  
**oreoderoides** Thomson, 1864:25
- Leiopus** Audinet-Serville, 1835:86  
**convexus** Melzer, 1934:235  
**floccidus** Erichson, 1847:147  
**histrionicus** Gistel, 1848:430  
**pleuriticus** White, 1855:385  
**soricinus** Fairmaire & Germain, 1859:512
- Leptocometes** Bates, 1881:161  
*Tithonus* Thomson, 1864:24  
*Lophopoedes* Gilmour, 1957:11  
*Lathrozineus* Gilmour, 1959:23  
**acutispinis** (Bates, 1863:277)  
     *volcanensis* Gilmour, 1959:24  
**barbiscopis** (Bates, 1872:214)  
**hispidus** Bates, 1881:161  
**luneli** (Chalumeau & Touroult, 2005:185)  
**nubilus** (Melzer, 1934:231)  
**obscurus** (Monné, 1990:272)  
**pallidus** (Melzer, 1934:231)  
**penicillatus** (Monné, 1990:271)  
**spinipennis** (Bates, 1885:396)  
**spitzi** (Melzer, 1934:232)  
**umbrosus** (Thomson, 1864:24)  
     *glaucus* Melzer, 1934:229
- Costa Rica, Panama  
scMexico (PU)  
Mexico (CH)  
swUSA (TX), Mexico-Costa Rica
- Cuba, Jamaica
- nSAmer, eEcuador, Bolivia (SC)  
Colombia (Gorgona I)  
Costa Rica, Panama
- Nicaragua, Panama  
Mexico (BC)
- Honduras - Panama
- Mexico-Colombia, eEcuador  
Mexico (CHS), Honduras, Guatemala-Costa Rica  
Barbados  
wMX (JA)  
wMexico (NA)
- seBrasil (RJ), eEcuador, Fr Guiana, Bolivia (SC)
- seBrasil (MG, ES, PA, RJ, SC)  
SAmer
- seBrasil (ES-RS)  
Peru  
Brasil  
Brasil, Colombia, eEcuador, Bolivia (SC)  
Chile
- Mexico, Panama-cBrasil (AM), Ecuador,  
Fr Guiana, Bolivia (SC)  
Honduras, Guatemala-Panama  
eMexico (VC)-Costa Rica  
St. Vincent  
seBrasil (RJ, SP)  
Colombia  
eBrasil (MG)  
Colombia, Ecuador  
Panama  
seBrasil (BA-SP), Fr Guiana  
seBrasil (RJ-RS), Paraguay,  
Argentina

- virescens** (Melzer, 1931:64)  
**volxemi** (Lameere, 1884:95)  
**zikani** (Martins & Monné, 1974:16)
- Leptostylopsis** Dillon, 1956:144  
**albofasciatus** (Fisher, 1926:16)  
**annulipes** (Fisher, 1942:28)  
*hispaniolae* Fisher, 1942:30  
**antillarum** Fisher, 1925:5  
*albosignatus* Fisher, 1935:53  
**argentatus** (Jacquelin du Val in Sagra, 1857:273)  
*taeniatus* Casey, 1913:306  
**atromaculatus** (Fisher, 1926:18)  
**basifulvus** Lingafelter & Micheli, 2009:31  
**bidentatus** (Fabricius, 1775:165)  
**caliginosus** Lingafelter & Micheli, 2009:33  
**chlorescens** Lingafelter & Micheli, 2009:37  
**cristatus** (Fisher, 1925:7)  
**duvali** (Fisher, 1926:19)  
**guanica** Micheli & Micheli, 2004:22  
**gundlachi** (Fisher, 1925:2)  
*oakleyi* Fisher, 1935:54  
**humerofulvus** Lingafelter & Micheli, 2009:39  
**incrassatus** (Klug, 1829:13)  
*transversatus* Jacquelin du Val in Sagra, 1857:273  
**jamaicensis** (Gahan, 1895:133)  
**latus** Chemsak & Feller, 1988:182  
**longicornis** (Fisher, 1926:15)  
**luteus** Dillon, 1956:147  
**martinicensis** Villiers, 1980:91  
*var. luciae* Chalumeau, 1983:227  
*rogueti* Chalumeau, 1983:227  
**milleri** (Fisher, 1932:83)  
**monin** Micheli & Micheli, 2004:27  
**monticola** (Fisher, 1935:201)  
**ornatus** (Fisher, 1928:18)  
**perfasciatus** Lingafelter & Micheli, 2009:43  
**planidorsus** (LeConte, 1873:233)  
*lecontei* Casey, 1913:305  
*crescenticus* Casey, 1913:306  
**poeiyi** (Fisher, 1925:4)  
**punctacanaensis** Lingafelter & Micheli, 2009:47  
**smithi** (Gahan, 1895:132)  
**terraecolor** (Horn, 1880:122)  
*transversatus* LeConte, 1878:414 (not Jacquelin du Val, 1857)  
*mutilus* Casey, 1913:307  
**testaceus** (Froelich, 1792:141)  
**thomasi** Lingafelter & Micheli, 2009:50  
**viridicomus** (Fisher, 1942:29)  
**yukiyu** Micheli & Micheli, 2004:25
- Leptostylus** LeConte, 1852:168  
**albagniri** Zayas, 1975:231  
**albicinctus** Bates, 1885:388  
**angulicollis** Bates, 1885:390  
**arciferus** Gahan, 1892:265  
**armatus** Monné & Hoffmann, 1981:248  
**asperatus** (Haldeman, 1847:46)  
*albescens* Dillon, 1956:144 (not Haldeman, 1847)
- sBrasil (SP-RS), Uruguay  
seBrasil (RJ)  
seBrasil (MG, RJ)
- seUSA (FL), Cuba  
R Dominicana
- Puerto Rico
- seUSA (FL), Cuba, Bahamas, Hispaniola
- Cuba  
Hispaniola  
Guadeloupe, Nevis  
Hispaniola  
Hispaniola  
R Dominicana  
Cuba  
Puerto Rico  
Puerto Rico
- Hispaniola  
Cuba, Bahamas
- Jamaica  
Belize  
Puerto Rico  
swUSA (TX)  
Martinique, St. Lucia
- R Dominicana  
Puerto Rico  
Cuba  
Jamaica  
Hispaniola  
seUSA
- Hispaniola  
Hispaniola  
W Indies (Windward Is.)  
seUSA (FL)
- W Indies (Lesser Antilles)  
Hispaniola  
Hispaniola  
Puerto Rico
- Cuba  
eMexico (VC), Costa Rica (GU, PA)  
Guatemala, El Salvador  
scMexico (MO, GR, OA)  
nwBrasil (AM), Ecuador, Peru, Bolivia (SC)  
seUSA-TX

- aspiciens** Bates, 1885:391  
**batesi** Casey, 1913:307  
*albescens* Bates, 1885:387 (not Haldeman, 1847)  
**bruesi** Fisher, 1942:32  
**calcarius** Chevrolat, 1862:248  
**castaneovirescens** Zayas, 1975:239  
**cineraceus** Bates, 1874:230  
**corpulentus** Bates, 1881:152  
**cretatellus** Bates, 1863:102
- crustulatus** Bates, 1872:213  
**dealbatus** (Jacquelin du Val in Sagra, 1857:274)  
**decipiens** Bates, 1880:149  
*transversus* Bates, 1872:211 (not Gyllenhal, 1817)  
**diffusus** Bates, 1885:387
- dubitans** Bates, 1885:390  
**faulkneri** Hovore, 1988:21  
**fernandezi** Monné & Hoffmann, 1981:258  
**fuligineus** Bates, 1885:388  
*fuliginosus* Gilmour, 1965:573  
**gibbulosus** Bates, 1874:230  
*vogti* Dillon, 1956:141  
**gibbus** (Degeer, 1775:116)  
**gnomus** Monné & Hoffmann, 1981:251  
**heticus** Zayas, 1975:243  
**hilaris** Bates, 1872:211  
**hispidulus** Bates, 1874:229  
**illitus** Zayas, 1975:244  
**incertus** (Bates, 1881:176)  
**jolyi** Monné & Hoffmann, 1981:247  
**laevicauda laevicauda** Bates, 1880:150  
subsp. **chiriquinus** Bates, 1885:386  
**latifasciatus** Zayas, 1975:246  
**lazulinus** Bates, 1880:149  
**leucanthes** Bates, 1880:148  
**leucopygus** Bates, 1872:212  
**lilliputanus** Thomson, 1865:545  
**lividus** Hovore, 1989:256  
**macrostigma** Bates, 1872:212  
**metallicus** Bates, 1880:147  
**nigritus** Zayas, 1975:248  
**nordestinus** Monné & Hoffmann, 1981:257  
**notaticollis** Bates, 1880:149  
**obliquatus** Bates, 1880:150  
**obscurellus** Bates, 1863:103  
*bruchii* Melzer, 1932:225  
**ochropygus** Bates, 1885:389  
**orbiculus** Bates, 1880:151  
**ovalis** Bates, 1863:103  
*neivai* Melzer, 1930:198  
**palliatu**s Bates, 1874:229  
**paraleucus** Monné & Hoffmann, 1981:258  
**paulus** Monné & Hoffmann, 1981:253  
**perniciosus** Monné & Hoffmann, 1981:259  
*pleurostictus* Bondar, 1929:85 (not Bates, 1863)  
**petulans** Bates, 1885:389  
**phrissominus** Bates, 1885:388  
**pilula** Bates, 1880:152  
**plautus** Monné & Hoffmann, 1981:254
- eMexico (VC), Honduras  
Panama
- Jamaica  
Cuba  
Cuba  
Honduras, Guatemala-Costa Rica  
Nicaragua  
swUS (sTX) - Mexico-Nicaragua-nBrasil (PA), Fr Guiana,  
Bolivia (SC)  
Honduras, Nicaragua-Panama  
Cuba  
Nicaragua, Costa Rica
- eMexico (VC), Guatemala, Honduras,  
Costa Rica (GU, HE, PA)  
Mexico  
Mexico (BC)  
Venezuela  
Guatemala
- swUSA (TX), Mexico-Colombia, Venezuela
- Surinam, Fr Guiana  
seBrasil (MG), Paraguay, Argentina, Bolivia (SC)  
Cuba  
wMexico (JA) - Panama  
Honduras, Guatemala-Costa Rica, seUS (FL)  
Cuba  
Guatemala, Nicaragua  
Venezuela  
Guatemala, Honduras  
Costa Rica, Panama  
Cuba  
eMexico (VC)  
swMexico (OA)  
Honduras - Panama  
Colombia  
Costa Rica  
Honduras, Nicaragua, Costa Rica  
Costa Rica  
Cuba  
Brasil  
Honduras, Guatemala-Costa Rica  
sMexico (BC, ME, OA)-Nicaragua, Uruguay,  
Venezuela-Argentina, Bolivia (SC)
- Honduras, Guatemala, Costa Rica  
eMexico (VC) - Nicaragua  
Brasil (PA, MT, ES-SP), Fr Guiana, Bolivia (SC)
- Mexico - Nicaragua  
cBrasil (AM, MT), Ecuador, Bolivia (SC)  
Venezuela  
Guianas, Brasil, Bolivia (SC), Paraguay,  
Argentina  
Costa Rica, Panama  
Costa Rica, Panama  
Costa Rica  
Venezuela, eEcuador, Fr Guiana

- pleurostictus** Bates, 1863:102  
**plumeoventris** Linsley, 1934:109  
**pseudocalcarius** Zayas, 1975:249  
**pulcherrimus** Bates, 1880:148  
**pygialis** Bates, 1872:212  
**quintalbus** Bates, 1885:389  
**retrorsus** Bates, 1885:387  
**sagittatus** (Jacquelin du Val in Sagra, 1857:272)  
**seabrai** Lane, 1959:257  
**signaticauda** Bates, 1885:387  
**sleeperi** Hovore, 1988:22  
**spermovoratis** Chemsak, 1972:150  
**spiculatus** Bates, 1880:148  
**subfurcatus** Bates, 1880:147  
**transversus** (Gyllenhal in Schoenherr, 1817:164)  
*transversatus* LeConte, 1878:470  
*tuberculatus* Froelich, 1792:138  
*aculiferus* Say, 1824:329  
*marginellus* Haldeman, 1847:47  
*albescens* Haldeman, 1847:46  
*divisus* Casey, 1913:306  
*transversus dakotensis* Dillon, 1956:143  
*transversus dietrichi* Dillon, 1956:144  
*transversus floridellus* Dillon, 1956:144  
**triangulifer** Bates, 1872:211  
**trigonus** Bates, 1880:152  
**viridescens** Bates, 1880:148  
**viriditinctus** Bates, 1872:210  
**xanthopygus** Bates, 1880:149  
**x-griseus** Bates, 1885:389  
**zonatus** Bates, 1885:388
- Leptrichillus** Gilmour, 1960:91  
**minutus** Gilmour, 1960:92
- Lepturdrys** Gilmour, 1960:47  
**novemlineata** Gilmour, 1960:48
- Lepturgantes** Gilmour, 1957:21  
**candicans** (Bates, 1863:371)  
**dilectus** (Bates, 1863:373)  
**flavovittatus** (Gilmour, 1959:136)  
**pacificus** Gilmour, 1960:178  
*inscriptus* Bates, 1872:217 (not Bates, 1863)  
*fragillimus* Bates, 1874:230 (not Bates, 1863)  
**prolatus** Monné & Monné, 2008:65  
**septemlineatus** Gilmour, 1960:176  
**seriatus** Monné, 1988:124  
**variegatus** Gilmour, 1957:22
- Lepturges (Chaeturges)** Gilmour, 1959:135  
**comminus** Monné, 1977:706  
**definitus** Tavakilian & Monné, 1989:276  
**dorsalis** (White, 1855:382)  
*barii* Bates, 1863:372  
**epagogus** Monné, 1977:704  
**fragillimus** (Bates, 1863:373)  
**fuchsi** Gilmour, 1962:569  
**gratiosus** Bates, 1874:231
- nwBrasil (AM, MA), Peru  
 Mexico (Tres Marias Is.)  
 Cuba  
 eMexico (VC) - Nicaragua  
 eMexico (VC), Honduras - Panama  
 Costa Rica (HE), Panama  
 Costa Rica, Panama  
 Cuba  
 Peru, Ecuador  
 Guatemala, Honduras  
 Mexico (BC)  
 Costa Rica  
 Nicaragua, Costa Rica  
 Honduras, Nicaragua, Costa Rica  
 eNAmer-TX
- Honduras, Guatemala-Costa Rica  
 Guatemala-Panama  
 Mexico (OA, VC)-Costa Rica  
 Nicaragua-Panama  
 Nicaragua  
 Guatemala, Costa Rica, Panama  
 Costa Rica, Panama
- Mexico - Costa Rica
- ecBrasil (GO, MG), Bolivia (SC)
- cBrasil (AM, MT, RO), Bolivia (SC)  
 cBrasil (AM, MT)  
 ecBrasil (GO, BA, MT, RO, SP)  
 Mexico (CH, OA, VC), Guatemala-Costa Rica
- Brasil (BA, ES, MG, RJ, SC, MS, MT), Bolivia (SC)  
 eBrasil (BA, ES, MG)  
 Venezuela, Fr Guiana, cBrasil (MT, RO)  
 seBrasil (BA, PR, SC, SP), Paraguay
- Peru  
 Fr Guiana  
 nwBrasil (AM), Fr Guiana
- Peru, nwBrasil (AM), Bolivia (SC)  
 cBrasil (PA, MT)  
 seBrasil (BA, SP, SC)  
 Nicaragua-Panama

**griseostriatus** (Bates, 1863:376)  
**inscriptus** (Bates, 1863:371)  
     *variegatus* Burmeister, 1865:178  
     *fragillima* Bates, 1873:230 (not Bates, 1863)  
     *decoratus* Melzer, 1928:150  
**laetus** Melzer, 1928:152  
**prolatus** Monné, 1977:703  
**repandus** Tavakilian & Monné, 1989:278  
**rotundus** Monné, 1977:702  
**scitulus** Tavakilian & Monné, 1989:274  
**scriptus** Gilmour, 1958:137  
**serenus** Monné, 1977:705  
**tenuis** Gilmour, 1962:563  
**villiersi** Gilmour, 1962:567  
**virgulti** Gilmour, 1962:564

### **Lepturges (Lepturges)** Bates, 1863:367

*Lepturgus* Gemminger & Harold, 1873:3156

*Maculurges* Dillon, 1956:338

**abditus** Monné, 1976:367  
**alboscriptus** Bates, 1863:377  
**alvarengai** Monné, 1976:369  
**amabilis** Bates, 1863:370  
**anceps** Gilmour, 1962:559  
**angulatus** (LeConte, 1852:172)  
     *symmetricus* Horn, 1880:126 (not Haldeman, 1847)  
     *canus* Casey, 1913:317  
     *confluens* Knull, 1946:252 (not Haldeman, 1847)  
**angustatus** Bates, 1863:375  
**beaveri** Monné, 1978:6  
**breviceps** (White, 1855:384)  
**bucki** Melzer, 1930:202  
**callinus** Bates, 1885:402  
**canocinctus** Gilmour, 1962:545  
**castaneus** Monné, 1978:4  
**centralis** Monné, 1978:3  
**charicles** Bates, 1885:402  
**cinereolus** Monné, 1976:362  
**cingillus** Monné, 1978:8  
**circumscripta** (Bates, 1881:180)  
**citrinus** Monné, 1976:363  
**complanatus** Bates, 1863:370  
     *aliquobscura* Gilmour, 1962:557  
**comptus** Melzer, 1930:201  
**confluens** (Haldeman, 1847:50)  
**curvilinea** Gilmour, 1959:1  
     *zischkai* Tippmann, 1960:192  
**dorotheae** Gilmour, 1962:551  
**elegantulus** Bates, 1863:368  
**elimata** Monné, 1976:371  
**eurynota** Tippmann, 1960:191  
**fasciculatoides** Gilmour, 1962:549  
**festivus** Bates, 1872:236  
**figuratus** Pascoe, 1866:283  
**fischeri** Melzer, 1928:152  
**funereus** Monné, 1976:366  
**glaphyra** Monné, 1976:374  
**hahneli** Gilmour, 1959:133  
**hylaeanus** Monné, 1978:5

ncBrasil (AM), Peru, Bolivia (SC)  
 eMexico (VC)-SAmer (widely distributed)

seBrasil, Paraguay, Argentina  
 cBrasil (PA, MT)  
 wcBrasil (AM, RO, MT), Fr Guiana  
 cBrasil (AM, PA)  
 Fr Guiana  
 seBrasil (MG-SC), Paraguay  
 Brasil (AP, MT), Fr Guiana  
 Ecuador  
 Peru, cBrasil (GO, MT), Bolivia (SC)  
 ncBrasil (AM), Peru, Bolivia (SC)

seBrasil (RJ)  
 wcBrasil (AM, PA, RO)  
 seBrasil (ES, RJ)  
 cBrasil (AM, MT), Fr Guiana  
 Brasil (GO, MA, MT, BA-SC), Paraguay  
 eNAmer-TX

cBrasil (AM, MT)  
 wcBrasil (AC, RO, MT), Bolivia (SC)  
 Venezuela  
 seBrasil (BA-SC)  
 Guatemala - Panama, Fr Guiana, Bolivia (SC)  
 ecBrasil (MA, MT, GO, BA), Argentina, Bolivia (SC)  
 nBrasil (MA, PA)  
 eBrasil (MA, MG)  
 Honduras, Costa Rica, Panama  
 eBrasil (BA)  
 cBrasil (MT), Bolivia (SC)  
 Nicaragua-Panama  
 seBrasil (BA-SC)  
 cBrasil (AM, MT), Bolivia, eEcuador, Fr Guiana

SAmer (widely distributed), Bolivia (BN, LP, SC)  
 eNAmer  
 Peru, Bolivia (SC)

seBrasil (BA-SP), Paraguay  
 nwBrasil (AM), Fr Guiana, Bolivia (SC)  
 seBrasil (GO, MG, SP), Paraguay, Bolivia (SC)  
 Bolivia (SC), sBrasil (MT), Peru  
 ecBrasil (GO, MT), Argentina, Bolivia (LP, SC)  
 Nicaragua-Panama  
 Costa Rica, Panama-Colombia  
 seBrasil (MG-RS), Bolivia (BN, SC)  
 seBrasil (BA-PR)  
 eBrasil (MA, ES)  
 nwBrasil (AM), Bolivia (SC)  
 nwBrasil (AM), Bolivia (SC)

- infilatus** Bates, 1872:216  
*pallisteri* Gilmour, 1961:335  
**insignis** Melzer, 1928:153  
**itu** Monné, 1976:374  
**janus** Bates, 1881:168  
**laeteguttatus** Bates, 1885:402  
**limpidus** Bates, 1872:216  
*fasciculata* Melzer, 1928:149  
*peruviana* Gilmour, 1962:547  
**linearis** Bates, 1863:369  
**macilentus** Bates, 1881:166  
**maculosus** Gilmour, 1959:3  
**malkini** Monné, 1978:7  
**mattogrossis** Gilmour, 1962:555  
**megalops** Hamilton in Leng & Hamilton, 1896:127  
**multilineatus** Melzer, 1928:153  
**navicularis** Bates, 1872:217  
**perelegans** Bates, 1863:373  
**peruibensis** Monné, 1976:366  
**pictus** (LeConte, 1852:172)  
**proximus** Melzer, 1934:100  
**punctatissimus** Monné, 1976:370  
**regularis** (LeConte, 1852:39)  
**roppai** Monné, 1976:368  
**rhytisma** Monné, 1976:371  
**seabrai** Monné, 1976:368  
**sejunctimacula** Bates, 1881:167  
**serranus** Monné, 1976:363  
**sexvittatus** Bates, 1874:230  
**singularis** Monné, 1976:364  
**spitzi** Melzer, 1928:149  
**subglaber** Casey, 1913:319  
**symmetricus** (Haldeman, 1847:50)  
**umbrosus** Monné, 1978:9  
**unicolor** Gilmour, 1959:6  
**virgatus** Monné, 1978:11  
**vogti** Hovore & Tyson, 1983:349  
**yucca** Schaeffer, 1905:167  
**zikani** Melzer, 1928:154  
**zonula** Monné, 1976:372
- Lepturginus** Gilmour, 1959:334  
**obscorellus** Gilmour, 1959:335  
**tigrellus** (Bates, 1874:231)  
var. *megaspilus* Bates, 1885:402
- Lepturgotrichona** Gilmour, 1957:27  
**bordoni** Monné & Martins, 1976:73  
**cubaecola** (Fisher, 1942:36)  
**stigmatica** (Bates, 1881:170)
- Lethes** Zayas, 1975:254  
**humeralis** Zayas, 1975:255  
**indignus** Zayas, 1975:256
- Lithargyrus** Martins & Monné, 1974:12  
*Cometochus* Villiers, 1980:89  
**guadeloupensis** (Villiers, 1980:89)  
**melzeri** Martins & Monné, 1974:13
- swUSA (AZ), Mexico - Costa Rica
- seBrasil (ES-SC), Bolivia  
seBrasil (SP)  
sMexico (OA, PU, CHS)  
Panama  
Mexico-Brasil, wEcuador, Peru, Bolivia (BN, SC),  
Fr Guiana
- cBrasil (AM, MT), Bolivia (SC)  
eMexico (VC)  
Venezuela  
cBrasil (MT), Bolivia (SC)  
ecBrasil (MT, BA, SP)  
seUSA (FL), Bahamas - Panama  
eBrasil (GO, MT, BA-SP), Fr Guiana, Bolivia (SC)  
eMexico (VC) - Panama  
cBrasil (AM, PA, MA, MT)  
seBrasil (SP)  
eUSA  
Costa Rica  
seBrasil (ES-SC)  
eUSA  
eBrasil (BA, MG, SP)  
sBrasil (SC)  
seBrasil (BA-SC), Paraguay  
Honduras, Guatemala-Panama  
seBrasil (SP)  
Honduras, Nicaragua, Costa Rica  
seBrasil (RJ-RS)  
seBrasil (BA-SP)  
ncMexico (DU)  
eNAmer  
cBrasil (MT)  
eBrasil, Bolivia (SC), Paraguay  
Peru, Ecuador, Bolivia (SC)  
swUSA (TX)  
seUSA (AZ, TX), Mexico  
seBrasil (RJ)  
c, seBrasil (MT, SP, PR), Bolivia (SC)
- eMexico (VC)  
Guatemala, Nicaragua, Costa Rica (GU, PA)
- Venezuela  
Cuba  
Guatemala, Honduras, El Salvador
- Cuba  
Cuba
- Guadeloupe  
Costa Rica-Brasil, Bolivia (SC), Fr Guiana



**Longilepturges** Monné & Monné, 2011:176**bicolor** Monné & Monné, 2011:176**xantholineatus** Monné & Monné, 2011:176

Brazil (RO, MA)

Brazil (RO), Ecuador, Bolivia (SC)

**Lophopoenopsis** Melzer, 1931:63**albosparsus** Monné & Monné, 2007:1041**itatiaiensis** Monné & Monné, 2012:288**singularis** Melzer, 1931:63

Brasil (BA, ES)

Brasil (RJ)

seBrasil (ES-PR)

**Lophopoeum** Bates, 1863:275*Scutelonus* Gilmour, 1959:6**bituberculatum** (White, 1855:382)**bruchi** Monné & Martins, 1976:53*timbouvae* Bruch, 1940:118 (not Lameere, 1884)**carinatum** Bates, 1863:275*carinulatum* Thomson, 1864:322**centromaculatum** Monné & Martins, 1976:51**circumflexum** Bates, 1863:276*hylaeanum* Martins & Monné, 1974:15**forsteri** Tippmann, 1960:180**freudei** (Gilmour, 1959:7)**fuliginosum** Bates, 1863:276**humerosum** Monné & Martins, 1976:52**meridianum** Fisher, 1938:141**monticulum** Monné & Martins, 1976:54**saronotum** Bates, 1872:214**scopiferum** Bates, 1872:215**timbouvae** Lameere, 1884:102*leguminicola* Linell, 1896:43**w-flavum** Bates, 1885:395

nwBrasil (AM)

Uruguay, Argentina

Costa Rica (GU, PA), nwBrasil (AM), Fr Guiana,

eEcuador, Bolivia (SC)

eMexico (VC) - Honduras

nwBrasil (AM), Peru, Fr Guiana

Bolivia

Bolivia (SC)

nBrasil (PA), Fr Guiana, Bolivia (SC)

Honduras, Costa Rica, ecBrasil (GO)

sBrasil (SC)

seBrasil (MG-SC)

Nicaragua-Panama

scMexico (PU)-Nicaragua

seBrasil (RJ-RS), nArgentina (FO, CH, SF, MI),

Paraguay

Costa Rica, Panama

**Luteolepturges** Monné & Monné, 2012:285**galbus** Monné & Monné, 2012:286

Brasil (RO, AM)

**Mecotetartus** Bates, 1872:213*Eutessus* LeConte, 1873:235**antennatus** Bates, 1872:213*asper* LeConte, 1873:236*granosus* LeConte, 1873:339

Mexico - Costa Rica, Mexico (BC)

**Microplia** Audinet-Serville, 1835:21**agilis** Audinet-Serville, 1835:22**nigra** Monné, 1976:578

seBrasil, Paraguay, Argentina

seBrasil, nArgentina (SA), Bolivia (SC)

**Nanustes** Gilmour, 1960:43**fuchsi** Gilmour, 1960:45

sBrasil (RS)

**Nealcidion** Monné, 1977:699*Alcidion* Thomson, 1861:12 (not Sturm, 1843)**adjunctum** (Thomson, 1865:544)**albatum** Monné & Delfino, 1986:172**albolineatum** Monné & Monné, 2009:362**alboplagiatum** (Martins & Monné, 1974:321)**antennatum** Monné & Monné, 2009:361**armatum** Monné & Delfino, 1986:167**badium** Monné & Delfino, 1986:169

Costa Rica, Panama

nwBrasil (AM), eEcuador

Venezuela

eBrasil (ES)

Panama

Venezuela, Bolivia (CO)

eEcuador, Peru, nwBrasil (AM), Fr Guiana, Bolivia (CO)

- batesi** (Kirsch, 1889:42)  
**bicristatum** (Bates, 1863:109)  
**bispinum** (Bates, 1863:105)  
**brachiale** (Bates, 1872:214)  
**bruchii** (Melzer, 1934:230)  
**cereicola** (Fisher, 1936:7)  
*privatum* Bosq, 1934:339 (not Pascoe, 1866)  
**costatum** (Monné & Martins, 1976:47)  
**coxale** (Kirsch, 1889:42)  
**crisulatum** Monné & Delfino, 1986:174  
**cuspidatum** Monné, 1998: 295  
**cyllenoide** (Aurivillius, 1925:515)  
**decoratum** (Melzer, 1932:223)  
**elegans** Monné & Monné, 2009:362  
**elongatum** Monné, 1998:293  
**emeritum** (Erichson, 1847:147)  
*olivaceus* Bates, 1863:108  
**eulophum** (Bates, 1881:156)  
**femoratum** (Monné & Martins, 1976:51)  
**formosum** (Monné & Martins, 1976:49)  
**furciferum** (Bates, 1881:156)  
**griseum** (Aurivillius, 1900:417)  
**humerosum** (Bates, 1880:274)  
**hylaeanum** (Monné & Martins, 1976:48)  
**interrogationis** (Bates, 1863:107)  
**latipenne** (Bates, 1863:107)  
**laetulum** (Bates, 1880:273)  
**latum** (Thomson, 1861:12)  
**lineatum** (Bates, 1863:105)  
**melasmmum** Monné & Delfino, 1986:171  
**meridanum** Monné & Delfino, 1986:175  
**minimum** (Bates, 1863:108)  
**murinum** Monné, 1998:293  
**nebulosum** (Bates, 1880:274)  
**oculatum** (Bates, 1863:106)  
**omissum** (Martins & Monné, 1974:14)  
**parallelum** (Monné & Martins, 1976:50)  
**privatum** (Pascoe, 1866:283)  
*privatum* var. *penicillare* Bates, 1885:394  
*penicillatum*; Aurivillius, 1923:394  
**pulchrum** (Bates, 1880:273)  
**quinquemaculatum** (Tippmann, 1960:179)  
**scutellatum** (Bates, 1881:157)  
**sexguttatum** Monné & Delfino, 1986:169  
**sexnotatum** (Waterhouse, 1901:76)  
**silvai** Monné & Delfino, 1986:176  
**simillimum** (Melzer, 1932:224)  
**singulare** Monné, 1998:293  
**socium** (Gahan, 1895:131)  
**spinosum** Monné & Delfino, 1986:174  
**strigilis** (Erichson, 1847:147)  
*deletum* (Bates, 1880:274)  
**triangulare** (Bates, 1863:106)  
*triangulare* var. *paraense* Bates, 1863:107  
**trivittatum** (Bates, 1863:109)  
**venosum** (Bates, 1880:274)
- Colombia  
 sBrasil, Paraguay, Argentina, Uruguay, Bolivia (SC)  
 seBrasil (BA-RS), Argentina  
 eMexico (VC) - Panama  
 Argentina  
 nArgentina (SA), Bolivia (SC)
- Venezuela  
 Colombia  
 Bolivia (CO)  
 Mexico (CH)  
 Colombia  
 eBrasil (MG, RJ)  
 Venezuela  
 Ecuador  
 Peru, wBrasil (AM-RO), eEcuador, Fr Guiana,  
 Bolivia (SC)  
 seMexico (CHS, VC) - Costa Rica  
 wEcuador  
 Peru  
 Guatemala, Honduras  
 Venezuela  
 eEcuador  
 nwBrasil (AM), eEcuador, Bolivia (SC)  
 nwBrasil (AM), eEcuador  
 Costa Rica (PA), ncBrasil (AM, PA), eEcuador  
 eBrasil (BA), Bolivia  
 eMexico (VC)  
 Costa Rica, Panama, Venezuela  
 Venezuela  
 Venezuela  
 nwBrasil (AM)  
 Ecuador  
 Ecuador  
 nwBrasil (AM)  
 seBrasil (BA-SP)  
 Peru  
 Honduras, Guatemala-Colombia, Venezuela
- Colombia  
 Bolivia (SC)  
 Guatemala, Costa Rica (AL, CA, GU, HE, PA, SJ)  
 Bolivia  
 Guyana  
 eBrasil (PB), Fr Guiana  
 seBrasil (SP-SC)  
 Brasil (RO), Peru, Bolivia  
 St Vincent, Grenada, Venezuela  
 Venezuela  
 Fr Guiana, Brasil (AM, PA, RO), Peru,  
 Bolivia, Colombia, Venezuela  
 Venezuela, cBrasil (AM), Fr Guiana, eEcuador
- Venezuela  
 seBrasil (MG-SP)

**Neobaryssinus** Monné & Martins, 1976:80

**abbreviatus** Monné & Monné, 2012:193  
**altissimus** Berkov & Monné, 2010:49  
**capixaba** Monné & Delfino, 1980:318  
**marianae** (Martins & Monné, 1974:330)  
**phalarus** Monné & Martins, 1976:81

Fr Guiana, Brasil (AM)  
 Fr Guiana  
 eBrasil (MG, ES)  
 Fr Guiana, cBrasil (AM)  
 eBrasil (BA, ES)

**Neoeutrypanus** Monné, 1977:695

*Eutrypanus* White, 1855:371 (part) (not Erichson, 1847)

**decorus** (Bates, 1881:184)  
**generosus** (Monné & Martins, 1976:86)  
**glaucus** (Melzer, 1931:72)  
**incertus** (Bates, 1864:23)  
**inustus** (Monné & Martins, 1976:87)  
**maculatus** Monné 1985:372  
**mutilatus** (Germar, 1824:478)  
**nitidus** (White, 1855:371)  
     *venezuelensis* Thomson, 1861:13  
**nobilis** (Bates, 1864:22)  
**sobrinus** (Melzer, 1935:204)

Honduras, Guatemala-Costa Rica  
 Bolivia  
 seBrasil, Paraguay, Argentina  
 Colombia, Guianas, ncBrasil (AM, PA)  
 ncBrasil (AM, PA), Fr Guiana  
 nBrasil (PA)  
 Costa Rica, Panama, eEcuador, Brasil, Fr Guiana  
 Venezuela

Fr Guiana, eEcuador, seBrasil (AM, PA), Peru  
 seBrasil (MG-RS), nArgentina (MI)

**Neopalame** Martins & Monné, 1972:63

**albida** Monné, 1985:374  
**albomaculata** Monné & Martins, 1976:74  
**atromaculata** Monné & Martins, 1976:76  
**cretata** Monné & Delfino, 1980:317  
**deludens** Monné, 1985:376  
**digna** (Melzer, 1935:203)

eBrasil (ES)  
 Peru  
 seBrasil (BA-SP)  
 cBrasil (AM, MT)  
 wcBrasil (RO, MT)  
 seBrasil (MG-RJ)

**Neseuterpia** Villiers, 1980:88

**couturieri** Tavakilian, 2001:437  
**curvipes** Villiers, 1980:89  
**deknuydti** Chalumeau & Touroult, 2005:155

eEcuador, Bolivia (SC)  
 Guadeloupe  
 Dominica

**Nyssocarinus** Gilmour, 1960:51

**bondari** (Melzer, 1927:579)  
**humeralis** Monné, 1985:307  
**vittatus** Gilmour, 1960:52

seBrasil (RJ-RS)  
 cBrasil (PA, RO, MT), eEcuador, Peru, Bolivia (SC)  
 nwBrasil (AM), eEcuador

**Nyssocuneus** Gilmour, 1960:55

**heyrovskyi** Gilmour, 1960:57

eBrasil (ES)

**Nyssodectes** Dillon, 1955:142

**bispecularis** (White, 1855:384)  
**concinna** (Bates, 1885:417)  
**dulcissimus** (Bates, 1863:377)  
**longula** (Bates, 1881:181)  
**roseicollis** (Bates, 1872:221)  
**veracruz** Dillon, 1955:143

nwBrasil (AM)  
 Panama  
 nwBrasil (AM), Peru, eEcuador  
 Costa Rica  
 eMexico (VC) - Panama  
 eMexico (VC), Guatemala

**Nyssodrysilla** Gilmour, 1962:249

**irrorata** (Melzer, 1927:577)  
**lineata** Gilmour, 1962:253  
**vittata** (Melzer, 1934:238)

seBrasil (MG-RS), Paraguay  
 Peru, Fr Guiana  
 seBrasil (RJ-RS)

**Nyssodrysina** Casey, 1913:309*Nyssodrys* Leng & Hamilton, 1896:133*Leiopus* Lacordaire, 1872:775 (part)*Nyssodrysola* Gilmour, 1962:256*Sternidurges* Gilmour, 1959:329**binoculata** (Bates, 1864:153)*bimaculata* Aurivillius, 1923:424**cinerascens** (Bates, 1864:151)*variegata* Aurivillius, 1929:2**corticalis** (Bates, 1864:151)**exilis** (Bates, 1885:412)**grisella** (Bates, 1864:154)**haldemani** (LeConte, 1852:173)*contempta* Bates, 1864:152**infima** (Bates, 1885:412)**leucopyga** (Bates, 1872:221)*apicalis* Gilmour, 1959:331**lignaria** (Bates, 1864:152)**lineatocollis** (Bates, 1863:373)**polyspila** (White, 1855:383)**pulchella** (Bates, 1863:374)**scutellata** (Bates, 1866:434)**spretia** (Bates, 1864:152)*stictica* Gilmour, 1962:257*halfpteri* Villiers, 1971:348**venusta** (Bates, 1863:372)

Nicaragua - nBrasil (PA), Fr Guiana, eEcuador

nBrasil (PA), Trinidad, Venezuela, Guianas

Costa Rica-nBrasil (PA), Fr Guiana

Honduras, Panama

nwBrasil (AM), eEcuador

seUSA - Panama (widely distributed), w Ecuador

Costa Rica (PA), Panama, Bolivia (BN, SC)

cMexico (SLP) - Panama, wEcuador

seBrasil, Paraguay, Argentina

Panama, ncBrasil (AM), eEcuador, Bolivia (SC)

Mexico - Panama

nBrasil (PA), Fr Guiana, eEcuador

Honduras - Panama, nSAmér, Bolivia (SC)

ncBrasil, Fr Guiana, Peru, eEcuador, Bolivia (BN, SC)

ncBrasil (AM), Fr Guiana, eEcuador, Bolivia (SC)

**Nyssodrysternum** Gilmour, 1960:59*Nyssodrys* Bates, 1864:149 (part)*Nyssodrystes* Gilmour, 1963:3*Cicanysodrys* Gilmour, 1965:601*Pseudoleiopus* Breuning, 1970:487**amparense** (Melzer, 1934:106)**analogum** Monné & Tavakilian, 2011:454**basale** (Melzer, 1934:239)**bolivianum** Monné & Tavakilian, 2011:462**borneanus** Breuning, 1970:487*lemniscatum* Monné, 1985:543**capixaba** Monné & Tavakilian, 2011:460**caudatum** (Bates, 1864:157)**cingillum** Monné, 2009:324**colombianum** Monné & Tavakilian, 2011:458**conspicillare** (Erichson, 1847:146)*albomaculata* Aurivillius, 1908:10**conspicuum** Monné, 1985:538**cotopaxi** Monné & Tavakilian, 2011:460**cretatum** Monné, 1985:539**decoratum** Monné, 1992:774**dioptricum** (Bates, 1864:153)**efflictum** (Bates, 1864:160)**fasciatum** Gilmour, 1960:61**flavoguttatum** Monné & Tavakilian, 2011:463**flavolineatum** Monné, 1985:541**freyorum** (Gilmour, 1963:94)**fulminans** (Bates, 1864:154)**gilvolineatum** Monné & Tavakilian, 2011:454**gratum** Monné, 1985:542**hovorei** Monné & Tavakilian, 2011:458**impensum** Monné, 1985:542

seBrasil (BA-SC), nArgentina (SA)

Fr Guiana

seBrasil (BA-RS), Paraguay

Bolivia (SC)

Guianas, cBrasil (AM, PA, RO), Peru, eEcuador, Bolivia (BN), Surinam

Brasil (ES)

cBrasil, Fr Guiana, Peru, Bolivia

Bolivia (SC)

Colombia

cBrasil (AM), Peru, eEcuador, Bolivia (BN, SC)

Venezuela, Guianas, nBrasil (AM, PA)

Ecuador

Panama, eEcuador, Bolivia (SC), Guianas

eBrasil (RJ, BA, ES)

seBrasil (ES-SC), eEcuador, Bolivia (SC)

ncBrasil (AM), eEcuador, Peru, Fr Guiana

eBrasil (BA, ES)

Fr Guiana

Fr Guiana, ncBrasil (AM, PA)

Trinidad, Venezuela

nwBrasil (AM), eEcuador

Fr Guiana, Venezuela, Brasil (AP, AM, MA)

cBrasil (PA, MT)

Fr Guiana

wcBrasil (AM, RO), Fr Guiana

- instabile** Monné, 1992:775  
**insulorum** Monné & Tavakilian, 2011:461  
**lanceolatum** Monné & Tavakilian, 2011:462  
**laterale** (Melzer, 1931:71)  
**lepidum** Monné, 1992:773  
**lineolatum** (Bates, 1864:161)  
**multilineatum** Monné & Tavakilian, 2011:455  
**nitidum** Monné & Tavakilian, 2011:455  
**ocellatum** (Bates, 1885:413)  
**picticolle** (Melzer, 1934:105)  
**pictulum** (Bates, 1881:175)  
**plaumanni** Monné, 1992:776  
**poriferum** (Bates, 1885:413)
- promeces** (Bates, 1864:162)  
**propinquum** (Bates, 1864:159)  
**proximum** Monné & Tavakilian, 2011:459  
**ptericoptum** (Bates, 1864:163)
- reticulatum** (Melzer, 1934:107)  
**rodens** (Bates, 1864:161)  
**rubiginosum** Monné, 1975:246  
**schmithi** (Melzer, 1931:70)  
**serpentinum** (Erichson, 1847:146)  
*deleta* Bates, 1864:160  
**signiferum** (Bates, 1864:158)  
*gruneri* Villiers, 1971:347  
**simulatum** (Bates, 1864:159)  
**spilotum** Monné, 1975:248  
**stillatum** (Bates, 1864:156)  
**striatellum** (Tippmann, 1960:192)  
**sulphurescens** (Bates, 1885:416)  
**taeniatum** Monné, 1985:544  
**tucurui** Monné & Tavakilian, 2011:456  
**univittis** (Bates, 1885:415)  
**vanini** Monné & Tavakilian, 2011:457  
**variabile** Monné, 1985:546  
**zonatum** Monné, 1985:546
- Nyssosternus** Gilmour, 1963:4  
**duidaensis** Gilmour, 1963:5
- Odontozineus** Monné, 2009:322  
**penicillatus** Monné, 2009:322
- Oectropsis** Blanchard in Gay, 1851:503  
**franciscæ** Barriga & Cepeda, 2006:48  
**latifrons** Blanchard in Gay, 1851:503  
**pusillus** (Blanchard in Gay, 1851:502)
- Oedopeza** Audinet-Serville, 1835:88  
*Chaetanes* Bates, 1864:45  
**apicale** (Gilmour, 1962:291)  
**costulata** (Gilmour, 1962:288)  
**cryptica** Monné, 1990:266  
**flavosparsa** Monné, 1990:266  
**fleutiauxi** (Villiers, 1980:95)
- seBrasil (RJ, ES, SP)  
Panama  
Panama  
seBrasil (BA-SP)  
seBrasil (SC, RS)  
nwBrasil (AM)  
Fr Guiana, Bolivia (SC)  
Fr Guiana  
Honduras - Brasil, Peru, eEcuador, Bolivia (BN, CO)  
seBrasil (BA-RJ)  
Guatemala  
seBrasil (SP, SC)  
Honduras, Guatemala-Panama, nSAmer-cBrasil,  
Bolivia (SC)  
nwBrasil (AM)  
cBrasil (AM), Fr Guiana  
Fr Guiana, Bolivia (CO, SC)  
Brasil (PA, RO, MT), Peru, Fr Guiana, eEcuador,  
Bolivia (SC)  
seBrasil (ES-SP)  
wcBrasil (AM, RO, MT), Fr Guiana, eEcuador  
Venezuela, Peru, Brasil, Bolivia (BN, SC)  
sBrasil (SP-RS)  
eMexico (VC) - Panama, Brasil, Fr Guiana,  
Ecuador, Bolivia (BN, SC)  
Costa Rica, nSAmer (widespread), Bolivia (BN, SC)
- Guianas, cBrasil (AM)  
seBrasil (BA, PR, SC)  
nwBrasil (AM), Fr Guiana  
Peru, wcBrasil, Bolivia (SC), Fr Guiana, eEcuador  
Costa Rica, Panama  
ncBrasil (PA, AM), Bolivia  
Brasil (PA, MT), Fr Guiana  
Costa Rica, Panama  
Brasil (RO, PA)  
eBrasil (ES)  
cBrasil (MT)
- Venezuela
- eEcuador
- Chile  
Chile, wcArgentina (NE)  
Chile, wcArgentina (NE)
- Fr Guiana, eEcuador, nBrasil (PA), Bolivia (SC)  
wcBrasil (RO, MT), Peru, Bolivia (SC)  
Venezuela, Peru, cBrasil (MA), Bolivia (SC)  
nwBrasil, Peru, Bolivia, Fr Guiana  
Guadeloupe, Dominica

- guttigera** Bates, 1864:147  
*guttifera* Bates, 1881:176  
**leucostigma** Bates, 1864:146  
**louisii** Audureau, 2010:5  
**maculatissima** Monné & Martins, 1976:82  
**ocellator** (Fabricius, 1801:287)  
*pogonochoeroides* Audinet-Serville, 1835:88  
**setigera** (Bates, 1864:45)  
**tavakilianii** Monné & Monné, 2012:198  
**umbrosa** (Germar, 1824:473)  
*litigiosa* Bates, 1864:147  
*quadrinodosus* Burmeister, 1865:178
- Olenosus** Bates, 1872:205  
**serrimanus** Bates, 1872:206
- Onalcidion** Thomson, 1864:25  
**fibrosum** Monné & Martins, 1976:56  
**obscurum** Gilmour, 1957:12  
**pictulum** (White, 1855:395)
- Oxathres** Bates, 1864:50  
**boliviana** Monné & Tavakilian, 2011:25  
**decorata** Monné, 1990:679  
**erotyloides** Bates, 1864:51  
**griseostriata** Monné & Monné, 2012:197  
**guyanensis** Monné & Tavakilian, 2011:23  
**implicata** Melzer, 1926:15  
*nigrobasalis* Gilmour, 1962:290  
**maculosa** Monné & Tavakilian, 2011:24  
**muscosa** Bates, 1864:52  
**navicula** Bates, 1864:50  
  
**ornata** Monné, 1976:589  
**proxima** Monné, 1976:587  
**quadrinodulata** Monné, 1976:590  
**scripta** Lacordaire, 1872:785  
*dubius* Melzer, 1926:13  
**simillima** Monné & Monné, 2012:198  
**sparsa** Melzer, 1927:575
- Oxathridia** Gilmour, 1963:7  
**roraimae** Gilmour, 1963:8
- Ozineus** Bates, 1863:278  
*Acarinozineus* Gilmour, 1962:261  
**achirae** Monné & Monné, 2012: 64  
**alienus** Melzer, 1932:427  
**angulistigma** Bates, 1885:397  
**annulicornis** (White, 1855:383)  
**argus** Monné & Monné, 2012: 64  
**arietinus** Bates, 1872:215  
**barbiflavus** Martins & Monné, 1974:22  
**bicristatus** Melzer, 1935:200  
**caliginosus** Monné & Monné, 2012:65  
**cinerascens** Bates, 1863:280  
*cinerascens* var. *pallipes* Bates, 1863:281
- eMexico (VC) - Panama  
  
Panama-nSamer-cBrasil (AM), eEcuador  
Nicaragua  
SAmer (widely distributed), Bolivia (SC)  
eMexico (VC) - Uruguay, Fr Guiana, Bolivia (BN, ),  
SC), Cuba, Barbados  
Nicaragua - nSamer, eEcuador  
Fr Guiana  
seBrasil (BA-RS), Paraguay, nArgentina
- wMexico (SI, JA, OA, VC) - Costa Rica
- Costa Rica-Venezuela, Brasil (RO, GO), Bolivia  
Venezuela  
Costa Rica-Colombia, Venezuela
- Bolivia (SC)  
Venezuela  
nwBrasil (AM), Peru, eEcuador  
Brasil (MA), Bolivia (SC)  
Fr Guiana, Brasil (RO)  
seBrasil (MG-RS)
- Bolivia (LP)  
cBrasil (AM, RO), Peru, Fr Guiana  
cBrasil (PA, RO), eEcuador, Bolivia (LP, SC),  
Venezuela  
cBrasil (AM, AP, PA, RO), Bolivia (CO), Fr Guiana  
Peru  
cBrasil (AM, PA)  
seBrasil (GO, BA-SC), Paraguay
- Venezuela  
seBrasil (ES-SP)
- nBrasil (RR)
- Bolivia (SC)  
eBrasil (ES, RJ)  
Panama  
Costa Rica, Panama, Colombia. wEcuador  
Bolivia (SC)  
eMexico (VC) - Panama, wEcuador  
seBrasil (SP-SC)  
eBrasil (MG, RJ)  
Bolivia (SC)  
Fr Guiana, Brazil (PA), Peru, Bolivia  
(CO, SC)

- cretatus** Monné & Martins, 1976:66  
**cribripennis** Bates, 1885:396  
**dimidiatus** Aurivillius, 1922:169  
**doctus** Bates, 1863:280  
**dorsalis** Melzer, 1935:200  
**dubius** Aurivillius, 1922:170  
**elongatus** Bates, 1863:279  
**griseostigma** Monné & Monné, 2012: 67  
**guttatus** Monné & Martins, 1976:63  
**jubapennis** Fisher, 1938:142  
**lateralis** Monné & Martins, 1976:64  
**moestus** Bates, 1885:397  
**mysticus** Bates, 1863:279  
**nyssodroides** Tippmann, 1960:187  
**orbiculus** Monné & Martins, 1976:65  
**spinicornis** (Gilmour, 1962:265)  
**striatus** (Gilmour, 1962:262)  
**strigosus** Bates, 1863:280  
  
**torquatus** Bates, 1881:162
- Palame** Bates, 1864:13  
*Nyssodoretus* Gilmour, 1959:30  
*Xorathes* Gilmour, 1963:11  
**aeruginosa** Monné, 1985:303  
**anceps** (Bates, 1864:156)  
**crassimana** Bates, 1864:13  
*olivoniger* Gilmour, 1959:31  
*guianensis* Gilmour, 1963:12  
**mimetica** Monné, 1985:300  
**vitticolle** (Bates, 1864:157)
- Parabaryssinus** Monné, 2009:322  
**lineaticollis** (Gounelle, 1910:17)
- Paracleodoxus** Monné & Monné, 2010:54  
**cineraceus** Monné & Monné, 2010:55  
**simillimus** Monné & Monné, 2010:55
- Paralcidion** Gilmour, 1957:5  
**bilineatum** Gilmour, 1957:6
- Paranisopodus** Monné & Martins, 1976:59  
**araguaensis** Monné & Monné, 2007:1062  
**genieri** Monné & Monné, 2007:1059  
**granulosus** Monné & Monné, 2007:1060  
**heterotarsus** Monné & Martins, 1976:61  
**hovorei** Monné & Monné, 2007:1060  
**paradoxus** Monné & Martins, 1976:61  
**peruanus** Monné & Monné, 2007:1060
- Paraprobatius** Breuning, 1955:311  
**bucki** Breuning, 1955:312
- Paratenthra** Monné, 1998:289  
**martinsi** Monné, 1998:289
- Peru  
 Costa Rica, Panama  
 Peru  
 Fr Guiana, nBrasil (PA), Bolivia (SC)  
 Costa Rica  
 Peru  
 Panama, ncBrasil (AM), Fr Guiana  
 Bolivia (SC)  
 seBrasil (RJ, SP)  
 sBrasil (SC)  
 seBrasil (SP)  
 Costa Rica, Panama  
 nwBrasil (AM)  
 Bolivia (SC), eEcuador  
 Bolivia (SC)  
 Mexico  
 Peru  
 Costa Rica, Panama, eEcuador, Fr Guiana,  
 Bolivia (LP, SC)  
 Guatemala
- w Brasil (RO)  
 cBrasil (AM, PA, RO), Fr Guiana, eEcuador  
 cBrasil (AM), Guianas, eEcuador
- Venezuela, ncBrasil (AM), Fr Guiana, eEcuador  
 nwBrasil (AM), eEcuador, Fr Guiana
- eEcuador, Colombia
- Venezuela, Colombia  
 Venezuela
- Colombia, Venezuela
- Venezuela  
 Bolivia (SC)  
 Panama  
 Costa Rica  
 Costa Rica  
 Colombia, Ecuador  
 Peru
- sBrasil (RS), Paraguay
- Brasil (MS, MT), Bolivia (SC)

**Paratrachonius** Monné & Monné, 2011:178  
**caesius** Monné & Monné 2011:178

Brazil (MT)

**Paroectropsis** Cerda, 1954:137  
**decoratus** Cerda, 1954:138

Chile

**Paroecus** Bates, 1863:379  
*Hysterotarsus* Thomson, 1864:26  
**celebensis** (Thomson, 1857:287)  
*batesi* Thomson, 1864:26  
*ellipticus* Bates, 1863:380  
**charpentierae** Villiers, 1971:346  
**rigidus** Bates, 1863:380  
*socius* Melzer, 1928:151

nwBrasil (AM, MA), Peru, eEcuador, Fr Guiana

Fr Guiana  
Panama, ecBrasil (AM, ES), Peru, eEcuador,  
Bolivia (SC)

**Pattalinus (Lepturguncus)** Gilmour, 1961:347  
**mirificus** (Gilmour, 1961:348)

sBrasil (SC)

**Pattalinus (Pattalinus)** Bates 1881:165  
*Lepturguncus (Chaeturguncus)* Gilmour 1961:350  
**charis** Bates, 1881:165  
**cultus** Bates, 1881:165  
**griseolus** Monné, 1988:121  
**lineatus** Monné & Martins, 1976:72  
**strigosus** Monné, 1988:123  
**vittulatus** (Gilmour, 1961:351)

eMexico (VC), Nicaragua  
Mexico (VC, JA)  
w Brasil (RO), Bolivia (BN, SC)  
Peru, Bolivia (SC)  
cBrasil, Peru, Fr Guiana, Bolivia (SC)  
Guianas, cBrasil (AM), Ecuador

**Pentheochaetes** Melzer, 1932:432  
**apicalis** Melzer, 1934:237  
**argentinus** Mendes, 1937:254  
**mysticus** Melzer, 1932:433  
*var. mediomaculatus* Gilmour, 1957:30  
**trinidadiansis** Gilmour, 1963:91  
**turbidus** Melzer, 1934:238

Costa Rica, Panama, eBrasil (ES), Bolivia (SC)  
nArgentina (MI)  
seBrasil (SP-RS), Paraguay, Argentina

Trinidad, Venezuela  
Mexico (YU) - Panama, SAmer

**Pertyia** Aurivillius, 1922:426  
**sericea** (Perty, 1832:95)

eBrasil (BA-RJ)

**Phrissolaus** Bates, 1881:172  
**inspersus** Bates, 1881:172

Nicaragua-Panama

**Piezochaerus** Melzer, 1932:428  
**bondari** Melzer 1932:429  
**marcelae** Mermudes 2008:312 new species  
**melzeri** Mermudes 2008:312 new species  
**monnei** Mermudes 2008:312 new species

Brasil (ES, MT, MG, RJ, SP), Argentina  
Brasil (MG)  
Brasil (ES)  
Brasil (ES)

**Probatiomimus** Melzer, 1926:12  
**eximius** Melzer, 1934:104  
**melzeri** Schwarzer, 1931:210  
**schwarzeri** Melzer, 1926:13  
*flavoguttatus* Fisher, 1938:145  
**signiferus** (Thomson, 1865:544)  
*zikani* Melzer, 1934:103  
**zellibori** Monné, 1990:685

eBrasil (MG)  
sBrasil (RS), nArgentina (MI)  
seBrasil (SP-RS)  
seBrasil (MG-RJ), Paraguay, Argentina  
sBrasil (SP, SC), nArgentina (MI)



**Proseriphus** Monné, 2005:122*Seriphus* Bates, 1864:144**viridis** (Bates, 1864:145)

wcBrasil (AM, RO, MT), eEcuador

**Proxatrypanius** Gilmour, 1959:337**rockefelleri** Gilmour, 1959:338

wMexico (SI, JA, CM)

**Pseudastylopsis** Dillon, 1956:220*Leptostylus* Horn, 1880:119 (part)*Pseudostylopsis* Arnett, 1962:872**nebulosus** (Horn, 1880:121)**nelsoni nelsoni** Linsley & Chemsak, 1995:127subsp. **australis** Linsley & Chemsak, 1995:128**pini** (Schaeffer, 1905:165)**squamosus** Chemsak & Linsley, 1986:28

wUSA (OR, CA, NV)

swUSA (AZ)

wcMexico (DU)

swUSA (AZ, NM)- wcMexico (DU)

wcMexico (SI, DU), Guatemala, Honduras

**Pseudocobelura** Martins & Monné, 1974:27**prolixa** (Bates, 1864:19)**succincta** Monné & Martins, 1976:84

ncBrasil (AM, PA), eEcuador, Bolivia (SC)

Panama

**Pseudocriopsis** Melzer, 1931:196**modesta** Melzer, 1934:196

seBrasil (MG-SP)

**Pseudolepturges** Gilmour, 1957:26**caesius** Monné & Monné 2007:1041**rufulus** (Bates, 1885:406)

Brasil (PA, RO)

Guatemala

**Pseudosparna** Mermudes & Monné, 2009:64**amoena** Mermudes & Monné, 2009:65**aragua** Mermudes & Monné, 2009:65**boliviana** Monné & Monné, 2011:173**flaviceps** (Bates 1863:369)**luteolineata** Mermudes & Monné, 2009:63

Venezuela

Venezuela

Bolivia (SC)

Brasil (PA), Fr Guiana

Ecuador

**Pucallpa** Lane, 1959:254**cristata** Lane, 1959:254**robusta** Monné, 1978:588

Peru

cBrasil (MT), Fr Guiana

**Pygmaleptostylus** Gilmour, 1963:74**pygmaeus** (Fisher, 1926:24)

Cuba

**Sciadosoma** Melzer, 1934:102**umbrosum** Melzer, 1934:103

seBrasil (RJ)

**Sporetus** Bates, 1864:54*Sporetus* (*Chaetissus*) Bates, 1864:54**abstrusus** Melzer, 1935:203**bellus** Monné, 1976:580**colobothoides** (White, 1855:372)*colobothoides* Gemminger & Harold, 1873:3160*nigrosignatus* Lameere, 1884:97**decipiens** Bates, 1866:434**distinctus** Monné, 1976:581**fasciatus** Martins & Monné, 1974:25**guttulus** (Bates, 1864:155)**inexpectatus** Monné, 1998:31

sBrasil (SC)

wcBrasil (RO, MT), eEcuador, Peru

seBrasil (BA-RS), Paraguay, Argentina

nBrasil (PA), Peru

Peru

wcBrasil (AM, RO, MT), Fr Guiana, eEcuador

nBrasil (PA, RO, AM)

Brasil (ES)

**porcinus** Bates, 1864:54  
**probatoides** Bates, 1864:56  
**seminalis** Bates, 1864:55  
     var. *agglomeratus* Bates, 1864:55  
**sticticus** Monné & Monné, 2012:196  
**variolosus** Monné, 1998:31  
**venustus** Monné, 1998:29

### **Stenolis** Bates, 1864:149

**angulata** (Fabricius, 1801:312)  
     *undulata* Bates, 1864:149  
**calligramma** (Bates, 1872:217)  
     var. *consobrina* Melzer, 1934:109  
     *decemguttata* Bates, 1885:416  
     *calligramma* var. Bates, 1881:181  
     *decempunctata* Melzer, 1934:110  
**flavoguttata** Monné, 2011:43  
**giesberti** Monné, 2011:49  
**gilvolineata** Monné, 2011:43  
**inclusa** (Bates, 1885:414)  
**laetifica** (Bates, 1872:237)  
**marcelae** Monné, 2011:51  
**multimacula** Monné, 2011:49  
**nearnsi** Monné, 2011:51  
**polygramma** (Bates, 1872:220)  
**polytaenia** (Bates, 1885:415)  
**pulverea** (Bates, 1881:180)  
**tavakiliani** Monné, 2011:45  
**theobromae** (Lara & Shenefelt, 1964:438)  
**vigintiguttata** (Bates, 1885:415)  
**xanthostigma** Monné, 2011:43

nwBrasil (AM)  
 seBrasil (ES-SC), Argentina  
 Fr Guiana, ncBrasil (AM, PA), eEcuador,  
 Bolivia (SC)  
 Brasil (PA), wEcuador, Fr Guiana  
 Brasil (AM, PA), eEcuador, Fr Guiana  
 Brasil (MG, BA)

Fr Guiana, nwBrasil (AM), Ecuador, Bolivia (SC)

eMexico (VC)-Panama, Ecuador, Venezuela

Mexico (Veracruz)  
 Panama  
 Panama  
 Costa Rica, Panama, Ecuador  
 Nicaragua-Panama, wEcuador  
 Brasil (RO), Peru, Bolivia (SC)  
 Costa Rica (GU, PA)  
 Brasil (PA, AM)  
 Nicaragua-Panama  
 Costa Rica, Panama  
 eMexico (VC) - Costa Rica  
 Fr Guiana, Trinidad & Tobago, Brasil (AM, RO)  
 Costa Rica, Panama  
 Honduras, Costa Rica, Panama  
 Panama

### **Sternacutus** Gilmour, 1961:364

**zikani** (Melzer, 1935:199)  
     *lineellus* Fisher, 1938:143  
     *cristatus* Gilmour, 1961:366

seBrasil (RJ-RS)

### **Sternidius** LeConte, 1873:234 (part)

*Amniscus* Haldeman, 1847:46 (part)  
*Liopus* LeConte, 1852:170 (part)  
*Leiopus* Haldeman, 1847:50 (part)  
*Liopinus* Linsley & Chemsak, 1995:88  
     **alpha** (Say, 1827:270)  
         *fascicularis* Harris, 1836:88  
         *alpha* var. *divergens* Haldeman, 1847:48  
         *lateralis* Haldeman, 1847:48  
         *vicinus* Haldeman, 1847:49  
         *cinereus* LeConte, 1852:173  
         *rusticus* LeConte, 1852:173  
         *xanthoxyli* Shimer, 1868:vii  
         var. *floridanus* Hamilton in Leng & Hamilton, 1896:125  
         *dentatus* Casey, 1913:311  
         *scapalis* Casey, 1913:312  
         *testaceus* Casey, 1913:312  
         *pleuralis* Casey, 1913:312  
         *timidus* Casey, 1913:313  
         *obscorellus* Casey, 1913:313  
         *nelsonicus* Casey, 1924:291  
         *alpha coloradensis* Dillon, 1956:216

USA

- alpha nigricans* Dillon, 1956:216  
*suturalis* Dillon, 1956:219  
*vittatus* Dillon, 1956:219  
**batesi** (Gahan, 1892:265) swMexico (GR, MI, OA)  
**centralis** (LeConte, 1884:24) swUSA (AZ, NM, TX)  
**chemsaki** Lewis, 1977:196 swUSA (AZ)  
**crassulus** LeConte, 1873:235 Mexico (BC)  
**decorus** (Fall, 1907:84) swUSA (AZ)  
*alpha arizonensis* Dillon, 1956:217  
*centralis* Dillon, 1956:218 (not LeConte, 1884)  
**gracilipes** (Linsley, 1942:72) Mexico (BC)  
**imitans** (Knull, 1936:107) swUSA (TX, AZ)  
**incognitus** Lewis, 1977:201 swUSA (AZ)  
**mimeticus** (Casey, 1891:48) eUSA -TX, Mexico  
*schwarzi* Hamilton in Leng & Hamilton, 1896:124  
*crassulus* Horn, 1880:124 (not LeConte, 1873)  
*moderator* Casey, 1913:314  
*houstoni* Casey, 1913:315  
*texanus* Casey, 1913:315  
**misellus** (LeConte, 1852:173) cUSA  
**naeviicornis** (Bates, 1885:393) eMexico (VC)  
**nivosus** (Linsley, 1942:73) Mexico (BC)  
**pantherinus** (Zayas, 1975:264) Cuba  
**punctatus** (Haldeman, 1847:49) eUSA  
*maculipennis* Blatchley, 1922:31  
**rosaliae** (Linsley, 1942:71) Mexico (BC)  
**rossi** (Linsley, 1942:71) Mexico (BC)  
**subfascianus** (White 1855:385) Venezuela  
*subfasciatus* Aurivillius, 1923:410  
**wiltii** (Horn, 1880:124) swUSA (TX)
- Sternidocinus** Dillon, 1956:166  
**barbarus** (Van Dyke, 1920:45) swUSA (CA)
- Styloleptoides** Chalumeau, 1983:230  
**inflaticollis** (Chemsak, 1966:215) Virgin Is  
**morazzanii** Chalumeau, 1983:231 Guadeloupe  
**parvulus** (Gahan, 1895:134) Grenada, Mustique
- Styloleptus** Dillon, 1956:158  
*Leptostylus* Leng & Hamilton, 1896:116 (part)  
*Antilleptostylus* Gilmour, 1963:73  
*Caribbeana* Gilmour, 1963:97  
*Carribeana* Breuning, 1971:254  
**atrovittatus** (Fisher, 1925:9) Cuba, R Dominicana  
**biustus biustus** (LeConte, 1852:169) eUSA, Cuba  
*minuens* Hamilton in Leng & Hamilton, 1896:121  
*pusillus* Blatchley, 1925:167  
*bahamicus* Champlain & Knull, 1926:206 (not Fisher, 1925)  
*israeli* Zayas, 1975:257  
 subsp. **bahamicus** (Fisher, 1925:3) Bahamas  
 subsp. **fisheri** Gilmour, 1965:577 Cuba, Jamaica  
*scurra* var. *dorsalis* Fisher, 1926:21  
*biustus* var. *cubanus* Fisher, 1926:22  
**brunneofasciatus** (Fisher, 1935:205) Jamaica  
**caymanensis** (Fisher, 1948:228) Cayman Is.  
**cubanus** (Fisher, 1926:26) Cuba  
**darlingtoni** (Fisher, 1942:31) Jamaica

- dozieri** (Fisher, 1932:86)  
**guilartensis** (Micheli & Micheli, 2004:21)  
**inermis** (Fabricius, 1801:293)  
     *bredini* Chemsak, 1966:217  
     *hebes* Gilmour, 1963:98  
**infuscatus** (Fisher, 1932:84)  
**laticollis** (Fisher, 1925:12)  
**lewisi** (Fisher, 1948:227)  
**nigricans** (Fisher, 1935:55)  
     *puertoricensis* Fisher, 1935:56  
**nigrofasciatus** Gilmour, 1963:67  
**nigronotatus** (Zayas, 1975:261)  
**pilosellus** (Fisher, 1942:34)  
**planicollis** (Fisher, 1935:203)  
     *vanduzeei* Fisher, 1935:204  
     *maraicola* Fisher, 1942:35  
     *divisus* Gilmour, 1963:70  
**posticalis** (Gahan, 1895:133)  
     *albosuturalis* Villiers, 1980:93  
     *bonfilsii* Villiers, 1980:93  
**rhizophorae** Chemsak & Feller, 1988:185  
**scurra** (Chevrolat, 1862:249)  
     var. *maculifer* Fisher, 1926:21  
**taino** Lingafelter & Micheli, 2004:45  
**thompsoni** (Fisher, 1948:226)  
**variabilis** (Fisher, 1925:11)  
**zorillai** (Zayas, 1975:259)
- Sympagus** Bates, 1881:172  
     *Stenopsilus* Gilmour, 1959:27  
     **bimaculatus** (Gilmour, 1959:28)
- buckleyi** (Bates, 1885:416)  
     **cedrelis** Hovore & Toledo, 2006:57  
     **favorabilis** Tippmann, 1960:195  
     **laetabilis** (Bates, 1872:217)  
     **monnei** Hovore & Toledo, 2006:59
- Tenthras** Thomson, 1864:224  
     **obliteratus** Thomson, 1864:225
- setosus** Monné & Tavakilian, 1990:184
- Tomrogersia** Frago, 1980:743  
     **acanthofemorata** Frago, 1980:744  
     **villiersi** Monné & Monné, 2006:1198
- Toronaeus** Bates, 1864:13  
     *Aemylus* Thomson, 1864:28  
     *Neotoronaeus* Tippmann, 1953:350  
     **figuratus** Bates, 1864:14  
         *figuratus* Thomson, 1864:28  
     **incisus** (Bates, 1864:155)  
     **lautus** Monné, 1990:680  
     **magnificus** (Tippmann, 1953:351)  
     **perforator** Bates, 1864:16  
     **simillimus** Monné, 1974:591  
     **suavis** Bates, 1864:15
- Haiti  
 Puerto Rico  
 W Indies (Leeward Is.)
- Hispaniola  
 R Dominicana, Bahamas  
 Cayman Is.  
 Puerto Rico
- R Dominicana  
 Cuba  
 Bahamas  
 Jamaica, Hispaniola
- W Indies (Lesser Antilles), Guadeloupe, Dominica
- Belize (Twin Cays)  
 Cuba, Bahamas
- Puerto Rico  
 Cayman Is  
 Cuba, R Dominicana  
 Cuba
- nwBrasil (AM), Bolivia (CO, SC), eEcuador,  
 Fr Guiana  
 Bolivia  
 Mexico, Guatemala  
 eEcuador, Peru, Bolivia (SC), Fr Guiana  
 Guatemala-Panama  
 Panama
- Costa Rica (AL), Venezuela, Fr Guiana, ncBrasil,  
 Bolivia (SC)  
 Costa Rica (PA), Fr Guiana
- Colombia  
 Colombia
- Guianas, eEcuador, nBrasil (PA)
- nwBrasil (AM), Fr Guiana  
 Venezuela  
 nwBrasil (AM), Peru, eEcuador, Fr Guiana  
 Fr Guiana, Peru, ncBrasil (AM, PA)  
 nwBrasil (AM), eEcuador, Fr Guiana  
 Brasil (AM, MA, ES), Peru, eEcuador, Fr Guiana

- sumptuosus** Lane, 1973:403  
**terebrans** Bates, 1864:17  
**virens** Bates, 1864:17
- Trichalcidion** Monné & Delfino, 1981:260  
**penicillum** Monné & Delfino, 1981:261
- Trichalphus** Bates, 1881:153  
**pilosus** Bates, 1881:153
- Trichastylopsis** Dillon, 1956:148  
*Leptostylus* Horn, 1880:119 (part)  
**albidus** (LeConte, 1852:168)  
*setipes* Casey, 1891:48  
*falli* Linsley, 1934:182  
**hoguei** Chemsak & Linsley, 1979:141
- Trichillurges** Gilmour, 1961:361  
**bordoni** Monné, 1990:274  
**brasiliensis** (Melzer, 1935:197)  
*fasciatus* Gilmour, 1961:362  
**conspersus** Monné, 1990:275  
**maculatus** Martins & Monné, 1974:20  
**meridanus** Monné, 1990:275  
**olivaceus** Monné, 1990:276  
**simplex** Martins & Monné, 1974:21
- Trichocanonura** Dillon, 1956:229  
**linearis** (Skinner, 1905:290)
- Trichonius** Bates, 1864:52  
**affinis** Monné & Mermudes, 2008:8  
**atlanticus** Monné & Mermudes, 2008:9  
**bellus** Monné & Mermudes, 2008:9  
**fasciatus** Bates, 1864:53  
**griseus** Monné & Mermudes, 2008:10  
**inusitatus** Monné & Monné, 2012:286  
**minimus** Monné & Mermudes, 2008:10  
**picticollis** Bates, 1864:53  
**quadrivittatus** Bates, 1864:53
- Trichonyssodrys** Gilmour, 1957:31  
**aureopilosus** Monné, 1990:681  
**cinctus** Delfino, 1981:257  
**maculatus** Gilmour, 1957:32  
**melasmus** Delfino, 1981:257  
**nessimiani** Monné & Monné, 2012:282
- Trichotithonus** Monné, 1990:254  
**albidus** Monné, 1990:257  
**albosetosus** Monné, 1990:258  
**conspectus** Monné, 1990:254  
**curvatus** (Bates, 1885:396)  
*nitidus* Monné & Martins, 1976:83  
**tavakiliani** Monné, 1990:256  
**tenebrosus** Monné, 1990:258  
**venezuelensis** Monné, 1990:260  
**viridis** Monné, 1990:256
- nwBrasil (AM), Fr Guiana  
Colombia, eEcuador, wcBrasil (AM, RO, MT)  
ncBrasil (AM, RO, PA), Fr Guiana, eEcuador
- Venezuela
- Mexico, Guatemala, Honduras
- swUSA
- Mexico (Socorro Is)
- Venezuela  
seBrasil (RJ-RS)
- Venezuela  
sBrasil (PR, SC)  
Venezuela  
Venezuela  
seBrasil (MG-SC)
- swUSA (AZ), nMexico
- Brasil (MT)  
Brasil (BA, MG)  
Brasil (AM, PA)  
nBrasil (PA)  
Brasil, (AM, PA), Fr Guiana  
Brasil (RJ, BA, MG, SP, SC)  
Brasil (AM, MT, RO)  
nwBrasil (AM)  
nwBrasil (AM)
- Venezuela  
Brasil (GO, SP)  
seBrasil (MG-SC), nArgentina (MI)  
eBrasil (BA, MG)  
Brasil (PA, BA, MG, ES, RJ, SC), Paraguay
- eBrasil (BA)  
Venezuela  
eBrasil (ES, RJ)  
eMexico (VC) - Panama, seBrasil (RJ-SC),  
Bolivia (SC)  
Fr Guiana  
Costa Rica, Panama, Bolivia  
Venezuela  
Venezuela

**Tropanisopodus** Tippmann, 1960:184**andinus** Tippmann, 1960:185**tachira** Monné & Monné, 2007:1058

Bolivia (LP)

Venezuela

**Tropidocoleus** Monné, 2009:321**bicarinatus** Monné, 2009:321

Colombia

**Tropidozineus** Monné & Martins, 1976:66**adustus** Monné & Monné, 2012:62**albidus** Monné, 2009:324**amabilis** Monné, 1991:130**argutulus** Monné, 1988:120**cinctulus** Monné & Martins, 1976:69**complanatus** Monné, 1991:128**fulveolus** (Lameere, 1884:96)*prolixus* Melzer, 1931:7**ignobilis** (Bates, 1863:281)**impensus** Monné & Martins, 1976:71**inexpectatus** (Melzer, 1934:234)**martinsi** Monné, 2009:326**pauper** (Melzer, 1931:69)**quadricristatus** (Melzer, 1935:198)**rotundicollis** (Bates, 1863:281)**sincerus** Monné, 1988:119**tersus** (Melzer, 1931:5)**tuberosus** Monné, 1991:127**vicinus** (Melzer, 1931:68)**wappesi** Monné & Monné, 2012:60

Bolivia (SC)

Bolivia (SC)

eBrasil (ES)

eEcuador, cBrasil (AM), Fr Guiana

seBrasil (ES-SP)

cBrasil (GO, MT)

seBrasil (BA-RS), Bolivia (SC)

seBrasil (RJ-RS)

Fr Guiana, nwBrasil (AM), eEcuador

seBrasil (MG-SC)

Brasil (BA, MG, RJ)

seBrasil (SP-RS), nArgentina (MI)

seBrasil (RJ-SC)

seBrasil (BA-RS)

w Brasil (RO)

seBrasil (RJ-SC)

sBrasil (SC)

seBrasil (SP-RS), nArgentina (MI), Bolivia (SC)

Bolivia (SC), Brasil (AM)

**Trypanidiellus** Monné & Delfino, 1980:321**decoratus** Monné & Delfino, 1980:321

eBrasil (BA, ES)

**Trypanidius** Blanchard, 1843:209*Trypanidius* Thomson, 1864:28*Trepanideus* Heyne & Taschenberg, 1907:243**albosignatus** Melzer, 1932:226**andicola** Blanchard in D'Orbigny, 1847:209**apicalis** Aurivillius, 1921:53**dimidiatus** Thomson, 1861:8*posticus* Heyne & Taschenberg, 1907:243**insularis** Fisher, 1925:8**irroratus** Monné & Delfino, 1980:320**isolatus** Waterhouse, 1890:555**maculatus** Monné & Delfino, 1980:319**mexicanus** Thomson, 1861:8**nocturnus** Fisher, 1942:39**notatus** (Fabricius, 1787:139)*melancholicus* Audinet-Serville, 1835:87*geminus* Pascoe, 1859:29**proximus** Melzer, 1931:9**rubripes** Bates, 1872:219**spilmani** **spilmani** Villiers, 1980:95subsp. **liamaigae** Chalumeau, 1983:225

eBrasil (BA-RJ)

nSAmer-eEcuador, Bolivia (SC)

Colombia, Bolivia (SC)

seBrasil (ES-RS), Argentina

Cuba

Venezuela, Colombia

Brasil (Fernando Noronha I.)

Venezuela, cBrasil, Paraguay

eMexico (VC) - Panama

Puerto Rico

Guatemala-nSAmer, eEcuador, Bolivia (BN, CO, SC)

Brasil, Paraguay, Argentina, Uruguay

Guatemala-Panama

Dominica, Martinique, St Lucia

W Indies (St Kitts)

**Tuberastyochus** Gilmour, 1959:6**tenebrosus** (Bates, 1881:183)

Guatemala, Costa Rica (HE)

**Urgleptes** Dillon, 1956:332*Leiopus* Lacordaire, 1872:775 (part)*Lepturges* Leng & Hamilton, 1896:127 (part)*Lepturges* Zayas, 1975:268 (not Bates, 1863)**abstersus** (Bates, 1885:405)**amoenulus** (Bates, 1863:368)**amplicollis** (Bates, 1885:406)**bicoloratus** Gilmour, 1960:16**bimaculatus** Gilmour, 1960:14**bivittatus** Gilmour, 1961:342**borikensis** Micheli & Micheli, 2004:31**bruchi** (Melzer, 1932:228)**callizonus** (Bates, 1885:403)**cazieri** Gilmour, 1961:344**celtis** (Schaeffer, 1905:168)**chamaeropsis** (Fisher, 1926:27)**charillus** (Bates, 1885:403)**clarkei** Chemsak, 1966:218**clerulus** (Bates, 1881:168)**cobbeni** Gilmour, 1963:85**debilis** (Melzer, 1932:230)**decens** (Melzer, 1932:232)**delicatus** (Bates, 1863:374)**deliciolus** (Bates, 1863:375)*deliciosa* Bruch, 1912:215**dorotheae** Gilmour, 1960:8**duffy** Gilmour, 1961:339**euprepes** (Bates, 1885:404)**facetus** (Say, 1826:271)**fasciatus** (Bates, 1881:169)*elaineae* Gilmour, 1960:6**foveatocollis** (Hamilton in Leng & Hamilton, 1896:126)*minutus* Champlain & Knull, 1925:207*kissingeri* Dillon, 1956:337*knulli* Dillon, 1956:337**franciscanus** (Melzer, 1935:202)**freudei** Gilmour, 1959:8**gahani** Chalumeau, 1983:234**guadeloupensis** (Fleutiaux & Sallé, 1889:472)**haitiensis** Gilmour, 1963:82**histrionella** (Bates, 1885:404)**humilis** (Bates, 1863:379)**hummelincki** Gilmour, 1968:171**inops** (Bates, 1863:376)**kuscheli** Linsley & Chemsak, 1966:245**laticollis** (Bates, 1881:169)**laxicollis** Gilmour, 1960:3**leopaulini** Touroult, 2004:66**literatus** (Bates, 1885:405)**litoralis** Gilmour, 1962:23**maculatus** Gilmour, 1962:24**mancus** (Melzer, 1932:229)**melzeri** Gilmour, 1959:7*humilis* Melzer, 1935:201 (not Bates, 1863)**minutissimus** (Bates, 1863:379)**miser** (Bates, 1863:376)**mixtus** (Bates, 1881:170)*musculus* Bates, 1872:236 (not Bates, 1863)**multinotatus** (Bates, 1881:168)

Belize

seBrasil (RJ)

Panama

Guatemala

Guatemala, Honduras

eMexico (VC)

Puerto Rico

seBrasil (SP)

Guatemala, Honduras

cMexico (SLP)

swUSA (TX)

Cuba, Bahamas

Costa Rica, Panama

W Indies (Peter I, Antigua)

Guatemala

Barbados, Lesser Antilles, Curaçao, Bonaire

seBrasil (SP)

sBrasil (SC, RS)

ncBrasil (AM, PA)

nBrasil (PA)

Guatemala

eMexico (VC)

swMexico (OA)

eNAmer

Guatemala, Honduras, Costa Rica

seUSA-TX

seBrasil (MG-RS)

Brasil

St Vincent

W Indies

Haiti

Costa Rica, Panama

seBrasil (RJ)

W Indies (Aruba)

nwBrasil (AM)

Cocos Is

Guatemala-Panama

Guatemala, Honduras, Costa Rica, Panama

Guadeloupe, Martinique, Santa Lucia

eMexico (VC), Honduras

Fr Guiana

eBrasil (BA)

seBrasil, Argentina, Uruguay

seBrasil (SP)

nBrasil (PA)

seBrasil (RJ)

Mexico - Panama

Guatemala, Honduras, Nicaragua

- mundulus** (Bates, 1885:407)  
**musculus** (Bates, 1863:375)  
**nanus** (Melzer, 1934:99)  
**nigridorsis** (Bates, 1885:405)  
**obscorellus** (Bates, 1863:378)  
**ornatissimus** (Bates, 1885:403)  
**ovalis** (Bates, 1866:433)  
**ozophagus** Chemsak & Feller, 1988:188  
**pallidulus** (Bates, 1885:400)  
**pareuprepes** Gilmour, 1960:1  
**physoderus** (Bates, 1885:405)  
**pluristrigosus** (Bates, 1885:404)  
*pleuristrigosa* Gilmour, 1959:8  
**prolixus** (Melzer, 1931:69)  
**puertoricensis** Gilmour, 1963:88  
**puerulus** (Melzer, 1932:233)  
**pusillus** (Melzer, 1932:231)  
**querici** (Fitch, 1858:796)  
*tristis* Casey, 1913:321  
**recki** (Melzer, 1934:236)  
**ruficollis** (Bates, 1881:170)  
**sandersoni** Gilmour, 1963:79  
**signatus** (LeConte, 1852:171)  
*tenebrosus* Casey, 1913:320  
**sinuosus** Gilmour, 1960:12  
**sordidus** (Bates, 1881:168)  
**spinifer** (Bates, 1863:379)  
**trilineatus** Gilmour, 1962:22  
**trivittatus** (Bates, 1885:404)  
**tumidicollis** (Bates, 1881:169)  
**unilineatus** (Bates, 1872:237)  
**vauriearum** Gilmour, 1960:10  
**villiersi** Gilmour, 1962:21  
**xantho** (Bates, 1885:406)
- Valenus** Casey, 1892:49  
**inornatus** Casey, 1892:50
- Xenocona** Gilmour, 1960:89  
**pulchra** Gilmour, 1960:89
- Xenostylus** Bates, 1885:394  
**sublineatus** Bates, 1885:395
- Xylergates** Bates, 1864:20  
*Xylergatina* Gilmour, 1962:269  
**capixaba** Giorgi & Corbett, 2005:7  
**elaineae** Gilmour, 1962:244  
*hilaris* Proudhomme, 1906:38  
*dorotheae* Gilmour, 1962:279  
**lacteus** Bates, 1864:20  
**picturatus** Lane, 1957:19  
**pulcher** Lane, 1957:10  
*praetor* Duffy, 1960:259
- Xylergatoides** Gilmour, 1962:281  
**asper** (Bates, 1864:21)
- eMexico (VC)  
 nwBrasil (AM), Fr Guiana  
 seBrasil (SP)  
 Guatemala  
 nwBrasil (AM)  
 Costa Rica, Panama  
 nBrasil (PA), Fr Guiana  
 Belize (Twin Cays)  
 Guatemala, Honduras  
 Guatemala, Honduras, Costa Rica  
 Guatemala - Panama  
 Honduras, Costa Rica, Panama
- seBrasil (MG-RS)  
 Puerto Rico  
 seBrasil (MG-SP)  
 sBrasil (RJ-RS)  
 eNAmer
- seBrasil (SP)  
 Nicaragua, Costa Rica  
 Puerto Rico  
 eNAmer
- Guatemala, Honduras  
 eMexico (VC), Guatemala  
 seBrasil (RJ)  
 eBrasil (BA-RJ), Bolivia (SC)  
 Costa Rica, Panama  
 Guatemala-Panama  
 Nicaragua, Costa Rica  
 Guatemala  
 eBrasil (MG)  
 Guatemala
- swUSA (AZ, NM, TX) - nMexico
- Honduras, Costa Rica
- Costa Rica, Panama
- sBrasil (ES)  
 Peru, eEcuador, Colombia, cBrasil, Guianas
- nSAmer, eEcuador, Colombia, Guianas, Bolivia (SC)  
 Peru, wcBrasil (AM, RO), Colombia, eEcuador,  
 Bolivia (BN)  
 eEcuador, Colombia, Peru, cBrasil (AM, PA),  
 Guianas
- Brasil (GO, MT, PB-RS), Paraguay, Argentina



**Acanthoderini** Thomson, 1861:5*Oreoderitae* Thomson, 1864:15*Dryoctenitae* Thomson, 1861:29**Acakya** Martins & Galileo, 1996:303**iaguara** Martins & Galileo, 1996:304**lateralba** Martins & Galileo, 2001:103**nigrofasciata** Martins & Galileo, 2001:105**ocellata** Chemsak & Hovore, 2002:13subsp. **onca** Chemsak & Hovore, 2002:18

Colombia

eEcuador

Peru

Panama, Costa Rica

Panama

**Acanthoderes (Acanthoderes)** Audinet-Serville, 1835:29*Acanthoderus* Laporte, 1840:461**albifrons** Chemsak & Hovore, 2002:5**aliciae** Chemsak & Hovore, 2002:6**alpina** Chemsak & Hovore, 2002:7**amplifrons** Chemsak & Hovore, 2002:9**amplitoris** Chemsak & Hovore, 2002:10**ariasi** Chemsak & Hovore, 2002:11**barrerae** Chemsak & Hovore, 2002:13**bicolor** Chemsak & Hovore, 2002:15**cavei** Chemsak & Hovore, 2002:18**daviesii** (Swederus, 1787:195)*swederi* White, 1855:360*punctata* Fabricius, 1792:272**ferruginea** Chemsak & Hovore, 2002:20**flavomaculata** Chemsak & Hovore, 2002:21**giesberti** Chemsak & Hovore, 2002:23**hondurae** Chemsak & Hovore, 2002:24**laevicollis** Bates, 1872:208**laportei** Aurivillius, 1923:385*daviesii* Laporte, 1840:464 (not Swederus, 1787)**latiforma** Chemsak & Hovore, 2002:26**latevittatus** (Aurivillius, 1921:51)*onca* Galileo & Martins, 2006:26**linsleyi** Chemsak & Hovore, 2002:28**maccartyi** Chemsak & Hovore, 2002:30**noguerae** Chemsak & Hovore, 2002:31**paravetusta** Chemsak & Hovore, 2002:1**parva** Chemsak & Hovore, 2002:3**parvimacula** Zajciw, 1964:439**penrosei** Chemsak & Hovore, 2002:4**quadrigibba** (Say, 1835:195)*quadrigibbus lucidus* Knull, 1958:282**quattuordecimguttata** (Schoenherr, 1817:396)*crassus* Voet, 1778:20 (not Voet, 1778:10 *Onychocerus*)**ramirezi** Chemsak & Hovore, 2002:5**rubripes** Bates, 1872:208**rufofemorata** Aurivillius, 1926:12**satana** Bates, 1880:58**septemmaculata** Buquet, 1859:635**solisi** Chemsak & Hovore, 2002:25**subtessellata** Bates, 1880:59**thammi** Bates, 1880:59**virescens** Fuchs, 1962:323**wappesi** Chemsak & Hovore, 2002:7**zischkai** Tippmann, 1960:165**zonata** Bates, 1880:59

sMexico (VC)

Mexico (MO)

Guatemala

Mexico (NL)

nMexico (TA)

Costa Rica-Panama

Mexico (QU, HI)

nMexico (TA, SLP)

Honduras

Honduras, Colombia, Fr Guiana, Bolivia

Guatemala

Guatemala, Honduras

Guatemala

Honduras, Costa Rica

Nicaragua-Panama

Fr Guiana

sMexico (VC)

Bolivia (CO)

sMexico (QR)-Honduras

Mexico (JA)

Mexico (JA, GU, DF)

Costa Rica, Panama

Guatemala

eBrasil (ES)

Panama

eNAmer-TX, Mexico-Costa Rica

"America"

Mexico (JA)

Nicaragua, Panama

Brasil, Bolivia

Peru

Fr Guiana, nBrasil (AP)

Costa Rica (Cocos Is.)

Ecuador

eEcuador, Peru, Bolivia (BN, SC)

Peru

Guatemala

Bolivia (SC), Ecuador

Colombia

**Acanthoderes (Pardalisia)** Casey, 1913:302*funeraria* Bates, 1861:151

Mexico (OA, SLP, VC)

*erichsonii* Thomson, 1868:147*lacrymans* (Thomson, 1864:554)

Mexico (OA, PU)

*lachrymosus* Bates, 1880: pl.11, fig.6**Acanthoderes (Scythropopsis)** Thomson, 1864:20*albitarsis* Laporte, 1840:461

seBrasil (ES-RS), Paraguay, nArgentina

**Acanthoderes (Symperasmus)** Thomson, 1864:19*affinis* (Thomson, 1865:544)

Fr Guiana, nBrasil (AM, PA)

*flexistigma* Bates, 1880:61*thoracica* White, 1855:359

nBrasil (PA), Peru, Fr Guiana, eEcuador, Bolivia

*thomicus* Thomson, 1864:19*uyapensis* Martins & Galileo, 2003:616**Aegomorphus** Haldeman, 1847:45*Acanthoderes*; Haldeman, 1847:45 (not Audinet-Serville, 1835)*Aethiopoctines* Thomson, 1868:147*Psapharochus* Casey, 1913:301 (not Thomson, 1864)*Aegoschema*; Knull, 1946:243 (not Aurivillius, 1923)*albosignus* Chemsak & Noguera, 1993:98

wMexico (JA)

*arizonicus* Linsley & Chemsak, 1984:253

swUSA (AZ), Mexico (BC)

*chamelae* Chemsak & Giesbert, 1986:36

wMexico (JA)

*modestus* (Gyllenhal in Schoenherr, 1817:164)

eNAmer, Bahamas

*decipiens* Haldeman, 1847:45*morrisii* (Uhler, 1855:417)

eNAmer

*leucogenus* Thomson, 1868:148*peninsularis* (Horn, 1880:116)

swUSA (AZ), wMexico (BC)

**Aegoschema** Aurivillius, 1923:610*Aegomorphus* White, 1855:373 (not Haldeman, 1847)*adpersum* (Thomson, 1861:337)

Brasil

*cinereum* Lane, 1938:108

eBrasil (MG, ES)

*migueli* Monné & Mermudes, 2007:562

Brasil (MG)

*moniliferum* (White, 1855:374)

nBrasil (PA), Fr Guiana, Bolivia (PN, SC)

*obesum* (Bates, 1861:150)

Fr Guiana, nBrasil (PA), eEcuador

*peruvianum* Lane, 1973:394

Peru, Fr Guiana

**Alphus** White, 1855:375*capixaba* Marinoni & Martins, 1978:179

eBrasil (ES)

*similis* Martins, 1985:178

seBrasil, Paraguay, Argentina, Bolivia (SC)

*tuberosus* (Germar, 1824:477)

seBrasil (MG-RS), Bolivia (SC)

**Amblysaphes** Bates, 1885:381*striatus* Bates, 1885:382

Guatemala, Costa Rica

**Anasillus** Marinoni & Martins, 1978:183*crinitus* Marinoni & Martins, 1978:183

Peru

**Anoreina** Bates, 1861:149*ayri* Martins & Galileo, 2008:73

Ecuador

*biannulata* (Bates, 1866:433)

nwBrasil (AM), Peru

*helenae* Machado & Monné, 2011:16

Brasil (MT, RO)

*nana* (Bates, 1861:149)

nBrasil (PA), Peru, Fr Guiana

*piara* Martins & Galileo, 2008:72

Brasil (PA)

- roosevelti** Machado & Monné, 2011:20  
**triangularis** (Martins & Galileo, 2005:12)
- Ateralphus** Restello, Iannuzzi & Marinoni, 2001:300  
**dejeani** (Lane, 1973:397)  
*canescens* Lacordaire, 1872:741 (not Bates, 1862)  
**javariensis** (Lane, 1965:311)  
*diringsi* Martins & Monné, 1993:138  
**lacteus** Galileo & Martins, 2006:28  
**senilis** (Bates, 1862:123)  
*scutellaris* Bates, 1862:123  
*senilis* ab. *uniformis* Tippmann, 1960:165  
**subsellatus** (White, 1855:375)  
*canescens* Bates, 1862:122  
**variegatus** (Mendes, 1938:120)
- Azygocera** Aurivillius, 1920:26  
**picturata** (Fairmaire & Germain, 1859:518)
- Catuana** Martins & Galileo 2008:508  
**spinicornis** (Tippmann, 1960:172)
- Cotyzineus** Martins & Galileo 2007:162  
**bruchi** (Melzer, 1931:195)
- Criopsis** Thomson, 1860:341  
**curtus** Thomson, 1861:342
- Discopus** Thomson, 1864:17  
**antennatus** (Guérin-Méneville, 1855:599)  
**buckleyi** Bates, 1880:254  
**comes** Bates, 1880:254  
**eques** Bates, 1880:253  
**patricius** Bates, 1880:254  
**princeps** Bates, 1880:255  
**spectabilis** (Bates, 1861:476)
- Dryoctenes** Audinet-Serville, 1835:27  
**scrupulosus** (Germar, 1824:470)  
*caliginosus* Audinet-Serville, 1835:28
- Dufauxia** Lane, 1955:293  
**guaicurana** Lane, 1955:294  
**kourouana** Lane, 1970:395  
**simplex** Martins & Galileo, 2003:616  
**thomasi** Martins & Galileo, 2007:160  
**trichocera** Monné & Magno, 1990:687  
**zikani** Lane, 1970:394
- Eupromerella** Fisher, 1938:147  
**clavator** (Fabricius, 1801:291)  
*fascialis* White, 1855:361  
**griseofasciata** (Fuchs, 1959:55)  
*curvistriata* Tippmann, 1960:175  
**maculata** Martins, Galileo & de-Oliveira, 2009:516  
**nigroapicalis** (Aurivillius, 1916:356)  
**orbifera** (Aurivillius, 1908:9)
- Brasil (MT)  
Colombia, Brasil (RO)
- seBrasil (BA-RS), Fr Guiana  
nwBrasil (AM)
- Bolivia (SC)  
nBrasil (PA, MA), Fr Guiana, Peru, Bolivia (SC)
- seBrasil, Paraguay, Argentina, Bolivia (SC)
- sBrasil (PR, SC), Bolivia (SC)
- Chile, sArgentina (NE, SC)
- nwBrasil (AM, PA), Fr Guiana
- Argentina, Uruguay, Bolivia (SC)
- seBrasil (MG-SC)
- Peru  
eEcuador  
eEcuador, Colombia  
Peru  
Ecuador, Peru  
Peru  
nwBrasil (AM), Peru
- Costa Rica )PA), Panama, SAmer (widely distributed), Bolivia (BN, SC)
- cBrasil (RO, MT), Bolivia (BN, SC)  
Fr Guiana, eEcuador  
Paraguay  
Bolivia (SC)  
wcBrasil (RO)  
eBrasil (BA-ES)
- ncBrasil (AM, PA, MT), Peru, Fr Guiana, eEcuador, Bolivia (LP, SC)  
sBrasil (SC, RS), Paraguay
- Brasil (MA)  
eBrasil (ES, RJ)  
nwBrasil (AM), Peru, Bolivia (SC), eEcuador, Colombia

- picturata** Martins, Galileo & de-Oliveira, 2009:515  
**propinqua** (Melzer, 1931:61)  
**semigrisea** (Bates, 1861:217)  
**travassosi** (Melzer, 1935:195)  
**versicolor** (Melzer, 1935:190)  
*brasiliensis* Fisher, 1938:148
- Exalphus** Restello, Iannuzzi & Marinoni, 2001:296.  
**aurivillii** (Lane, 1970:389)  
**biannulatus** (Aurivillius, 1921:50)  
**cavifrons** (Bates, 1872:200)  
*cavifrons* var. *batesi* Aurivillius, 1923:379  
*cavifrons* var. Bates, 1880:136, pl.11, fig.1  
**colasi** (Lane, 1965:305)  
**confusus** Restello, Iannuzzi & Marinoni, 2001:298  
**foveatus** (Marinoni & Martins, 1978:178)  
**gounellei** (Lane, 1973:398)  
**guaraniticus** (Lane, 1955:292)  
**leuconotus** (Thomson, 1861:10)  
**lichenophorus** (Lane, 1965:309)  
**malleri** (Lane, 1955:287)  
**simplex** (Galileo & Martins, 1998:152)  
**spilonotus** Restello, Iannuzzi & Marinoni, 2001:298  
**vicinus** Galileo & Martins, 2003:262  
**zelligori** (Lane, 1955:290)
- Formozotroctes** Tavakilian & Neouze, 2007:9  
**toulgoeti** Tavakilian & Neouze, 2007:10
- Hedypathes** Thomson, 1864:17  
**betulinus** (Klug, 1825:462)  
*vidua* Vigers, 1826:239  
**curvatocostatus** Aurivillius, 1923:470  
*malleri* Fuchs, 1970:109  
**monachus** (Erichson in Schomburg, 1848:573)  
*albus* Thomson, 1865:543
- Irundisaua** Martins & Galileo, 2005:15  
*Natagaima* Lane, 1972:367 (preoccupied Beier, 1960 Orthoptera:Tettigoniidae)  
**balteata** (Lane, 1972:368)  
**forsteri** (Tippmann, 1960:168)  
**heloisae** (Julio, 2003:80)  
**lewisi** Audureau, 2009:499  
**moacyri** (Julio, 2003:78)  
**ocularis** Martins & Galileo, 2005:15  
**punctata** Martins & Galileo, 2007:160  
**ucayalensis** (Tippmann, 1960:168)
- Itajutinga** Martins, 1981:213  
**difficilis** Martins, 1981:214
- Macronemus** Dejean, 1835:337  
*Aethomerus* Thomson, 1861:338  
**analís** (Pascoe, 1866:281)  
**antennator** (Fabricius, 1801:288)  
**asperulus** White, 1855:376  
*antennator* Bates, 1872:206 (not Fabricius, 1801)
- Brasil (MA)  
seBrasil (MG-SC), Paraguay, Bolivia (SC)  
seBrasil (MG-SC)  
seBrasil (RJ)  
sBrasil (SC)
- Guianas, nBrasil (PA)  
Peru, eEcuador, Bolivia (BN, SC)  
Honduras, Guatemala-Panama, Ecuador
- cBrasil (GO), Fr Guiana  
Brasil (BA, MG)  
ecBrasil (GO, MA, SP), Fr Guiana, Bolivia (SC)  
Brasil, Bolivia (BN, SC), Paraguay, Argentina, Ecuador  
nArgentina (SA), Paraguay, Bolivia (SC)  
Brasil, Argentina  
Guianas  
Peru, cBrasil, Fr Guiana, eEcuador, Bolivia (SC)  
Ecuador  
Brasil (PA, RO, MG)  
Colombia  
seBrasil (RJ, SP)
- Fr Guiana
- seBrasil (BA-RS), Paraguay, Argentina
- seBrasil (MG-SP)
- Guianas, Brasil
- Colombia  
Peru, eEcuador, Brasil (AM)  
eEcuador  
Bolivia (LP)  
Colombia  
Colombia  
Colombia  
Peru, Ecuador, Brasil (AM)
- seBrasil (GO, MA, MT, SP), Bolivia
- Brasil  
Brasil, Fr Guiana  
eMexico (VC)-Panama, Venezuela, Ecuador, Bolivia (SC)

- filicornis** (Thomson, 1861:338)  
*cretatus* Pascoe, 1866:281  
**rufescens** (Bates, 1862:119)  
**verrucosus** (Pascoe, 1866:281)
- seBrasil (MG-RS), Fr Guiana  
 nBrasil (PA), Fr Guiana  
 Colombia
- Macropophora** Thomson, 1864:15  
*Macropus* Audinet-Serville, 1835:18 (not Shaw, 1790; not Thunberg, 1805)  
**accentifer** (Olivier, 1795:8)  
**lacordairei** Lepesme, 1946:491
- e SAmer, Bolivia (SC)  
 Bolivia (CO, SC), Peru, Fr Guiana, eEcuador,  
 Colombia, Brasil (AM)  
 nSAmer, Bolivia (BN, PN, SC)
- trochlearis** (Linnaeus, 1758:389)  
*depressus* Linnaeus, 1758:390  
*flavimacula* Voet, 1778:16  
*lepturoides* von Schreber, 1759:83  
*tuberculatus* Fabricius, 1798:143  
**worontzowi** Lane, 1938:49
- cBrasil (AM, MT), Fr Guiana
- Melzerus** Monné, 2005:179  
*Idiomerus* Melzer, 1934:98 (not Imms, 1912 Collembola)  
**difficilis** (Melzer, 1934:98)  
*minutus* Fuchs, 1959:57
- eBrasil (GO, MG-RS), Paraguay, Bolivia (BN, SC),  
 Ecuador
- Meridiotroctes** Martins & Galileo, 2007:188  
**bicristata** Machado & Monné, 2009:68  
**meridionale** Martins & Galileo, 2007:190  
**truncata** Galileo & Martins, 2011:176
- Brasil (RJ)  
 Brasil (RJ, SC, SP)  
 Brasil (BA)
- Miriochrus** Galileo & Martins, 2012:66  
**minimus** Galileo & Martins, 2012:67
- Paraguay
- Mundeu** Martins & Galileo, 2008:508  
**maculicollis** (Bates, 1861:217)
- Fr Guiana, nBrasil (AM, PA)
- Myoxinus** Bates, 1862:120  
*Mysopsis* Thomson, 1864:16  
**asper** Bates, 1880:136  
**pictus** (Erichson, 1847:144)
- seMexico (VC, YU) - Nicaragua  
 eMexico (VC) - Panama, eEcuador, nSAmer  
 Bolivia (BN, SC)
- Myoxomorpha** White, 1855:355  
**alvarengorum** Monné & Magno, 1990:689  
*rondonensis* Galileo & Martins, 2011:178  
**funesta** (Erichson in Schomburg, 1848:573)  
*venezuelae* Fisher, 1944:11  
**seabrai** Marinoni & Dalossi, 1971:190  
**vidua** Lacordaire, 1872:746
- cBrasil (AM, MT, RO), Fr Guiana  
 Panama, nSAmer, Bolivia (PN, SC)  
 cBrasil (PA, RO, MT)  
 Brasil (PA, RO, MA, MT, BA-SP), Paraguay,  
 Fr Guiana
- Necalphus** Lane, 1970:393  
**asellus** (Pascoe, 1866:282)  
*ascellus* Gilmour, 1965:607  
**decoratus** (Monné & Magno, 1992:717)  
*maranduba* Galileo & Martins, 2003:263
- Colombia  
 cBrasil (PA, MT), Colombia, eEcuador

**Nesozineus** Linsley & Chemsak, 1966:229*Grossmannia* Lane, 1977:3**alphoides** (Lane, 1977:5)*confusus* Marinoni & Martins, 1978:181**amazonicus** Martins & Galileo, 2010:682**apharus** Galileo & Martins, 1996:43**armatus** Galileo & Martins, 1996:42**ateuchus** Galileo & Martins, 1996:42**bisignatus** Hoffmann, 1984:543**bucki** (Breuning, 1954:23)**clarkei** Galileo & Martins, 2007:632**fraterculus** Hoffmann, 1984:544**galapagoensis galapagoensis** (Van Dyke, 1953:136)subsp. **variabilis** Linsley & Chemsak, 1966:231subsp. **williamsi** (Van Dyke, 1953:137)**giesberti** Galileo & Martins, 2007:632**granosus** Galileo & Martins, 1996:44**griseolus** Hoffmann, 1984:539**juninensis** (Lane, 1970:392)**lineatus** Galileo & Martins, 1996:43**marmoratus** Galileo & Martins, 1996:44**obscurus** Hoffmann, 1984:541**osorioensis** Galileo & Martins, 2012:221**peruanus** Galileo & Martins, 2007:631**probolus** Galileo & Martins, 1996:45**propinquus** Hoffmann, 1984:542**puru** Galileo & Martins, 2007:632**simile** Galileo & Martins, 2006:28**triviale** Galileo & Martins, 1996:45**unicolor** Martins, Galileo & de-Oliveira, 2009:517**zonatus** Galileo & Martins, 1996:42

eBrasil (PE, ES, SP)

Brasil (AM)

Brasil (MA), Venezuela, Bolivia (SC)

wEcuador

Venezuela

eBrasil (PE, BA)

Mexico-Panama, seBrasil, Venezuela, nArgentina,  
Bolivia (BN, SC)

Bolivia (SC), Ecuador

Venezuela

Galapagos Is. (S. Albemarle)

Galapagos Is. (Sta. Cruz)

Galapagos Is. (St. James)

Panama

wEcuador

eBrasil (PB)

Peru, Bolivia (SC)

eBrasil (MA, MS)

Venezuela, Colombia

nArgentina (CH, FO, SE)

Brasil (RS)

Peru

Peru, wEcuador

Venezuela

Bolivia (SC)

Bolivia (SC)

Costa Rica (GU), sBrasil (MA, MG-PA, GO, MS),  
Bolivia (SC)

Brasil (MA)

seBrasil (SP)

**Octotapnia** Galileo & Martins, 1992:61**ceiaca** Galileo & Martins, 1998:151**exotica** Galileo & Martins, 1992:62**mucunaca** Galileo & Martins, 1998:150

Brasil (MG), Bolivia (SC)

Paraguay, Bolivia (SC)

Brasil (RO)

**Oplosia** Mulsant, 1863:300*Hoplosia* Fairmaire, 1864:158*Lepargus* Schiødte, 1864:512**nubila** (LeConte, 1862:39)

eNAmer

**Oreodera** Audinet-Serville, 1835:19**achatina** Erichson, 1847:143*lacteostrigata* Bates, 1861:52**adornata** Martins & Galileo, 2005:14**advena** Martins & Galileo, 2005:14**aerumnosa** Erichson, 1847:142*remota* Pascoe, 1859:29**aestiva** Neouze & Tavakilian, 2010:47**affinis** Gahan, 1892:262**aglaia** Monné & Fragoso, 1988:831**albata** Villiers, 1971:349**albicans** Monné & Fragoso, 1988:812**albilatera** Martins & Monné, 1993:136**aliciae** McCarty, 2005:83

Peru, nwBrasil (AM)

Colombia

Colombia, Ecuador

Panama, SAmer (widely dist), Bolivia (BN, LP, SC)

Fr Guiana

Guatemala

eEcuador

Panama, Fr Guiana

cBrasil (RO, MT), Fr Guiana

Costa Rica (LI, PA), Panama, wEcuador

Costa Rica (GU, PA), Panama

- amabilis** Monné & Fragoso, 1988:826  
**basicretata** Neouze & Tavakilian, 2010:44  
**basipenicillata** Tippmann, 1960:159  
**basiradiata** Tippmann, 1960:161  
**beneluzi** Neouze & Tavakilian, 2010:67  
**bituberculata** Bates, 1861:51
- boliviana** Tippmann, 1960:159  
**boucheri** Neouze & Tavakilian, 2010:59  
**brailovskyi** Chemsak & Noguera, 1993:96  
**c-album** Bates, 1872:204  
**candida** Marinoni & Martins, 1978:177  
**canotogata** Bates, 1872:203  
**charisoma** Lane, 1955:285  
     *grossa* Tippmann, 1960:157  
**chemsaki** McCarty, 2001:16  
**cinerea** Audinet-Serville, 1835:20  
     *angustata* Melzer, 1932:423  
**cocoensis** (Linsley & Chemsak, 1966:243)  
**copei** McCarty, 2001:18  
**corticina** Thomson, 1865:542  
**costaricensis** Thomson, 1865:542  
**cretata** Bates, 1861:148  
**cretifera** Pascoe, 1859:29  
**crinita** Monné & Fragoso, 1988:815  
**curiosa** Galileo & Martins, 2007:583  
**curvata** Martins & Monné, 1993:134  
**dalensi** Tavakilian & Neouze, 2011:74  
**durantoni** Neouze & Tavakilian, 2010:53  
**exigua** Monné & Fragoso, 1988:820  
**fasciculosa** Thomson, 1865:542  
     *hispidata* Bates, 1880:135  
**feuilletti** Neouze & Tavakilian, 2010:45  
**flavopunctata** Fuchs, 1958:54  
**fluctuosa** Bates, 1861:50  
     *kahli* Williams, 1928:222  
**forsteri** Tippmann, 1960:158  
**glaucia glauca** (Linnaeus, 1758:390)  
     *tuberculata* Degeer, 1775:112  
     *spengleri* Fabricius, 1776:231  
     *punctata* Voet, 1778:16  
     *rudis* Olivier, 1792:461  
     *scabra* Fabricius, 1792:274  
     *literata* Donovan, 1813:15  
     subsp. **jamaicensis** Fisher, 1942:26  
     subsp. **pacifica** Chemsak & Linsley, 1978:140  
**goudoti** (White, 1855:370)  
**granulifera** Bates, 1872:205  
     *pulcherrima* Monné & Fragoso, 1988:821  
**granulipennis** Zajciw, 1963:426  
**graphiptera** Bates, 1885:376  
**griseozonata** Bates, 1861:149  
**hassenteufeli** Fuchs, 1959:56  
**hoffmanni** (Thomson, 1861:28)  
     *lateralis* Lacordaire, 1872:735  
**hovorei** Neouze & Tavakilian, 2010:63  
**howdeni** Monné & Fragoso, 1988:818  
**inscripta** Bates, 1872:205  
     *inscriptipennis* Bates, 1880: pl.10, fig.11
- cBrasil (MT)  
 Fr Guiana  
 Bolivia (SC), Fr Guiana, eEcuador  
 nBrasil (AP), Fr Guiana  
 Fr Guiana  
 Colombia, eEcuador, Peru, nwBrasil (AM, MA),  
     Guianas, Bolivia (BN, CO, SC)  
 Bolivia (SC)  
 Fr Guiana  
 wMexico (JA)  
 Nicaragua-Panama, Venezuela  
 eBrasil (BA, PE-PR)  
 Nicaragua-Panama  
 seBrasil (BA, RJ-SP)
- Guatemala  
 seBrasil (ES-RS)
- Costa Rica (Cocos Is.)  
 Mexico (MO, GU)  
 eMexico (VC) - Honduras  
 El Salvador-Panama, Colombia, eEcuador  
 nBrasil (PA), Fr Guiana, Ecuador, Bolivia (SC)  
 seBrasil (ES, RJ)  
 eEcuador, Peru, Fr Guiana  
 Brasil (ES)  
 Fr Guiana, ncBrasil (AM), Colombia  
 Fr Guiana  
 Fr Guiana  
 eBrasil (BA, ES)  
 eMexico (VC, OA) - Panama
- Fr Guiana  
 nBrasil (PA), Fr Guiana  
 Costa Rica, Panama, nBrasil (AP, AM, PA, MT),  
     eEcuador, Fr Guiana, Bolivia (BN, SC)  
 Bolivia, Ecuador  
 Mexico - Panama, SAmer, Bolivia (LP, SC), W Indies
- Jamaica  
 Mexico (Socorro I.)  
 Colombia  
 Guatemala-Panama, Colombia
- Venezuela  
 Honduras, Costa Rica, Panama  
 ncBrasil (AM, PA), Fr Guiana  
 Bolivia  
 eBrasil (BA-RJ)
- Fr Guiana  
 Costa Rica (GU), Colombia  
 Honduras - Panama

- jacquieri** Thomson, 1865:542  
*jaquieri* Aurivillius, 1923:377  
**kawensis** Neouze & Tavakilian, 2010:56  
**lanei** Monné & Fragoso, 1988:824  
**larrei** Neouze & Tavakilian, 2010:49  
**lateralis** (Olivier, 1795:129)  
**leucostigma** Monné & Fragoso, 1988:814  
**lezamai** Hovore, 1989:254  
**luteogrisea** Neouze & Tavakilian, 2010:64  
**macropoda** Marinoni & Martins, 1978:175  
**mageia** Martins, Galileo & Tavakilian, 2008:282  
**magnifica** Martins & Monné, 1993:137  
**magnoi** Monné & Fragoso, 1988:829  
**marinonii** Monné & Fragoso, 1988:817  
**melzeri** Monné & Fragoso, 1988:823  
**mimetica** Lane, 1970:387  
**minima** Galileo & Martins, 1999: 91  
**mocoiatira** Galileo & Martins, 1998:152  
**modesta** Monné & Fragoso, 1988:829  
**morvanae** Neouze & Tavakilian, 2010:68  
**neglecta** Melzer, 1932:425  
**nivea** Martins & Galileo, 2005:12  
**noguerai** McCarty, 2001:24  
**obsoleta** Bates, 1874:228  
**occulta** Monné & Fragoso, 1988:823  
**ohausi** Melzer, 1930:195  
**olivaceotincta** Tippmann, 1953:343  
**olivosexplex** Neouze & Tavakilian, 2010:61  
**omissa** Melzer, 1932:424  
**paulista** Tippmann, 1953:342  
**podagrica** Neouze & Tavakilian, 2010:65  
**purpurascens** Bates, 1880:135  
**pustulosa** Monné & Fragoso, 1988:821  
**quinquetuberculata** (Drapiez, 1820:328)  
*trinodosa* Germar, 1824:471  
**rhytisma** Monné & Fragoso, 1988:818  
**roppai** Monné & Fragoso, 1988:830  
**rufofasciata** Bates, 1861:51  
**seabrai** Monné & Fragoso, 1988:815  
**semialba** Bates, 1874:228  
**semiporosa** Tippmann, 1960:160  
**sensibilis** Galileo & Martins, 2007:585  
**seraisorum** Neouze & Tavakilian, 2010:55  
**sericata** Bates, 1861:148  
**sexplagiata** Melzer, 1931:60  
**simplex** Bates, 1861:148  
*pinimaiuba* Martins & Galileo, 2008:72  
**sororcula** Martins & Monné, 1993:135  
**stictica** Monné & Fragoso, 1988:814  
**tenebrosa** Thomson, 1864:542  
*fulgurata* Melzer, 1931:59  
**tijuca** Marinoni & Martins, 1978:174  
**triangularis** Galileo & Martins, 2007:583  
**trinitensis** Neouze & Tavakilian, 2010:58  
**tuberculata** Thomson, 1864:542  
**tuberculifera** Galileo & Martins, 2007:585  
**tuberosa** Monné & Fragoso, 1988:824  
**turnbowi** McCarty, 2001:25  
**undulata** Bates, 1861:49  
**veronicae** Neouze & Tavakilian, 2010:70
- Venezuela, nBrasil (PA, MT), Fr Guiana
- Fr Guiana  
 Peru, cBrasil (MT), Bolivia (SC)  
 Fr Guiana  
 Panama, SAmer, Cuba, Puerto Rico  
 sBrasil (PR, SC)  
 Costa Rica  
 Fr Guiana  
 w Brasil (AC, RO, MT), eEcuador  
 Fr Guiana  
 seBrasil (SP)  
 w Brasil (RO), eEcuador  
 eBrasil (BA-RJ)  
 nwBrasil (AM), Fr Guiana, Peru, eEcuador, Colombia  
 Costa Rica, Panama  
 Colombia  
 eEcuador  
 seBrasil (BA-SC)  
 Fr Guiana  
 ncBrasil (PA, MT), Fr Guiana, eEcuador  
 Colombia  
 Mexico (MX)  
 swMexico (OA)-Nicaragua  
 sw Brasil, Bolivia (SC), nArgentina (FO)  
 seBrasil (SP-RS), nArgentina (MI), Bolivia (SC)  
 cBrasil (MT), Bolivia, eEcuador  
 Fr Guiana  
 eBrasil (GO, ES-SC)  
 Brasil (RO, MA, MT, SP), Fr Guiana, Bolivia (SC)  
 Fr Guiana  
 Honduras, Guatemala, Costa Rica  
 w Brasil (RO), Fr Guiana  
 seBrasil, Paraguay, (BA-RS), Argentina, Bolivia (SC)
- wEcuador  
 cBrasil (MT), Fr Guiana  
 nwBrasil (AM), eEcuador  
 seBrasil (ES, RJ)  
 Nicaragua, Costa Rica  
 Bolivia (SC)  
 Brasil (SP)  
 Fr Guiana  
 nwBrasil (AM), eEcuador  
 seBrasil (MG-RS)  
 nwBrasil (AM), Fr Guiana, eEcuador
- Venezuela, Guyana, Fr Guiana  
 cBrasil (MT)  
 seBrasil (ES-SP)
- seBrasil (RJ)  
 Brasil (SP)  
 Fr Guiana  
 Bolivia (SC), Colombia, eEcuador  
 Brasil (SP)  
 wBrasil (AM, RO), Fr Guiana  
 Mexico (CHS)  
 cBrasil (AM, MA, MT), Fr Guiana, eEcuador  
 Fr Guiana



- verrucosa** Bates, 1872:204  
**vulgata** Monné & Fragoso, 1988:827  
**wappesi** McCarty, 2001:27  
**zikani** Melzer, 1930:196
- Ozotroctes** Bates, 1861:478  
**ogeri** Tavakilian & Neouze, 2007:4  
**punctatissimus** Bates, 1861:478  
**vassali** Tavakilian & Neouze, 2007:3
- Paradiscopeus** Schwarzer, 1930:109  
**maculatus** Schwarzer, 1930:110
- Penaherreraus** Roguet, 2004:90  
*Pycnomorphus* Thomson, 1864:15 (not Motschulsky, 1858)  
**batesi** (Tavakilian & Peñaherrera-Leiva, 2003:15)  
**bilineatus** (Aurivillius, 1921:51)  
**centrolineatus** (Bates, 1862:122)  
**guianensis** (Tavakilian & Peñaherrera-Leiva, 2003:10)  
**pradosiae** (Tavakilian & Peñaherrera-Leiva, 2003:13)  
**pubicornis** (Audinet-Serville, 1835:21)  
**sarryi** (Tavakilian & Peñaherrera-Leiva, 2003:12)
- Peritapnia** Horn, 1894:402  
**fabra** Horn, 1894:404  
*wickhami* Leng in Leng & Hamilton, 1896:114  
**minima** Chemsak & Linsley, 1978:26  
*nudicornis* Horn, 1894:403 (not Bates, 1885)  
**nudicornis** (Bates, 1885:421)  
**pilosa** Chemsak & Linsley, 1978:26
- Plagiosarus** Bates, 1880:144  
**binoculus** Bates, 1880:144  
**literatus** Bates, 1885:382  
**melampus** Bates, 1885:383  
var. *congestus* Bates, 1885:383
- Plistonax** Thomson, 1864:19  
**albolinitus** (Bates, 1861:471)  
*multipunctatus* Thomson, 1864:19  
**inopinatus** Lane, 1960:47  
*albolinitus* Zikán & Zikán, 1944:34 (not Bates, 1861)  
**insolitus** Monné, 2001:1  
**rafaeli** Martins & Galileo, 2006:270  
**travassosi** Monné & Magno, 1992:718
- Psapharochrus** Thomson, 1864:18  
**abstersus** (Bates, 1880:60)  
**alboguttatus** (Melzer, 1935:192)  
**albomaculatus** (Fuchs, 1963:10)  
**albonigrus** (Bates, 1861:218)  
**arietis** (Bates, 1885:380)  
**atrosignatus** (Melzer, 1932:222)  
**bialbomaculatus** (Zajciw, 1964:159)  
**bicuspis** (Germar, 1824:475)  
**bimaculatus** (Fuchs, 1959:54)  
**binocularis** (Martins, 1981:215)
- Nicaragua-Panama  
seBrasil (BA-SC), Paraguay  
Mexico (VC, CS), Honduras  
seBrasil (ES-SP)
- Fr Guiana, Brasil (AM)  
nBrasil (PA), Fr Guiana, eEcuador  
Fr Guiana
- Costa Rica
- Nicaragua, Costa Rica (GU, PA), Panama  
Venezuela  
Venezuela, Colombia, eEcuador, Surinam, Fr Guiana,  
nBrasil (AM, AP, PA), Bolivia (SC), Trinidad  
Fr Guiana  
Fr Guiana  
seBrasil (PE-RS), Paraguay, Argentina  
Fr Guiana, Bolivia (SC)
- swUSA (AZ), Mexico (BC)
- Mexico (BC)
- swMexico (OA, VC)  
swMexico (JA, OA)
- seMexico (VC)  
seMexico (VC), Guatemala  
Guatemala-Panama
- Fr Guiana, nBrasil (AP, AM, PA)
- seBrasil (BA-SC)
- nBrasil (AP)  
Brasil (AM)  
cBrasil (PA, MA, MT), Fr Guiana
- Colombia  
seBrasil (ES-SC), Bolivia (SC)  
Bolivia  
ncBrasil (AM, PA), eEcuador, Bolivia (SC)  
Guatemala  
seBrasil (MG-SP), Bolivia (SC)  
Peru, Colombia (?), Bolivia (SC), Fr Guiana  
Brasil  
Bolivia  
cBrasil (MT)

- bivittus** (White, 1855:354)  
*fuliginosus* Thomson, 1865:543
- borrei** (Dugés, 1885:48)
- brevicornis** (Zajciw, 1964:67)
- brunnescens** (Zajciw, 1963:585)
- carinicolis** (Bates, 1880:61)
- chrysopus** (Bates, 1861:474)
- circumflexus** (Jacquelin du Val in Sagra, 1857:270)  
*meteorica* Gistel, 1857:79
- clericus** (Bates, 1880:141)
- comptus** (Marinoni & Martins, 1978:185)
- coniferus** (Zajciw, 1963:588)
- consentaneus** Thomson, 1865:544
- cornutus** (Bates, 1880:142)
- corticarius** (Tippmann, 1960:171)
- crocostigmus** (Bates, 1880:61)
- cylindricus** (Bates, 1861:473)
- doctus** (Bates, 1880:141)
- excellens** (Zajciw, 1964:68)
- flavitaris** (Fuchs, 1962:322)
- fuscolis** (Bates, 1861:216)
- galapagoensis galapagoensis** (Linell, 1898:261)  
*galapagonesis* Mutchler, 1938:14  
 subsp. **vonhageni** (Mutchler, 1938:14)  
 subsp. **williamsi** (Linsley & Chemsak, 1966:225)
- geminus** Galileo & Martins 2012:62
- gigas** Galileo & Martins 2012:63
- griseomaculatus** (Zajciw, 1971:306)
- guatemalensis** Casey, 1913:303
- hebes** (Bates, 1861:215)
- histrion** Casey, 1913:302
- homonymus** (Blackwelder, 1946:610)  
*latevittata* Aurivillius, 1923:35 (not Aurivillius, 1921)
- inaequalis** Galileo & Martins, 2011:177
- inquinatus** (Bates, 1872:207)
- irumus** Galileo & Martins, 2011:178
- itaiyensis** (Melzer, 1935:194)
- jaspideus** (Germar, 1824:475)  
*congener* Burmeister, 1865:178
- juno** (Fisher, 1938:139)
- laetificus** (Bates, 1880:60)
- lanei** (Marinoni & Martins, 1978:187)
- lateralis** (Bates, 1861:475)  
*consentaneus* Prudhomme, 1906:37 (not Thomson, 1865)  
*armata* Melzer, 1935:191
- leucodryas** (Bates, 1880:61)
- leucogaeus** (Erichson, 1847:143)
- longipennis** (Zajciw, 1963:587)
- longispinis** (Bates, 1861:417)
- longitarsis** (Bates, 1880:58)
- litor** (White, 1855:362)
- luctuosus** (Bates, 1880:60)
- lugens** Thomson, 1865:543
- maculatissimus** (Bates, 1861:219)
- magnus** (Marinoni & Martins, 1978:188)
- melanostictus** (White, 1855:361)  
*contaminatus* Thomson, 1865:543
- meleagris** (Bates, 1861:474)
- minimus** (Bates, 1861:217)
- Honduras, Guatemala-Panama, Brasil (MA, AM, ES-SP), Fr Guiana, Bolivia (LP, SC)  
 cMexico (GU, MO, GR, JA)  
 seBrasil (SP-RS), nArgentina (MI)  
 eBrasil (MA, CE-BA)  
 seBrasil (MG-PR)  
 cBrasil (AM, RO, MT), Fr Guiana  
 Mexico - Panama, SAmer, W Indies
- cMexico (PU)  
 cBrasil (RO, MT), Bolivia (SC)  
 seBrasil (ES)  
 Brasil  
 Guatemala, Honduras  
 Bolivia (BN, SC)  
 Ecuador  
 seBrasil, Paraguay, Argentina  
 scMexico (OA)  
 Colombia  
 eBrasil (BA-SC), Bolivia (SC)  
 Panama, nwBrasil (AM), Bolivia (SC)  
 Galapagos Is. (Chatham)
- Galapagos Is. (Indefatigable)  
 Galapagos Is. (James)  
 Brasil (SP)  
 Peru, Brasil (AM)  
 Peru  
 Guatemala  
 nwBrasil (AM), Fr Guiana, Peru, eEcuador  
 Honduras
- Bolivia (CO, SC), seBrasil (MG)
- Bolivia (SC)  
 Nicaragua-Panama, Colombia  
 Bolivia (SC)  
 seBrasil (RJ-SC)  
 sBrasil (MA, ES-RS), c SAmer, Bolivia (SC)
- Brasil (PR-RS), Paraguay, Argentina  
 eEcuador, Brasil (AM), Peru, Bolivia (SC)  
 cBrasil (GO, MA, MT), Bolivia (SC)  
 Guianas, cBrasil (AM), Peru, eEcuador, Bolivia (SC)
- eEcuador  
 Peru  
 eBrasil (ES)  
 nBrasil (PA), Peru, Fr Guiana, eEcuador  
 eEcuador  
 nBrasil (PA), Peru  
 seBrasil (MG-SC)  
 ecMexico (ME, PU, VC)  
 ncBrasil (PA, MT), Peru, Bolivia (SC)  
 Bolivia (SC)  
 Brasil
- cBrasil (AM, MT), Bolivia (SC), eEcuador  
 nBrasil (PA)

- mourei** (Zajciw, 1964:70)  
**nearnsi** Martins & Galileo, 2010:683  
**nigricans** (Lameere, 1885:110)  
**nigritarsis** (White, 1855:363)  
*sylvanus* Bates, 1880:141  
**nigromaculatus** (Fuchs, 1962:58)  
**nigroocellatus** (Tippmann, 1960:170)  
**nigropunctatus** (Tippmann, 1960:169)  
**nigrovittatus** (Zajciw, 1969:109)  
**pereirai** (Prosen & Lane, 1955:136)  
*stygalis* Tippmann, 1960:173  
**peritapnioides** (Linsley, 1958:49)  
**phasianus** (Bates, 1861:473)
- pictus** Galileo & Martins 2012: 65  
**pigmentatus** (Bates, 1861:472)  
*pegmentata* Zajciw, 1970:187  
**pinima** Galileo & Martins, 2006:27  
**piperatus** (Gahan, 1892:262)  
**piraiuba** Martins & Galileo, 2003:615  
**plaumanni** (Fuchs, 1959:59)  
**polystictus** (Bates, 1885:379)  
**pseudopropinquus** (Fuchs, 1959:60)  
**pupillatus** (Bates, 1880:60)  
**purulensis** (Bates, 1885:379)  
*daviesi* Olivier, 1795:104 (part)  
**quadrituberculatus** (Zajciw, 1964:160)  
**ridleyi** (Waterhouse, 1894:555)  
**rufitarsis** (Kirsch, 1889:41)  
**sallei** Thomson, 1865:543  
*sallaei* Bates, 1880:141  
**satellinus** (Erichson, 1847:147)  
**schmithi** (Melzer, 1935:193)  
*sexmaculatus* Fuchs, 1961:20  
**signatus** (Gahan, 1892:263)  
**signatifrons** (Zajciw, 1964:162)  
**socorroensis** (Linsley, 1942:84)  
**umbratus** (Bates, 1885:379)  
**vetustus** (Bates, 1880:58)  
*mimica* Tippmann, 1960:162
- Psapharoctes** Tavakilian & Neouze, 2007:19  
**fanchonae** Tavakilian & Neouze, 2007:19  
**hermieri** Tavakilian & Neouze, 2007:23
- Pseudaethomerus** Tippmann, 1953:339  
**lacordairei** (Bates, 1862:120)  
**maximus** Tippmann, 1953:339
- Pseudotapnia** Chemsak & Linsley, 1978:28  
**curticornis** Chemsak & Linsley, 1978:28
- Pteridotelus** White, 1855:356  
**contaminatus** Thomson, 1865:544  
**hematopus** (Lameere, 1884:109)  
*haematopus* Aurivillius, 1923:383  
**laticornis** White, 1855:356  
**pupillatus** Lacordaire, 1872:725
- seBrasil (ES, RJ)  
Bolivia (LP)  
nSAmer, Bolivia (LP, SC)  
swMexico (OA), Guatemala, Honduras, Costa Rica
- Peru  
Peru, Bolivia (BN, SC)  
Bolivia (SC)  
eBrasil (PE, PB, BA)  
ecBrasil (GO, MA, SP)
- Mexico (Revilla Ggedo Is.)  
Costa Rica (GU, PA), Panama, nwBrasil, eEcuador,  
Fr Guiana, Peru, Bolivia (SC)  
Panama  
nwBrasil (AM), Fr Guiana
- Bolivia (SC)  
nwMexico (DU)  
Argentina (SL)  
sBrasil (MS, SC), Bolivia (SC)  
Costa Rica (PA), Panama  
Argentina, Bolivia (SC)  
Colombia  
Guatemala
- eBrasil (ES)  
Brasil (Fernando de Noronha I)  
Ecuador  
eMexico (VC)
- cBrasil (AM, MT), Peru, Bolivia (SC)  
seBrasil (RJ-SC)
- swMexico (GR)  
wEcuador  
Mexico (Revilla Ggedo Is)  
Guatemala, Honduras  
seBrasil (RJ-SC), Fr Guiana
- Fr Guiana  
Fr Guiana, Brasil (PA, PE)
- nwBrasil (AM), Fr Guiana, eEcuador  
Guatemala - Panama, Bolivia, nwBrasil (AM),  
Fr Guiana
- Panama
- Brasil  
Venezuela
- Venezuela  
seMexico (YU)

**Punctozotroctes** Tavakilian & Neouze, 2007:11

- bolivianus** Martins & Galileo, 2007:187 Bolivia (SC)  
**chemsaki** Tavakilian & Neouze, 2007:14 Fr Guiana  
**feuilleti** Tavakilian & Neouze, 2007:15 Fr Guiana  
**guianensis** Tavakilian & Neouze, 2007:11 Fr Guiana  
**hovorei** Tavakilian & Neouze, 2007:16 Fr Guiana, Brasil (PA)  
**inhamum** Martins, Galileo & Limeria-de-Oliveira, 2009: 241 Brasil (MA)  
**nordestinus** Martins & Galileo, 2007:188 Brasil (PE)  
**tuberculatus** Galileo & Martins, 2011:177 Brasil (RO)  
**wappesi** Tavakilian & Neouze, 2007:13 Fr Guiana

**Pycnomorphidiellus** Tavakilian & Peñaherrera-Leiva, 2003:16

- polyphagus** Tavakilian & Peñaherrera-Leiva, 2003:16 Fr Guiana

**Pyrianoreina** Martins & Galileo, 2008:70

- hovorei** Martins & Galileo, 2008:70 Bolivia (SC)  
**piranga** Martins & Galileo, 2008:70 Ecuador, Bolivia (SC)

**Scleronotus** White, 1855:364

- angulatus** Aurivillius, 1916:357 Peru, Bolivia  
**anthribiformis** Aurivillius, 1916:356 Brasil  
**egensis** (White, 1855:364) nBrasil (AM), eEcuador  
*egaensis* Bates, 1861:216  
**flavosparsus** Melzer, 1935:195 seBrasil (SP)  
**hirsutus** Julio, 1998:7 seBrasil (SC)  
**monticellus** Julio, 1998:6 Brasil (AM)  
**scabrosus** Thomson, 1861:341 seBrasil (ES-RS)  
**stigosus** Julio, 1998:5 Brasil (SP, RJ)  
**stupidus** Lacordaire, 1872:755 seBrasil (MG, RJ)  
**tricarinatus** Julio, 1998:3 Brasil

**Sorelia** Lane, 1965:301

- ferruginea** Fuchs, 1964:9 Fr Guiana, cBrasil (GO, TO), Ecuador  
*cervina* Lane, 1965:301

**Spinozotroctes** Tavakilian & Neouze, 2007:5

- seraisorum** Tavakilian & Neouze, 2007:5 Fr Guiana  
**thouvenoti** Tavakilian & Neouze, 2007:6 Fr Guiana

**Steirastoma** Lacordaire, 1830:180

*Stirastoma* Gemminger & Harold, 1873:3143

*Paraberningerus* Breuning, 1975:9

- acutipenne** Sallé, 1856:691 Hispaniola  
**aethiops** Bates, 1862:399 nwBrasil (AM), Peru, Bolivia (BN, SC), eEcuador,  
Colombia  
**albiceps** Bates, 1872:107 Nicaragua, Costa Rica  
**anomala** Bates, 1880:138 cMexico (PU, JA, CM, GR)  
**breve** (Sulzer, 1776:45) Costa Rica-SAmer, Bolivia (BN, LP, PN, SC),  
W Indies  
*carinatus* Voet, 1778:15  
*depressus* Fabricius, 1781:214  
**coenosa** Bates, 1862:398 Costa Rica, Panama, eEcuador, nBrasil (PA), Bolivia  
**genisspina** Schwarzer, 1923:259 cBrasil (MT), eEcuador, Fr Guiana, Bolivia (SC)  
**histrionica** White, 1855:354 Mexico (ME, VC) - Panama, Colombia, wEcuador  
*larva* Thomson, 1861:6  
**liturata** Bates, 1885:378 Honduras, Guatemala-Panama  
**lycaon** Pascoe, 1866:279 Colombia

- marmorata** (Thunberg, 1822:307)  
*manuelata* Germar, 1824:480  
*lacerta* Laporte, 1840:461
- melanogenys** White, 1855:355
- meridionale** Aurivillius, 1908:9  
*depressum* Heyne & Taschenberg, 1906:243 (not Fabricius, 1781)  
*heros* Colas, 1952: pl.8
- poeyi** Chevrolat, 1862:246
- pustulata** (Drury, 1773:64)  
*cancriformis* Fabricius, 1775:165
- senex** White, 1855:353
- stellio** Pascoe, 1866:280  
*schmitzi* Breuning, 1975:9
- thunbergi** Thomson, 1865:543
- zischkai** Prosen, 1958:73
- seBrasil (BA-RS), Paraguay, Argentina, Uruguay
- Honduras - nSAmer
- seBrasil (MG-RJ)
- Cuba
- Jamaica
- eMexico (VC) - Panama
- Costa Rica (GU, LI, PA, SJ), Panama, SAmer (widely distributed), Bolivia (SC)
- sBrasil (SP-RS), Uruguay
- Bolivia
- Sychnomerus** Bates, 1885:380
- barbiger** Bates, 1885:381
- hirticornis** Bates, 1885:381
- Guatemala, Honduras
- sMexico (CHS), Guatemala
- Taurorcus** Thomson, 1857:186  
*Taurorgus* Gemminger & Harold, 1873:3147
- chabrilacii** Thomson, 1857:187
- mourei** Marinoni, 1969:60
- seBrasil (MG-RS), nArgentina (MI)
- sBrasil (PR, RS)
- Tetrasarus** Bates, 1880:142
- albescens** Bates, 1880:143
- callistus** Bates, 1880:143
- formosus** Bates, 1885:382
- inops** Bates, 1880:142
- lezamai** Chemsak & Hovore, 2002:18
- lineatus** Bréthes, 1920:47
- nanus** Chemsak & Hovore, 2002:21
- pictulus** Bates, 1880:143  
*quadriscopulatus* Bates, 1872:208 (not Thomson, 1868)
- plato** Bates, 1885:382
- quadriscopulatus** (Thomson, 1868:146)
- similis** Chemsak & Hovore, 2002:22
- swMexico (OA)
- Guatemala
- Costa Rica
- swMexico (OA, CHS), Guatemala, Honduras
- Costa Rica
- Peru
- Guatemala
- Mexico - Costa Rica
- Mexico (CHS), Guatemala
- Guatemala
- Panama
- Trichoanoreina** Julio & Monné, 2005:446
- albomaculata** Julio & Monné, 2005:447
- sBrasil (ES, SP)
- Urangaua** Martins & Galileo, 2008:510
- analis** (Melzer, 1935:192)
- subanalis** (Zajciw, 1964:163)
- seBrasil (SP-SC), nArgentina
- seBrasil (MG, SP)
- Zikanita** Lane, 1943:261  
*Acanthoderes* (*Trichacanthoderes*) Tippmann, 1960:176
- argenteofasciata** (Tippmann, 1960:178)
- biocellata** (Tippmann, 1960:177)
- perpulchra** Lane, 1943:262
- plumbea** Machado & Monné, 2011:66
- Peru, Brasil (MA)
- Peru, Bolivia (SC), eEcuador
- seBrasil (BA, MG-SP)
- Brasil (MT, GO)

**Acrocinini** Thomson 1860:28**Acrocinus** Illiger, 1806:247*Macropus* Thunberg, 1805:282 (not Shaw, 1790)**longimanus** (Linnaeus, 1758:388)*pictus* Leach, 1815:84

ecMexico (VC, ME) - Panama, SAmer, Bolivia (LP, SC)

**Aerenicini** Lacordaire, 1872:897**Aerenica** Dejean, 1835:352*Aerenaesius* Gilmour, 1962:131*Aerenasius* Martins & Galileo, 1985:464**canescens** (Klug, 1825:468)*lahillei* Bruch, 1926:345*lahillei* var. *salobrensis* Lane, 1939:77

Brasil (GO, MA, MT, MG-PR), Bolivia (SC), Paraguay, Argentina

**Aerenicella** Gilmour, 1962:133*Melaerenica* Lane, 1966:231**spissicornis** (Bates, 1881:145)*melanocera* Lane, 1938:639

sBrasil (PR), Argentina, Uruguay

**Aerenicopsis** Bates, 1885:427*Falsohippopsis* Breuning, 1940:83*Falsohippopsoides* Breuning, 1974:158*Hydraschemopsis* Lane, 1966:134**angaibara** Martins & Galileo, 2004:396**championi** Bates, 1885:428*costaricensis* Breuning, 1974:159**hubrichi** Bruch, 1925:210*argentiensis* Breuning, 1974:158**irumuara** Martins & Galileo, 2004:396**malleri** Lane, 1966:137**megacephala** (Breuning, 1940:83)**mendosa** Martins & Galileo, 1998:97**perforata** Lane, 1939:78**pugnatrix** Lane, 1966:135**rejaneae** Galileo & Martins, 2007:72**rufoantennata** (Breuning, 1974:158)**singularis** Martins & Galileo, 1998:98**sublesta** Lane, 1966:136**virgata** (Pascoe, 1878:377)

Bolivia (SC)

Mexico - Panama

cArgentina (SF, CD)

Guatemala

sBrasil (SC), Bolivia (SC)

sBrasil (SC)

Mexico (VC), Honduras

eBrasil, Argentina, Bolivia, Fr Guiana

Panama, Fr Guiana, ncBrasil (PA)

Brasil (PR)

Bolivia (SC)

Brasil (MA, MG), Bolivia (SC)

seBrasil (MG, SP)

seBrasil (ES-SC)

**Aereniphaula** Galileo & Martins, 1990:584**machadorum** Galileo & Martins, 1990:584

eBrasil (MG)

**Aerenomera** Gilmour, 1962:134**boliviensis** Gilmour, 1962:135**spilas** Martins, 1984:309

ecBrasil, Bolivia (SC), Paraguay, Argentina

eBrasil (MG)

**Antodice** Thomson, 1864:128*Antodyce* Aurivillius, 1920:41*Spathoptera* Laporte, 1840:494 (not Audinet-Serville, 1835)**abstrusa** Lane, 1940:405**aureicollis** Martins & Galileo, 1985:491**chemsaki** McCarty, 2006:4**cretata** Bates, 1872:232**eccentrica** Galileo & Martins, 1992:142

eBrasil (MG, ES), Bolivia (SC)

nBrasil (PA)

Mexico

eMexico (TA, VC)-Panama

wEcuador

- exilis** Chemsak & Noguera, 1993:100  
**fasciata** Linsley, 1935:113  
**inscripta** Lane, 1970:420  
**juncea** Bates, 1881:145  
**kyra** Martins & Galileo, 1998:44  
**lenticula** Martins & Galileo, 1985:92  
**lezamai** McCarty, 2006:14  
**mendesi** Lane, 1940:403  
**micromacula** Galileo & Martins, 2008:7  
**neivai** Lane, 1940:401  
*simulatrix* Tippmann, 1960:207  
**nympha** Bates, 1881:207  
**opena** Martins & Galileo, 2004:395  
**picta** (Klug, 1825:467)  
**pinima** Martins & Galileo, 1998:46  
**pudica** Lane, 1970:427  
**quadrinaculata** Martins & Galileo, 2003:617  
**quinquemaculata** Lane, 1970:424  
**sexnotata** Franz, 1959:187  
*sexmaculata* Martins & Galileo, 1985:90  
**spilota** Martins & Galileo, 1998:44  
**suturalis** Galileo & Martins, 1992:143  
**tricolor** Martins & Galileo, 1985:92  
**venustula** Lane, 1973:433
- Antodilanea** Gilmour, 1962:140  
**auana** Martins & Galileo, 2004:395  
**modesta** (Lane, 1939:78)
- Aphilesthes** Bates, 1881:145  
*Aphilestes* Aurivillius, 1923:598  
*Amphilestes* Blackwelder, 1946:626  
*Amphilesthes* Gilmour, 1965:646  
**rustica** Bates, 1881:145
- Apoaerenica** Martins & Galileo, 1985:465  
**martinsi** (Monné, 1979:417)
- Apophaula** Lane, 1973:419  
**ocellata** Lane, 1973:420
- Cacsius** Lane, 1973:430  
*Melzaerenica* Lane, 1976:457  
**divus** (Melzer, 1932:237)  
**nobilis** Lane, 1973:431
- Calliphaula** Lane, 1973:418  
**filiola** Martins, 1984:309  
**leucippe** (Bates, 1881:146)
- Eponina** Lane, 1939:77  
*Aerenicoides* Gilmour, 1962:134  
**breyeri** (Prosen, 1954:36)  
*laetanda* Lane, 1976:459  
**flava** Lane, 1939:77  
**lanuginosa** (Martins & Galileo, 1985:484)  
**metuia** Martins & Galileo, 1998:57  
**nigristernis** (Martins & Galileo, 1985:485)
- wMexico (JA)  
 cMexico (ME)  
 wMexico (NA)  
 seBrasil (ES, RJ), Argentina  
 Brasil  
 eBrasil (BA)  
 Costa Rica (AL, SJ)  
 sBrasil (SP-RS)  
 Bolivia (SC)  
 eBrasil (PE), Bolivia (SC)  
  
 eMexico (VC) - Costa Rica  
 Bolivia (SC)  
 seBrasil, Paraguay, Argentina  
 Argentina  
 Panama, Colombia  
 Paraguay  
 Brasil  
 El Salvador  
  
 Brasil  
 wEcuador  
 Bolivia (SC)  
 seBrasil (RJ), Bolivia (SC)  
  
  
 Bolivia (SC)  
 scBrasil (MS, MG)  
  
  
  
 Panama, Venezuela, Peru, Bolivia (SC), Fr Guiana  
  
 Bolivia (SC)  
  
 seBrasil (MT, MG-PR), Paraguay  
  
  
 seBrasil (RJ)  
 eBrasil (MG)  
  
  
 eBrasil (MG)  
 seBrasil (RJ-SC), Bolivia (SC)  
  
  
 cBrasil (MT), Argentina, Bolivia (SC)  
  
 seBrasil (MS, ES, PR)  
 seBrasil (RJ-SC)  
 Brasil (ES)  
 seBrasil (MG)

**Holoaerenica** Lane, 1973:428**alveolata** Martins, 1984:311**apleta** Galileo & Martins, 1987:454**bistriata** Lane, 1973:428**multipunctata** (Lepeletier & Aud-Serville in Latreille, 1825:335)*albolateralis* (Fuchs, 1963:15)**obtusipennis** (Fuchs, 1963:14)*caula* Martins, 1984:313**punctata** (Gilmour, 1962:129)

eBrasil (MG)

Mexico (YU) - Costa Rica, Panama

Bolivia, Brasil (MG)

eBrasil, Paraguay, Argentina

seBrasil, Paraguay, ncArgentina (TU)

scBrasil (MS, SP), Bolivia (SC)

**Hoplistonychus** Melzer, 1930:203**bondari** Melzer, 1930:204

Fr Guiana, Brasil (PA, MT, MG, SP),

nArgentina (MI), Bolivia (SC), Ecuador

**Hydraschema** Thomson, 1864:128*Corupa* Lane, 1966:132**cribripennis** Lane, 1966:130**fabulosa** Thomson, 1864:128**leptostyla** Lane, 1938:634**mirim** Martins & Galileo, 1998:91**obliquevittata** (Lane, 1966:133)**petila** Martins & Galileo, 1998:91**veruta** Lane, 1966:129**villiersi** Lane, 1965:322

seBrasil (RJ-SC)

seBrasil (RJ-PR)

seBrasil (MA, GO-RJ), Bolivia (SC), Argentina

Brasil (PA)

seBrasil (MG-SC), Bolivia (SC), Fr Guiana

Peru, Bolivia (SC)

seBrasil (RJ-PR)

Brasil (RJ)

**Melzerella** Costa Lima, 1931:139**costalimai** Seabra, 1961:263**huedepohli** Monné, 1979:415**lutzi** Costa Lima, 1931:140**monnei** Wappes & Lingafelter, 2011:34

Venezuela, Fr Guiana

Bolivia (SC)

seBrasil (MG-SP)

Bolivia (SC)

**Montesia** Lane, 1938:110**bosqi** Seabra, 1961:264**elegantula** Monné, 1979:416**fasciolata** Galileo & Martins, 1990:586**leucostigma** Lane, 1938:110

Peru, Bolivia (SC)

cBrasil (MT)

Costa Rica

seBrasil (MG-SC), Bolivia (SC)

**Phaula** Thomson, 1857:303*Cymbalia* Thomson, 1864:119*Ochraesius* Pascoe, 1888:510*Cryptophaula* Lane, 1973:426*Heterophaula* Lane, 1973:418**antiqua** Thomson, 1857:303**atyroa** Galileo & Martins, 2007:70**bullula** Martins, 1984:315**lichenigera** (Perty, 1832:97)**microsticta** (Lane, 1973:426)**splendida** (Galileo & Martins, 1987:453)**thomsoni** Lacordaire, 1872:898*lichenigera* Thomson, 1864:120 (not Perty, 1832)*sticticus* Pascoe, 1888:511

eBrasil (BA)

Brasil (MS)

sw Brasil (MS)

seBrasil (MG-RS), Bolivia (SC)

seBrasil (MT, MG-PR), Argentina

cBrasil (MT), Bolivia

Brasil (BA, MA, PA-MS, MG-RS), Bolivia (SC)

**Propantodice** Franz, 1954:228**grisea** Franz, 1954:228

El Salvador-Panama



**Pseudomecas** Aurivillius, 1920:400

**elegantissima** Martins & Galileo, 1998:101  
**femoralis** Aurivillius, 1920:401  
**nigricornis** Martins & Galileo, 1998:102  
**pallidicornis** Aurivillius, 1923:479  
**pickeli** (Melzer, 1930:305)  
**suturalis** Martins & Galileo, 1985:467

Brasil (MG)  
 scBrasil, Bolivia (SC), Paraguay, Argentina  
 Brasil (BA)  
 Colombia  
 neBrasil (MA-PE)  
 ecBrasil (GO)

**Pseudophaula** Lane, 1973:421

**foersteri** Martins, 1984:314  
**porosa** (Bates, 1881:146)  
**pustulosa** Lane, 1973:423  
**strigulata** Lane, 1973:424

nArgentina (MI)  
 Venezuela, Colombia, Bolivia, eBrasil  
 nwArgentina (TU, CA)  
 nwBrasil (AM), Peru, Bolivia (SC), Argentina

**Recchia** Lane, 1966:232

*Aerenica* Thomson, 1857:312 (not Dejean, 1835)  
*Trichohippopsides* Breuning, 1980:68  
*Coruparana* Lane, 1966:233

**abauna** Martins & Galileo, 1998:71  
**acutipennis** Gahan, 1889:400  
     *bruchi* Gilmour, 1965:644  
**albicans** (Guérin-Ménéville, 1831: pl.45, fig.4)  
     *albicans* Breuning, 1980:68  
**boliviana** Martins & Galileo, 1998:65  
**distincta** (Lane, 1939:77)  
**fallaciosa** Lane, 1966:234  
**flaveola** Martins & Galileo, 1985:487  
**fonsecai** (Lane, 1939:76)  
**gemignanii** (Lane, 1939:76)  
     *rustica* Martins & Galileo, 1985:489  
**goiana** Martins & Galileo, 1985:489  
**gracilis** Martins & Galileo, 1985:488  
**hirsuta** (Bates, 1881:206)  
     *panamensis* Lane, 1959:263  
**hirticornis** (Klug, 1825:468)  
**lanei** Martins & Galileo, 1985:485  
**ludibriosa** Lane, 1966:232  
**moema** Martins & Galileo, 1998:74  
**parvula** (Lane, 1938:637)  
**piriana** Martins & Galileo, 1998:78  
**planaltina** Martins & Galileo, 1998:67  
**procera** Martins & Galileo, 1985:486  
**ravida** Martins & Galileo, 1985:483  
**veruta** Lane, 1966:233

Brasil  
 ecBrasil (GO, MT, MG, SP), Bolivia,  
 Argentina  
 seBrasil (GO, MG-SC), Argentina, Bolivia (SC)

Bolivia (SC)  
 scBrasil (MS), Bolivia (SC)  
 seBrasil (SP, SC)  
 ceBrasil (GO, MS, MG-SP)  
 seBrasil (RJ, SP)  
 Brasil (MT, GO, PR), Paraguay, Argentina, Bolivia  
 (SC)  
 cBrasil (GO, MT), Bolivia (SC)  
 seBrasil (MG-SP), Bolivia (SC)  
 Guatemala-Panama, Colombia

e SAmer  
 seBrasil (MG, SP)  
 eBrasil (GO, BA-PR)  
 Brasil, Uruguay, Argentina  
 eBrasil (GO, MT, RJ-PR), Bolivia (SC)  
 Brasil, Paraguay  
 Brasil (DF)  
 eBrasil, Bolivia (SC), Paraguay, Argentina  
 sBrasil (SC)  
 sBrasil (PR, SC)

**Rumacoon** Blackwelder, 1946:627

*Spegazziniella* Bruch, 1926:347 (not Jorgensen, 1913)  
**annulicornis** (Melzer, 1930:204)  
**canescens** (Bruch, 1926:348)  
     *acutipennis* Tippmann, 1960:206 (not Gahan, 1889)  
     *acutipennis* var. *bruchi* Gilmour, 1965:644

seBrasil (MG-RS), Paraguay  
 Bolivia (SC), Paraguay, Argentina

**Suipinima** Martins & Galileo, 2004:398

**marginalis** Martins & Galileo, 2004:399  
**pitanga** Martins & Galileo, 2004:398  
**suturalis** Martins & Galileo, 2004:399  
**una** Martins & Galileo, 2004:399

Bolivia (SC)  
 Bolivia (SC)  
 Brasil (RO), Bolivia (SC)  
 Bolivia (SC)

**Vianopolisia** Lane, 1966:138*Dolaerenica* Martins & Galileo, 1985:466**captiosa** (Martins & Galileo, 1985:466)**spitzi** Lane, 1966:139

seBrasil (SP), Paraguay

ecBrasil (GO)

**Agapanthiini** Mulsant, 1839:165*Hippopsitae* Thomson, 1861:123*Nemotragitae* Thomson, 1864:93*Anauxesitae* Thomson, 1864:94*Aprosopitae* Thomson, 1864:95*Aegoprepini* Pascoe, 1871:277*Pachypézides* Lacordaire, 1872:414*Spalacopsides* Lacordaire, 1872:414*Didymonychini* Aurivillius, 1922:435*Amillarinen* Aurivillius, 1925:524*Hippopsiconini* Dillon & Dillon, 1945:11**Amillarus** Thomson, 1857:312*Aphies* Chevrolat, 1861:189*Didymonycha* Aurivillius, 1922:31*Trichogrammopsis* Breuning, 1948:42**apicalis** Thomson, 1861:44

Honduras - Panama, nSAmer

*erythrodera* Chevrolat, 1861:189*mutabilis* Bates, 1866:432*apicalis* m. *nigroampliat* Breuning, 1974:39**ruficollis** (Breuning, 1948:42)

wEcuador

**secundus** (Tippmann, 1951:301)

Venezuela

ab. *infuscata* Tippmann, 1951:301**singularis** (Aurivillius, 1922:435)

Peru

**Aprosopus** Guérin-Ménéville, 1844:248**buqueti** Guérin-Ménéville, 1844:248

seBrasil (ES)

**gilmouri** Breuning, 1962:26

Suriname, Fr Guiana

**Grammopsis** Aurivillius, 1900:416**clavigera** (Bates, 1866:40)

nBrasil (MA, PA), Fr Guiana, Bolivia (SC)

*surinamensis* Breuning, 1973:37**fallax** (Lameere, 1893:279)

Venezuela, Fr Guiana, Guyana

**parvula** (Newman, 1840:12)

eBrasil (BA)

**simoni** (Lameere, 1893:279)

Venezuela

*minima* Aurivillius, 1900:416**Grammopsoides** Breuning, 1940:433**picta** Galileo & Martins, 1995:42

Peru

**tenuicornis** (Casey, 1913:363)

Panama, wEcuador

*flavimembris* Aurivillius, 1925:22*spinipennis* Breuning, 1940:434*rufipes* Breuning, 1940:434*obscuripes* Breuning, 1948:43**Helvina** Thomson, 1864:103*Pachypezomorpha* Breuning, 1942:165*Paracacostola* Breuning, 1974:239**howdenorum** Hovore & Giesbert, 1998:77

Costa Rica

**lanuginosa** (Bates, 1865:314)

nwBrasil (AM), Colombia, eEcuador

**strandi** (Breuning, 1942:166)

Peru, Bolivia (CO, SC), eEcuador

*lypera* Dillon & Dillon, 1945:16**uncinata** Thomson, 1864:103

Fr Guiana, nBrasil (AM, PA)

*granulata* Breuning, 1974:239

**Hippopsis** Lepeletier & Audinet-Serville in Latreille, 1825:336**albicans** Breuning, 1940:82**apicalis** (Bates, 1866:37)*preapicevittata* Breuning, 1980:68**araujoi** Martins & Galileo, 2006:487**arriagadai** Martins & Galileo, 2003:28**assimilis** Breuning, 1940:81**bivittata** Martins & Galileo, 2003:25**brevicollis** Martins & Galileo, 2003:26**brevithorax** Galileo & Martins, 2007:350**campaneri** Martins & Galileo, 1998:52**densepunctata** Breuning, 1940:434**femoralis** Breuning, 1940:200**fractilinea** Bates, 1866:41*biapicata* Breuning, 1940:81**fratercula** Galileo & Martins, 1988:193**freyi** Breuning, 1955:661**gilmouri** Breuning, 1962:17**griseola** Bates, 1866:40**insularis** Breuning, 1962:10**iuasanga** Martins & Galileo, 2006:484**lemniscata** (Fabricius, 1801:330)ssp. **boliviana** Breuning, 1962:10**lineolatus** Lepeletier & Audinet-Serville in Latreille, 1825:336*lineatus* Guérin-Ménéville, 1844:246**macrophthalma** Breuning, 1940:434**meinerti** Aurivillius, 1900:416*lemniscata tobagoensis* Breuning, 1962:10*tremata* Galileo & Martins, 1988:184**minima** Galileo & Martins, 1988:188**monachica** Berg, 1889:106*fimbriata* Breuning, 1940:81**mourai** Martins & Galileo, 1994:78**nigroapicalis** Martins & Galileo, 2003:26**ocularis** Galileo & Martins, 1995:40**pallida** Carvalho, 1981:53**pertusa** Galileo & Martins, 1988:182**pradierii** Guérin-Ménéville, 1844:246**prona** Bates, 1866:41*solangeae* Carvalho, 1981:327**pubiventris** Galileo & Martins, 1988:188**quadrivittata** Breuning, 1940:82**quinquelineata** Aurivillius, 1920:384**rabida** Galileo & Martins, 1988:201**renodis** Galileo & Martins, 1988:203**septemlineata** Breuning, 1940:81**septemvittata** Breuning, 1940:81**tibialis** Martins & Galileo, 2003:28**truncatella** Bates, 1866:39**tuberculata** Galileo & Martins, 1988:181

sBrasil (SC)

Fr Guiana, nBrasil (AM, PA), eEcuador, Bolivia

Brasil (BA)

Paraguay

Venezuela

Peru

eBrasil (MG)

Colombia

Brasil (GO)

eBrasil (BA, MG)

seBrasil (MG, SP)

Peru, ncBrasil (AM), eEcuador, Bolivia (SC)

eBrasil (PE, BA)

Trinidad &amp; Tobago, Venezuela, Colombia

nArgentina (SA)

nBrasil (MA, PA), Bolivia (SC)

Trinidad

wEcuador

eUSA-TX, sMexico (OA, VC), Honduras, Bolivia

Bolivia

Brasil

Ecuador, Guianas, nBrasil (AM, PA), Colombia

Mexico - Costa Rica, nSamer

nBrasil (MA)

sBrasil (RS), Argentina, Uruguay

nBrasil (TO)

eEcuador, Bolivia (CO, SC)

Bolivia (SC)

ncArgentina (CD)

eBrasil (MA, RN-SC)

seBrasil (BA-SP)

nwBrasil (AM, MA), Bolivias (SC)

Peru, Brasil (AC, RJ-SC), Bolivia (SC)

Colombia, eEcuador, Fr Guiana

seBrasil (MG-SC)

seBrasil (SP)

seBrasil (RJ)

Panama, Colombia, wEcuador

Brasil

seBrasil (SP)

Brasil (AM, GO, MA, MT, MG-SP), Bolivia (SC)

seBrasil (MG-SP), Bolivia (SC)

**Megacera** Audinet-Serville, 1835:42**acuminata** Galileo & Martins, 2006:22**praelata** Bates, 1866:37**rigidula** Bates, 1866:38**vittata** Audinet-Serville, 1835:43

Bolivia (SC)

nwBrasil (AM), Fr Guiana

nBrasil (PA)

Brasil

**Neoamphion** Monné, 2005:254*Amphion* Reiche, 1839:564 (not Huebner, 1829 Lepidoptera)**triangulifer** (Aurivillius, 1908:7)*boliviana* Breuning, 1980:68 (not Breuning, 1962)**vittatus** (Reiche, 1839:566)

Peru, Bolivia

Colombia

**Pachypeza** Audinet-Serville, 1835:42*Pachypeza* Blackwelder, 1946:605**borealis** Hovore & Giesbert, 1998:79**ferruginea** Martins, Galileo & de-Oliveira, 2009:520**joda** Dillon & Dillon, 1945:23**marginata** Pascoe, 1888:507**panamensis** Giesbert, 1987:317**pennicornis** (Germar, 1824:490)**phegea** Dillon & Dillon, 1945:22**teres** Pascoe, 1888:508

Mexico (CH), Guatemala

Brasil (MA)

Ecuador, Peru, nBrasil, Bolivia (BN, SC)

seBrasil (GO, SP-RS), Paraguay

Panama, Colombia

seBrasil, Paraguay, Argentina, Uruguay

wcBrasil (RO, MT)

Fr Guiana, Brasil, Paraguay

**Parhippopsis** Breuning, 1973:653**columbiana** Breuning, 1973:653

Colombia

**Pseudogrammopsis** Zajciw, 1960:59**lineata** Zajciw, 1960:60

Uruguay

**Spalacopsis** Newman, 1842:303*Spacalopsis* LeConte, 1852:145*Eutheia* Dejean, 1835:353 (not Stephens, 1830)*Euthuorus* Jacquelin du Val in Sagra, 1857:276*Systene* Pascoe, 1858:264**chemsaki** Tyson, 1973:130**filum filum** (Klug, 1829:13)*stellio* Newman, 1842:304, 304*macilenta* Lacordaire, 1872: pl.105, fig.5subsp. **brevialatum** Tyson, 1973:125subsp. **costulatum** Casey, 1913:355*linum* Hamilton in Leng & Hamilton, 1896:145*scapalis* Casey, 1913:355*confusa* Casey, 1924:293**fusca** Gahan, 1892:260**grandis** (Chevrolat, 1862:255)**howdeni** Tyson, 1970:484**lobata** Breuning, 1942:173**macra** Tyson, 1973:128**ornatipennis** Fisher, 1935:200**phantasma** Bates, 1885:371**protensa** (Pascoe, 1871:278)**similis** Gahan, 1892:260**spinipennis** Fisher, 1936:347**stolata** Newman, 1842:304*pertenuis* Casey, 1913:357**suffusa** Newman, 1842:304*suturalis* Hamilton in Leng & Hamilton, 1896:145*exilis* Casey, 1924:294**texana** Casey, 1891:51**unicolor** Tyson, 1973:135**variegata** Bates, 1880:129var. *tenuissima* Bates, 1885:371

seUSA (FL)

Cuba, Bahamas, Jamaica, Puerto Rico

R Dominicana

sUSA (FL)

swMexico (GR)

Cuba

ecMexico (SLP)

Mexico

Jamaica

Jamaica

Guatemala

eMexico (VC), Guatemala

swMexico (GR)

Cuba

seUSA (FL)

seUSA (FL)

sUSA (TX)

Puerto Rico

eMexico (VC), Guatemala

**Trichohippopsis** Breuning, 1958:25*exilis* Galileo & Martins, 2006:22*magna* Martins & Carvalho, 1983:163*rufula* Breuning, 1958:26*suturalis* Martins & Carvalho, 1983:162*unicolor* Galileo & Martins, 2007:350

Bolivia (SC)

Brasil (GO, MS, MG), Bolivia (SC)

ecBrasil (GO)

ecBrasil (GO, MA, MG, SP), Fr Guiana, Bolivia (SC)

Brasil (AM)

**Zipoetopsis** Breuning, 1950:175*dissimilis* Galileo & Martins, 1995:39*unicolor* Breuning, 1950:175

wEcuador

Paraguay

**Anisocerini** Thomson, 1861:31, 339*Onychoceritae* Thomson, 1864:19*Platysternini* Lacordaire, 1872:729**Acanthotritus** White, 1855:404*dorsalis* White, 1855:404

eBrasil (ES)

**Anisocerus** Lacordaire, 1830:181*scopifer* (Germar, 1824:476)*scopigera* Lacordaire, 1872:723*penicillatus* Lacordaire, 1830:181*stellatus* Guérin-Méneville, 1855:599*onca* White, 1855:405var. *fonteboensis* Bates, 1862:449var. *olivencius* Bates, 1862:450

seBrasil (MG-SC), Paraguay, Argentina

Peru, eEcuador, ncBrasil (AM, RO, MG), Bolivia (BN, SC)

**Badenella** Lane, 1964:186*Chimboincola* Lane, 1966:237*badeni* (Bates, 1875:276)*fuscus* Franz, 1935:171*laceyi* Lane, 1964:189*fallaciosa* Lane, 1964:188*gavisa* (Lane, 1966:238)*ignota* Lane, 1964:187

Colombia, wEcuador

Colombia

wEcuador

Colombia ?

**Batesbeltia** Lane, 1964:182*beltii* (Bates, 1872:203)*cerussata* Lane, 1964:184*pantherina* Lane, 1964:185*pullata* Lane, 1964:184*verecunda* Lane, 1964:183

Nicaragua, Costa Rica

Ecuador

Panama, Colombia

Ecuador

Ecuador

**Caciomorpha** Thomson, 1864:22*batesi* (Pascoe, 1858:242)*buquetii* Guérin-Méneville, 1844:240*genalis* Aurivillius, 1908:9*palliata* (White, 1855:407)*personatus* Bates, 1869:385*plagiata* Bates, 1875:275*robusta* Galileo & Martins, 1998:21*susua* (Martins & Galileo, 1996:305)

nBrasil (PA)

Fr Guiana

eEcuador, Peru, Bolivia

Honduras, Guatemala-Panama

Peru, eEcuador

Brasil (AM, PA), Peru, Ecuador

wEcuador

**Chalastinus** Bates, 1862:447*egensis* (White, 1855:408)*egaensis* Bates, 1862:447*egaensis* var. *postilenatus* Bates, 1862:448

nwBrasil (AM), eEcuador

- pantherinus** Lacordaire, 1872:721  
**recticornis** Bates, 1875:275  
 Fr Guiana, Surinam, nwBrasil (AM)  
 nBrasil (PA), Fr Guiana
- Chapareia** Lane, 1950:91  
**pinima** Lane, 1950:92  
 Bolivia
- Cyclopeplus** Thomson, 1860:32  
**batesi** Thomson, 1861:32  
**castaneus** Gounelle, 1906:3  
**cyaneus** Thomson, 1861:33  
**lacordairei** Thomson, 1868:150  
*germaini* Gounelle, 1906:3  
**peruvianus** Tippmann, 1939:77  
 ab. *coeruleometallescens* Tippmann, 1939:77  
 ab. *submetallicus* Tippmann, 1939:77  
 ab. *thoracicus* Tippmann, 1939:77  
 ab. *viridimetallescens* Tippmann, 1939:77  
*violaceus* Lane, 1957:65  
 nwBrasil (AM, RO)  
 cBrasil (GO, RO, MT)  
 nBrasil (PA, AP), Fr Guiana  
 Fr Guiana, Peru, Bolivia, eEcuador, Colombia  
 Peru
- Demophoo** Thomson 1864:21  
**hammatus** (Chabrilac, 1857:199)  
*hamatus* Thomson, 1864:21  
 seBrasil (MG, SP, RJ)
- Eusthenomus** Bates, 1875:277  
**hopei** Lane, 1970:382  
**laceyi** Lane, 1970:380  
**wallisi** Bates, 1875:278  
 Ecuador ?  
 Ecuador  
 Colombia
- Fredlanella** Martins & Galileo, 1996:305  
*Taperinha* Lane, 1964:179 (not Linnavouri, 1959, Homoptera)  
**cerussata** (Lane, 1964:180)  
**diringshofeni** (Lane, 1972:366)  
 nBrasil (PA)  
 nwBrasil (AM), Ecuador
- Gounellea** Lane, 1964:195  
**bruchi** (Gounelle, 1906:17)  
*zikani* Melzer, 1932:220  
*melzeri* Franz, 1935:169  
*franzae* Lane, 1970:378  
**capucina** (White, 1846:48)  
**dulcissima** (White, 1855:406)  
**histrio** (Gounelle, 1906:18)  
 nwBrasil (AM, RO), Bolivia, Peru, ncArgentina  
 cBrasil (AM, PA, RO, MA, MT)  
 ncBrasil (PA, MT)  
 ncBrasil (PA, AM), Peru
- Gymnocerina** Lane, 1964:190  
**cratosomoides** (Bates, 1862:452)  
*crassus* Bates, 1862:453  
*oliveirai* Lane, 1964:191  
*spuria* Lane, 1964:192  
*subsiciva* Lane, 1964:192  
*sulfurea* Lane, 1964:193  
 nwBrasil (AM, PA), French Guiana, eEcuador
- Gymnocerus** Audinet-Serville, 1835:84  
**scabripennis** Audinet-Serville, 1835:85  
 Fr Guiana
- Homoephloeus** Gahan, 1892:261  
**licheneus** Gahan, 1892:261  
 swMexico (GR)

**Hoplistocerus** Blanchard in Orbigny, 1847:210**bonsae** Lane, 1966:239**callioides** Gounelle, 1906:7**dichrous** Gounelle, 1906:8**dives** Bates, 1875:276*eximius* Pascoe, 1878:377**gemmatus** Bates, 1874:227**iheringi** Gounelle, 1906:6**lanei** Zajciw, 1960:146**prominulosus** Lane, 1950:95*prominulus* Gilmour, 1965:620**purpureoviridis** Lane, 1938:107**refulgens** Blanchard in Orbigny, 1847:210*gloriosus* Bates, 1862:457

cBrasil (MT)

cBrasil (GO)

Colombia, wEcuador, Bolivia

eBrasil (BA, ES), Fr Guiana, eEcuador, Bolivia (SC)

Honduras - Panama

seBrasil (SP)

seBrasil (RJ)

nBrasil (PA), Fr Guiana

seBrasil (SP)

cBrasil (AM, RO, MT), Fr Guiana, eEcuador, Bolivia

**Jurua** Lane, 1964:194**monachina** (White, 1855:406)*monachinus* var. *nautensis* (Bates, 1862:454)

nwBrasil (AM), Peru

**Onychocerus** Lacordaire, 1830:181*Scorpionus* Smith, 1884:727**aculeicornis** (Kirby, 1818:440)*aculicornis* Zikán & Zikán, 1944:33**albitarsis** Pascoe, 1859:31**ampliatus** Bates, 1875:277**concentricus** Bates, 1862:455**crassus** (Voet, 1778:10)*scorpio* Fabricius, 1781:210**giesberti** Júlio & Monné, 2001:1**hovorei** Júlio & Monné, 2001:2**versutus** (Lane, 1966:242)

seBrasil (MA, BA-RS), Paraguay, Bolivia, eEcuador

Argentina, Fr Guiana

seBrasil (MA, BA-RJ), Bolivia (SC)

Peru, eEcuador

cBrasil (PA, MT), Fr Guiana, eEcuador

Honduras-SAmer (widely dist), Bolivia (BN, SC),

W Indies

Ecuador

sBrasil (BA, PA, RO, SP, ES, SC), Peru

eBrasil (PB, BA)

**Parachalastinus** Galileo & Martins, 2001:298**championi** (Bates, 1885:374)**flavescens** Julio, 2005:20**nigrescens** Galileo & Martins, 2001:300**rubrocinctus** (Bates, 1869:385)

Costa Rica, Panama

Costa Rica, Panama

Panama

Honduras, Nicaragua, Costa Rica

**Phacellocera** Laporte, 1840:468*Phacelocera* Blanchard, 1845:156**plumicornis** (Klug, 1825:462)*scopulicornis* Laporte, 1840:469

seBrasil (MG-SC)

**Phacellocerina** Lane, 1964:181**limosa** (Bates, 1862:448)**seclusa** Lane 1964:181**silvanae** Julio, 2003:139

Venezuela

Colombia

Colombia

**Platysternus** Dejean, 1835:336**hebraeus** (Fabricius, 1781:210)*mucoreus* Colas, 1952:18

Fr Guiana, nBrasil (AM, PA, RO, MT), Ecuador

**Satipoella** Lane, 1964:195*Icarai* Galileo & Martins, 1998:24**bufo** (Thomson, 1868:149)**heilipoides** Lane, 1964:197**ochroma** Julio, 2003:146

Fr Guiana, nwBrasil (AM)

Peru

nBrasil (AM), Ecuador

**Thryallis** Thomson, 1858:409**granulosus** Bates, 1885:374**leucophaeus** (White, 1855:407)**maculosus** Thomson, 1858:409**noguerai** Chemsak & McCarty, 1997:106**ocellatus** Chemsak & McCarty, 1997:110**sallaei** Bates, 1880:131**undatus** (Chevrolat, 1834:61)

Guatemala

Mexico - Costa Rica

eMexico (VC) - Nicaragua

wMexico (JA, NA)

Costa Rica

scMexico (MO, OA), Honduras

swUSA (TX), ecMexico (HI, ME, VC) - Honduras

**Trigonocephalus** White, 1855:403*Anepsius* Bates, 1862:447*Aneptius* Thomson, 1864:352**abdominalis** White, 1855:403*signatipennis* Thomson, 1861:340**binominis** Chevrolat, 1861:250**bispecularis** White, 1855:403**paterculus** Lacordaire, 1872:718*maculipennis* Lane, 1972:360

seBrasil (ES, RJ), Bolivia (SC)

seBrasil (RJ)

nwBrasil (AM)

Fr Guiana, neBrasil (PA, BA)

**Xylotribus** Audinet-Serville, 1835:80**decorator** (Fabricius, 1801:289)*heterocerus* Audinet-Serville, 1835:80*simulans* Bates, 1862:456**pinacopterus** Lane, 1964:198

nBrasil (PA), Fr Guiana

nwBrasil (AM), Ecuador

**Apomecynini** Thomson, 1861:68*Agennopsides* Lacordaire, 1872:595*Adétides* Candeze in Lacordaire, 1872:595*Ptéricoptides* Lacordaire, 1872:601*Ischiolonchides* Lacordaire, 1872:709**Acestrilla** Bates, 1885:350**minima** Bates, 1885:350*annulicornis* Breuning, 1943:38*strandiella* Breuning, 1942:140

Guatemala - Panama, sBrasil (SC)

**Acrepidopterus** Fisher, 1926:6**acutum** Zayas, 1975:187**capilosum** Martins & Galileo, 2008:278**jamaicensis** Fisher, 1942:18**minutum** Fisher, 1926:6var. *apicalis* Fisher, 1935:197**pilosum** Fisher, 1932:75**reseri** Vitali, 2002:138

Cuba

Honduras

Jamaica

Cuba, Jamaica

R Dominicana

Jamaica

**Adetus** LeConte, 1852:161*Polyopsia* Haldeman, 1847:55 (not Mulsant, 1839)*Agennopsis* Thomson, 1857:302*Talaepora* Fairmaire & Germain, 1859:521*Stygnesis* Pascoe, 1866:286



- Tautoclina* Thomson, 1868:155  
*Pterichthya* Thomson, 1868:156  
*Pterichthya* Bates, 1880:109  
*Pterichthya* Aurivillius, 1922:290  
*Atimuropsis* Thomson, 1868:162  
*Sicyobius* Horn, 1880:137  
**aberrans** Galileo & Martins, 2003:169  
**abruptus** Belon, 1902:467  
**alboapicalis** Breuning, 1943:37  
**albosignatus** Breuning, 1943:37  
**albovittatus** Breuning, 1966:11  
**analis** (Haldeman, 1847:55)  
     *mutica* Thomson, 1857:302  
     *pygaea* Bates, 1866:295  
     *mexicana* Thomson, 1868:153  
**angustus** Melzer, 1934:84  
     *clarus* Breuning, 1940:151  
**antennatus** (Thomson, 1868:155)  
     subsp. **denticauda** Bates, 1880:108  
     subsp. **nitens** Bates, 1885:344  
**atomarius atomarius** Belon, 1902:464  
     subsp. **invittatus** Breuning, 1971:300  
**bacillarius** Bates, 1885:344  
**basalis** Martins & Galileo, 2010:684  
**binotatus** (Thomson, 1868:155)  
**brasilensis** (Melzer, 1923:4)  
**brousi** (Horn, 1880:137)  
**cacapira** Martins & Galileo, 2005:25  
**catemaco** Martins & Galileo, 2005:26  
**cecamirim** Martins & Galileo, 2005:26  
**columbianus** Breuning, 1948:14  
**consors** Bates, 1885:342  
**costicollis** Bates, 1872:199  
     *scissicauda* Bates, 1874:225  
**curtulus** Bates, 1885:343  
**curupira** Galileo & Martins, 2006:12  
**cylindricus** (Bates, 1866:296)  
**fasciatus** Franz, 1959:185  
**flavescens** Melzer, 1934:84  
     *strandii* Breuning, 1940:38  
     *mediofasciculatus* Breuning, 1943:37  
**furculicauda** (Bates, 1880:110)  
     *furfulicauda* Breuning, 1960:181  
**fuscoapicalis** Breuning, 1942:139  
**fuscopunctatus** Aurivillius, 1900:413  
**griseicauda** (Bates, 1872:199)  
**inaequalis** (Thomson, 1868:163)  
**inca** Martins & Galileo, 2005:26  
**insularis** Breuning, 1940:37  
**irregularis** (Breuning, 1939:233)  
     *gracilis* Breuning, 1940:38  
**jacareacanga** Galileo & Martins, 2004:57  
**latericius** Belon, 1902:468  
**leucostigma** Bates, 1880:108  
     *venezuelensis* Breuning, 1942:139  
**lewisi** Linsley & Chemsak, 1984:116  
**lherminieri** Fleutiaux & Sallé, 1889:468  
     *lherminieri dominicensis* Breuning, 1940:38  
     *lherminieri leewardensis* Breuning, 1940:38  
     *grossepunctatus* Breuning, 1940:38
- Colombia  
 Bolivia (SC)  
 Panama, Venezuela  
 Venezuela  
 Peru  
 eMexico (VC) – SAmer, Bolivia (SC)
- Paraguay, Argentina, Bolivia (SC)
- eMexico (VC)-Panama  
 Guatemala, Honduras, Costa Rica  
 Guatemala  
 Bolivia  
 Venezuela  
 Guatemala - Panama, Venezuela, Bolivia (SC)  
 Bolivia (SC)  
 Mexico, Belize, Honduras, Nicaragua  
 seBrasil (MG-SP)  
 scUSA (TX, KS) - neMexico  
 Bolivia (SC)  
 Mexico (VC)  
 Bolivia (SC), Ecuador, Fr Guiana  
 Colombia  
 Guatemala - Panama, Venezuela  
 Mexico - Panama
- Honduras, Panama  
 Brasil (PA)  
 nBrasil (PA), eEcuador, Bolivia (SC)  
 Mexico-Costa Rica  
 seBrasil (SP, RJ, SC)
- Guatemala
- sBrasil (SC), Bolivia (SC)  
 Venezuela  
 Honduras - Panama  
 Fr Guiana  
 Peru, Bolivia (SC)  
 Panama (Taboga I.)  
 neBrasil (CE, PE), Fr Guiana
- Brasil (PA)  
 Brasil (MA), Bolivia  
 Mexico - Panama, Venezuela
- swUSA-wMexico (SI, JA)  
 W Indies (Lesser Antilles)

- lineatus** Martins & Galileo, 2003:375  
**linsleyi** Martins & Galileo, 2003:375  
**longicauda** (Bates, 1880:110)  
**marmoratus** Breuning, 1942:138  
**minimus** Breuning, 1942:139  
**modestus** Melzer, 1934:83  
*densepunctatus* Breuning, 1939:233  
**mucoreus** Bates, 1885:343  
**multifasciatus** Martins & Galileo, 2003:375  
**nanus** (Fairmaire & Germain, 1859:522)  
**nesiotes** Linsley & Chemsak, 1966:243  
**obliquatus** Breuning, 1948:14  
**obliquus** (Bates, 1885:345)  
**pacaruia** Martins & Galileo, 2003:376  
**pictoides** Breuning, 1973:37  
**pictus** Bates, 1880:109  
*excultus* Bates, 1880:109  
**pinima** Martins & Galileo, 2003:376  
**pisciformis** (Thomson, 1868:157)  
*pisciformis* m. *brevicauda* Breuning, 1971:316  
**postilenatus** Bates, 1885:343  
**praeustus** (Thomson, 1868:153)  
**proximus** Breuning, 1940:426  
**pulchellus** (Thomson, 1868:156)  
*strigulatus* Bates, 1880:107  
*nigricornis* Aurivillius, 1900:412  
*incomptus* Belon, 1902:469  
*socius* Melzer, 1934:81  
*brevicornis* Breuning, 1940:151  
*lateralibus* Breuning, 1942:138  
**punctatus** (Thomson, 1868:154)  
*guttulatus* Belon, 1902:466  
**punctiger** (Pascoe, 1866:286)  
**pusillus** (Fairmaire & Germain, 1859:521)  
**salvadorensis** Franz, 1954:224  
**similis** Bruch, 1939:200  
**sordidus** (Bates, 1866:295)  
**spinipennis** Breuning, 1971:286  
**squamosus** Chemsak & Noguera, 1993:90  
**stellatus** Martins & Galileo, 2008:275  
**stramentosus** Breuning, 1940:37  
**striatopunctatus** Breuning, 1940:151  
**subcostatus** Aurivillius, 1900:412  
*auratoides* Breuning, 1943:37  
**subellipticus** Bates, 1880:107  
**tayronus** Galileo & Martins, 2003:168  
**tibialis** Breuning, 1943:37  
**trinidadiansis** Breuning, 1955:659  
**truncatipennis** Melzer, 1934:81  
**tuberosus** Galileo & Martins, 2003:476  
**vanduzeei** Linsley, 1934:62
- Aletretiopsis** Breuning, 1940:154  
*Aletretiopsis* Breuning, 1960:174  
**estoloides** Breuning, 1940:154
- Amphicnaeia** Bates, 1866:32  
*Aesylacris* Thomson, 1868:143  
**affinis** Breuning, 1940:41  
**albovittata** Breuning, 1971:224
- Brasil (DF)  
 wEcuador  
 eMexico (VC), Costa Rica (CA)  
 cBrasil (GO, MG, SP), Bolivia (SC)  
 eBrasil (BA)  
 seBrasil (SP, RJ)
- Costa Rica, Panama  
 seBrasil (SP)  
 Argentina, Chile  
 Cocos I  
 neArgentina (ER)  
 Mexico  
 Peru  
 Costa Rica  
 Guatemala - Panama
- Peru  
 cMexico (PU), Guatemala, Costa Rica
- Guatemala-Panama  
 seBrasil (SP), Bolivia (SC)  
 Paraguay  
 Guatemala-Argentina, Bolivia (BN, SC)
- Fr Guiana, Bolivia (BN, LP, SC)
- Colombia  
 Chile  
 Honduras, El Salvador  
 Paraguay, Argentina, Uruguay, Bolivia  
 nBrasil (PA), eEcuador  
 Bolivia (SC)  
 wMexico (JA)  
 Costa Rica (CA)  
 seBrasil (ES-SC)  
 Uruguay  
 Mexico - Panama, Venezuela
- Guatemala  
 Colombia  
 Brasil  
 Trinidad  
 seBrasil (RJ-RS)  
 Brasil (AL)  
 Mexico (BC, Ceralbo I)
- eBrasil (PE)
- Brasil (SP, RJ, SC), Bolivia (SC)  
 seBrasil (RJ)

- antennata** Galileo & Martins, 2001:41  
**apicalis** Melzer, 1933:376  
**armata** Galileo & Martins, 2001:38  
**bivittata** Melzer, 1933:373  
**brevivittis** Bates, 1872:202  
**cordigera** Aurivillius, 1920:386  
**crustulata** Bates, 1872:235  
**flavescens** Martins & Galileo, 1999:69  
**flavofemorata** Breuning, 1940:153  
**flavolineata** Breuning, 1943:38  
**flavovittata** Breuning, 1940:41  
**interrupta** Galileo & Martins, 2003:168  
**lepida** Melzer, 1933:375  
*costaricensis* Breuning, 1942:140  
**lineata** Bates, 1866:33  
*plurivittis* Belon, 1903:65  
**lineolata** Galileo & Martins, 2011:330  
**lyctoides** Bates, 1866:33  
**nigra** Galileo & Martins, 2001:39  
**piriana** Martins & Galileo, 2001:1230  
**pretiosa** Galileo & Martins, 2001:37  
**pusilla** Bates, 1866:33  
**quinquevittata** Bates, 1885:349  
**sexnotata** Melzer, 1933:374  
**strandi** Breuning, 1942:139  
**tate** Galileo & Martins, 2001:38  
**trivitticollis** Breuning, 1961:153  
**villosula** (Thomson, 1868:143)  
**vitticollis** Breuning, 1940:427  
**zonata** Martins & Galileo, 2001:1231
- Apomecyna** Latreille, 1829:126 (?)  
*Mecynapus* Thomson, 1858:187  
**varia** Blanchard in Gay, 1851:516
- Apyratuca** Galileo & Martins, 2006:13  
**apiculata** Galileo & Martins, 2006:16
- Asyngenes (Asyngenes)** Bates, 1880:114  
**affinis** Breuning, 1942:140  
**chalceolus** Bates, 1880:115  
**strandiellus** Breuning, 1943:39  
**vittipennis** Breuning, 1942:140
- Asyngenes (Neosyngenes)** Breuning, 1943:39  
**venezuelensis** Breuning, 1943:39
- Bebelis** Thomson, 1864:110  
**acuta acuta** Pascoe, 1875:73  
subsp. **geometrica** (Bates, 1880:130)  
**angusta** (Fisher, 1947:180)  
**aurulenta** (Belon, 1903:56)  
**coenosa** (Bates, 1866:36)  
**compta** Galileo & Martins, 2006:17  
**concisa** Galileo & Martins, 2006:17  
**cuprina** (Belon, 1903:58)  
**divaricata** (Fisher, 1947:175)  
**elongata** (Lameere, 1893:275)  
**fasciata** (Fisher, 1947:176)
- Brasil (MG)  
Costa Rica  
sBrasil (SP, PA), Bolivia (SC)  
Costa Rica  
Nicaragua-Panama  
sBrasil (RJ)  
Guatemala-Panama  
Colombia  
seBrasil (RJ), Bolivia (SC)  
Peru  
seBrasil (RJ)  
Colombia  
Costa Rica
- Brasil (AM, RJ-RS), Bolivia
- Brasil (PA)  
seBrasil (RJ)  
SBrasil (RG)  
Venezuela  
sBrasil (ES)  
nBrasil (PA)  
Guatemala-Panama  
Costa Rica  
Costa Rica  
Ecuador, Colombia  
Ecuador  
Colombia  
Brasil  
Venezuela
- Chile
- Bolivia (SC)
- cBrasil (GO)  
Guatemala, Honduras, Venezuela  
Venezuela  
Brasil
- Mexico –Venezuela, Bolivia (SC)
- seBrasil, Argentina, Bolivia (SC)  
eMexico (VC) - Panama  
sBrasil (RS)  
Bolivia  
nBrasil (PA)  
Brasil (RS, SP)  
Brasil (RS)  
Bolivia (SC)  
Costa Rica  
Venezuela  
Panama

**furcula** (Bates, 1880:130)  
**inaequalis** (Fisher, 1947:174)  
**laetabilis** (Belon, 1903:54)  
**leo** Monné & Monné, 2009:375  
**lignea** (Bates, 1866:35)  
**lignosa** Thomson, 1864:110  
**longipennis** (Bates, 1885:371)  
**maculata** Martins & Galileo, 1999:72  
**mexicana** (Bates, 1885:372)  
**modesta** (Belon, 1903:59)  
*zeteki* Fisher, 1947:179  
**obliquata** Breuning, 1940:84  
**occulta** (Bates, 1866:36)  
**parva** (Fisher, 1938:138)  
**picta** Pascoe, 1875:73  
*obtusata* Bates, 1885:372  
**prolongata** (Fisher, 1947:173)  
**pseudolignosa** Breuning, 1942:174  
*harringtoni* Fisher, 1947:181  
**puncticollis** (Fisher, 1947:178)  
**schwarzi** (Fisher, 1947:37)  
**tagua** Galileo & Martins, 2006:16

### **Bisaltis (Bisaltis)** Thomson, 1868:110

**adustus** (Burmeister, 1865:179)  
**argentiniensis** Breuning, 1971:285  
**bilineellus** Breuning, 1939:235  
**bimaculatus** Aurivillius, 1904:207  
  
**brevicornis** Breuning, 1939:235  
**buquetii** Thomson, 1868:111  
*batesi* Aurivillius, 1923:609  
*forsteri* Tippmann, 1960:152  
**chilensis** Breuning, 1939:235  
**columbianus** Breuning, 1971:285  
**elongatus** Breuning, 1939:236  
**flaviceps** Breuning, 1940:155  
**fuchsi** Breuning, 1971:284  
**fuscoapicalis** Breuning, 1950:267  
**fuscodiscalis** Breuning, 1943:39  
**fuscomarmoratus** Breuning, 1966:11  
**montevidensis** (Thomson, 1868:146)  
**monticola** Tippmann, 1960:153  
*bistriata* Tippmann, 1960:154  
**obliquatus** Breuning, 1940:155  
**petilus** Galileo & Martins, 2009:164  
**picticornis** Galileo & Martins, 2003:379  
**pulvereus** (Bates, 1866:289)  
*posticalis* Thomson, 1868:111  
**roseiceps** Breuning, 1939:234  
**sautierei** Chalumeau & Touroult, 2004:64  
**spgazzinii** Bruch, 1911:175  
**stramentosus** Breuning, 1939:236  
**strandii** Breuning, 1940:43  
**subreticulatus** Aurivillius, 1920:381  
**taua** Galileo & Martins, 2003:380  
**triangularis** Breuning, 1940:43  
**unicolor** Galileo & Martins, 2003:380  
**uniformis** Breuning, 1939:236

Guatemala, Honduras, Costa Rica  
 Paraguay  
 Bolivia  
 Brasil (RJ)  
 Belize-Panama, nBrasil (PA)  
 Mexico-SAmer, Bolivia  
 Guatemala - Panama  
 Colombia  
 eMexico (VC), Guatemala, Honduras  
 Panama, Ecuador, Bolivia  
  
 seBrasil (MG)  
 nBrasil (PA), Bolivia (SC)  
 eBrasil (PE, MG-RS, GO), Fr Guiana  
 Mexico – SAmer, Bolivia (SC)  
  
 seBrasil (MG)  
 nArgentina (SA)  
  
 Nicaragua  
 Cuba, Bahamas  
 Brasil (AM), Bolivia (SC)

nArgentina (TU), Bolivia (SC)  
 nArgentina (SA)  
 Brasil, Bolivia (SC)  
 Brasil (BA, MG), Bolivia (SC), Argentina (BA, SA,  
 CH, LR, CD, ME)  
 eEcuador, Brasil, Bolivia  
 Panama, Fr Guiana, Bolivia  
  
 Chile  
 Colombia  
 eBrasil (CE-BA)  
 Bolivia  
 seBrasil (ES)  
 seBrasil (RJ)  
 Peru  
 Peru  
 Uruguay  
 Bolivia  
  
 seBrasil (RJ)  
 Costa Rica (AL, GU)  
 Bolivia (SC)  
 Fr Guiana, ncBrasil (AM)  
  
 eBrasil (PE-RJ), Paraguay, Bolivia (SC)  
 Guadeloupe  
 Bolivia, Argentina  
 Bolivia  
 nArgentina (FO)  
 SAmer, Bolivia (SC)  
 sBrasil (SC, PR)  
 eBrasil (PE-RJ)  
 Ecuador  
 eBrasil (PE)

<b>venezuelensis</b> Breuning, 1943:39	Venezuela
<b>Bisaltes (Craspedocerus)</b> Aurivillius, 1900:413	
<b>pictus</b> Breuning, 1940:43	Colombia
<b>poecilus</b> (Aurivillius, 1900:414)	Venezuela
<b>ptericoptoides</b> Breuning, 1942:141	Colombia
<b>Catuaba</b> Martins & Galileo, 2003:135	
<b>sanguinoloenta</b> Martins & Galileo, 2003:135	eBrasil (MS)
<b>Cauca</b> Lane, 1970:371	
<b>contestata</b> Lane, 1970:371	Colombia
<b>Clavisybra</b> Breuning, 1943:43	
<b>strandiella</b> Breuning, 1943:43	seBrasil (RJ)
<b>Craspedoderus</b> Thomson, 1864:33	
<b>dilaticollis</b> Thomson, 1864:33	Fr Guiana
<b>Dolichosybra</b> Breuning, 1942:152	
<b>annulicornis</b> Breuning, 1942:153	sBrasil (SC)
<b>apicalis</b> (Gilmour, 1963:100)	Trinidad
<b>elongata</b> Breuning, 1942:152	Brasil
<b>strandi</b> Breuning, 1943:44	Venezuela
<b>strandiella</b> Breuning, 1942:153	sBrasil (SC)
<b>tubericollis</b> Breuning, 1942:152	Panama, Brasil, Bolivia (SC)
<b>Dorcasta</b> Pascoe, 1858:264	
<i>Aegilopsis</i> Horn, 1860:571	
<b>borealis</b> Breuning, 1940:207	Nicaragua
<b>cinerea</b> (Horn, 1860:571)	scUSA-neMexico
<b>crassicornis</b> Pascoe, 1858:264	El Salvador, Colombia
<b>dasycera</b> (Erichson in Schomburg, 1848:574)	swMexico (OA) - Venezuela, Bolivia (SC), Aruba
<i>oryx</i> Pascoe, 1858:264	
<b>gracilis</b> Fisher, 1932:82	Haiti
<b>implicata</b> Melzer, 1934:228	Brasil (MA, CE-MG), Bolivia (SC), Argentina
<b>quadriscopiosa</b> Breuning, 1940:207	eBrasil (BA)
<b>singularis</b> Martins & Galileo, 2001:1231	Brasil (GO)
<b>Euteleuta</b> Bates, 1885:348	
<b>fimbriata</b> Bates, 1885:349	seBrasil (RJ, SP), Bolivia (SC)
<b>laticauda</b> Bates, 1885:349	Costa Rica, Panama
<b>venezuelensis</b> Breuning, 1971:267	Venezuela
<b>Eyiaba</b> Galileo & Martins, 2004:55	
<b>itapetinga</b> Galileo & Martins, 2004:57	Brasil (BA)
<b>picta</b> Galileo & Martins, 2004:55	sBrasil (SP)
<b>Falsischnolea</b> Breuning, 1940:167	
<b>apicalis</b> Martins & Galileo, 2001:1228	Brasil (ES)
<b>flavoapicalis</b> Breuning, 1940:167	seBrasil (MG-PR), Paraguay
<b>nigrobasalis</b> Breuning, 1940:168	seBrasil (RJ)
<b>pallidipennis</b> (Chevrolat, 1861:251)	sBrasil (SP-SC)
<i>apicopunctata</i> Gilmour, 1950:544	

**Irundiaba** Martins & Galileo, 2008:278  
**waorani** Martins & Galileo, 2008:279

Ecuador (Napo)

**Ischioloncha** Thomson, 1860:122  
*Merocentrum* Lane, 1939:473  
**columbiana** Breuning, 1956:694  
**lanei** (Prosen, 1957:35)  
**lineata** Bates, 1885:369  
**rondonia** Martins & Galileo, 2003:133  
**strandiella** Breuning, 1942:174  
**wollastoni** Thomson, 1861:123  
*melzeri* Bondar, 1938:447

Colombia  
 Bolivia  
 Guatemala, Costa Rica, Panama  
 Brasil (RO)  
 Bolivia  
 Fr Guiana, eBrasil (PE, BA)

**Leptophaula** Breuning, 1940:154  
**femoralis** Breuning, 1940:154

Colombia, Venezuela

**Palpicrassus** Martins & Galileo, 2010:685  
**inexpectatus** Martins & Galileo, 2010:685  
**paulistanus** Galileo & Martins, 2007:351

Bolivia (SC)  
 Brasil (SP)

**Paraesylacris** Breuning, 1940:159  
**bituberosa** Breuning, 1940:159  
**candida** Martins & Galileo, 2001:1232  
**columbiana** Breuning, 1940:159

seBrasil (ES)  
 Brasil (AC)  
 Colombia

**Parmenonta** Thomson, 1868:157  
**albisetosa** Bates, 1880:105  
**alboosticta** Galileo & Martins, 2003:170  
**chapadensis** Martins & Galileo, 1999:814  
**dominicana** Galileo & Martins, 2004:57  
**fulvosticta** Bates, 1885:341  
**insularis** Fisher, 1930:9  
**laevipunctata** Breuning, 1940:37  
**lenticula** Galileo & Martins, 2006:13  
**maculata** Martins & Galileo, 1999:814  
**minor** Bates, 1880:105  
**ovatula** Bates, 1880:105  
**paralela** Lameere, 1893:275  
**punctigera** (Germar, 1824:494)  
**strandiella** Breuning, 1940:37  
**thomasi** Linsley & Chemsak, 1984:114  
**valida** Thomson, 1868:158  
**wickhami** Schaeffer, 1908:350

Guatemala-Panama, Venezuela  
 Colombia  
 Brasil (MG)  
 R Dominicana  
 eMexico (VC), Honduras  
 Cuba  
 Mexico  
 Paraguay  
 Argentina, Bolivia (SC)  
 eMexico (TL, OA, VC), Honduras  
 Mexico, Guatemala  
 Venezuela  
 seBrasil (RJ-PR), Bolivia (SC)  
 Paraguay, Argentina  
 seUSA (FL), Honduras?  
 ecMexico (ME, VC) - Nicaragua  
 scUSA (TX)

**Phrynidius** Lacordaire, 1869:262  
**armatus** Linsley, 1933:131  
**asper** Bates, 1885:334  
**echinoides** Breuning, 1940:407  
**echinus** Bates, 1880:93  
**inaequalis** (Say, 1835:193)  
**salvadorensis salvadorensis** Franz, 1954:220  
     subsp. **montecristensis** Franz, 1954:221  
**singularis** Bates, 1880:92

Guatemala  
 Guatemala, Honduras  
 Mexico  
 Guatemala - Panama  
 eMexico (VC), Honduras  
 El Salvador  
 El Salvador, Honduras  
 Mexico-Honduras

**Potiatuca** Galileo & Martins, 2006:12  
**carioca** Monné & Monné, 2009:376  
**ingridae** Galileo & Martins, 2006:13  
**serrana** Monné & Monné, 2009:376

Brasil (RJ)  
 Brasil (RS)  
 Brasil (RJ)

**Prosenella** Lane, 1959:83**muehni** (Bruch, 1933:335)**unicolor** Martins & Galileo, 2003:134

nArgentina (JU, CO)

Brasil (MS)

**Pseudepectasis** Breuning, 1940:213**bispinosa** Breuning, 1940:213

seBrasil (RJ)

**Ptericoptus** Lacordaire, 1830:185*Pterocoptus* Gemminger & Harold, 1873:3101**acuminatus** (Fabricius, 1801:323)*dentipennis* Latreille, 1811:56*acuminatus* m. *reductus* Breuning, 1971:271*hybridus hybridus* Breuning, 1939:233**avanyae** Martins & Galileo, 2010:87**borealis** Breuning, 1939:234**caudalis** Bates, 1880:111*griseotarsalis* Breuning, 1971:274**clavicornis** (Fabricius, 1801:323)*crassicornis* Fabricius, 1803:84*cruentatus* Thomson, 1868:109**columbianus** Breuning, 1950:9**corumbaensis** Galileo & Martins, 2003:383**dorsalis** Audinet-Serville, 1835:61*vitta* Newman, 1838:395**fuscus** Bates, 1885:345**griseolus** Bates, 1880:111**intermedius** Breuning, 1939:234**meridionalis** Breuning, 1939:233**panamensis** Bates, 1880:111**similis** Breuning, 1939:234**sinuatus** Breuning, 1939:233Brasil (AM, PE, BA, MG-PR), Paraguay,  
Argentina, Bolivia (SC)

Brasil (PB)

wMexico (DU)

eMexico (VC), Guatemala, Honduras

Fr Guiana, Guyana

Colombia

Brasil (MS)

Brasil (widespread), Bolivia (SC)

swMexico (GR, MO)

Guatemala

Mexico

Paraguay, nArgentina (BA, CH)

Panama

Colombia, Venezuela

Colombia, Peru

**Rosalba** Thomson, 1864:108*Aletretia* Bates, 1866:34**alboapicalis** (Breuning, 1940:42)**alcidionoides** Thomson, 1864:109**approximata** (Melzer, 1934:85)**arawakiana** Villiers, 1980:86**bucki** (Melzer, 1934:87)**consobrina** (Melzer, 1934:88)**costaricensis** (Melzer, 1934:91)**crassepunctata** Breuning, 1948:13**digna** (Melzer, 1934:86)*albofasciata* Breuning, 1942:140**dissimilis** (Belon, 1903:153)**fimbriata** (Belon, 1903:152)**formosa** Martins & Galileo, 2008:276**hovorei** Touroult, 2007:12**incrastabilis** Galileo & Martins, 2006:18**inscripta** (Bates, 1866:34)*acanthocinoides* Thomson, 1868:142**indistincta** (Breuning, 1940:41)**malleri** (Melzer, 1934:90)**mediofasciata** (Breuning, 1943:38)**obliqua** (Thomson, 1868:141)*pulchra* Bates, 1885:350**peraffinis** (Breuning, 1940:153)**pulchella** (Belon, 1903:151)

seBrasil (RJ-SC)

Colombia

seBrasil (RJ-RS), Paraguay

Guadeloupe

sBrasil (RS)

seBrasil (ES-SC), Paraguay, Bolivia (SC)

Costa Rica

nwBrasil (AM)

seBrasil (SP-RS), Paraguay

Bolivia, Argentina

Bolivia

Bolivia (SC)

Martinique

Bolivia (SC)

nSAmer-Bolivia (SC)

Colombia

seBrasil (RJ-RS)

Brasil

Costa Rica-Venezuela

seBrasil (RJ)

Bolivia

- recta** (Thomson, 1868:142)  
**rufescens** (Breuning, 1940:153)  
**rufobasalis** (Breuning, 1940:42)  
**smaragdina** (Breuning, 1940:153)  
**stigmatifera** (Thomson, 1868:142)  
**strandi** (Breuning, 1943:38)  
**strandiella** (Breuning, 1940:42)  
**suiaba** Martins & Galileo, 2009:532
- Venezuela  
seBrasil (RJ)  
Colombia  
seBrasil (RJ, SP)  
Panama, SAmer  
seBrasil (MG)  
cBrasil (GO)  
Brasil
- Sarillus** Bates, 1885:359  
**pygmaeus** Bates, 1885:359
- Guatemala - Panama
- Sybra** Pascoe, 1865:141  
**alternans** (Wiedemann, 1823:111)  
 nr. *ponapensis* Blair, in Peck & Thomas, 1998:122
- Micronesia, introduced in sFlorida
- Symperga** Lacordaire, 1872:711  
**balyi** (Thomson, 1861:121)  
**puncticollis** Breuning, 1940:212
- Fr Guiana, Bolivia (LP)  
nBrasil (AM, PA)
- Sympergoides** Lane, 1970:374  
**nasutus** Lane, 1970:374
- seBrasil (MG)
- Tethystola** Thomson, 1868:131  
**brasilensis** Breuning, 1940:42  
*flavoapicalis* Breuning, 1942:141  
**cincta** Martins & Galileo, 2008:279  
**dispar** Lameere, 1893:276  
**inermis** Galileo & Martins, 2001:288  
**minima** Galileo & Martins, 2001:289  
**mutica** Gahan, 1895:126  
**obliqua** Thomson, 1868:132  
**unifasciata** Galileo & Martins, 2001:288
- eBrasil (PE)  
Bolivia (SC)  
Venezuela  
Venezuela  
Venezuela  
Grenada, St Vincent, Trinidad - Tobago  
Venezuela  
Peru
- Tetrarpages** Thomson, 1868:129  
**lansbergei** Thomson, 1868:130
- Venezuela
- Trichoparmenonta** Breuning, 1943:36  
**hoegei** Breuning, 1943:36
- Mexico
- Tucumaniella** Breuning, 1943:40  
**brevipes** Breuning, 1943:40
- nArgentina (TU)
- Typophaula** Thomson, 1868:152  
**melancholica** Thomson, 1868:152  
*dejeani* Thomson, 1868:153
- seBrasil, Fr Guiana
- Batocerini** Lacordaire, 1869:353
- Batocera** Dejean, 1835:341  
**rufomaculata** (Degeer, 1775:107)  
*cruentatus* Gmelin in Linnaeus, 1790:1863  
*rubiginosus* Voet, 1778:14
- Puerto Rico, Barbados, Virgin Is. (Introduced)



**Callini** Thomson, 1864:123  
*Gryllicides* Lacordaire, 1872:489

**Acreana** Lane, 1973:478

**cuprea** Lane, 1973:479

w Brasil (AC, RO)

**Amucallia** Galileo & Martins, 2008:8

**carbonaria** Martins & Galileo, 2012:561

Fr Guiana

**citrina** Martins & Galileo, 2012: 562

Guiana

**colombiana** Galileo & Martins, 2010:3

Colombia

**hovorei** Galileo & Martins, 2008:8

Panama

**miranda** Galileo & Martins, 2010:2

Venezuela

**venezuelensis** Galileo & Martins, 2010:3

Venezuela

**Anapsicomus** Galileo & Martins, 1988:513

**aethroides** Galileo & Martins, 1988:514

sBrasil (SC, RS)

**lamproyoides** (Bates, 1866:302)

eBrasil (ES)

**Ardeocomus** Galileo & Martins, 1988:512

**hemilophoides** Galileo & Martins, 1988:513

eBrasil (BA, MG)

**Asemolea** Bates, 1881:194

**crassicornis** Bates, 1881:194

eMexico (VC), Belize

**flava** Martins & Galileo, 2006:212

Costa Rica (PA)

**macaranduba** Galileo & Martins, 1998:250

Brasil (AM)

**minuta** (Bates, 1872:238)

Honduras, Guatemala-Costa Rica

**purpuricollis** Bates, 1885:423

Costa Rica (LI), Panama

**setosa** Bates, 1881:194

Guatemala, Honduras

**Callia** Audinet-Serville, 1835:60

**albicornis** Bates, 1885:424

Costa Rica (LI), Panama, eEcuador

**ambigua** Bates, 1885:424

eMexico (VC)

**annulata** Galileo & Martins, 2002:42

eEcuador

**aprya** Martins, Galileo & Joly, 2010:78

Venezuela

**argodi** Belon, 1903:74

Bolivia, eEcuador

**axillaris** (Dalman, 1823:69)

seBrasil (ES, RJ)

*flavofemorata* Laporte, 1840:486

**azurea** Audinet-Serville, 1835:60

seBrasil (ES-SP)

**batesi** Blackwelder, 1946:626

seBrasil (SP)

*minuta* Melzer, 1930:207 (not Bates, 1872)

**bella** Galileo & Martins, 1992:139

wEcuador

**bicolor** (Breuning, 1960:17)

Fr Guiana

**boliviana** Belon, 1903:72

Peru, Bolivia (SC)

**bordoni** Martins, Galileo & Joly, 2010:78

Venezuela

**catuaba** Martins, Galileo & Joly, 2010:79

Brasil (MG)

**chrysomelina** Pascoe, 1859:45

nBrasil (PA), eEcuador

**comitessa** Melzer, 1930:206

seBrasil (ES, RJ)

**criocerina** Bates, 1866:300

nwBrasil (AM)

**cyanea** Melzer, 1931:14

cBrasil (MT)

**divisa** Galileo & Martins, 2002:44

Brasil (MG)

**flavipes** Zajciw, 1958:55

seBrasil (ES, RJ)

**fulvocincta** Bates, 1866:300

Mexico - Panama, eEcuador, Brasil, Bolivia (BN, SC)

**gallegoi** Galileo & Martins, 1991:260

Colombia

**guyanensis** Martins & Galileo, 2008:59

Fr Guiana

**halticoides** (Bates, 1866:301)

nwBrasil (AM)

**leucozonata** Lane, 1973:436

wEcuador

**lineatula** Lane, 1973:437

Fr Guiana

**lissonota** Galileo & Martins, 2002:46

Brasil (RO)

- lycoides** Bates, 1866:301  
**marginata** Galileo & Martins, 2002:42  
**metallica** Galileo & Martins, 2008:33  
**oby** Martins, Galileo & Joly, 2010:80  
**pallida** Martins, Galileo & Joly, 2010:79  
**paraguayana** Galileo & Martins, 2002:49  
**potiaiuba** Martins & Galileo, 2006:214  
**pulchra** Melzer, 1930:206  
**punctata** Galileo & Martins, 2002:42  
**purpureipennis** (Gistel, 1848:431)  
**rubristerna** Galileo & Martins, 1992:138  
**simplex** Galileo & Martins, 1991:261  
**terminata** Martins, Galileo & Joly, 2010:79  
**tomentosa** Galileo & Martins, 2002:46  
**tristis** Galileo & Martins, 2002:44  
**variabilis** Martins, Galileo & Joly, 2010:80  
**xanthomera** Redtenbacher, 1867:185
- Calliomorpha** Lane, 1973:434  
**cyanoptera** Lane, 1973:435
- Callisema** Martins & Galileo, 1990:475  
**consortium** Martins & Galileo, 1990:478  
**elongata** Galileo & Martins, 1992:135  
**iucaua** Martins & Galileo, 1996:307  
**rufipes** Martins & Galileo, 1990:476  
**socium** Martins & Galileo, 1990:477
- Callityrinthia** Galileo & Martins, 1991:257  
**mimetica** Galileo & Martins, 1991:257
- Camitocomus** Galileo & Martins, 1991:254  
**nodosus** Galileo & Martins, 1991:254
- Canindea** Galileo & Martins, 1990:472  
**latithorax** Galileo & Martins, 1991:251  
**maculata** Galileo & Martins, 1990:474  
**signaticornis** (Buquet, 1857:339)
- Chalcolyne** Bates, 1866:297  
**metallica** (Pascoe, 1858:263)
- Chereas** Thomson, 1864:124  
*Atelodesmis* Thomson, 1861:62 (not Buquet, 1857)  
**octomaculata** (Buquet, 1857:337)
- Cicatricallia** Martins & Galileo, 2012:333  
**cicatricosa** Martins & Galileo, 2012:334
- Colombicallia** Galileo & Martins, 1992:138  
**albofasciata** Martins & Galileo, 2006:212  
**curta** Galileo & Martins, 1992:138
- nwBrasil (AM)  
Peru  
eEcuador  
Brasil (PR)  
Venezuela  
Paraguay  
Brasil (RO), Bolivia (CO, SC)  
sBrasil, Paraguay, Argentina, Bolivia  
Colombia  
Brasil  
Peru, Bolivia (SC)  
nBrasil (PA)  
Venezuela  
Brasil (MG)  
Bolivia  
Venezuela  
seBrasil (RJ-RS), Paraguay, Argentina
- nwBrasil (AM), eEcuador
- cBrasil (GO, MT)  
Colombia, Venezuela  
Peru  
Brasil (RO, GO, MA, MT, MG-RS), Bolivia (SC)  
seBrasil (MG-SC), nArgentina (MI)
- Costa Rica
- seBrasil (ES, RJ)
- nwBrasil (AM)  
nwBrasil (AM)  
nBrasil (AM, PA, MA), Fr Guiana
- ncBrasil (AM, PA)
- seBrasil (ES, RJ)
- Bolivia (SC)
- Bolivia (SC)  
Colombia

**Drycothaea** Thomson, 1868:145*Drycothaea* Bates, 1881:193*Estolopsis* Breuning, 1940:179*Guyanestola* Breuning, 1961:248**angustifrons** (Breuning, 1943:56)*macrophthalma* Breuning, 1961:248**anteochracea** (Breuning, 1974:157)*ochreicollis* Breuning, 1974:161**bicolorata** Martins & Galileo, 1990:610**brasiliensis** (Breuning, 1974:49)*marmorata* Martins & Galileo, 1990:611**clara** Galileo & Martins, 2012:222**curtula** Bates, 1885:423**estola** (Lameere, 1893:278)**gaucha** Galileo & Martins, 2008:32**guadeloupensis** Fleutiaux & Sallé, 1889:473**hovorei** Galileo & Martins, 2012:222**indistincta** Lingafelter & Nearn, 2007:188**jolyi** Galileo & Martins, 2010:70**maculata** Martins & Galileo, 2003:619**mexicana** (Breuning, 1974:161)**ochreoscutellaris** (Breuning, 1940:180)*soricina* Martins & Galileo, 1990:611**ocularis** Galileo & Martins, 2010:71**parva** Bates, 1885:423**rotundicollis** Galileo & Martins, 2010:70**sallei** (Thomson, 1868:145)*sallaei* Bates, 1881:193**spretata** Bates, 1885:422**stictica** Bates, 1881:193var. *lepidiota* Bates, 1885:422**testaceipes** Bates, 1881:193**truncatipennis** Tavakilian, 1997:136*stictica* Breuning, 1942:163 (not Bates, 1881)**turrialbae** (Breuning, 1943:56)**viridescens** (Buquet, 1857:337)**wappesi** Galileo & Martins, 2010:71

Fr Guiana, eEcuador, Brasil (MA)

cBrasil (PA, GO, MT), Fr Guiana, Bolivia (SC)

eEcuador, nwBrasil (AM)

cBrasil (AM, MT), eEcuador, Fr Guiana,  
Bolivia (BN, SC)

Brasil (RO)

Panama

Venezuela

Brasil (RS)

Guadeloupe

eEcuador

R Dominicana

Peru

Bolivia (SC)

Mexico

eEcuador, Surinam, Fr Guiana, cBrasil (AM, PA, RO)

Guatemala

Honduras, Panama

Costa Rica (CA)

sMexico (TB, VC), Belize, Guatemala

eMexico (VC)

eMexico (VC) - Panama

Guatemala

sBrasil (SC)

Costa Rica

seBrasil (ES, RJ)

Guatemala

**Eumathes** Pascoe, 1858:251*Sinamora* Thomson, 1868:113**amazonicus** Bates, 1866:297**canus** (Germar, 1824:483)*undatus* Pascoe, 1858:251*subcostatus* Thomson, 1868:114**colombicus** (Thomson, 1868:114)**cuprascens** Bates, 1874:233

nwBrasil (AM)

seBrasil (BA-RJ)

Colombia

Nicaragua-Panama

**Eumimesis** Bates, 1866:298**affinis** Magno & Monné, 1990:454**carbonelli** Lane, 1973:476**decoratus** (Fuchs, 1955:51)**germana** Lane, 1973:474**heilipoides** Bates, 1866:298**trilineata** Magno & Monné, 1990:453

nwBrasil (AM), eEcuador

eEcuador, Peru

Bolivia (CO)

cBrasil (PA, MT), Fr Guiana

nwBrasil (AM), eEcuador, Peru, Fr Guiana

wBrasil (RO), Bolivia (SC)

**Euryestola** Breuning, 1940:180*Euroyestola* Breuning, 1963:510**antennalis** Breuning, 1940:180**caraca** Galileo & Martins, 1997:130

Venezuela

Brasil (MG)

- castanea** Galileo & Martins, 2001:69  
**cribrata** (Bates, 1881:194)  
**freyi** Breuning, 1955:660  
**iquira** Galileo & Martins, 1997:129  
**morotinga** Galileo & Martins, 1997:131  
**murupe** Galileo & Martins, 1997:132
- Graminea** Thomson, 1864:329  
**annulata** Galileo & Martins, 1990:469  
**hispidata** Galileo & Martins, 1990:471  
**inca** Galileo & Martins, 1990:471  
**multicava** Galileo & Martins, 1990:469  
**rubra** Martins & Galileo, 2006:216  
**tomentosa** Thomson, 1864:330
- Gryllica** Thomson, 1860:120  
*Esmia* Thomson, 1864:100 (not Pascoe, 1859)  
**curitibana** Lane, 1965:333  
**flavopustulata** Thomson, 1861:121  
**picta** (Pascoe, 1858:263)  
**prava** Lane, 1973:470  
*metallica* Dillon & Dillon, 1946:156 (not Pascoe, 1858)  
**pseudopicta** Lane, 1965:329  
**pygmaea** Lane, 1973:471
- Harringtonia** Lane, 1973:477  
**dalmeidai** (Dillon & Dillon, 1946:161)  
**myia** (Dillon & Dillon, 1946:163)
- Hastatis** Buquet, 1857:338  
**auricollis** Buquet, 1857:339  
**denticollis** Buquet, 1857:338  
**femoralis** Burmeister, 1865:181  
**simplicis** Galileo & Martins, 1990:604
- Hemicladus** Buquet, 1857:328  
**buqueti** Tavakilian, Touroult & Dalens, 2010:41  
**callipus** Buquet, 1857:331  
**dejeanii** Buquet, 1857:329  
**fasciatus** Galileo & Martins, 1991:249  
**thomsonii** Buquet, 1857:330
- Hirticallia** Galileo & Martins, 1990:879  
**hirsuta** Galileo & Martins, 1990:879
- Icelastatis** Galileo & Martins, 1991:249  
**galerucoides** (Bates, 1866:299)
- Igualda** Thomson, 1868:144  
**posticalis** Thomson, 1868:144
- Lustrocomus** Martins & Galileo, 1996:309  
**paraensis** Martins & Galileo, 1996:309
- Mesestola** Breuning, 1980:70  
**brochieri** Touroult, 2007:3  
**guadeloupensis** Breuning, 1980:70
- nwBrasil (AM)  
eMexico (VC), Guatemala, Honduras  
Trinidad  
Colombia, wEcuador  
Brasil (PA)  
Venezuela
- wBrasil (RO), Bolivia (SC)  
ecBrasil (GO), Bolivia (SC)  
Peru  
eEcuador  
Bolivia (SC)  
eBrasil (BA, MG, SP)
- sBrasil (PR)  
seBrasil (ES, RJ)  
seBrasil (BA-RS), nArgentina (MI)  
cBrasil (PA, MT), Bolivia (SC)
- eBrasil (BA)  
sBrasil (PR)
- Costa Rica, Panama  
Bolivia
- seBrasil (MG-SC)  
seBrasil (RJ, SP)  
wcArgentina (ME)  
seBrasil (SP, SC)
- French Guiana  
eBrasil (ES)  
Fr Guiana, nwBrasil (AM)  
ncBrasil (AM), eEcuador  
Brasil, Paraguay, Bolivia (SC), Fr Guiana
- sBrasil (RS)
- nBrasil (PA)
- Fr Guiana, ncBrasil (AM, PA)
- nBrasil (PA)
- St Lucie  
Guadeloupe

- Micatocomus** Galileo & Martins, 1988:511  
     **isomeroides** Galileo & Martins, 1988:512 eBrasil (ES)  
     **petalacmoides** Galileo & Martins, 1988:511 eBrasil (ES)
- Miguelia** Galileo & Martins, 1991:252  
     **monnei** Galileo & Martins, 1991:252 nwBrasil (AM)
- Mimolaia** Bates, 1881:424  
     **acaiuba** Galileo & Martins, 1998:153 Colombia  
     **annulata** Galileo & Martins, 2010:7 Ecuador  
     **buckleyi** (Bates, 1885:424) Bolivia  
     **calopterona** (Bates, 1885:424) Costa Rica, Panama  
     **cleroides** (Bates, 1866:301) nwBrasil (AM)  
     **diversicornis** Galileo & Martins, 2010:6 Venezuela  
     **hua** Galileo & Martins, 1991:256 nwBrasil (AM)  
     **lata** Galileo & Martins, 1991:256 eEcuador  
     **peruana** Galileo & Martins, 1991:255 Peru  
     **pichincha** Galileo & Martins, 1992:135 wEcuador  
     **tachira** Galileo & Martins, 1992:137 Venezuela  
     **variicornis** Belon, 1903:76 Bolivia (SC)
- Paracallia** Martins & Galileo, 1998:56  
     **bonaldoi** Martins & Galileo, 1998:56 Brasil (AC), Bolivia (SC)  
     **giesberti** Martins & Galileo, 2006:211 Bolivia (CO)
- Paradrycothaea** Galileo & Martins, 2010:234  
     **jamesi** Galileo & Martins, 2010:236 Mexico (CH)  
     **pilosicornis** Galileo & Martins, 2010:234 Mexico (QR)
- Rumuara** Martins & Galileo, 2006:214  
     *Paracladus* Martins & Galileo, 1990:480  
     **fasciatus** (Martins & Galileo, 1990:479) Peru
- Parasemolea** Martins & Galileo, 1990:479  
     **boliviana** Martins & Galileo, 1990:480 Bolivia
- Schiacallia** Galileo & Martins, 1991:248  
     **tristis** Galileo & Martins, 1991:248 eBrasil (BA, MG, ES)
- Xenocallia** Galileo & Martins, 1990:471  
     **punctatissima** Galileo & Martins, 1990:472 Bolivia (SC)
- Zenicomus** Thomson, 1868:194  
     **ignicolor** Galileo & Martins, 1988:510 eBrasil (ES)  
     **photuroides** Thomson, 1868:194 seBrasil (RJ, SP)
- Colobothaini** Thomson, 1861:18
- Apechthes** Thomson, 1860:362  
     **championi** Bates, 1881:191 Guatemala, Honduras  
     **mexicanus** Thomson, 1861:363 seMexico (OA, VC), Guatemala
- Carneades** Bates, 1869:387  
     **bicincta** Gahan, 1889:393 Guadeloupe  
     **championi** Bates, 1885:420 Costa Rica, Panama

- delicia** Bates, 1869:387  
**glaucothea** Bates, 1872:227  
*subcrucigera* Zajciw, 1961:389  
**grandis** (Thomson, 1861:21)  
**hemileuca** Bates, 1881:190  
**nigrosignata** Aurivillius, 1926:515  
**personata** Bates, 1881:277  
**princeps** Bates, 1872:238  
**quadrinodosa** Aurivillius, 1902:224  
**reticulata** Bates, 1881:277  
**superba** Bates, 1869:387  
**vittata** Gahan, 1889:391  
*crucigera* Aurivillius, 1902:210  
*crucigera* var. *amazonica* Aurivillius, 1902:211
- Carterica** Pascoe, 1858:263  
**buquetii** Thomson, 1861:20  
**cincticornis** Bates, 1865:214  
**mima** Belon, 1903:68  
*mimi* Gilmour, 1965:631  
**mucronata** (Olivier, 1795:30)  
*tenuicornis* Fabricius, 1801:328  
*cinctipennis* Pascoe, 1858:263  
*colobothoeides* Thomson, 1861:20  
**pygmaea** Bates, 1881:186  
**rubra** Martins & Galileo, 2005:15  
**soror** Belon, 1896:253  
*bosqi* Gilmour, 1954:79  
*bosqui* Fuchs, 1956:575  
**tricuspis** Belon, 1903:70  
*bicuspis* Aurivillius, 1923:457
- Cathexis** Thomson, 1860:18  
**longimana** (Pascoe, 1859:52)  
*serrimana* Thomson, 1864:29  
**vitticollis** Zajciw, 1967:322
- Colobotha** Lepelletier & Audinet-Serville in Latreille, 1825:336  
**aleata** Bates, 1885:420  
**amoena** Gahan, 1889:390  
**andina** Monné, 1993:475  
**appendiculata** Aurivillius, 1902:222  
**assimilis** Aurivillius, 1902:212  
**berkovi** Monné & Monné, 2010:40  
**bicuspidata** (Latreille, 1811:56)  
*octolineata* Bates, 1865:105  
**biguttata** Bates, 1865:219  
*brasiliensis* Fuchs, 1961:9  
*binoculata* Zajciw, 1967:118 (not Bates, 1865)  
**bilineata** Bates, 1865:107  
**bisignata** Bates, 1865:389
- bitincta** Bates, 1872:226  
**brullei** Gahan, 1889:389  
*numida* Aurivillius, 1902:214  
**caramaschii** Monné, 2005:246  
**carneola** Bates, 1865:393  
**cassandra** (Dalman, 1823:70)  
*leucospila* Germar, 1824:487
- Nicaragua  
eEcuador, nwBrasil (AM), Peru
- eMexico (VC), Belize, Honduras  
Costa Rica, Panama  
Bolivia  
Colombia  
Nicaragua-Panama  
Colombia  
Colombia  
Honduras - Panama  
eEcuador, nwBrasil (AM), Peru, Bolivia (LP, SC)
- Brasil  
nwBrasil (AM), eEcuador, Colombia  
Bolivia (SC)
- Fr Guiana, ncBrasil (AM), Peru, Bolivia (SC)
- Nicaragua-Costa Rica  
Colombia  
Bolivia (LP, SC), Peru, Ecuador
- Bolivia (SC)
- seBrasil (MG-RJ)
- eBrasil (ES)
- seMexico (VC) - Venezuela  
eBrasil (BA, ES)  
Peru  
Brasil (AM), Bolivia (SC), Fr Guiana  
Colombia, Bolivia (LP), Peru  
Bolivia (CO, SC), Peru  
Colombia, eEcuador, Fr Guiana, Peru,  
Bolivia (BN, LP, PN, SC), ncBrasil (AM)  
seBrasil (ES-RS), eEcuador, Bolivia (SC)
- nwBrasil (AM)  
Guianas, nwBrasil (AM), Peru, eEcuador,  
Bolivia (CO SC)  
Honduras - Colombia  
cBrasil (AM, GO, MT), Bolivia (BN, SC), Peru,  
eEcuador,  
Venezuela  
Fr Guiana, nBrasil (PA)  
seBrasil (BA-RS)

- centralis** Monné, 1993:478  
**chemsaki** Giesbert, 1979:422  
**chontalensis** Bates, 1872:225  
**cincticornis** (Schaller, 1783:290)  
**colombiana** Monné, 1993:479  
**crassa** Bates, 1865:103  
**decemmaculata** Bates, 1865:217  
**declivis** Aurivillius, 1902:209  
**delicata** Monné, 2005:246  
**denotata** Monné, 2005:245  
**destituta** Bates, 1865:383  
**discicollis** Gahan, 1889:391  
**dispersa** Bates, 1872:226  
**distincta** Pascoe, 1866:284  
**dostalbergeri** Schmid, 2010:189  
**elongata** Gahan, 1889:388  
**emarginata** (Olivier, 1795:48)  
**erythrophthalma** (Voet, 1806:27)  
**eximia** Aurivillius, 1902:213  
**fasciata** Bates, 1865:108  
**fasciatipennis** Linsley, 1935:112  
**femorosa** Erichson, 1847:149  
**fibrosa** Erichson, 1847:149  
**flavimacula** (Voet, 1806:27)  
*hieroglyphica* Schoenherr, 1817:421  
**flavoguttata** Aurivillius, 1902:218  
**flavomaculata** Bates, 1865:218  
**forcipata** Bates, 1865:394  
**geminata** Bates, 1865:106  
**grallatrix** Bates, 1865:391  
**grisescens** Zajciw, 1962:287  
**guatemalena** Bates, 1881:188  
**guttulata** Aurivillius, 1902:216  
**hebraica** Bates, 1865:108  
**hirtipes** (Degeer, 1775:116)  
*annulatus* Fabricius, 1775:180  
*hirtimana* Schoenherr, 1817:419  
*murina* Schoenherr, 1817:419  
*contaminata* Lepeletier & Audinet-Serville in Latreille, 1825:337  
*concreta* Bates, 1865:106  
**hondurena** Giesbert, 1979:436  
**humerosa** Bates, 1865:223  
**juncea** Bates, 1865:386  
**lateralis** Bates, 1865:108  
**leucophaea** Bates, 1865:223  
**lineatocollis** Bates, 1865:103  
**lucaria** Bates, 1865:102  
**lunulata** Lucas, 1859:190  
*fryi* Pascoe, 1859:52  
**macularis** (Olivier, 1792:474)  
*velutina* Bates, 1865:216  
**maculicollis** Bates, 1865:217  
**meleagrina** Erichson, 1847:149  
*niveosparsa* Aurivillius, 1902:220  
**mimetica** Aurivillius, 1902:222  
**mosaica** Bates, 1865:384  
**musiva** (Germar, 1824:488)  
**naevia** Bates, 1865:386  
**naevigera** Bates, 1865:101  
**nigromaculata** Zajciw, 1971:307  
  
cBrasil (GO)  
swMexico (OA) -Costa Rica  
Nicaragua-Panama  
?  
Colombia  
ncBrasil (AM, PA), Peru  
ncBrasil (AM, PA), Fr Guiana  
Bolivia (SC)  
Guatemala, Costa Rica (GU, PA), Panama  
Brasil (AM)  
nBrasil (PA), eEcuador  
seBrasil (BA-SP), Bolivia (SC)  
Honduras - Colombia  
Mexico - Colombia  
Argentina (Salta), Bolivia (SC)  
Fr Guiana, nBrasil (AP, AM)  
seBrasil (BA-RS), Bolivia (SC)  
?  
Colombia, Fr Guiana, Brasil (AP, AM)  
seBrasil, Paraguay, Argentina  
Honduras, Panama  
Peru  
Peru  
SAmer  
  
eBrasil (BA, ES)  
nwBrasil (AM)  
nwBrasil (AM), eEcuador  
Fr Guiana, nBrasil (PA)  
nwBrasil (AM), eEcuador  
eBrasil (ES)  
sMexico (CHS, OA, VC) - Honduras  
nwBrasil (AM)  
sMexico (CHS, OA, QR) - Nicaragua  
Guianas, ncBrasil (AM), Peru, Bolivia,  
Trinidad & Tobago  
  
Honduras  
nBrasil (PA), eEcuador  
Fr Guiana, nBrasil (PA)  
seBrasil (MG-RS)  
sMexico (OA, VC)  
Fr Guiana  
nwBrasil (AM)  
ncBrasil (AM), Peru, eEcuador, Bolivia (SC), Colombia  
  
Surinam, Fr Guiana, ncBrasil (AM), eEcuador, Peru,  
Bolivia (SC)  
Venezuela  
Bolivia (SC), Peru, eEcuador  
  
Colombia  
Venezuela  
seBrasil, Paraguay, Argentina  
nwBrasil (AM), eEcuador  
nwBrasil (AM), Peru, Bolivia (SC), Ecuador  
nBrasil (AP)

- obconica** Aurivillius, 1902:215  
**obtusa** Bates, 1865:222  
**olivencia** Bates, 1865:392  
**ordinata** Bates, 1865:104  
**osculatii** Guérin-Ménéville, 1855:600  
*obsculatii* Gilmour, 1965:629  
**parcens** Bates, 1881:189  
**passerina** Erichson in Schomburg, 1848:574  
**paulina** Bates, 1865:384  
**peruviana** Aurivillius, 1920:389  
**pictilis** Bates, 1865:221  
  
**picturata** Monné, 1993:480  
**pimplaea** Bates, 1865:382  
**plagiata** Aurivillius, 1902:212  
**plebeja** Aurivillius, 1902:219  
**pleuralis** Casey, 1913:344  
**poecila** (Germar, 1824:488)  
**propinqua** Bates, 1865:385  
**pulchella** Bates, 1865:221  
**punctata** Aurivillius, 1902:221  
**pura** Bates, 1865:392  
**ramosa** Bates, 1872:225  
**regularis** Bates, 1881:188  
**rincona** Giesbert, 1979:434  
**roppai** Monné, 1993:476  
**rubroornata** Zajciw, 1962:285  
**sahlbergi** Aurivillius, 1902:220  
**schmidtii** Bates, 1865:225  
**scolopacea** Erichson, 1847:149  
**securifera** Bates, 1865:387  
**sejuncta** Bates, 1865:387  
**seminalis** Bates, 1865:383  
**septemmaculata** Zajciw, 1971:143  
**seriatomaculata** Zajciw, 1962:283  
**sexagglomerata** Zajciw, 1962:281  
**sexmaculata** Aurivillius, 1902:218  
**sexualis** Casey, 1913:344  
**signatipennis** Lameere, 1884:98  
**signativentris** Gahan, 1889:387  
**simillima** Aurivillius, 1902:210  
**sinaloensis** Giesbert, 1979:423  
**socia** Gahan, 1889:390  
**sordida** Aurivillius, 1902:221  
**strigosa** Bates, 1865:224  
**styligera** Bates, 1865:391  
**subcincta** Laporte, 1840:491  
*albobimaculata* Zajciw, 1961:385  
*pseudosubcincta* Zajciw, 1961:387  
**sublunulata** Zajciw, 1962:245  
**subtessellata** Bates, 1865:104  
**tristis** (Voet, 1778:17)  
**unilineata** Bates, 1872:225  
**varia** (Fabricius, 1787:144)  
*cayennensis* Gmelin, 1790:1860  
*lineola* Bates, 1865:222  
**varica** Bates, 1865:385  
**vidua** Bates, 1865:224  
**viehmanni** Monné & Martins, 1979:32  
**wappesi** Monné & Monné, 2010:44  
  
Fr Guiana  
nwBrasil (AM), Fr Guiana  
nwBrasil (AM)  
nwBrasil (AM)  
Peru, eEcuador  
  
sMexico (OA, VC), Belize, Honduras, Guatemala  
Guyana, Fr Guiana  
Peru, ncBrasil (AM, PA), Fr Guiana  
Peru  
Fr Guiana, nBrasil (AP, PA), Bolivia (SC), Venezuela,  
Guyana, Ecuador, Peru  
Venezuela  
Fr Guiana, ncBrasil (AM, PA), Peru  
Colombia, Bolivia (SC), Ecuador  
Bolivia (BN, LP, SC), Peru  
Costa Rica, Panama  
seBrasil, Paraguay, Argentina  
nwBrasil (AM), Peru  
Fr Guiana, Venezuela, nBrasil (PA)  
Colombia, Peru  
nBrasil (PA)  
sMexico (CHS, ME, OA, YU) - Nicaragua  
eMexico (SLP, VC)  
Costa Rica  
cBrasil (MT, GO)  
seBrasil, Paraguay, Bolivia (SC)  
seBrasil (ES-RJ)  
seBrasil (RJ-RS), Argentina  
Peru  
nBrasil (PA), Peru, eEcuador  
nwBrasil (AM), Peru, eEcuador  
nBrasil (PA)  
nBrasil (AP), Fr Guiana  
seBrasil, Paraguay, Argentina  
eBrasil (ES)  
eBrasil (BA)  
sMexico (CHS) - Honduras  
seBrasil (ES-SP)  
eBrasil (BA-RJ)  
seBrasil, Paraguay, Argentina, Uruguay, Bolivia (SC)  
wMexico (SI, NA, JA)  
eBrasil (BA-RJ)  
nwBrasil (AM), eEcuador, Peru, Bolivia (CO)  
seBrasil (ES-PR), Argentina  
nwBrasil (AM), eEcuador  
seBrasil (MG-SC)  
  
Bolivia (SC)  
nBrasil (PA)  
?  
Nicaragua-Panama  
Panama, Venezuela, Fr Guiana, Bolivia (BN, SC)  
  
nwBrasil (AM)  
eMexico (VC), Guatemala, Honduras  
cBrasil (PA, RO, MT)  
Bolivia (SC)



<b>Colobothina</b> Hovore, 1989:257	
<b>perplexa</b> Hovore, 1989:258	Honduras, Costa Rica, Panama
<b>Hilobothea</b> Monné & Martins, 1979:31	
<b>caracensis</b> Monné & Martins, 1979:32	eBrasil (MG, ES)
<b>latevittata</b> (Bates, 1865:390)	Guianas, ncBrasil (AM), eEcuador
var. <i>obydensis</i> Bates, 1865:390	
<b>Nodubothea</b> Monné & Monné, 2008:503	
<b>nodicornis</b> (Bates, 1881:277)	Ecuador
<i>huamboya</i> Kirsch, 1889:40	
<b>zapoteca</b> Monné & Monné, 2008:504	Mexico (Tehuantepec)
<b>Priscilla</b> Thomson, 1864:30	
<b>hypsiomoides</b> Thomson, 1864:31	Honduras – nSAmer, Bolivia (SC)
<i>dioptica</i> Bates, 1865:220	
<b>Sangaris</b> Dalman, 1823:71	
<i>Songaris</i> Thomson, 1868:201	
<i>Synchyzopus</i> Thomson, 1864:29	
<b>albida</b> Monné, 1993:469	eBrasil (BA)
<b>cancellata</b> (Bates, 1881:275)	Bolivia
<b>concinna</b> Dalman, 1823:71	eBrasil (BA-SP)
<i>histrio</i> Perty, 1832:97	
<b>condei</b> Melzer, 1931:76	eBrasil (ES)
<b>duplex</b> (Bates, 1881:276)	seBrasil, Paraguay, Argentina
<b>geometrica</b> (Bates, 1872:224)	Nicaragua, Costa Rica
<b>giesberti</b> Hovore, 1998:66	eMexico - Costa Rica
<b>inornata</b> Monné, 1993:470	nwBrasil (AM), Fr Guiana
<b>invida</b> Melzer, 1932:234	seBrasil (RJ)
<b>laeta</b> (Bates, 1881:275)	Ecuador
<b>lezamai</b> Hovore, 1998:67	Costa Rica
<b>luctuosa</b> (Pascoe, 1859:53)	cBrasil (PA, MT)
<b>luteonotata</b> Monné & Monné, 2009:36	Ecuador
<b>multimaculata</b> Hovore, 1998:70	Honduras, Costa Rica
<b>obtusicarinata</b> (Zajciw, 1962:289)	seBrasil (RJ)
<b>octomaculata</b> Aurivillius, 1902:223	eBrasil (BA-SP)
<b>optata</b> (Pascoe, 1866:284)	Guatemala, Honduras-Venezuela, Colombia, Brasil
<b>ordinale</b> Monné & Monné, 2009:39	Ecuador
<b>penrosei</b> Hovore, 1998:68	Panama
<b>petrovi</b> Schmid, 2010:190	Peru
<b>polystigma</b> (Bates, 1881:276)	Colombia, Venezuela
<b>seabrai</b> Zajciw, 1962:115	seBrasil (RJ)
<b>sexmaculata</b> Monné, 1993:472	Peru
<b>spilota</b> Martins & Galileo, 2009:534	Ecuador
<b>trifasciata</b> Melzer, 1928:155	seBrasil (MG, PR, SC, SP)
<b>viridipennis</b> Melzer, 1931:76	seBrasil (RJ-SC)
<b>zikani</b> Melzer, 1931:75	seBrasil (MG, SP)
<b>Sparna</b> Thomson, 1864:30	
<b>colombiana</b> Gilmour, 1950:552	Colombia
<b>lycoides</b> Thomson, 1864:30	Bolivia
<b>macilenta</b> Pascoe, 1888:508	Colombia, eEcuador
ab. <i>apicemaculata</i> Gilmour, 1954:85	
<b>migsominea</b> Gilmour, 1950:550	Colombia
<b>nigrolineata</b> Fuchs, 1956:574	Colombia

**pallida** Gilmour, 1950:553  
**platyptera** Bates, 1881:276

Ecuador  
 seBrasil (MG-PR)

### **Sympleurotis** Bates, 1881:185

**albofasciatus** Julio & Monné, 2005:395  
**armatus** Gahan, 1892:266  
**rudis** Bates, 1881:185  
**wappesi** Julio & Monné, 2005:395

Mexico (OA)  
 swMexico (GU, OA) - Panama  
 Mexico, Guatemala, Honduras, Costa Rica, Panama  
 Guatemala

### **Composomatini** Thomson, 1857:70 *Aereneites* Thomson, 1868:92

### **Aerenea** Thomson, 1857:298

*Pythaidas* Brèthes, 1920:46  
*Pythoides* Breuning, 1961:289  
*Punctaerenea* Breuning, 1948:31  
*Cognataerenea* Breuning, 1971:286  
*Cognataerenea (Mimaerenea)* Breuning, 1971:287  
*Puncaerenea* Breuning, 1980:3  
**aglaia** Monné, 1980:238  
**albilarvata** Bates, 1866:198  
**alvaradoi** Prosen, 1947:256  
**annulata** Monné, 1980:254  
**antennalis** Breuning, 1948:30  
**apicalis** Melzer, 1923:5  
     *compacta* Breuning, 1948:28  
     *compacta mediofasciata* Breuning, 1948:28  
     *mediofasciata* Breuning, 1971:286  
**batesi** Monné, 1980:240  
**bimaculata** (Brèthes, 1920:46)  
**brunnea** Thomson, 1868:96  
     *subnuda* Melzer, 1923:6  
     *subnuda m. trinidadensis* Breuning, 1948:29  
**ecuadoriensis** Breuning, 1947:60  
**flavofasciculata** Breuning, 1948:30  
**flavolineata** Melzer, 1923:7  
**gibba** Martins, Galileo & Oliveira, 2011:286  
**gounellei** Monné, 1980:257  
**humero-lineata** Breuning, 1980:22  
**impetiginosa** Thomson, 1868:95  
**occulta** Monné, 1980:244  
**panamensis** Martins & Galileo, 2010:687  
**periscelifera** Thomson, 1868:95  
     *columbiana* Breuning, 1948:29  
     *albasetosa* Breuning, 1971:286  
**posticalis** Thomson, 1857:299  
**punctatostrata** (Breuning, 1948:31)  
**quadriplagiata** (Boheman, 1859:151)  
     *albigena* Burmeister, 1865:179  
     *pulchella* Thomson, 1868:96  
**robusta** Monné, 1980:261  
**setifera** Thomson, 1868:94  
**subcostata** Melzer, 1932:219  
**subimpetiginosa** Breuning, 1948:29  
**sulcicollis sulcicollis** Melzer, 1932:219  
     subsp. **subsulcicollis** Breuning, 1948:29  
**transversefasciata** Breuning, 1974:40  
**trigona** Pascoe, 1858:247  
**tuberculata** Monné, 1980:259

seBrasil (MG)  
 ncBrasil (AM, PA), Fr Guiana, Peru  
 ncArgentina (SE)  
 w Brasil (AC)  
 seBrasil (ES-SC)  
 eBrasil (BA-SP)  
  
 eBrasil (ES)  
 Peru, Bolivia  
 Costa Rica (PA), Panama-Argentina,  
 Bolivia (BN, CO, LP, SC), Brasil (MA)  
  
 Ecuador  
 Peru  
 Brasil, Bolivia (SC), Paraguay, Argentina  
 Brasil (MA)  
 seBrasil (RJ)  
 Mexico  
 Mexico - Colombia, Venezuela  
 nArgentina (FO)  
 Panama (Chiriqui)  
 Colombia  
  
 seBrasil, Paraguay, nArgentina  
 seBrasil (RJ)  
 SAmer, Bolivia (SC)  
  
 Paraguay  
 seBrasil (RJ, SP)  
 seBrasil (MG, RJ)  
 eBrasil (PE)  
 seBrasil, Paraguay, Argentina  
 ecBrasil, Fr Guiana, nwArgentina  
 Brasil  
 seBrasil (ES, RJ)  
 Peru, Bolivia (SC)

**Antennaerenea** Breuning, 1980:25  
**niveosignata** Breuning, 1980:26

Brasil, Bolivia (SC)

**Brasiliosoma** Breuning, 1960:181  
*Phrynosoma* Breuning, 1948:2  
**apicale** Monné, 1980:45  
**tibiale** (Breuning, 1948:3)

nBrasil (PA)  
eBrasil (PB, PE)

**Compsosoma** Lacordaire, 1830:183  
*Compsosoma* (*Guariteres*) Gounelle, 1908:11  
*Compsosoma* (*Yamamadis*) Gounelle, 1908:12  
*Compsosoma* (*Pseudoguariteres*) Breuning, 1961:289  
**alboapicalis** Breuning, 1980:69  
**chabrillacii** (Thomson, 1857:74)  
**fasciatum** Monné, 1980:100  
**geayi** Gounelle, 1908:8  
**mniszechii** Thomson, 1857:74  
**monnei** Martins & Galileo, 1996:299  
**mutillarium** (Klug, 1825:463)  
**nubilum** Gounelle, 1908:9  
*nubilum* var. *simplex* Gounelle, 1908:10  
**perpulchrum** (Vigors, 1825:418)  
**phaleratum** Thomson, 1857:74  
**vestitipenne** Zajciw, 1962:244  
**v-notatum** (Vigors, 1825:417)  
*notatum* White, 1846:48  
*quinenotatum* Thomson, 1857:75  
*niveosignata* Audinet-Serville, 1835:56

Brasil  
cBrasil (MG, SP, GO, MT)  
seBrasil (RJ)  
Fr Guiana, wcBrasil (AM, PA, RO)  
nwBrasil (AM), Peru  
Bolivia (SC)  
seBrasil (MG-SP)  
ecBrasil GO, MT, PE, BA), Bolivia (SC),  
Paraguay  
seBrasil (BA-RS), nArgentina (MI)  
seBrasil (BA-RS)  
wcBrasil (AM, RO)  
seBrasil (MG-SC)

**Cristaerenea** Breuning, 1949:26  
*Cognataerenea* Breuning, 1980:24 (not Breuning, 1971)  
**cognata** (Pascoe, 1859:36)  
*hypsionoides* Thomson, 1868:93

Fr Guiana

**Desmiphoropsis** Gounelle, 1908:12  
**mannerheimi** (Thomson, 1865:557)  
**variegata** (Audinet-Serville, 1835:57)

Fr Guiana  
seBrasil (ES-PR), nArgentina (MI)

**Eusphaerium** Newman, 1838:498  
**purpureum** Newman, 1838:498

seBrasil (BA-RS), Argentina, Bolivia (SC)

**Laraesima** Thomson, 1868:96  
*Penessada* Thomson, 1868:97  
**albosignata** (Bates, 1885:361)  
**asperata** (Bates, 1885:362)  
**brunneoscutellaris** (Tippmann, 1960:154)  
**densepunctata** Breuning, 1950:535  
**ecuadorensis** Breuning, 1974:40  
**fuliginea** (Bates, 1885:361)  
**hispida** (Thomson, 1868:98)  
*asperipennis* Breuning, 1948:31  
**nitida** Monné, 1980:230  
**ochreoapicalis** Breuning, 1973:664  
**pilosa** Monné, 1980:228  
**scutellaris** Thomson, 1868:97

Guatemala  
eMexico (VC)  
seBrasil (RJ, SP)  
sBrasil (SC)  
Ecuador  
cMexico (PU), Guatemala  
seBrasil (MG-SP)  
seBrasil (SP)  
eBrasil (PE)  
Peru  
seBrasil (MG-RS), nArgentina (MI)

**Paracompsosoma** Breuning, 1948:27  
**humerales** Breuning, 1948:28

ecBrasil (GO, MA)

**Parapythais** Monné, 1980:36  
**melzeri** Monné, 1980:36

seBrasil (MG)

**Pythais** Thomson, 1857:71  
*Pithais* Gounelle, 1908:7  
**scutigera** (Vigors, 1826:239)  
*concretum* Blanchard, 1843:210

seBrasil (MG-SP)

**Tessarecphora** Thomson, 1857:77  
**arachnoides arachnoides** Thomson, 1857:77  
 subsp. **amazonica** Monné, 1980:39  
 subsp. **centralis** Monné, 1980:39

seBrasil, Paraguay, Argentina  
 nBrasil (AM, PA, MA, PE, AL), Peru  
 Mexico-Colombia, Venezuela

**Tucales** Gounelle, 1908:13  
*Vaziella* Prosen, 1954:33  
*Variella* Breuning, 1961:291  
**franciscus** (Thomson, 1857:76)  
*franciscanum* Zajciw, 1967:118  
**pastranai** (Prosen, 1954:34)  
*postrarvi* Breuning, 1961:291  
**terrenus** (Pascoe, 1859:36)

wMexico (JA), seBrasil (MA, MG-SP),  
 Fr Guiana  
 seBrasil (RJ-SC), nArgentina (MI)  
 ncBrasil (AM, PA)

**Cyrtinini** Thomson 1864:41  
*Acanthomerosternoplonini* Tippmann, 1955:10

**Boricyrtinus** Micheli, 2003:196  
**nilseni** Micheli, 2003:198

Puerto Rico

**Cyrtinus** LeConte, 1852:166  
*Myrmolamia* Bates, 1885:363  
**acunai** Fisher, 1935:206  
**araguaensis** Howden, 1973:595  
**beckeri** Howden, 1960:175  
**bifasciatus** Martins & Galileo, 2009:66  
**bordoni** Joly & Rosales, 1990:209  
**eugeniae** Fisher, 1935:60  
**farri** Howden, 1960:173  
**fauxveli** (Cameron, 1909:78)  
**granulifrons** Howden, 1970:1313  
**hispidus** Martins & Galileo, 2009:66  
**hubbardi** Fisher, 1926:38  
**humilis** Zayas, 1975:284  
**jamaicensis** Howden, 1970:1312  
**melzeri** Martins & Galileo, 2009:65  
**meridialis** Martins & Galileo, 2010:687  
**mockfordi** Howden, 1959:373  
**mussoi** Joly & Rosales, 1990:206  
**oakleyi** Fisher, 1935:62  
**opacicollis** (Bates, 1885:364)  
**penicillatus** (Bates, 1885:364)  
**pygmaeus** (Haldeman, 1847:42)  
**querci** Howden, 1973:596  
**sandersoni** Howden, 1959:374  
**schwarzi** Fisher, 1926:36

Cuba  
 Venezuela  
 swUSA (TX)  
 Panama  
 Venezuela  
 Puerto Rico  
 Jamaica  
 Haiti  
 Jamaica  
 Ecuador  
 Montserrat, Guadeloupe, Martinique  
 Cuba  
 Jamaica  
 Costa Rica (CA)  
 Bolivia (SC)  
 scMexico (PU)  
 Venezuela  
 Puerto Rico  
 Guatemala  
 Panama  
 eUSA  
 cMexico (QE), Honduras  
 Jamaica  
 Cuba

- striatus** Joly & Rosales, 1990:208  
**subopacus** Fisher, 1935:61  
**umbus** Martins & Galileo, 2009:66  
 Venezuela  
 Puerto Rico  
 Costa Rica (GU)
- Decarthria** Hope, 1834:16  
**albofasciata** Gahan, 1895:137  
**boricua** Micheli, 2003:200  
**stephensii** Hope, 1834:16  
 W Indies (Grenada)  
 Puerto Rico  
 W Indies (St Vincent)
- Omosarotes** Pascoe, 1860:131  
*Acanthomerosternoplon* Tippmann, 1955:10  
*Cyrtinacantha* Zajciw, 1970:349  
**ater** Julio & Monné, 2001:104  
**foxi** (Lane, 1973:391)  
**nigripennis** (Zajciw, 1970:346)  
**paradoxum** (Tippmann, 1955:12)  
*mirabilis* Zajciw, 1970:350  
**singularis** Pascoe, 1860:131  
 wEcuador  
 Brasil  
 eBrasil (ES)  
 Panama, Ecuador, Peru, Brasil (PA)  
 Costa Rica, Panama, nBrasil (PA)
- Sciocyrtinus** Fisher, 1935:207  
**elongatus** Fisher, 1935:208  
 Jamaica
- Scopadus** Pascoe, 1857:100  
**ciliatus** Pascoe, 1857:100  
 nwBrasil (AM)
- Desmiphorini** Thomson, 1861:74  
*Rhodopides* Lacordaire, 1872:450  
*Epicastides* Lacordaire, 1872:490  
*Apodasyides* Lacordaire, 1872:623  
*Nedinides* Lacordaire, 1872:635  
*Estolides* Lacordaire, 1872:636  
*Ectatosiides* Lacordaire, 1872:415  
*Crinotarsides* Lacordaire, 1872:475  
*Psenocerini* LeConte, 1873:333  
*Hoplosiae* LeConte & Horn, 1883:326  
*Essisini* Aurivillius, 1917:44
- Acaua** Martins & Galileo, 1995:28  
**exotica** Martins & Galileo, 1995:29  
 sBrasil (MS), Bolivia (BN, SC), Ecuador
- Aconopteroides** Breuning, 1959:87  
**laevipennis** (Blanchard in Gay, 1851:506)  
 Chile
- Aconopter** Blanchard in Gay, 1851:504  
**crisatipennis** Blanchard in Gay, 1851:505  
**strandii** Breuning, 1943:59  
 Chile  
 Chile
- Anisopeplus** Melzer, 1934:227  
**perplexa** Melzer, 1934:228  
 seBrasil (MG-SC)
- Atelodesmis** Buquet, 1857:334  
**hirticornis** Buquet, 1857:335  
**piperita** Bates, 1885:352  
**unicolor** Buquet, 1857:336  
**vestita** Buquet, 1857:335  
 seBrasil (ES, RJ)  
 Mexico (VC, CHS), Costa Rica  
 eMexico (VC)  
 seBrasil (ES-RS)

**Atimiliopsis** Breuning, 1974:32**ochripennis** Breuning, 1974:32

seBrasil (RJ)

**Atimiola** Bates, 1880:119**guttulata** Bates, 1880:120**rickstanleyi** Lingafelter & Nearn, 2007:185sMexico (CHS) - Costa Rica  
R Dominicana**Blabia** Thomson, 1864:109*Prymnopteryx* Thomson, 1868:13*Prymnosis* Bates, 1866:288**bang** Galileo & Martins, 1998:147**bicolor** Martins & Galileo, 2005:11**bicuspis** (Bates, 1866:288)**bituberosa** (Breuning, 1940:59)**colobothoides** Thomson, 1864:109**costaricensis** Breuning, 1943:53**crisulata** Martins & Galileo, 1995:579**epicharis** Martins & Galileo, 1995:577**exotica** Martins & Galileo, 1995:584**ferina** Martins & Galileo, 1995:574**galba** Martins & Galileo, 1995:580**gemma** Martins & Galileo, 1995:576**incompta** Martins & Galileo, 1995:580**intricata** Martins & Galileo, 1995:588**longipennis** Galileo & Martins, 2003:258**magdalena** Martins & Galileo, 1995:583**masoni** (Aurivillius, 1927:543)**meinerti** (Aurivillius, 1900:414)**oculifera** Martins & Galileo, 1995:575**piscoide** (Thomson, 1868:131)**rendira** Galileo & Martins, 1998:148**similis** (Breuning, 1940:59)**spinella** Martins & Galileo, 1995:572**strandiella** Breuning, 1943:53**truncata** Breuning, 1940:59Ecuador  
Colombia  
ncBrasil (AM, PA, RO, MA), Ecuador, Peru  
Colombia  
Colombia, Peru  
Honduras, Costa Rica, Panama  
Colombia, Ecuador  
Peru  
Colombia  
Colombia  
Ecuador, Bolivia (SC)  
Colombia  
wEcuador  
Colombia  
Colombia  
Colombia  
Colombia, Venezuela  
w Brasil (RO), Ecuador  
Venezuela  
Peru  
Fr Guiana, Venezuela, Bolivia (SC)  
Colombia  
Peru  
Colombia, eEcuador**Blabicentrus** Bates, 1866:192**bella** (Galileo & Martins, 2004:328)**brulei** Dalens, Touroult & Tavakilian, 2009:8**capixaba** (Martins & Galileo, 1998:261)**ghoutii** Dalens, Touroult & Tavakilian, 2009:15**hirsutulus** Bates, 1866:192**littoralis** Dalens, Touroult & Tavakilian, 2009:9**martinsi** Dalens, Touroult & Tavakilian, 2009:12**tomentosus** Dalens, Touroult & Tavakilian, 2009:5Ecuador, Fr Guiana, Bolivia  
Fr Guiana  
eBrasil (ES), Bolivia (SC), Fr Guiana  
Fr Guiana  
nBrasil (PA), Fr Guiana  
Fr Guiana  
Fr Guiana  
Fr Guiana**Capillicornis** Galileo & Martins, 2012:299**basilaris** Galileo & Martins, 2012:299

w Ecuador (Pichincha)

**Catognatha** Blanchard in Gay, 1851:517**gracilis** Blanchard in Gay, 1851:517

Chile

**Ceiupaba** Martins & Galileo, 1998:261**lineata** Martins & Galileo, 1998:261

Brasil (MG, SP)

- Cicatrisesstola** Breuning, 1947:54  
*elongata* Breuning, 1964:95  
*flavicans* Breuning, 1947:55  
*humeralis* Martins & Galileo, 1995:163  
 eBrasil (ES)  
 Bolivia (SC), seBrasil (MS, SC), Paraguay,  
 nArgentina  
 Bolivia (SC), Argentina (JU, SA, TU)
- Cicatrisesstoloides** Breuning & Heyrovsky, 1964:29  
*costaricensis* Breuning & Heyrovsky, 1964:29  
 Costa Rica
- Cicuiara** Galileo & Martins, 1996:874  
*nitidula* (Bates, 1866:191)  
*striata* (Bates, 1866:191)  
*stritata* Galileo & Martins, 1996:875  
 nBrasil (PA), Bolivia (SC)  
 Venezuela, cBrasil (PA, MS, GO, MG), Bolivia
- Coeloprocta** Aurivillius, 1926:4  
*humeralis* (Breuning, 1940:431)  
*singularis* Aurivillius, 1926:4  
 eBrasil (PE)  
 eBrasil (PB, BA)
- Cotycicuiara** Galileo & Martins, 2008:2  
*acuminata* Galileo & Martins, 2012:299  
*alternata* Galileo & Martins, 2008:4  
*bahiensis* Galileo & Martins, 2008:5  
*boliviana* Galileo & Martins, 2008:5  
*chionea* Martins & Galileo, 2010:4  
*guiana* Galileo & Martins, 2012:300  
*latifascia* Galileo & Martins, 2008:8  
*magnifica* Galileo & Martins, 2011:330  
*multicava* Martins & Galileo, 2010:2  
*multifasciata* Galileo & Martins, 2008:3  
*nivaria* Martins & Galileo, 2010:4  
*oicepe* Martins & Galileo, 2010:1  
*pertusa* Martins & Galileo, 2010:2  
*venezuelensis* Galileo & Martins, 2008:4  
 Panama  
 Brasil (PA, SC)  
 Brasil (BA)  
 Bolivia (SC)  
 Brasil (MG, RJ)  
 Fr Guiana  
 Bolivia (SC)  
 Brasil (AM)  
 Brasil (MG)  
 Brasil (MS, MT, MG)  
 Brasil (BA, ES, MG)  
 Trinidad & Tobago  
 Brasil (RJ, SC)  
 Venezuela
- Cotyschnolea** Martins & Galileo, 2006:458  
*minuta* Martins & Galileo, 2006:459  
 wEcuador
- Curuapira** Martins & Galileo, 1998:263  
*apyama* Martins & Galileo, 2005:244  
*exotica* Martins & Galileo, 1998:263  
*tuberosa* Galileo & Martins, 2003:160  
 Bolivia (SC)  
 Venezuela, Brasil (AM, RO, MT, SP)  
 sBrasil (ES)
- Cymatonycha** Bates, 1874:234  
*castanea* Bates, 1874:234  
*fasciata* Chemsak & Noguera, 1993:101  
*meridionalis* Martins & Galileo, 1995:165  
 Honduras, Guatemala-Costa Rica  
 wMexico (MI, JA, GR)  
 Costa Rica (PA, GU), Colombia, Venezuela
- Desmiphora (Antenniphora)** Breuning, 1947:45  
*antennalis* Breuning, 1947:44  
*endibauna* Galileo & Martins, 1998:37  
*magnifica* Martins & Galileo, 1995:165  
 eBrasil (BA, ES)  
 Brasil (BA)  
 nBrasil (PA), Fr Guiana
- Desmiphora (Desmiphora)** Audinet-Serville, 1835:62  
*Desmophora* Gemminger & Harold, 1873:3107  
*Pyrracita* Thomson, 1868:105  
*Pyrrhacita* Gemminger & Harold, 1873:3107  
*Therchaetes* Thomson, 1868:107  
*Terchaetes* Lacordaire, 1872:623

*Euchaestes* Chevrolat, 1861:252

- aegrota** Bates, 1880:116  
**amioca** Galileo & Martins, 1998:39  
**apicata** (Thomson, 1868:106)  
**astrigae** Tavakilian & Néouze, 2004:51  
**auatinga** Martins & Galileo, 1996:300  
**barbata** Martins & Galileo, 2005:247  
**bijuba** Giesbert, 1998:30  
**boliviana** Breuning, 1948:20  
**canescens** Bates, 1874:226  
*obliquemaculata* Breuning, 1942:156  
**cayennensis** Tavakilian & Néouze, 2004:54  
**chemsaki** Giesbert, 1998:32  
**circumspecta** (Lane, 1973:383)  
*circumspecta* Galileo & Martins, 1993:77  
**cirrosa** Erichson, 1847:147  
*similis* Breuning, 1943:46  
**compacta** Breuning, 1942:155  
**compta** Martins & Galileo, 2005:247  
**crinita** Giesbert, 1998:34  
**crocata** Melzer, 1935:186  
**cucullata** Thomson, 1868:104  
**decora** (Melzer, 1928:147)  
**digna** Giesbert, 1998:35  
**dozieri** Galileo & Martins, 2007:353  
**durantoni** Tavakilian & Néouze, 2004:53  
**elegantula** White, 1855:401  
**fasciculata** (Olivier, 1792:465)  
*servillei* White, 1855:401  
*gigantea* Thomson, 1861:75  
**fasciola** Martins & Galileo, 1995:166  
**ferruginea** (Thomson, 1868:107)  
**flavescens** Breuning, 1943:47  
**fuscosignata** Breuning, 1942:155  
**hirticollis** (Olivier, 1795:11)  
*mexicana* Thomson, 1861:75  
*lanata* Chevrolat, 1862:253  
*intricata* Casey, 1913:350  
**intonsa** (Germar, 1824:484)  
*pallidipennis* Chevrolat, 1861:251  
*crinitus* Dejean in Chevrolat, 1862:252  
**jullienae** Tavakilian & Néouze, 2004:50  
**kawensis** Tavakilian & Néouze, 2004:52  
**lanuginosa** Breuning, 1942:155  
**lateralis** Thomson, 1868:104  
**lateralba** Breuning, 1942:157  
**lenkoi** (Lane, 1959:219)  
**lineatipennis** Breuning, 1943:46  
**longipilis** (Fisher, 1926:7)  
**maculosa** Linsley & Chemsak, 1966:220  
**mirim** Martins & Galileo, 2002:8  
**mulsa** Giesbert, 1998:38  
**multicristata** Bates, 1866:201  
**neoflavescens** Galileo & Martins, 1998:40  
**nigroannulata** Martins & Galileo, 2002:7  
**niveocincta** (Lane, 1959:222)  
**obliquelineata** Breuning, 1948:21  
**ornata** Bates, 1866:201  
**pallida** Bates, 1874:226  
*grisea* Aurivillius, 1904:208  
 swUSA (TX) - Panama  
 Brasil (MG, AM)  
 seBrasil (ES-SP), eEcuador, Bolivia (SC)  
 Fr Guiana  
 wEcuador  
 Bolivia (SC)  
 Mexico (OA)  
 Bolivia (SC), Fr Guiana, Brasil (MA)  
 sMexico (CHS) - Colombia, Venezuela  
 Fr Guiana  
 Mexico (QR, VC)  
 seBrasil (SP)  
 eMexico (VC)-Panama, Ecuador, Peru, nwBrasil (AM),  
 Fr Guiana, Argentina, Bolivia (SC)  
 seBrasil (GO, RJ-PR), Paraguay, Bolivia (BN, SC)  
 Bolivia (SC)  
 Panama  
 ecBrasil (GO, MA, MG)  
 eBrasil, Paraguay, Argentina, Uruguay  
 seBrasil (RJ, SP), Bolivia (SC)  
 Panama  
 Bolivia (SC)  
 Fr Guiana  
 nBrasil (PA, GO), Fr Guiana, Venezuela  
 eMexico (VC) - Brasil, Fr Guiana, eEcuador,  
 Bolivia (SC)  
 Peru, Bolivia (SC)  
 eBrasil (ES), Fr Guiana, eEcuador  
 nArgentina (TU)  
 eBrasil (PE)  
 swUSA – SAmer (widely distributed), Galapagos Is.,  
 Bolivia (SC), W Indies, Puerto Rico, Jamaica  
 seBrasil, Paraguay, Argentina, Uruguay, Bolivia (LP)  
 Fr Guiana  
 Fr Guiana  
 nBrasil (PA)  
 seBrasil, Paraguay, Uruguay, Bolivia (SC)  
 eBrasil (PE)  
 seBrasil (SP)  
 nArgentina (TU)  
 Cuba  
 Galapagos Is  
 Brasil (AM)  
 Costa Rica, Panama  
 nBrasil (PA), Fr Guiana  
 Brasil (BA)  
 Brasil (AM), Fr Guiana  
 Panama  
 eBrasil (BA)  
 eBrasil (PE-SC)  
 Jamaica, Peru, Brasil, Bolivia (SC)



- picta** Breuning, 1943:46  
**pitanga** Galileo & Martins, 1998:38  
**pretiosa** Melzer, 1935:186  
**rufocristata** Melzer, 1935:185  
**santossilvai** Galileo & Martins, 2003:162  
**sarryi** Tavakilian & Néouze, 2004:50  
**scapularis** Bates, 1885:351  
**senicula** Bates, 1866:200  
**spitzi** Melzer, 1935:188  
**tigrinata** Martins & Galileo, 2002:6  
**tristis** Galileo & Martins, 2003:256  
**travassosi** Mendes, 1938:316  
*albolineata* Breuning, 1942:156  
**undulatofasciata** Breuning, 1942:157  
**unicolor** Breuning, 1961:155  
**uniformis** Galileo & Martins, 2003:164  
**variola** Giesbert, 1998:41  
**venosa** Bates, 1866:202  
**xerophila** Martins & Galileo, 1995:167  
**x-signata** Melzer, 1935:187
- Diliolophus** Bates, 1885:355  
**vexator** Bates, 1885:355
- Disgregus** Galileo & Martins, 2009:106  
**bezarki** Galileo & Martins, 2009:106
- Dolichestola** Breuning, 1942:164  
**annulicornis** Breuning, 1942:164  
**densepunctata** Breuning, 1942:165  
**nigricornis** Breuning, 1942:165  
**vittipennis** Breuning, 1948:26
- Esaguasu** Galileo & Martins, 2007:356  
**brenes** Galileo & Esteban, 2010:1034  
**ocularis** Galileo & Martins, 2007:365
- Estola** Fairmaire & Germain, 1859:524  
**acrensis** Galileo & Martins, 2009:103  
**acricula** Bates, 1866:293  
*multilineata* Breuning, 1940:62  
**affinis** Breuning, 1940:61  
**albicans** Breuning, 1940:62  
**albocincta** Melzer, 1932:217  
*mediofasciata* Breuning, 1940:67  
**albomarmorata** Breuning, 1943:57  
**albosetosa** Breuning, 1940:65  
**albosignata** Breuning, 1940:63  
**albosparsa** Thomson, 1858:124  
**albostricta** Breuning, 1940:61  
**albovaria** Breuning, 1940:60  
**alternata** Breuning, 1940:68  
**annulata** (Fabricius, 1801:300)  
**annulicornis** Fisher, 1942:26  
**annulipes** Breuning, 1940:70  
**assimilis** Breuning, 1940:69  
**attenuata** Fisher, 1926:12  
**basiflava** Breuning, 1943:57
- nArgentina (TU)  
 Brasil (ES, RJ)  
 ecBrasil (GO, MG)  
 ecBrasil (GO)  
 Brasil (PA), Fr Guiana  
 Fr Guiana  
 Costa Rica, Panama, Venezuela  
 nBrasil (PA), Bolivia (SC)  
 seBrasil (SP)  
 Brasil (AM)  
 Colombia  
 seBrasil (ES, RJ)  
  
 ecBrasil (GO)  
 eBrasil (BA)  
 eBrasil (BA)  
 Mexico - Guatemala  
 seBrasil (BA-RS)  
 wEcuador  
 eBrasil (PE)  
  
 Guatemala  
  
 Costa Rica (GU, PA)  
  
 eBrasil (PE), Fr Guiana  
 Panama, Fr Guiana, Bolivia (SC)  
 ecBrasil (GO), Bolivia (SC)  
 seBrasil (RJ)  
  
 Costa Rica (AL)  
 Colombia  
  
 Brasil (AC)  
 seBrasil (RJ)  
  
 seBrasil (RJ)  
 seBrasil (RJ), Bolivia (SC)  
 seBrasil (ES-SC), Paraguay  
  
 eBrasil (MG)  
 eBrasil (PE)  
 seBrasil (BA-RJ)  
 seBrasil (MG-RJ)  
 seBrasil (MG-RJ)  
 Fr Guiana  
 eBrasil (BA)  
 SAmer  
 Dominican Republic  
 Brasil  
 seBrasil (SP)  
 Jamaica  
 Venezuela, Fr Guiana, Bolivia (SC), Brasil (MA)

- basimaculata** Breuning, 1940:66  
**basinotata** Bates, 1866:291  
**benjamini** Breuning, 1940:66  
**boliviana** Breuning, 1940:71  
**brunnea** Thomson, 1868:123  
**brunneovariegata** Breuning, 1940:71  
**brunnescens** Breuning, 1940:65  
**cayennensis** Breuning, 1940:70  
**cerdai** Martins & Galileo, 2009:148  
**cinerea** Breuning, 1940:70  
**columbiana** Breuning, 1940:70  
**compacta** Breuning, 1940:64  
**crassepunctata** Breuning, 1940:61  
*crassepuncta* Breuning, 1940:61  
**cuneata** Breuning, 1940:65  
**daidalea** Martins & Galileo, 2002:2  
**densepunctata** Breuning, 1940:68  
**dilloni** Zayas, 1975:205  
**diversemaculata** Breuning, 1943:57  
**flavescens** Breuning, 1940:69  
**flavobasalis** Breuning, 1940:66  
**flavolineata** Breuning, 1950:173  
**flavomarmorata** Breuning, 1942:163  
**flavostictica** Breuning, 1940:69  
**fratercula** Galileo & Martins, 1999:86  
**freyi** Breuning, 1955:660  
**fuscodorsalis** Breuning, 1940:67  
**fuscomarmorata** Breuning, 1940:71  
**fuscopunctata** Breuning, 1943:57  
**fuscostictica** Breuning, 1940:64  
**grisescens** Breuning, 1940:63  
*postrufa* Breuning, 1980:69  
**griseostictica** Breuning, 1940:61  
**hirsuta** (Degeer, 1775:115)  
*lineolata* Bates, 1866:292  
**hirsutella** Aurivillius, 1922:319  
*hirsuta* Fairmaire & Germain, 1859:525 (not Degeer, 1775)  
**hispida** Lameere, 1893:277  
**ignobilis** Bates, 1872:200  
**insularis insularis** Blair, 1933:483  
    subsp. **cribrata** Blair, 1933:483  
    subsp. **duncani** Van Dyke, 1953:135  
    subsp. **subnigrescens** Breuning, 1974:109  
*insularis nigrescens* Linsley & Chemsak, 1966:229 (not Breuning, 1943)  
**kuscheli** Barriga, Moore & Cepeda, 2005:399  
**lata** Fuchs, 1974:244  
**longeantennata** Breuning, 1940:60  
**marmorata** Breuning, 1940:67  
**medionigra** Breuning, 1940:66  
**m-flava** Breuning, 1940:64  
**microphthalma** Breuning, 1942:163  
**minor** Breuning, 1940:66  
**misella** Bates, 1885:357  
**nebulosa** Breuning, 1940:60  
**nigrescens** Breuning, 1943:57  
**nigrodorsalis** Martins & Galileo, 2009:110  
**nigropunctata** Breuning, 1940:69  
**nigrosignata** Breuning, 1940:61  
**nodicollis** Breuning, 1940:70  
**obliquata** Breuning, 1940:68  
  
seBrasil (ES-SP)  
nBrasil (PA), eEcuador, Fr Guiana  
Colombia  
Bolivia  
Brasil  
Venezuela  
Venezuela, Colombia  
Fr Guiana  
Fr Guiana  
Bolivia (SC)  
Colombia  
nBrasil (PA)  
eBrasil (BA), Fr Guiana  
  
ecBrasil (GO), Bolivia (SC)  
eEcuador, Bolivia  
ecBrasil (GO, PE)  
Cuba  
Brasil  
ecBrasil (GO, BA)  
Fr Guiana, ecBrasil (GO)  
Bolivia  
Venezuela, Colombia  
eBrasil (PE, BA)  
Colombia  
Trinidad  
seBrasil, Paraguay, Bolivia (SC)  
Bolivia (SC)  
eBrasil (BA, MG), Bolivia  
seBrasil (RJ)  
eBrasil (PE)  
  
seBrasil (MG, RJ)  
Panama, Guianas, ncBrasil (PA)  
  
Chile  
Venezuela  
sMexico - Panama, Venezuela, Puerto Rico  
Galapagos Is  
Galapagos Is (Albemarle)  
Galapagos Is (Duncan)  
Galapagos Is (Floreana)  
Chile  
ecBrasil (GO)  
ecBrasil (GO), Paraguay  
seBrasil (RJ, SP), Venezuela, Bolivia (SC)  
ecBrasil (GO), Fr Guiana  
Fr Guiana, nwBrasil (AM, MA)  
eBrasil (ES)  
eBrasil (ES)  
Honduras, Guatemala-Panama  
nBrasil (PA)  
Venezuela  
Costa Rica (HE)  
eBrasil (CE, PE)  
eBrasil (MG)  
nBrasil (PA), Bolivia (BN, LP, SC)  
seBrasil (MG, RJ)

- obliquelineata** Breuning, 1940:70  
**obscura** (Fabricius, 1792:261)  
*auriga* Schoenherr, 1817:376  
*flavicollis* Breuning, 1940:62  
**obscorella** Monné & Giesbert, 1992:252  
*obscura* Thomson, 1868:123 (not Fabricius, 1792)  
**obscurioides** Breuning, 1942:163  
**operosa** Martins & Galileo, 2007:176  
**parvula** Breuning, 1940:60  
**porcula** Bates, 1866:293  
**retrospinosa** Breuning, 1940:59  
**rogueti** Chalumeau & Touroult, 2005:158  
**rufa** Breuning, 1940:65  
**ruficeps** Breuning, 1943:56  
**seriata** Kirsch, 1875:287  
*sericata* Lameere, 1883:62  
**similis** Breuning, 1940:70  
**stramentosa** Breuning, 1940:68  
**strandi** Breuning, 1940:71  
**strandiella** Breuning, 1942:163  
**subannulicornis** Breuning, 1963:507  
*annulicornis* Breuning, 1950:173 (not Fisher, 1942)  
**timbauba** Martins & Galileo, 2006:461  
**trinidadensis** Breuning, 1955:660  
**truncatella** Bates, 1866:293  
*spinipennis* Breuning, 1940:64  
**unicolor** Fairmaire & Germain, 1859:526  
**varicornis** Bates, 1866:293  
**variegata** Bates, 1866:292  
**vittulata** Bates, 1874:226  
**vulgaris** Galileo & Martins, 1999:88
- seBrasil (RJ)  
seBrasil (RJ), Fr Guiana
- eBrasil (BA, MG)
- Brasil (MA?), Paraguay  
Fr Guiana  
eBrasil (GO, MG, RJ)  
nBrasil (PA, MA?), Fr Guiana  
Venezuela, Peru  
Martinique  
eBrasil (MG)  
Fr Guiana  
Peru
- Peru  
seBrasil (RJ, SP)  
sBrasil (SC)  
Costa Rica  
Bolivia (SC)
- Bolivia (SC)  
Trinidad  
seBrasil (RJ)
- Chile  
seBrasil (MG, RJ)  
nwBrasil (AM), Fr Guiana  
eMexico (VC) - Panama, Venezuela  
Colombia

### **Estoloides (Estoloides)** Breuning, 1940:74

- affinis** Breuning, 1940:75  
**alboscutellaris** Breuning, 1943:55  
**annulicornis** Breuning, 1940:75  
**aquilonius** Linsley & Chemsak, 1984:159  
**aurantius** Martins & Galileo, 2010:87  
**bellefontainei** Touroult, 2012:73  
**chamelae** Chemsak & Noguera, 1993:94  
**fulvitaris** (Bates, 1885:356)  
**galapagoensis** (Blair, 1933:482)  
**grossepunctata** Breuning, 1940:76  
**leucosticta** (Bates, 1885:357)  
**longicornis** Breuning, 1940:75  
**medioplagiata** Vitali, 2007:53  
**modica** Chemsak & Noguera, 1993:95  
**paralboscutellaris** Breuning, 1971:288  
**pararufipes** Breuning, 1974:161  
**perforata** (Bates, 1872:200)  
**prolongata** (Bates, 1885:356)  
**reflexa** Breuning, 1940:76  
**rufipes** Breuning, 1940:75  
**scabracaulis** Chemsak & Noguera, 1993:93  
**sordida** (LeConte, 1873:273)  
**sparsa** Linsley, 1942:78  
**strandiella** Breuning, 1940:76  
**venezuelensis** Breuning, 1942:163
- Trinidad  
Fr Guiana, Ecuador  
Fr Guiana  
swUSA (AZ)  
Mexico (Q Roo)  
Lesser Antilles (Martinique)  
wMexico (JA)  
Costa Rica, Panama  
Galapagos Is  
Colombia  
eMexico (VC)  
Costa Rica, Panama  
Jamaica  
wMexico (JA)  
Mexico  
Belize  
eMexico (VC) - Venezuela, Trinidad, Curaçao  
Panama  
Venezuela  
eBrasil (BA)  
wMexico (JA)  
Mexico (BC)  
Mexico (BC)  
Honduras, Costa Rica  
Venezuela

**Estoloides (Parestoloides)** Breuning, 1940:75

**basigranulata** Breuning, 1943:56  
**costaricensis** Breuning, 1940:76  
**esthlogenoides** Breuning, 1943:56  
**parva** Breuning, 1940:76

eMexico (VC)  
 Honduras, Nicaragua, Costa Rica  
 Costa Rica  
 Panama

**Estoloides (Spinestoloides)** Breuning, 1954:14

**spinipennis** Breuning, 1954:14

Jamaica

**Estolomimus** Breuning, 1940:181

*Neolestola* Breuning, 1940:182

**abjunctus** Martins & Galileo, 2002:224  
**apicale** Martins & Galileo, 1997:101  
**curtus** (Breuning, 1940:182)  
**distinctus** Martins & Galileo, 1997:101  
**lichenophorus** Martins & Galileo, 2002:226  
**maculatus** Martins & Galileo, 2002:21  
**marmoratus** Breuning, 1940:181  
**pulvereus** Martins & Galileo, 1997:105  
**solidus** (Breuning, 1940:183)  
**transversus** Martins & Galileo, 2002:23

Bolivia  
 eBrasil (ES)  
 seBrasil (ES-RS)  
 eBrasil (ES)  
 sBrasil (SP)  
 sBrasil (SP, MG)  
 eBrasil (CE)  
 sBrasil (SC)  
 seBrasil (SP-SC)  
 Brasil (ES)

**Etyma** Galileo & Martins 2012:107

**curu** Galileo & Martins 2012:107  
**icima** Galileo & Martins 2012:108

Guatemala  
 Mexico (Quintana Roo)

**Euestola** Breuning, 1943:54

**basalis** Martins & Galileo, 1997:110  
**basidensepunctata** Breuning, 1943:55  
**fasciata** Martins & Galileo, 1997:109  
**lineata** Martins & Galileo, 1997:110  
**obliqua** Galileo & Martins, 2004:329

eBrasil (MG)  
 ecBrasil (GO, MA)  
 seBrasil (SP-SC)  
 eBrasil (ES)  
 Paraguay, Bolivia (SC)

**Eupogonius** LeConte, 1852:159

*Phidola* Chevrolat, 1862:254

*Eriopsilus* Bates, 1866:193

**affinis** Breuning, 1942:161  
**albipilis** Breuning, 1955:659  
**annulicornis** Fisher, 1926:9  
**apicicornis** Bates, 1885:352  
**arizonensis** Knull, 1954:127  
**bierigi** Melzer, 1933:380  
**brevifascia** Galileo & Martins, 2009:104  
**columbianus** Breuning, 1942:161  
**comus** Bates, 1885:354  
**cryptus** Hovore, 1989:252  
**cyaneus** Zajciw, 1962:243  
**dubiosus** (Breuning, 1942:160)  
**flavocinctus** Bates, 1872:235  
**flavovittatus** Breuning, 1942:161  
**fulvestitus** Schaeffer, 1905:134  
**fuscovittatus** Breuning, 1974:154  
**griseus** Fisher, 1926:11  
**hagmanni** Melzer, 1927:192  
**haitiensis** Fisher, 1935:197  
**infimus** (Thomson, 1868:107)  
*subaeneus* Bates, 1872:234  
*marmoratus* Fisher, 1925:16

Mexico, Guatemala, Honduras  
 Trinidad  
 sUSA (FL), Cuba  
 Guatemala-Panama  
 swUSA (AZ)  
 Cuba  
 Costa Rica (GU)  
 Colombia  
 swMexico (OA)  
 Costa Rica  
 eBrasil (ES)  
 Brasil  
 Nicaragua, Costa Rica  
 Guatemala  
 swUSA (TX)  
 Guatemala  
 Cuba  
 seBrasil (GO, ES-RS)  
 Hispaniola  
 sMexico (OA, VC) - Panama, Venezuela

<b>intonsus</b> Martins & Galileo, 2012:313	Costa Rica (GU)
<b>knabi</b> Fisher, 1925:15	eMexico (VC)
<b>laetus</b> Bates, 1885:353	Guatemala
<b>lanuginosus</b> (Chevrolat, 1862:255)	Cuba
<b>lateralis</b> Martins & Galileo, 2009:109	Costa Rica (HE)
<b>lineolatus</b> Melzer, 1933:376	seBrasil, Paraguay, Argentina, Uruguay
<b>longipilis</b> Bates, 1880:117	eMexico (VC), Guatemala, Honduras
<b>maculicornis</b> (Chevrolat, 1862:254)	Cuba
<b>major</b> Bates, 1885:353	eMexico (VC), Guatemala, Honduras, Costa Rica
<b>microphthalmus</b> Breuning, 1943:49	sBrasil (RS)
<b>nigrinus</b> (Bates, 1866:193)	nwBrasil (AM), Bolivia (SC)
<b>nigritarsis</b> Fisher, 1926:10	Cuba
<b>pauper</b> LeConte, 1852:159	eUSA-TX
<i>vestita</i> Say, 1826:273 (not <i>vestita</i> Say, 1824:290)	
<i>fraxini</i> Knull, 1918:132	
<b>petulans</b> Melzer, 1933:379	sBrasil, nArgentina, Uruguay
<b>piceus</b> (Fisher, 1936:348)	Cuba
<b>pilosulus</b> (Chevrolat, 1862:254)	Cuba, Jamaica
<i>rubiginosa</i> Chevrolat, 1862:254	
<i>exiguus</i> Thomson, 1868:165	
<b>pubescens</b> LeConte, 1873:236	n-cUSA
<b>pubicollis</b> Melzer, 1933:378	Honduras - Panama
<b>scutellaris</b> Bates, 1885:352	Honduras, Panama
<b>stellatus</b> Chemsak & Noguera, 1993:92	wMexico (JA)
<b>strandii</b> Breuning, 1942:160	Costa Rica
<b>subarmatus</b> (LeConte, 1859:22)	eNAmer
<b>subnudus</b> Bates, 1885:353	swMexico, Guatemala
<b>subtessellatus</b> Melzer, 1933:379	Costa Rica
<b>superbus</b> (Zayas, 1975:196)	Cuba
<b>tomentosus</b> (Haldeman, 1847:50)	eUSA, Bahamas
<i>pinivorus</i> Fitch, 1859:712	
<b>triangularis</b> Linsley, 1935:112	cMexico (ME)
<b>ursulus</b> Bates, 1872:235	seMexico (VC)-Nicaragua, Costa Rica (GU)
<b>vandykei</b> Linsley, 1935:111	cMexico (SI, NA, ME, MO)
<b>vittipennis</b> Bates, 1885:353	Guatemala, Honduras - Panama
<b>wickhami</b> Fisher, 1935:199	Bahamas, Jamaica
<b>yeiuba</b> Martins & Galileo, 2005:245	Bolivia (SC)
<b>Falsestoloides</b> Breuning, 1954:12	
<i>mexicana</i> Breuning, 1954:13	ncMexico (DU)
<i>tubericollis</i> Breuning, 1980:70	nArgentina (SE)
<b>Gibbestola</b> Breuning, 1940:72	
<i>flavescens</i> Breuning, 1940:73	eBrasil (PE)
<i>griseovaria</i> Breuning, 1940:72	seBrasil (SP)
<b>Gibbestoloides</b> Breuning, 1940:73	
<i>compacta</i> Breuning, 1940:73	eBrasil (BA), nArgentina (CH)
<b>Gyrpanetes</b> Martins & Galileo, 1998:260	
<i>cacapira</i> Martins & Galileo, 1998:260	Brasil (ES)
<i>oriba</i> Galileo & Martins, 2003:162	sBrasil (ES)
<i>pukuaba</i> Martins & Galileo, 1998:260	Brasil (PA)
<b>Hallothamus</b> Thomson, 1868:128	
<i>decorus</i> Thomson, 1868:129	Venezuela

**Heteresmia** Monné, 2005:414*Esmia* Pascoe, 1859:55 (not Leach, 1847 Mollusca)**seabrai** (Lane & Prosen, 1961:131)**spissicornis** (Fabricius, 1801:330)**turbata** (Pascoe, 1859:55)

nwBrasil (AM), Peru

Brasil (AM, PA, RO)

Brasil (PA), eEcuador, Fr Guiana

**Ibypeba** Martins & Galileo, 2012:336**camiri** Martins & Galileo, 2012:336

Bolivia (SC)

**Icublania** Galileo & Martins, 2003:154**multispinosa** Galileo & Martins, 2003:166

eEcuador

**Inermestola** Breuning, 1942:164**densepunctata** Breuning, 1942:164

Brasil (MG)

**Inermestoloides** Breuning, 1966:16**praeapicalba** Breuning, 1966:17**rumuara** Martins & Galileo, 2006:462

nwBrasil (AM)

Bolivia (SC)

**Ischnolea** Thomson, 1860:347**bicolorata** Galileo & Martins, 2007:351**bimaculata** Chevrolat, 1861:252**crinita** Thomson, 1861:347*obliquelineata* Breuning, 1943:47**flavinota** Galileo & Martins, 1993:74**flavofemorata** Breuning, 1943:47**inexpectata** Galileo & Martins, 1993:70**indistincta** Breuning, 1942:158**longeantennata** Breuning, 1942:158**modesta** Galileo & Martins, 1993:76**oculata** Galileo & Martins, 1993:71**odettae** Martins, Galileo & Tavakilian, 2008:282**peruana** Breuning, 1943:48**piim** Galileo & Martins, 1996:868**singularis** Galileo & Martins, 1993:75**spinipennis** Breuning, 1943:48**strandii** Breuning, 1942:158

Bolivia (SC)

seBrasil, Paraguay, Argentina, Bolivia (SC)

seBrasil (ES-SC), Ecuador

seBrasil (SP), Paraguay, Bolivia (SC)

eBrasil (ES)

eBrasil (ES)

eBrasil (PE)

seBrasil (RJ)

seBrasil (SP), Bolivia (SC)

seBrasil (MG-PR)

Fr Guiana

Peru

w Brasil (RO), Bolivia (SC)

ncBrasil (PA), Bolivia (SC)

eBrasil (ES)

sBrasil (SC)

**Ischnoleomimus** Breuning, 1940:168**arriagadai** Galileo & Martins, 2004:328**excavatus** Breuning, 1940:168**foveatus** Galileo & Martins, 1996:868

Paraguay

Peru, wcBrasil (RO, PA), Bolivia (SC)

Bolivia, eEcuador

**Iurubanga** Martins & Galileo, 1996:302**arixi** Martins & Galileo, 1996:303

seBrasil (SC)

**Jolyellus** Galileo & Martins, 2007:353**albomaculatus** Galileo & Martins, 2007:356

Venezuela

**Lamiessa** Bates, 1885:364**eumolpoides** Bates, 1885:365

Guatemala, Honduras

**Malthonea** Thomson, 1864:329*Calliphenges* Waterhouse, 1880:296*Parablania* Breuning, 1959:86**albomaculata** (Breuning, 1966:15)**aurescens** (Breuning, 1966:15)**cumbica** Galileo & Martins, 1996:873

Bolivia

Ecuador

Venezuela

- cuprascens** (Waterhouse, 1880:296)  
**glaucina** (Thomson, 1868:131)  
**guttata** (Kirsch, 1888:40)  
**itaiuba** Martins & Galileo, 1999: 819  
**mimula** Martins & Galileo, 1995:615  
**minima** Martins & Galileo, 1995:614  
**obyuna** Martins & Galileo, 2005:245  
**panthera** Martins & Galileo, 1995:620  
**phantasma** Martins & Galileo, 1995:618  
**piraiuba** Martins & Galileo, 2009:532  
**ruficornis** Belon, 1903:61  
**spinosa** Galileo & Martins, 1999:85  
**tigrinata** Thomson, 1864:329
- Ecuador, Peru  
Venezuela, Ecuador  
Ecuador, Colombia  
Venezuela  
Colombia  
Peru  
Peru  
Colombia, Venezuela  
Ecuador  
Costa Rica (SJ)  
Bolivia, wEcuador  
Colombia  
seBrasil (MG-RS)
- Micratelodesmis** Martins & Galileo, 2012:336  
**minor** Martins & Galileo, 2012:337
- Costa Rica (CA)
- Mimasyngenes** Breuning, 1950:268  
**barbozai** Martins, Galileo & Oliveira, 2011:288  
**clarkei** Martins & Galileo, 2012:334  
**fonticulus** Martins & Galileo, 2012:336  
**icupara** Galileo & Martins, 1996:879  
**inlineatus** Breuning, 1956:357  
**lepidotus** Clarke, 2007:360  
**lineatipennis** Breuning, 1950:269  
**lucianae** Galileo & Martins, 2003:478  
**multisetosus** Clarke, 2007:362  
**murutinga** Martins & Galileo, 2006:459  
**quiuiira** Galileo & Martins, 1996:878  
**venezuelensis** Breuning, 1956:694  
**ytu** Galileo & Martins, 1996:880
- Brasil (MA)  
Trinidad & Tobago  
Brasil (PI)  
Costa Rica (GU), Colombia, Venezuela  
Colombia, Venezuela  
Bolivia (CQ)  
cBrasil (GO, MA), Bolivia (SC)  
Brasil (SE)  
Bolivia (TR)  
wEcuador  
seBrasil (SP)  
Venezuela, Bolivia (SC)  
eBrasil (MA, MG, SP), Bolivia (SC)
- Mimestola** Breuning, 1940:74  
**imitatrix** Breuning, 1940:74
- Panama
- Mimestoloides** Breuning, 1974:158  
**andresi** Breuning, 1974:158  
**benardi** Breuning, 1980:70  
**fasciatus** Martins & Galileo, 2010:89
- Mexico  
Guadeloupe, Martinique  
Mexico (Guerrero)
- Mimopogonius** Breuning, 1974:154  
**hirsutus** Breuning, 1974:154  
**hovorei** Martins & Galileo, 2009:110
- cBrasil  
Ecuador
- Monnetyra** Galileo & Martins, 2006:23  
*Anhanga* Galileo & Martins, 2003:375  
**diabolica** (Galileo & Martins, 2003:260)
- Colombia
- Murupi** Martins & Galileo, 1998:263  
**linearis** Martins & Galileo, 1998:264
- Brasil (AM)
- Neocolobura** Monné, 2005:421  
*Colobura* Blanchard in Gay, 1851:511 (not Billberg, 1820 Lepidoptera)  
**alboplagiata** Blanchard in Gay, 1851:512
- Chile, wArgentina (NE)
- Nepagyrtis** Martins & Galileo, 1998:260  
**piriana** Martins & Galileo, 1998:261
- Brasil (MG)

**Oiceaca** Martins & Galileo, 1998:262**carenata** Martins & Galileo, 1998:263

Brasil (RG)

**Panegyrtes** Thomson, 1868:133**apicale** Martins & Galileo, 2005:246**basale** Galileo & Martins, 1995:864**bifasciatus** Breuning, 1940:178**clarkei** Galileo & Martins, 2007:352**crinitus** Galileo & Martins, 1995:866**davidsoni** Martins & Galileo, 1998:258**delicatus** Galileo & Martins, 1995:866**fasciatus** Galileo & Martins, 1995:863**fraternus** Galileo & Martins, 1995:868**lactescens** Thomson, 1868:133*sparsepunctatus* Breuning, 1940:179**maculatissimus** Galileo & Martins, 1995:861**porosus** Galileo & Martins, 1993:93**pseudolactescens** Breuning, 1974:188**scutellatus** Galileo & Martins, 1995:863**striatopunctatus** Breuning, 1940:179**varicornis** Breuning, 1940:430

Bolivia (SC)

eBrasil (ES)

seBrasil (RJ), Bolivia (SC)

Bolivia (SC)

eBrasil (MG)

Brasil (PA)

wBrasil (RO), Bolivia (SC)

eBrasil (ES)

eBrasil (BA)

eBrasil (RJ, GO), Bolivia (SC)

eBrasil (BA, ES)

Panama, Colombia

seBrasil (SP)

eBrasil (BA, MG)

ecBrasil (GO)

nwBrasil (AM), Bolivia (SC)

**Parablabicentrus** Dalens, Touroult & Tavakilian, 2009:5**angustatus** (Bates, 1866:193)

nBrasil (PA)

**Paradesmiphora** Breuning, 1959:86**amazonica** Galileo & Martins, 1998:34**farinosa** (Bates, 1885:351)

Peru, Bolivia (SC)

Costa Rica, Panama

**Parestola** Bates, 1880:119**hoegei** Breuning, 1943:54**zapotensis** Bates, 1880:119

Mexico

Honduras, Guatemala-Panama

**Parischnolea** Breuning, 1942:158**excavata** Breuning, 1942:159**jatai** Martins & Galileo, 1995:162

seBrasil (SP), Paraguay, Bolivia (SC)

cBrasil (GO), Bolivia (SC)

**Periestola** Breuning, 1943:54*Paracobelura* Monné & Martins, 1976:85**strandii** Breuning, 1943:54*curiosa* Monné & Martins, 1976:85

Costa Rica

**Piimuna** Martins & Galileo, 1998:265**gibbosa** Martins & Galileo, 1998:265

seBrasil (SC)

**Piruana** Galileo & Martins, 1998:150**pulchra** Martins, Galileo & de-Oliveira 2009:518**tuberosa** Galileo & Martins, 1998:150

Brasil (MA)

Brasil (MG)

**Pogonillus** Bates, 1885:360**inermis** Bates, 1885:360**subfasciatus** Bates, 1885:360

Mexico (VC, OA)

Guatemala, Honduras



**Psenocerus** LeConte, 1852:158*Paralarica* Breuning, 1938:389**supernotatus** (Say, 1823:425)*pini* LeConte, 1852:158 (not Olivier, 1795)*tristis* Casey, 1891:46*supernotatus* var. *funnebris* Casey, 1914:367*picta* Breuning, 1938:390

eNAmer-TX

**Pseudestola** Breuning, 1940:181**ayri** Galileo & Martins, 2012:111**densepunctata** Breuning, 1940:182

Costa Rica (Limon)

seBrasil (RJ), Bolivia (SC)

**Pseudestoloides** Breuning & Heyrovsky, 1961:17**affinis** Martins & Galileo, 2009:112**costaricensis** Breuning & Heyrovsky, 1961:17**hieki** Breuning, 1974:51**rubiginosa** Martins & Galileo, 2009:113

Costa Rica (GU, PA)

Costa Rica

scMexico (MO, OA)

Costa Rica (HE)

**Ptericoptomimus** Melzer, 1935:189**truncatus** Melzer, 1935:190*truncata* Breuning, 1940:72

seBrasil (ES-SP)

**Pterolophosoma** Vitali, 2004:2**otiliae** Vitali, 2004:3

Dominicana (Fossil)

**Stereomerus** Melzer, 1934:226*Mimaprotopus* Breuning, 1940:84**brachypterus** Martins & Galileo, 1994:5**diadelus** Martins & Galileo, 1994:10**hovorei** Martins & Galileo, 2006:459**lineatus** (Breuning, 1940:84)**maculatus** Galileo & Martins, 2003:160**melzeri** Martins & Galileo, 1994:8**pachypezoides** Melzer, 1934:227

seBrasil (SP)

Venezuela

wEcuador

ecBrasil (GO, SP, PN), Bolivia (SC)

Brasil (BA)

nBrasil (AM)

sBrasil (SC, RS), Argentina, Uruguay

**Taelosilla** Thomson, 1868:112**lateralis** Thomson, 1868:113

Mexico, Brasil

**Tesapeus** Galileo & Martins 2012:109**disjunctus** Galileo & Martins 2012:110

Costa Rica (Limon)

**Tigrinestola** Breuning, 1949:25**howdeni** Chemsak & Linsley, 1966:241**tigrina** (Skinner, 1905:291)*picta* Schaeffer, 1906:21

nw-cMexico (CHA, DU, DF)

swUSA (AZ, TX), nMexico (BC)

**Trichestola** Breuning, 1950:174**guatemalana** Breuning, 1950:174**mexicana** Breuning, 1974:161

Guatemala

sMexico (CHS)

**Unelcus** Thomson, 1864:109**bolivianus** Breuning, 1966:16**lineatus** Bates, 1885:354**pictus** Thomson, 1864:109

Bolivia

eMexico (VC)-Panama, Venezuela, eEcuador,

Bolivia (SC)

seBrasil (RJ-RS), nArgentina (CH)

**Dorcaschematini** Thomson 1860:104**Dorcaschema** Haldeman, 1847:54*Dorchaschema* Leng & Hamilton, 1896:108*Hetoemis* Haldeman, 1847:54**alternatum** (Say, 1824:405) eUSA-TX*octovittata* Knull, 1937:307**cinereum** (Olivier, 1795:28) eUSA*trilineata* Say, 1826:273*juglandis* Haldeman, 1847:54*cinerea bimaculata* Dillon & Dillon, 1948:293**nigrum** (Say, 1826:272) eNAmer**wildii** Uhler, 1855:417 eUSA**Elytracanthinini** Bousquet 2009:30**Elytracanthina** Monné, 2005:428*Elytracantha* Lane, 1955:281 (not Kleine, 1913 Coleoptera)**propinqua** (Lane, 1959:251) eBrasil (MG)**pugionata** (Lane, 1955:281) eBrasil (PB-ES)**Eupromerini** Galileo & Martins, 1995:132**Eupromera** Westwood, 1846:224**disparilis** Galileo & Martins, 1995:135 seBrasil (ES)**gilmouri** Fuchs, 1961:18 seBrasil (SP-SC)**similis** Breuning, 1940:183 seBrasil (BA-SC)**spryana** Westwood, 1846:224 seBrasil (RJ, SP, SC)**zonula** Galileo & Martins, 1995:139 seBrasil (ES)**Iquiracetima** Galileo & Martins, 1995:140**aspasia** Galileo & Martins, 1995:142 Peru, eEcuador**brachialis** (Thomson, 1868:109) Brasil**cerari** Galileo & Martins, 2008:4 Brasil (RO)**rana** Galileo & Martins, 2008:5 Bolivia (LP)**tuberosa** (Belon, 1896:247) cBrasil (AM, MT), eEcuador, Bolivia (SC)**Neopibanga** Martins & Galileo, 1998:57**brescoviti** Martins & Galileo, 1998:57 Brasil (RO)**Pibanga** Galileo & Martins, 1995:145**costulata** (Belon, 1896:251) Bolivia (SC)**diamantina** Galileo & Martins, 1995:146 cBrasil (MT)**glabricula** (Bates, 1885:358) Costa Rica, Panama**itacoatiara** Galileo & Martins, 1995:147 cBrasil (AM)**jacareacanga** Galileo & Martins, 1995:150 Brasil (PA, MT), eEcuador, Bolivia (SC)**ochropyga** (Belon, 1896:249) w Brasil (RO), eEcuador, Bolivia (BN, SC)**transversefasciata** (Breuning, 1943:58) eBrasil (BA)**Puanama** Galileo & Martins, 1995:142**caraca** Galileo & Martins, 1995:143 eBrasil (MG)**sara** Galileo & Martins, 1998:249 Bolivia (SC)**sinopia** Galileo & Martins, 1995:145 cBrasil (MT)**skillmani** Galileo & Martins, 2012:300 Brasil (Rondonia)

**Forsteriini** Tippman, 1960:210  
*Hebestolidae* Thomson, 1864:107  
*Falsamblethiini* Gilmour, 1961:131

**Bactriola** Bates, 1885:421

<b>achira</b> Galileo & Martins, 2008:34	Bolivia (SC)
<b>antennata</b> Galileo & Martins, 2008:35	Bolivia (SC)
<b>circumdata</b> Martins & Galileo, 1992:105	seBrasil (RJ)
<b>falsa</b> Martins & Galileo, 1992:107	seBrasil (MG-RS)
<b>maculata</b> Martins & Galileo, 1992:106	Venezuela, Ecuador, Bolivia (SC)
<b>minuscule</b> Fontes & Martins, 1977:7	eBrasil (ES)
<b>pauperula</b> Bates, 1885:422	Costa Rica (GU), Panama, Bolivia (SC)
<b>vittulata</b> Bates, 1885:421	Costa Rica (PA), Panama, Venezuela, Brasil, Bolivia (SC), Fr Guiana, Trinidad-Tobago

**Camixaia** Martins & Galileo, 1996:308

<b>beraba</b> Martins & Galileo, 1996:307	eEcuador
---	----------

**Falsamblethis** Breuning, 1959:85

*Forsteria* Tippmann, 1960:211

<b>candicans</b> (Gounelle, 1910:19)	wEcuador
<b>gracilis</b> (Lameere, 1893:277)	Venezuela
<b>ibiyara</b> Marinoni, 1978:91	seBrasil (MG-RS)
<b>macilenta</b> (Gounelle, 1910:18)	Ecuador
<b>microps</b> Martins & Galileo, 1992:104	Venezuela
<b>pilula</b> Galileo & Martins, 1987:449	Colombia
<b>seriepilosa</b> (Kirsch, 1889:40)	Ecuador
<b>taeniata</b> (Belon, 1903:71)	Bolivia
<b>unguicularis</b> (Tippmann, 1960:212)	Bolivia (SC)

**Gisostola** Thomson, 1868:125

<b>bahiensis</b> Martins & Galileo, 1988:220	eBrasil (BA)
<b>melancholica</b> (Thomson, 1857:304)	seBrasil (MG-RJ)
<i>tessellata</i> Thomson, 1868:126	
<b>nordestina</b> Galileo & Martins, 1987:93	eBrasil (CE)
<b>quentini</b> Martins & Galileo, 1989:122	seBrasil (RJ)

**Helmindia** Blanchard in Gay, 1851:516

<b>pilipennis</b> Blanchard in Gay, 1851:517	Chile
--	-------

**Huedepohlia** Martins & Galileo, 1989:122

<b>pisciformis</b> Martins & Galileo, 1989:123	Ecuador
--	---------

**Itacolomi** Galileo & Martins, 2012:223

<b>letiziae</b> Galileo & Martins, 2012:223	Brasil (MG)
---	-------------

**Neohebestola** Marinoni, 1977:46

*Hebestola* Blanchard in Gay, 1851:513 (not Haldeman, 1847)

<b>apicalis</b> (Fairmaire & Germain, 1859:529)	Chile
<b>brasiliensis</b> (Fontes & Martins, 1977:10)	seBrasil (MG, RJ)
<b>concolor</b> (Fabricius, 1798:149)	?
<b>humeralis</b> (Blanchard in Gay, 1851:514)	Chile
<b>luchopegnai</b> Martins & Galileo, 1989:129	Chile
<b>parvula</b> (Blanchard in Gay, 1851:514)	Chile
<b>petrosa</b> (Blanchard in Gay, 1851:515)	Chile
<i>chiliensis</i> Breuning, 1980:69	
<b>vitticollis</b> (Blanchard in Gay, 1851:515)	Chile, Argentina
<i>bonariensis</i> Thomson, 1868:127	

**Nyctonympha** Thomson, 1868:127

**affinis** Martins & Galileo, 2008:58  
**andersoni** Martins & Galileo, 1992:103  
**annulata** Aurivillius, 1900:420  
**annulipes** (Belon, 1897:187)  
**boyacana** Galileo & Martins, 2008:33  
**carcharias** (Lameere, 1893:277)  
     *glauca* Aurivillius, 1900:420  
**carioca** Galileo & Martins, 2001:68  
**costipennis** (Lameere, 1893:277)  
**cribrata** Thomson, 1868:128  
**flavipes** Aurivillius, 1920:401  
**genieri** Martins & Galileo, 1992:104  
**howdenarum** Martins & Galileo, 1992:104  
**punctata** Martins & Galileo, 1989:127  
**taeniata** Martins & Galileo, 1992:103

Fr Guiana  
 Colombia, Bolivia  
 Panama, Venezuela  
 Bolivia, Peru  
 Colombia  
 Venezuela  
  
 seBrasil (RJ), Bolivia (CO)  
 Venezuela  
 Colombia  
 Peru, Ecuador, w Brasil (MA, RO), Bolivia (SC)  
 wEcuador  
 Colombia  
 nArgentina (SA), Bolivia (SC)  
 Panama, Trinidad & Tobago

**Obereoides** Fisher, 1938:149

**antennatus** Martins & Galileo, 2003:620  
**cicatricosus** (Zajciw, 1968:423)  
**joergenseni** (Bruch, 1911:177)  
     *rufipes* Aurivillius, 1920:401  
     *tenuis* Fisher, 1938:150  
**parahybanus** Galileo & Martins, 1998:250  
**setulosus** (Aurivillius, 1920:402)

Bolivia  
 seBrasil (RJ)  
 seBrasil (RJ-RS), Paraguay, Argentina  
  
 Brasil  
 seBrasil (MG-SP)

**Proceroblesthis** Galileo & Martins, 1987:91

**prolata** Galileo & Martins, 1987:92

seBrasil (MG)

**Pseudogisostola** Fontes & Martins, 1977:12

**reichardti** Fontes & Martins, 1977:13

eBrasil (ES, RJ), Bolivia (SC)

**Saepiseuthes** Thomson, 1868:141

**chilensis** Thomson, 1868:141  
**obliquatus** (Fairmaire & Germain, 1859:511)

Chile  
 Chile

**Spinoblesthis** Galileo & Martins, 1987:90

**acuta** Galileo & Martins, 1987:91

eBrasil (ES)

**Udamina** Thomson, 1868:124

*Paraphaula* Fuchs, 1963:13

**leprieurii** Thomson, 1868:125  
     *porosa* Fuchs, 1963:13

Fr Guiana, Brasil (ES, RJ, SP)

**Yapyguara** Galileo & Martins, 2012:223

**fusca** Galileo & Martins, 2012:224

Bolivia (SC)

**Hemilophini** Thomson 1868:189

*Amphionychini* Thomson 1860:63

*Itesini* Lepesme, 1943:137

**Abanycha** Martins & Galileo, 1997:54

**bicolor** (Gahan, 1889:397)  
**bicoloricornis** Galileo & Martins, 2009:8  
**fasciata** Galileo & Martins, 2005:276  
**pectoralis** Martins & Galileo, 2004:472  
**pulchricollis** (Bates, 1885:431)

Ecuador  
 eEcuador  
 Venezuela  
 Costa Rica  
 Guatemala

- sericipennis** (Bates, 1885:430)  
**urocosmia** (Bates, 1881:204)  
 Costa Rica, Panama  
 Colombia
- Abycendaua** Martins & Galileo, 1992:127  
**duplicata** (Bates, 1881:294)  
 Colombia
- Acabanga** Martins & Galileo, 1991:555  
**nigrohumeralis** (Tippmann 1960:203)  
*palliat* ab. *nigrohumeralis* Tippmann, 1960:203  
**pinima** Martins & Galileo, 1991:555  
 seBrasil (RJ, SP, MG)  
 seBrasil (RJ)
- Acaiatuca** Martins & Galileo, 1992:591  
**denudata** Galileo & Martins, 2001:247  
**quadricostata** (Tippmann, 1953:355)  
 Brasil (GO)  
 seBrasil (SP, SC)
- Acaiu** Galileo & Martins, 2005:64  
**spinosus** Galileo & Martins, 2005:64  
 eEcuador
- Acapiata** Galileo & Martins, 2005:63  
**dilatata** Galileo & Martins, 2005:64  
 eEcuador
- Acasanga** Martins & Galileo, 1991:613  
**delectabilis** (Waterhouse, 1880:302)  
**dimidiosanguinea** (Fuchs, 1963:11)  
**humeralis** (Waterhouse, 1880:301)  
**reticulata** (Waterhouse, 1880:300)  
 Colombia, Peru  
 Colombia  
 Ecuador  
 Ecuador
- Adesmiella** Lane, 1959:261  
**cordipicta** Lane, 1959:261  
 sBrasil (SC)
- Adesmoides** Zajciw, 1967:324  
*Colatina* Lane, 1972:377  
**flava** Zajciw, 1967:324  
*borgmeieri* Lane, 1972:377  
 seBrasil (ES, RJ)
- Adesmus** Lepeletier & Audinet-Serville in Latreille, 1825:335  
*Amphyonycha* Dejean, 1835:352  
*Eudesmus* Voigt, 1839:311  
*Amphyonica* Thomson, 1857:311  
*Amphionycha* Thomson, 1861:64  
*Somateucharis* Lane, 1976:451  
**acanga** Galileo & Martins, 1999:84  
**acangauna** Martins & Galileo, 2004:538  
**albiventris** (Bates, 1881:197)  
**beruri** Martins & Galileo, 2011:358  
**bisellatus** (Bates, 1881:200)  
**borgmeieri** (Lane, 1976:452)  
**brunneiceps** (Aurivillius, 1920:399)  
*cetaceus* Lane, 1965:315  
**calca** Galileo & Martins, 2005:278  
**chalumeau** Touroult, 2004:70  
**charis** (Bates, 1881:197)  
**clathratus** (Gistel, 1848:624)  
*flavipes* Lucas, 1857:192  
*clathratella* Strand, 1917:90  
**collaris** Melzer, 1931:79  
**colligatus** (Redtenbacher, 1867:187)  
 seBrasil (MG,ES)  
 Panama  
 Venezuela  
 Brasil (AM)  
 Ecuador  
 cBrasil (MT)  
 seBrasil (RJ)  
 Peru  
 Martinique  
 Bolivia, Ecuador  
 Brasil  
 seBrasil (ES, RJ, SP)  
 seBrasil, Paraguay, Argentina

- diana** (Thomson, 1861:65)  
**dignus** Melzer, 1931:78  
**divus** (Chabrillac, 1857:200)  
     *procerus* Gahan, 1889:399  
**facetus** Martins & Galileo, 2008:550  
**fulvicornis** (Bates, 1881:203)  
**griseus** (Aurivillius, 1900:419)  
**guttatus** Galileo & Martins, 2005:277  
**hiekei** Fuchs, 1970:113  
**hemispilus** (Germar, 1821:169)  
     *luctuosa* Audinet-Serville, 1835:46  
**hipposiderus** Galileo & Martins, 2005:107  
**hovorei** Martins & Galileo, 2004:536  
**icambi** Martins & Galileo, 2009:534  
**juninensis** Galileo & Martins, 1999:89  
**laetus** (Bates, 1881:198)  
     var. *estriatus* Plavilstshikov, 1927:103  
**leucodryas** (Bates, 1881:198)  
**meinerti** (Aurivillius, 1900:419)  
**monnéi** Galileo & Martins, 2009:5  
**moruna** Martins & Galileo, 2008:548  
**mosapyra** Galileo & Martins, 2006:791  
**murutinga** Martins & Galileo, 2004:43  
**nevisi** (Gounelle, 1909:83)  
**nigriventris** (Fleutiaux & Sallé, 1889:472)  
**nigrocinctus** (Gahan, 1889:397)  
**nigrolineatus** Martins & Galileo, 2008:548  
**niveiceps** (Aurivillius, 1900:419)  
**ocellatus** Galileo & Martins, 2005: 277  
**paradiana** Galileo & Martins, 2004:384  
**phoebinus** (Aurivillius, 1900:418)  
**pilatus** Galileo & Martins, 2005:276  
**pirauna** Galileo & Martins, 1999: 113  
**pluricostatus** (Bates, 1881:217)  
**postilenatus** (Bates, 1881:201)  
**pulchellus** Galileo & Martins, 1999:97  
**pysasu** Galileo & Martins, 1999:92  
**quadricinctus** Galileo & Martins, 1999:90  
**sannio** Melzer, 1931:77  
     var. *curitybanus* Lane, 1938:633  
**seabrai** Lane, 1959:258  
**sexguttatus** (Lucas, 1857:192)  
**sexlineatus** (Bates, 1881:199)  
**stellatus** Galileo & Martins, 2005:279  
**stephanus** (Aurivillius, 1900:420)  
**temporalis** (Aurivillius, 1908:11)  
**tribalteatus** (Bates, 1881:198)  
**turrialba** Galileo & Martins, 1999:94  
**urubu** Galileo & Martins, 1999:84  
**ventralis** (Gahan, 1894:119)  
**verticalis** (Germar, 1824:492)  
     *nigriceps* Laporte, 1840:489  
**vilhena** Galileo & Martins, 1999:95  
**vulcanicus** Galileo & Martins, 1999:96  
**windsori** Martins & Galileo, 2004:538
- Colombia, Fr Guiana, nwBrasil (AM)  
 seBrasil (MG-SP)  
 Bolivia (SC), seBrasil (GO, MA, SP, PA), Paraguay,  
 Argentina  
 Brasil (RO)  
 seBrasil (RJ)  
 Venezuela  
 Peru  
 Ecuador  
 seBrasil (MG-RS), Paraguay, Argentina
- Costa Rica  
 Panama, Costa Rica (PA)  
 Costa Rica (CA)  
 Peru  
 Venezuela, Colombia, Peru
- Colombia  
 Venezuela  
 Brasil (AP)  
 Costa Rica  
 Ecuador  
 Colombia  
 Bolivia (SC), eBrasil (MA, MG, MT, DF, GO)  
 Guadeloupe  
 Brasil  
 Mexico (OA)  
 Venezuela  
 eEcuador  
 eEcuador, Brasil (MA)  
 Venezuela  
 Costa Rica (GU), Panama  
 Costa Rica (PA), Panama, Colombia  
 Guatemala  
 seBrasil (ES, RJ)  
 Argentina (SA)  
 wEcuador  
 Brasil (GO)  
 seBrasil (SP-SC)
- eBrasil (ES)  
 seBrasil (RJ-RS)  
 seBrasil (ES-RS), nArgentina (MI)  
 Costa Rica (CA)  
 Venezuela  
 Bolivia  
 Peru, Bolivia (SC)  
 Costa Rica, Panama  
 Brasil (PA,AM)  
 Costa Rica  
 seBrasil (RJ-RS), Paraguay, Argentina
- Brasil (RO, AM), Peru, Bolivia (SC)  
 Costa Rica  
 Panama

**Alampyris** Bates, 1881:218

**cretaria** Bates, 1885:431  
**curta** Bates, 1881:219  
**flavicollis** Galileo & Martins, 2005:271  
**fuliginea** Bates, 1881:219  
**fuscus** Martins & Galileo, 2008:551  
**marginella** Bates, 1881:220  
**melanophiloides** (Thomson, 1868:197)  
**mimetica** Bates, 1881:220  
**nigra** Bates, 1881:219  
**photinoides** Bates, 1881:220  
**quadricollis** Bates, 1881:220

Mexico  
 scMexico (PU, OA, TL)  
 Costa Rica (PA)  
 cMexico (GU, OA, MO)  
 Costa Rica, Panama  
 eMexico (VC)  
 eMexico (VC)  
 eMexico (VC)  
 swMexico (OA)  
 Guatemala  
 swMexico (OA)

**Amapanesia** Martins & Galileo, 1996:189

**exotica** (Martins & Galileo, 1991:104)

Colombia, ncBrasil (AP), Fr Guiana

**Apagomera** Bates, 1881:147

**aereiventris** (Tippmann, 1960:208)  
*aeriventris* Gilmour, 1965:643  
**bravoi** Galileo & Martins, 2009:5  
**jaguarari** Galileo & Martins, 1998:250  
**seclusa** Lane, 1965:326  
**tipitinga** Galileo & Martins, 1998:252  
**triangularis** (Germar, 1824:493)

Bolivia  
 Brasil (BA)  
 seBrasil (BA)  
 eBrasil (MG)  
 eBrasil (BA)  
 seBrasil (BA-SC)

**Apagomerella** Gilmour, 1962:142

**dissimilis** Galileo & Martins, 2005:103  
**versicolor** (Boheman, 1859:152)  
*sanguinicollis* Burmeister, 1865:180  
*suturella* Bates, 1881:147

Costa Rica (CA)  
 sBrasil (PR-RS), Paraguay, Argentina,  
 Uruguay

**Apagomerina** Gilmour, 1962:142

*Xenonta* Lane, 1970:409

**apicalis** Galileo & Martins, 2001:62  
**azurescens** (Bates, 1881:147)  
**diadela** Martins & Galileo, 1996:21  
**erythronota** (Lane, 1970:409)  
**faceta** Martins & Galileo, 2007:178  
**flava** Galileo & Martins, 1989:600  
**gigas** Martins & Galileo, 2007:1146  
**igneae** Martins & Galileo, 1996:22  
**jucunda** Martins, 1984:326  
**lamproides** Martins & Galileo, 2007:1146  
**lepida** Martins & Galileo, 1996:22  
**odettae** Martins & Galileo, 2007:178  
**rubricollis** Galileo & Martins, 1992:142  
**subtilis** Martins & Galileo, 1996:23  
**unica** Martins & Galileo, 1996:23  
**utiariti** Galileo & Martins, 1989:600

sBrasil (SC)  
 seBrasil (RJ)  
 Venezuela  
 eBrasil (ES)  
 Fr Guiana  
 seBrasil (SP)  
 Brasil (SC)  
 eBrasil (BA)  
 eBrasil (ES)  
 Brasil (MG, PA), Fr Guiana  
 wBrasil (RO)  
 Fr Guiana  
 wBrasil (RO)  
 eBrasil (BA)  
 cBrasil (MT)  
 cBrasil (MT)

**Apeba** Martins & Galileo, 1991:563

**antiqua** (Waterhouse, 1880:300)  
**barauna** Martins & Galileo, 1991:563  
**isabellina** (Bates, 1885:434)  
**togata** (Klug, 1825:464)

eBrasil (BA)  
 nBrasil (AM, PA)  
 Panama  
 seBrasil (ES, RJ)

**Apebusu** Martins & Galileo, 2004:468

**rubriventris** Martins & Galileo, 2004:468

Costa Rica (PA)

- Apypema** Galileo & Martins, 1992:17  
**yara** Galileo & Martins, 1992:17  
 Peru, Brasil (RO)
- Arixiuna** Martins & Galileo, 1992:124  
**longula** (Bates, 1881:222) eMexico (VC)  
**prolixa** (Bates, 1872:229) Mexico-Panama  
**varians** (Bates, 1881:222) eMexico (VC)-Costa Rica
- Butocrysa** Thomson, 1868:198  
**insignis** (Lucas, 1857:191) seBrasil (RJ)
- Cabreuva** Martins & Galileo, 1992:438  
**luciano** Martins & Galileo, 1992:441 Colombia
- Cacupira** Martins & Galileo, 1991:608  
**iodina** (Bates, 1881:296) Ecuador  
**tucurui** Martins & Galileo, 1991:613 nBrasil (PA), Fr Guiana
- Callanga** Lane, 1973:411  
**tenebrosa** Lane, 1973:415 Peru  
**trichocera** Lane, 1973:413 Peru, Bolivia (BN)
- Calocosmus** Chevrolat, 1862:250  
**chevrolati** Fisher, 1925:14 Cuba  
**dimidiatus** (Chevrolat in Guérin-Méneville, 1838:284) Cuba  
**fulvicollis** Fisher, 1925:13 Cuba  
**hispaniolae** Fisher 1925:15 R Dominicana  
**holosericeus** Gahan, 1889:395 Hispaniola  
**janus** Bates, 1881:151 Cuba  
**magnificus** Fisher, 1932:89 Haiti  
**marginipennis** Gahan, 1889:396 Jamaica  
**melanurus** Gahan, 1889:395 Hispaniola  
**nigripennis** Chevrolat, 1862:252 Cuba  
**nigritarsis** Fisher, 1942:41 R Dominicana  
**nuptus** Chevrolat, 1862:251 Cuba  
**semimarginatus** Bates, 1881:151 Cuba  
**speciosus** Chevrolat, 1862:252 Cuba  
**venustus** Jacquelin du Val in Sagra, 1857:275 (not Chevrolat, 1838)  
**venustus** (Chevrolat in Guérin-Méneville, 1838:283) Cuba, Bahamas
- Camposiellina** Monné, 2005:456  
*Camposiella* Lane, 1972:374 (not Hebard, 1924 Orthoptera)  
**sulfureopicta** (Lane, 1972:375) seBrasil (RJ)
- Canarana** Martins & Galileo, 1992:442  
**affinis** (Aurivillius, 1908:12) Peru, Bolivia (LP)  
**arguta** Martins & Galileo, 2008:551 Brasil (RO)  
**brachialis** (Guérin-Méneville, 1855:600) eEcuador, Peru, Bolivia (SC)  
**croceicollis** Gahan, 1889:393  
**exotica** Galileo & Martins, 2001:66 wEcuador  
**marceloi** Martins & Galileo, 1992:443 scBrasil, Bolivia (SC), Paraguay  
**nigripennis** (Bates, 1866:426) nwBrasil (AM)  
**roseicollis** Galileo & Martins, 2004:382 Bolivia (SC)  
**seminigra** (Bates, 1866:426) nwBrasil (AM), Bolivia (BN)  
**tuberculicollis** (Guérin-Méneville, 1855:601) eEcuador, Peru



- Cariua** Martins & Galileo, 2008:552  
**sulphurea** Martins & Galileo, 2008:552  
 Costa Rica
- Cathetopteron** Hamilton in Leng & Hamilton, 1896:162  
*Cathstopteron* Arnett, 1962:873  
**amoena** Hamilton in Leng & Hamilton, 1896:161  
 swUSA (TX)
- Cendiuna** Galileo & Martins, 1991:113  
**auauna** Galileo & Martins, 1998:254  
**cendira** Galileo & Martins, 1991:119  
**pataiuna** Galileo & Martins, 1991:118  
**planipennis** (Bates, 1881:150)  
**puranga** Galileo & Martins, 1991:115  
 seBrasil (MG)  
 seBrasil (SP, PR)  
 seBrasil (MG, SP)  
 seBrasil (ES-SP)  
 sBrasil (SC)
- Cephalodina** Bates, 1881:212  
**acangassu** Martins & Galileo, 1993:172  
**capito** (Bates, 1866:429)  
**crassiceps** Bates, 1881:213  
*capito* Bates, 1872:231 (not Bates, 1866)  
 wEcuador  
 Costa Rica, Panama  
 Mexico-Panama
- Chrysaperda** Bates, 1881:152  
**circumcincta** (Pascoe, 1859:54)  
**collaris** Pascoe, 1888:509  
**metallica** Bates, 1881:152  
*apicalis* Kirsch, 1889:43  
 nwBrasil (AM)  
 eEcuador  
 eEcuador, Peru
- Cirrhicera** Thomson, 1857:309  
**basalis** Gahan, 1892:269  
**championi** Bates, 1881:214  
**cinereola** Bates, 1881:215  
**conspicua** Gahan, 1892:269  
**cristipennis** Bates, 1881:214  
**leuconota** (Laporte, 1840:489)  
**longifrons** Bates, 1881:214  
**nigrina** Thomson, 1857:310  
**niveosignata** Thomson, 1861:64  
**panamensis** Bates, 1885:429  
**sallei** Thomson, 1857:310  
*sallaei* Bates, 1881:214  
 Mexico (JA, GR, ME, NA, VC)  
 sMexico (CHS)-Costa Rica  
 sMexico (CHS) - El Salvador, Costa Rica  
 swMexico (GR)  
 eMexico (VC), Guatemala, Costa Rica, wEcuador  
 Mexico (VC, OA), Honduras  
 Guatemala, Costa Rica (GU)  
 eMexico (VC)  
 eMexico (VC)  
 Costa Rica, Panama  
 sMexico (MO, OA, QR, TA, VC) - Panama
- Clythraschema** Thomson, 1857:127  
**chabrilacii** Thomson, 1857:128  
 seBrasil (RJ)
- Columbicella** Galileo & Martins, 1990:586  
**explanata** Galileo & Martins, 1990:588  
 Colombia
- Corcovado** Lane, 1973:408  
**bezarki** Martins & Galileo, 2008:550  
**peruviense** Lane, 1973:409  
**ruber** (Bates, 1881:204)  
 Costa Rica  
 Peru  
 seBrasil (RJ)
- Costemilophus** Galileo & Martins, 2005:107  
**aurantius** Galileo & Martins, 2005:107  
 Costa Rica

**Cotyadesmus** Martins & Galileo, 2005:16*Paradesmus* Galileo & Martins, 2003:267 (not Saussure, 1869)**brunneus** (Aurivillius, 1923:478)

Colombia

**iuba** (Galileo & Martins, 2003:267)

Colombia

**Cotycuara** Galileo & Martins, 2004:382**albomarginata** Galileo & Martins, 2004:383

Costa Rica, Panama

**crinita** Galileo & Martins, 2005:272

Costa Rica, Panama

**villosa** Martins & Galileo, 2011:358

Costa Rica (PA)

**viridis** Galileo & Martins, 2005:272

Costa Rica

**Cotysomerida** Martins & Galileo, 2009:537**lamproides** Martins & Galileo, 2009:537

Costa Rica (CA)

**Cuicirama** Martins & Galileo, 1992:124**cayennensis** (Bates, 1881:294)

Fr Guiana

**fasciata** (Bates, 1866:370)

nwBrasil (AM)

**smithii** (Bates, 1881:293)

nwBrasil (AM, MA)

**spectabilis** (Blanchard in D'Orbigny, 1847:210)

eEcuador, Bolivia (LP, SC)

**Cuiciuna** Galileo & Martins, 1997:164**amoenoides** (Fisher, 1938:151)

sBrasil (SP, SC)

**fumigata** (Germar, 1824:491)

seBrasil (BA, RJ)

*suturata* Bates, 1881:201**iuati** Galileo & Martins, 1997:167

seBrasil (MG, SP)

**melancholica** (Melzer, 1931:79)

seBrasil (RJ, SP)

**rectilinea** (Bates, 1881:202)

eBrasil (MG)

**Dadoychus** Chevrolat, 1833:14**flavocinctus** Chevrolat, 1833:14

Brasil

**mucuum** Galileo & Martins, 1998:252

Brasil (PE)

**nigrus** Galileo & Martins, 2009:4

Brasil (BA)

**Egalicia** Lane, 1974:537*Alicia* Thomson, 1864:125 (not Johnson, 1861)*Tetralicia* Aurivillius, 1923:588 (not Harrison, 1917)**flavescens** (Thomson, 1864:125)

seBrasil (RJ, SP)

**testacea** (Bates, 1866:430)

nwBrasil (AM), Bolivia (SC)

**Endybauna** Martins & Galileo, 1991:817**rapicara** Martins & Galileo, 1991:817

wEcuador

**Eranina** Monné, 2005:464*Erana* Bates, 1866:431 (not Gray, 1840 Aves)**argentina** (Bruch, 1911:176)

Paraguay, nwArgentina (TU)

**atatinga** (Galileo & Martins, 1999:107)

Colombia

**cendira** (Bates, 1866:431)

nwBrasil (AM), Fr Guiana

**costaricensis** (Galileo & Martins, 2005:66)

Costa Rica

**cretaria** (Galileo & Martins, 2005:269)

Costa Rica

**curuca** (Galileo & Martins, 1999:109)

Colombia

**diana** (Martins & Galileo, 1989:78)

cBrasil (GO)

**dispar** (Bates, 1881:209)

eMexico (VC) – Panama

**esquinas** Galileo & Martins, 2008:385

Costa Rica

**flaviventris** (Galileo & Martins, 2005:66)

Honduras

**florula** (Bates, 1881:209)

Guatemala

**fuliginella** (Bates, 1885:428)

Guatemala

**fulveola** (Bates, 1881:210)

Guatemala-Panama

- hovorei** Galileo & Martins, 2008:385  
**humeralis** (Martins & Galileo, 1989:78)  
**icambi** (Galileo & Martins, 1999:108)  
**leuconoe** (Bates, 1881:209)  
**meyeri** (Martins & Galileo, 1989:77)  
**moysesi** Galileo & Martins, 2008:384  
**nigrita** (Galileo & Martins, 1991:104)  
**pallidula** (Martins & Galileo, 1989:75)  
**pectoralis** (Bates, 1881:208)  
**piriana** (Martins & Galileo, 1993:169)  
**piterpe** Galileo & Martins, 2007:70  
**porongaba** (Galileo & Martins, 1998:252)  
**pusilla** (Bates, 1874:233)  
**rondonia** Galileo & Martins 2008:385  
**rosea** (Galileo & Martins, 2004:249)  
**septuosa** (Galileo & Martins, 2004:249)  
**suavissima** (Bates, 1881:209)  
**tauaira** (Martins & Galileo, 1993:170)  
**univittata** (Bates, 1881:209)
- Eraninella** Galileo & Martins, 2008:389  
**longiscapus** (Bates 1881:294)
- Esamirim** Martins & Galileo, 2004:468  
**carinatus** Martins & Galileo, 2004:469  
**chionides** (Bates, 1885:430)  
*chionidis* Aurivillius, 1923:589  
**divisus** Martins & Galileo, 2004:471  
**fasciatus** Martins & Galileo, 2004:469
- Essostrutha** Thomson, 1868:198  
**binotata** Bates, 1881:212  
**laeta** (Newman, 1840:13)  
*albina* Pascoe, 1858:256  
*miniata* Lacordaire, 1872:895  
*fimbriolata* Bates, 1881:210  
*cinnabarina* Bates, 1881:211
- Essostruthella** Lane, 1972:381  
**acatinga** Martins & Galileo, 2004:40  
**nevermanni** Lane, 1972:381  
**notaticollis** (Lane, 1973:406)
- Eulachnesia** Bates, 1872:231  
**amoena** Galileo & Martins, 2005:270  
**cobaltina** Bates, 1881:148  
**humeralis** (Fabricius, 1801:321)  
*sapphira* Bates, 1866:428  
**monnei** Martins & Galileo, 1996:190  
**smaragdina** Bates, 1872:231
- Frankluquetia** Tavakilian, 2004:6  
**inexpectata** Tavakilian, 2004:7
- Fredlanea** Martins & Galileo, 1996:190  
**aequatoria** (Bates, 1881:149)  
**calliste** (Bates, 1881:148)  
*holmgreni* Aurivillius, 1908:11  
*albosuturalis* Fuchs, 1970:112  
**colombiana** (Lane, 1966:273)
- Ecuador  
 Bolivia (SC)  
 Colombia  
 Nicaragua-Panama  
 seBrasil (SP-RS)  
 Costa Rica  
 ncBrasil (AP)  
 cBrasil (PA, MT)  
 eMexico (VC), Guatemala  
 Venezuela, Colombia  
 Bolivia (SC)  
 seBrasil (SC), Bolivia (SC)  
 Mexico - Costa Rica  
 Brasil (RO)  
 Panama  
 Panama  
 Guatemala  
 Colombia  
 swMexico (OA)
- seBrasil (MG, RJ)
- Costa Rica (CA, PA)  
 Costa Rica, Panama
- Panama  
 Costa Rica (PA)
- wMexico (GR, JA, MO, NA, PU, SI, SO)  
 swUS (sTX) - wMexico (CHS, GR, JA, MO, NA, MI, OA, PU, SI, VC), Guatemala
- Colombia  
 Costa Rica  
 Costa Rica, Panama
- Costa Rica (AL), Panama  
 Colombia  
 nwBrasil (AM), Fr Guiana
- nwBrasil (AM)  
 Nicaragua, Costa Rica (AL, GU, HE, LI, PA), Panama
- Fr Guiana
- wEcuador  
 Peru, Bolivia
- Colombia

- consobrina** (Lane, 1970:410)  
**cymatilis** (Lane, 1966:272)  
**flavipennis** (Lane, 1966:271)  
**guaranitica** (Lane, 1966:274)  
**hiekei** (Fuchs, 1970:113)  
**hovorei** Galileo & Martins, 2005:105  
**kirschi** (Aurivillius, 1923:590)  
**maculata** Martins & Galileo, 1996:192  
**putiapitanga** Galileo & Martins, 1999:110  
**velutina** (Lane, 1966:273)  
*basalis* Fuchs, 1970:113  
**vilhena** Martins & Galileo, 1996:192  
**virginea** (Fabricius, 1801:324)  
**viridipennis** (Bates, 1881:149)
- Colombia  
Colombia, wEcuador  
eEcuador, Peru  
Paraguay  
Colombia, Ecuador  
Costa Rica  
Peru, Colombia  
wEcuador  
Colombia  
wEcuador
- Gagarinia** Lane, 1956:28  
**aureolata** (Lane, 1950:100)  
**borgmeieri** (Bondar, 1938:445)  
**melasma** Galileo & Martins, 2004:383  
**mniszecchi** (Chabrillac, 1857:200)
- seBrasil (RJ, SP)  
eBrasil (BA), Fr Guiana  
Bolivia (SC)  
seBrasil (RJ)
- Guayuriba** Lane, 1970:397  
**dilaticeps** (Bates, 1881:200)  
*extrelidia* Lane, 1970:398
- Panama, Colombia
- Hemierana** Aurivillius, 1923:594  
*Amphionycha* Haldeman, 1847:57 (not Dejean, 1835)  
**marginata marginata** (Fabricius, 1798:48)  
*flammata* Newman, 1840:13  
 subsp. **ardens** (LeConte, 1859:22)  
*flammata* Horn, 1878:50 (part)  
 subsp. **suturalis** (Linell, 1896:398)
- seUSA (SC-FL)  
eUSA-TX, KS  
swUSA (TX)
- Hemiloapis** Galileo & Martins, 2004:250  
**endyba** Galileo & Martins, 2004:385  
**mena** Martins & Galileo, 2006:271  
**yandaira** Galileo & Martins, 2004:252  
**ybyra** Galileo & Martins, 2004:387
- eEcuador  
Brasil (AM)  
Bolivia (SC)  
Bolivia (SC)
- Hemilocrinitus** Galileo & Martins, 2005:108  
**barbatus** Galileo & Martins, 2005:108
- Costa Rica (PA)
- Hemilomecopterus** Martins & Galileo, 2004:40  
**alienus** Martins & Galileo, 2004:42
- Colombia, eEcuador
- Hemilophus** Audinet-Serville, 1835:49  
*Pyrobolus* Chevrolat in Guérin-Méneville, 1838:284  
**dimidiaticornis** Audinet-Serville, 1835:50  
**infuscatus** Bates, 1881:292  
**leucogrammus** Bates, 1881:293  
**unicolor** Bates, 1881:293
- seBrasil, Paraguay, Argentina  
seBrasil (RJ)  
seBrasil (RJ-PR)  
Brasil, Paraguay, Argentina
- Hilarolea** Thomson, 1868:200  
**incensa** (Perty, 1832:97)
- seBrasil (ES, RJ)

**Hilaroleopsis** Lane, 1970:406

**bicarinata** (Bates, 1885:430)  
**coloratus** Galileo & Martins, 2005:271  
**dimidiata** (Bates, 1881:200)  
**globicollis** (Bates, 1881:218)  
**icuapira** Martins & Galileo, 1992:590  
**minor** Martins & Galileo, 1997:58  
**nigerrima** Aurivillius, 1923:590  
**obesa** (Bates, 1881:217)  
**pituna** Galileo & Martins, 2006:791  
**pluricostata** (Bates, 1881:217)  
**theurgus** Martins & Galileo, 2004:471  
**vogti** Lane, 1970:406

Panama  
 Costa Rica  
 Costa Rica, Colombia  
 Mexico  
 Costa Rica  
 Venezuela  
 Guatemala, Mexico  
 eMexico (VC), Guatemala, Honduras  
 Panama  
 Guatemala, Costa Rica (CA, GA)  
 Costa Rica (GU)  
 Guatemala

**Iareonycha** Martins & Galileo, 1997:48

**albisterna** Martins & Galileo, 2004:539  
**ipepuna** Martins & Galileo, 1997:48

Panama  
 Colombia

**Iarucanga** Martins & Galileo, 1991:564

*Spathoptera* Bates, 1866:368 (not Audinet-Serville, 1835)

**capillacea** (Bates, 1866:369)  
**mimica** (Bates, 1866:369)

nwBrasil (AM)  
 nwBrasil (AM), Bolivia, Fr Guiana, Ecuador

**Iatuca** Galileo & Martins, 2004:381

**brevicornis** Galileo & Martins, 2004:382

Costa Rica (GU, PA), Panama

**Ibitiruna** Galileo & Martins, 1997:169

**araponga** Galileo & Martins, 1997:170  
**fenestrata** (Bates, 1881:202)

seBrasil (PR)  
 seBrasil (SP, SC)

**Icaunauna** Martins & Galileo, 2009:535

**aurantium** Martins & Galileo, 2009:535

Costa Rica (SJ)

**Icimauna** Martins & Galileo, 1991:819

**angaba** Martins & Galileo, 1991:823  
**aysa** Martins & Galileo, 1991:823  
**ciliaris** (Klug, 1825:467)  
**macilenta** (Bates, 1881:294)  
**pallidipennis** Martins & Galileo, 2007:1145  
**reversa** (Bates, 1881:295)  
**sarauaia** Martins & Galileo, 1991:820

Costa Rica  
 Costa Rica, Panama  
 sBrasil, Paraguay, neArgentina  
 seBrasil (RJ)  
 Costa Rica  
 seBrasil (RJ-SC)  
 Bolivia (CO, SC), Brasil (RO)

**Icupima** Martins & Galileo, 1991:556

**ampliata** Martins, Galileo & Tavakilian 2008:284  
**laevipennis** (Gahan, 1892:272)  
**taua** Martins & Galileo, 2004:38

Fr Guiana  
 Panama, eEcuador  
 Colombia

**Ipepo** Martins & Galileo, 2008:552

**dilatatus** Martins & Galileo, 2008:552

Bolivia (SC)

**Iquiara** Martins & Galileo, 1998:55

**tuiuca** Martins & Galileo, 1998:55

wEcuador

**Ischnophygas** Thomson, 1868:196

**telephoroides** Thomson, 1868:196

Mexico

**Isomerida** Bates, 1866:373*Spathoptera* Thomson, 1868:190 (part) (not Audinet-Serville, 1835)**albicollis** (Laporte, 1840:488)*anceps* Aurivillius, 1919:7**amicta** Pascoe, 1866:287**apiratinga** Martins & Galileo, 1992:189**cinctiventris** Bates, 1885:432*cinctipennis* Bates, 1885: pl. 25, fig.20**ibitira** Martins & Galileo, 1992:190**invicta** Galileo & Martins, 1996:244**lanifica** (Germar, 1824:489)*vittipennis* Bates, 1881:292**lineata** Bates, 1874:232*albicollis* var. Bates, 1872:229**longicornis** Bates, 1881:291**paraba** Galileo & Martins, 2001:64**paraiba** Galileo & Martins, 1996:242**ruficornis** Bates, 1866:373**santamarta** Galileo & Martins, 2001:66**sergioi** Galileo & Martins, 2009:9**separata** Galileo & Martins, 1996:239**sororcula** Galileo & Martins, 1996:236**tupi** Martins & Galileo, 1992:189**vittata** (Pascoe, 1858:256)*strigatus* Redtenbacher, 1867:186

Costa Rica (HE), Colombia, nwBrasil (AM),

Fr Guiana, Bolivia (SC)

Costa Rica, Panama, Colombia

Peru

Costa Rica, Panama

eBrasil (MG)

Peru

seBrasil (RJ-SP)

Nicaragua-Colombia, Peru, Bolivia (SC), w Brasil (RO)

eBrasil (BA, MG)

Brasil (AM)

neBrasil (PB)

nwBrasil (AM)

Colombia

Bolivia (SC)

Colombia, Ecuador

seBrasil (RJ)

Colombia, cBrasil (RO, GO, MT)

seBrasil (MG-SP)

**Itaituba** Lane, 1950:97**miniacea** (Bates, 1866:427)*truncata* Lane, 1950:98**pitanga** Galileo & Martins, 1991:105

ncBrasil (PA)

ncBrasil (PA), Fr Guiana

**Ites** Waterhouse, 1880:298**chaparensis** Tippmann, 1960:199**colasi** Lepesme, 1943:135**plagiatus** Waterhouse, 1880:298

Bolivia

Fr Guiana

eEcuador

**Itumbiara** Martins & Galileo, 1992:190**crinicornis** (Germar, 1824:490)**cuici** Galileo & Martins, 1997:7**denudata** Galileo & Martins, 2005:270**explanata** (Bates, 1885:433)**fimbriata** (Bates, 1881:290)**picticollis** (Bates, 1881:291)**picticornis** (Bates, 1872:229)**plumosa** (Bates, 1881:291)*fimbriata* Zikán & Zikán, 1944:41 (not Bates, 1881)**subdilatata** (Bates, 1872:229)**taigaiba** Martins & Galileo, 1992:193

seBrasil (MG, RJ)

seBrasil (SC)

Costa Rica

Costa Rica (PA, SJ), Panama

seBrasil (MG-SP)

seBrasil (MG-RS), Argentina

Nicaragua-Panama

seBrasil (ES-RS), Argentina

Nicaragua-Panama

seBrasil (SP, SC, RS)

**Juninia** Lane, 1966:247**annulifera** (Kirsch, 1889:44)*leechi* Lane, 1966:247

Colombia, Ecuador, Peru

**Kuatinga** Martins & Galileo, 2004:471**bicolor** Martins & Galileo, 2004:471

Costa Rica

- Kyranycha** Martins & Galileo, 1997:60  
**fraudatrix** (Bates, 1881:218) wMexico (JA) - Costa Rica (GU)  
*lineatus* Bates, 1872:233 (not Bates, 1874)
- Lamacoscylus** Martins & Galileo, 1991:628  
**humilis** (Bates, 1881:223) swMexico (GR, MO)  
 var.*fulvescens* Gahan, 1892:271  
 var.*grisescens* Gahan, 1892:271  
**usingeri** (Linsley, 1935:113) cMexico (ME)
- Lapazina** Lane, 1973:409  
**discicollis** (Bates, 1881:203) eEcuador  
**fuscipennis** (Bates, 1881:203) Bolivia, Peru
- Leucophoebe** Lane, 1976:454  
**albaria** (Bates, 1872:230) Nicaragua - Colombia  
**kempfi** Lane, 1976:455 wEcuador  
**pictilis** (Lane, 1972:379) Colombia, wEcuador
- Lycaneptia** Thomson, 1868:191  
**amicta** (Klug, 1825:464) eBrasil (BA, MG)  
**nigrobasalis** Tippmann, 1960:203 seBrasil (SP)  
*quadricostata* Martins & Galileo, 1991:588 (not Tippmann, 1953)
- Lycidola** Thomson, 1864:125  
**affinis** Martins & Galileo, 2012:337 Trinidad & Tobago  
**batesi** Aurivillius, 1923:585 nBrasil (PA)  
*simulatrix* var. Bates, 1866:368  
**beltii** Bates, 1872:228 Honduras, Nicaragua, Costa Rica (SJ)  
**expansa** Bates, 1881:298 Costa Rica, Colombia  
**felix** Waterhouse, 1880:298 Ecuador  
**flavofasciata** Waterhouse, 1880:298 Ecuador, Bolivia, Fr Guiana  
**palliata** (Klug, 1825:465) eBrasil (BA)  
**popeba** Galileo & Martins, 2006:789 Costa Rica (LI, PA)  
**simulatrix** Bates, 1866:368 nBrasil (AM, AP), Fr Guiana, Bolivia (SC)
- Lycodesmus** Melzer, 1927:581  
**superbus** Melzer, 1927:581 nwBrasil (AM)
- Lycomimus** Melzer, 1931:11  
*Lycoplasma* Chemsak & Linsley, 1984:280  
**albocinctus** Melzer, 1931:11 nwBrasil (AM), Fr Guiana, Bolivia (SC)  
**ampliatus** (Klug, 1825:466) seBrasil (RJ)  
**formosus** (Chemsak & Linsley, 1984:280) Panama
- Malacoscylus** Thomson, 1868:190  
*Macroscylus* Aurivillius, 1908:12  
**auricomus** Bates, 1881:296 Peru, Bolivia  
**cinctulus** Bates, 1881:297 eEcuador, Peru, Bolivia (CO)  
**cirratus** (Germar, 1824:491) Brasil, neArgentina,  
*dasycera* Klug, 1825:466  
**elegantulus** Galileo & Martins, 2005:275 Peru  
**fasciatus** Galileo & Martins, 1998:256 seBrasil (SP, MG)  
**gonostigma** Bates, 1881:297 seBrasil (MG, RJ, SP)  
**gratiosus** Bates, 1881:297 eEcuador  
**lacordairei** (Thomson, 1868:193) Colombia  
**lanei** Martins & Galileo, 1991:621 Bolivia (SC)

- niger** Aurivillius, 1908:12  
**xanthotaenius** (Bates, 1881:295)  
*albens* Bates, 1881:296
- Mariliana** Lane, 1970:411  
**amazonica** Galileo & Martins, 2004:249  
**cicadellida** Galileo & Martins, 2004:248  
**hovorei** Galileo & Martins, 2005:270  
**niveopicta** Lane, 1970:418  
**ocularis** (Hope, 1846:181)  
**rupicola** Lane, 1970:419  
**sumpta** Lane, 1970:417
- Melzerina** Lane, 1966:288  
**lacordairei** (Gahan, 1889:394)
- Mexicoscylus** Martins & Galileo, 2011:356  
**bivittatus** (Gahan, 1892: 272)  
**rosae** Martins & Galileo, 2011:357
- Mocioiasura** Martins & Galileo, 1991:818  
**suturalis** (Melzer, 1931:198)
- Murupeaca** Martins & Galileo, 1992:576  
**mocoia** Martins & Galileo, 1993:110  
**pinimatinga** Martins & Galileo, 1992:576  
**tavakiliani** Galileo & Martins, 2004:248
- Neomoema** Martins & Galileo, 1996:306  
*Moema* Martins & Galileo, 1992:594 (not Costa, 1989, Pisces)  
**cendi** (Martins & Galileo, 1992:595)
- Ochromima** Bates, 1881:151  
**marginicollis** (Gahan, 1889:398)  
*decemmaculata* Melzer, 1931:12  
**megalopoides** (Bates, 1866:427)  
**pallipes** (Olivier, 1795:31)
- Ocoa** Lane, 1970:401  
**ochromimoides** Lane, 1970:402
- Oedudes** Thomson, 1868:199  
**alayoi** (Zayas, 1956:111)  
*montivagans* Fisher, 1942:42  
**bifasciata** (Bates, 1869:386)  
**callizona** (Bates, 1881:217)  
**ramsdeni** (Fisher, 1926:39)  
**roberto** (Fisher, 1935:209)  
**scaramuzzai** (Fisher, 1936:271)  
**spectabilis** (Drury, 1782:73)  
*druryi* Thomson, 1868:200  
*knownothing* Thomson, 1856:478
- Okamira** Galileo & Martins, 2005:65  
**pulchra** Galileo & Martins, 2005:65
- Peru  
seBrasil (MG, RJ)
- Fr Guiana  
Bolivia (SC)  
eEcuador  
seBrasil (SP)  
seBrasil (RJ-SC)  
seBrasil (RJ)  
seBrasil (MG)
- Brasil
- swMexico (GR)  
Mexico (OA)
- eBrasil (ES)
- seBrasil (ES)  
cBrasil (MT), Bolivia (SC)  
Fr Guiana
- Costa Rica
- Fr Guiana, nBrasil (AM, PA)  
nBrasil (PA), Guianas  
Surinam, Fr Guiana
- Colombia
- Cuba  
Nicaragua, Costa Rica  
Mexico (VC), Guatemala, Belize, Honduras  
Cuba  
Cuba  
Cuba  
eMexico (VC) - Panama, Colombia
- eEcuador



- Olivensa** Lane, 1965:318  
**cephalotes** (Pascoc, 1858:257)  
**megacephala** (Bates, 1866:428)  
**mimula** Lane, 1965:319  
 eEcuador, nBrasil (PA), Fr Guiana, Bolivia (SC)  
 eEcuador, nwBrasil (AM), Bolivia (SC)  
 Colombia, nwBrasil (AM)
- Paleohemilophus** Martins & Galileo, 1999:309 (Fossil)  
**dominicanus** Martins & Galileo, 1999:309 (Fossil)  
 Hispaniola
- Parapeba** Galileo & Martins, 2001:248  
**lyciformis** Galileo & Martins, 2001:248  
 Brasil (ES, BA)
- Parauna** Lane, 1972:372  
**zikani** Lane, 1972:372  
 nwBrasil (AM), Fr Guiana
- Phoebe** Audinet-Serville, 1835:37  
**alba** Martins & Galileo, 2004:536  
**bicornis** (Olivier, 1795:27)  
**cava** (Germar, 1824:493)  
**concinna** White, 1856:408  
**cornuta** (Olivier, 1795:26)  
**fryana** Lane, 1966:285  
**goiana** Lane, 1966:283  
**luteola** Bates, 1881:215  
*lutaria* Bates, 1881:302  
**mafra** Martins & Galileo, 1998:434  
**mexicana** Bates, 1881:215  
**ornator** (Tippmann, 1960:204)  
**parvimacula** Martins & Galileo, 2011:358  
**phoebe** (Lepeletier & Audinet-Serville in Latreille, 1825:335)  
*octomaculata* Audinet-Serville, 1835:37  
*cretifera* Pascoe, 1858:260  
**spgazzinii** Bruch, 1908:219  
**subalbaria** Belon, 1896:254  
**tinga** Martins & Galileo, 1998:434  
 Bolivia (SC)  
 nBrasil (AP), Fr Guiana, Bolivia  
 seBrasil (ES-PR)  
 Colombia, eEcuador, nwBrasil (AM), Bolivia (SC)  
 Surinam, Fr Guiana  
 Ecuador  
 ecBrasil (GO, MA)  
 Guatemala  
 seBrasil (SC)  
 eMexico (VC), Honduras, Nicaragua, Costa Rica  
 Bolivia (SC)  
 Bolivia (SC)  
 seBrasil (RJ-RS)
- Phoebella** Lane, 1966:248  
**albomaculata** (Gahan, 1889:396)  
 Bolivia (SC), Paraguay, ncArgentina (CD, SE)  
 Bolivia  
 Argentina
- Phoebemima** Tippmann, 1960:205  
*Tacocha* Lane, 1970:399  
**aequatoria** (Lane, 1970:399)  
**albomaculata** Martins & Galileo, 2008:550  
**antiqua** (Gahan, 1889:399)  
**ensifera** Tippmann, 1960:206  
**teteia** (Galileo & Martins, 1996:236)  
**theaphia** (Bates, 1881:199)  
 eEcuador  
 Bolivia (CO)  
 seBrasil (RJ)  
 Bolivia (SC)  
 w Brasil (RO)  
 cBrasil (AM, MT), Fr Guiana
- Piampatara** Martins & Galileo, 1992:441  
**humeralis** (Aurivillius, 1916:359)  
 var. *subapicalis* Aurivillius, 1916:359  
**ocreata** (Bates, 1885:431)  
**proseni** Martins & Galileo, 1997:52  
**ubirajarai** (Lane, 1966:287)  
 seBrasil (RJ)  
 Costa Rica, Panama  
 Bolivia  
 seBrasil (RJ)
- Piratininga** Galileo & Martins, 1992:16  
**mocoia** Galileo & Martins, 2007:68  
**piranga** Galileo & Martins, 1992:16  
 Bolivia (SC)  
 eBrasil (MG-SP)

- Piruanycha** Martins & Galileo, 1997:61  
*itaiuba* Martins & Galileo, 1997:62  
*ocoa* Martins & Galileo, 1997:62  
*pitilla* Galileo & Martins, 2005:106  
 Brasil (GO, MG)  
 Colombia  
 Costa Rica
- Porangonycha** Martins & Galileo, 1997:50  
*princeps* (Bates, 1872:230)  
 Nicaragua, Costa Rica, eEcuador, Peru, Bolivia (SC),  
 Fr Guiana, Colombia
- Poticuara** Martins & Galileo, 1991:614  
*exilis* (Bates, 1881:298)  
*ipiterpe* Martins & Galileo, 1991:615  
 Bolivia  
 Costa Rica, Peru
- Pseudegalicia** Galileo & Martins, 2001:249  
*tetrops* Galileo & Martins, 2001:250  
 Brasil (RO, MA)
- Pseudotacocha** Martins & Galileo, 2012:561  
*magnifica* Martins & Galileo, 2012:561  
 Peru
- Purusia** Lane, 1956:28  
*acreana* Lane, 1956:29  
 Costa Rica (PA), eEcuador, Bolivia (SC),  
 w Brasil (AC, RO)
- Purusiella** Dalens, Tourout & Tavakilian, 2010:35  
*hippomontanensis* Dalens, Tourout & Tavakilian, 2010:35  
*wappesi* (Martins & Galileo, 2004:539)  
 French Guiana  
 Bolivia (SC)
- Quatiara** Lane, 1972:372  
*Amphionycha* Leséleuc, 1844: pl.138 (not Dejean, 1835)  
*luctuosa* (Leséleuc, 1844:138)  
*leseleuci* Aurivillius, 1923:590  
 seBrasil (ES, RJ)
- Quirimbaia** Martins & Galileo, 2004:37  
*castroi* Martins & Galileo, 2004:37  
 eEcuador
- Sibapipunga** Martins & Galileo, 1993:110  
*beckeri* (Martins & Galileo, 1992:577)  
 Costa Rica, Colombia, wEcuador
- Spathoptera** Audinet-Serville, 1835:50  
*Photuronta* Thomson, 1868:190  
*albilatera* Audinet-Serville, 1835:51  
*gutticollis* Thomson, 1868:195  
 seBrasil (RJ-PR)
- Sphallonycha** Bates, 1881:149  
*irundisa* Galileo & Martins, 2001:61  
*roseicollis* (Bates, 1866:430)  
 eEcuador, nwBrasil (AM)  
 nwBrasil (AM)
- Susuanycha** Galileo & Martins, 2005:274  
*susua* Galileo & Martins, 2005:274  
 Peru
- Sybaguas** Martins & Galileo, 1991:621  
*anemum* Martins & Galileo, 2004:540  
*cornutum* Galileo & Martins, 2005:274  
*cupreum* Galileo & Martins, 2004:383  
*longipennis* (Bates, 1881:202)  
*murinum* (Pascoe, 1866:288)  
*minima* Bates, 1881:305  
 Panama  
 Brasil (MG)  
 Costa Rica (HE, GU)  
 Ecuador  
 Colombia

<b>pubicorne</b> (Bates, 1881:201)	Peru, nBrasil (AM, PA)
<b>subcarinatus</b> (Bates, 1885:432)	Costa Rica (HE), Panama
<b>thoracicum</b> (Olivier, 1795:18)	Fr Guiana, nBrasil (PA)
<b>titingum</b> Martins & Galileo, 1991:622	Peru
<b>Tabatinga</b> Lane, 1966:245	
<b>x-littera</b> Lane, 1966:246	nwBrasil (AM)
<b>Tetamauara</b> Martins & Galileo, 1991:556	
<b>eximia</b> (Bates, 1885:435)	Panama
<b>retifera</b> (Waterhouse, 1880:299)	Ecuador
<b>unicolor</b> (Bates, 1885:434)	Panama
<b>Tetanola</b> Bates, 1881:151	
<b>polita</b> Bates, 1881:151	Ecuador
<b>Themistonoe</b> Thomson, 1864:126	
<b>cacica</b> Thomson, 1864:126	Brasil
<b>Tyrinthia</b> Bates, 1866:371	
<i>Cyphometopus</i> Thomson, 1868:190	
<b>aurantia</b> Martins & Galileo, 2007:1146	Ecuador
<b>biformis</b> Bates, 1885:433	Panama
<b>capillata</b> Bates, 1866:371	nBrasil (AM, PA), Bolivia
<b>colombiana</b> Galileo & Martins, 2009:3	Colombia
<b>dionae</b> Martins & Galileo, 2004:38	Colombia
<b>frontalis</b> (Guérin-Méneville, 1855:601)	Ecuador
<b>klugii</b> (Thomson, 1868:192)	Colombia
<b>lycinella</b> Bates, 1881:223	Honduras, Costa Rica (HE, LI)
<b>moroiuba</b> Martins & Galileo, 1991:815	Costa Rica (AL, CA, GU, HE, LI, PA), Colombia
<b>nigroapicata</b> Galileo & Martins, 2009:2	Brasil (SP)
<b>obtusa</b> Bates, 1881:295	Colombia
<b>paraba</b> Martins & Galileo, 1991:815	Colombia, w Brasil (AM, RO), Peru
<b>patula</b> Galileo & Martins, 2005:105	Costa Rica
<b>photurina</b> Bates, 1885:434	Panama
<b>picticornis</b> Martins & Galileo, 1991:816	Panama
<b>scissifrons</b> Bates, 1866:372	
<i>infacetus</i> Thomson, 1868:193	ncBrasil (AM, AP, PA, MA), Trinidad
<b>turuna</b> Martins & Galileo, 1993:172	Colombia
<b>xanthe</b> Bates, 1881:223	Nicaragua-Panama
<b>Unaporanga</b> Martins & Galileo, 2007:1148	
<b>cincta</b> Martins & Galileo, 2007:1149	Panama, Colombia
<b>lanceolata</b> Martins & Galileo, 2007:1148	Ecuador
<b>Woytkowskia</b> Lane, 1966:281	
<b>gruberi</b> Martins & Galileo, 1992:592	Costa Rica
<b>scorpiona</b> Lane, 1966:282	Peru
<b>travassosi</b> Lane, 1971:37	eBrasil (ES)
<b>Zeale</b> Pascoe, 1866:287	
<b>dubia</b> Galileo & Martins, 1997:162	Bolivia (CO), Colombia
<b>nigromaculata</b> (Klug, 1829:7)	Brasil, Paraguay, Argentina, Uruguay, Bolivia (SC)
<i>leucomelaena</i> Gistel, 1857:68	
<i>petronae</i> Burmeister, 1861:166	
<i>spilotus</i> Bates, 1881:199	
<b>scalaris</b> Pascoe, 1866:287	Panama, Colombia, Peru

**Laticraniini** Lane 1959:312

**Amplitempora** Giesbert, 1996:317  
**captiocola** Giesbert, 1996:317

Panama, Fr Guiana

**Laticranium** Lane, 1959:312  
**mandibulare** Lane, 1959:313

Guatemala-Panama, eSAmer-  
 nArgentina (SA), Bolivia (SC)

**Mauesiini** Lane, 1956:19

*Mauesinae* Lane, 1956:19  
*Mauesini*; Gilmour, 1965:655

**Coroicoia** Lane, 1966:241  
**ligata** (Schwarzer, 1930:108)

Bolivia, Ecuador

**Mauesia** Lane, 1956:19

**acorniculata** Julio, 2003:53  
**bicornis** Julio, 2003:52  
**cornuta** Lane, 1956:19  
**nigroolivacea** Touroult & Demez, 2012:102  
**panamensis** Moyses & Galileo, 2009:498  
**simplicis** Moyses & Galileo, 2009:497  
**submetallica** Martins & Galileo, 2010:688

Brasil (AM)  
 Brasil (AM)  
 cBrasil (AM, RO, MT), Fr Guiana  
 Peru  
 Panama  
 Brasil (MT)  
 Brasil (AM)

**Taurolema** Thomson, 1860:15

**albopunctata** Gounelle, 1906:13  
*nasicornis* Schwarzer, 1930:106  
**bellatrix** Thomson, 1861:15  
**cicatricosa** Lane, 1966:240  
*lineata* Fuchs, 1966:13  
**dalensi** Touroult & Tavakilian, 2006:5  
**duffy** Lane, 1966:241  
**flavocincta** Gounelle, 1906:13  
*vittata* Schwarzer, 1930:108  
*peruviana* Lane, 1957:67  
**hirsuticornis** Chevrolat, 1861:188  
**nigropilosa** Julio, 2003:56  
**nigroviolacea** Touroult & Tavakilian, 2006:3  
**oberthüri** Gounelle, 1906:12  
**olivacea** Gounelle, 1908:19  
**pretiosa** Chevrolat, 1861:187  
**rutilans** Gounelle, 1906:14  
**seabrai** Lane, 1973:388  
**superba** Fuchs, 1966:14

Guatemala, Costa Rica  
 Fr Guiana, nBrasil (PA)  
 Fr Guiana, Guyana, cBrasil (MT), Bolivia (SC)  
 Fr Guiana  
 seBrasil (RJ)  
 Costa Rica-Colombia, Peru, eEcuador, Bolivia (SC)  
 seBrasil, neArgentina (MI)  
 eBrasil (ES)  
 Fr Guiana  
 nBrasil (PA)  
 eBrasil (ES)  
 Venezuela, Colombia  
 eBrasil (BA, ES)  
 nwBrasil (AM)  
 Peru

**Trichomauesia** Dalens, Giuglaris & Tavakilian, 2010:2  
**touroulti** Dalens, Giuglaris & Tavakilian, 2010:4

French Guiana

**Megabasini** Thomson, 1864:23

**Megabasis** Audinet-Serville, 1835:53  
**speculifera** (Kirby, 1818:439)

seBrasil (BA-SP)

**Mesosini** Thomson, 1861:35**Liosynaphaeta** Fisher, 1926:1**balloui** Fisher, 1926:2

Jamaica

**Synaphaeta** Thomson, 1864:370*Synaphe* Thomson, 1864:60 (not Huebner, 1789)*Mesosa* LeConte, 1852:166 (not Latreille, 1829)**guexi** (LeConte, 1852:166)

wNAmer (Br Col-CA)

*humeralis* Casey, 1913:299*annulata* Casey, 1913:300*brevicollis* Casey, 1913:300**Moneilemini** Thomson 1864:43**Moneilema** Say, 1824:403*Monilema* LeConte, 1852:167*Collapteryx* Newman, 1838:397*Collapterix* Thomson, 1857:326*Omoscyron* Thomson, 1867:74*Monoplesa* Motschulsky, 1875:144**albopictum** White, 1856:407

scMexico (PU, ME, OA)

*laevidorsale* White, 1856:407*albotessellata* Thomson, 1857:189*carinatum* Thomson, 1857:189*lecontei* Thomson, 1861:25*infamiae* Thomson, 1867:79*mortuale* Thomson, 1867:80*perforatum* Thomson, 1867:80*sinistrum* Thomson, 1867:81**annulatum** Say 1824:404

wCanada, wUSA

*nubecula* Casey, 1913:282*nubecula demissa* Casey, 1913:282*annulatum* var. *montanum* Psota, 1930:121*puncticolle* Psota, 1930:121*angulatum* Psota, 1930:122*hybridum* Psota, 1930:123**appressum** LeConte, 1852:168

swUSA (AZ-CO, TX), nMexico (SO)

*microsticta* Casey, 1913:283*cylindricollis* Casey, 1913:283*corrugans* Casey, 1913:284*corrugans ovipennis* Casey, 1913:284*corpulentum* Knaus, 1925:183*nigriventris* Fisher, 1926:215*vittatum* Fisher, 1928:3*parahybrida* Psota, 1930:124*appressum* var. *scabrum* Psota, 1930:125*rinconi* Psota, 1930:126*alpinum* Psota, 1930:126*texanum* Psota, 1930:127*corrugans* var. *arizonicum* Psota, 1930:128*duncani* Psota, 1930:128**armatum** LeConte, 1853:234

scUSA, ncMexico (CO)

*crassum* LeConte, 1853:234*laevigatum* Bland, 1862:267*simplicicornis* Casey, 1913:286*simplicicornis gryllicept* Casey, 1913:287*rector* Casey, 1913:287*solida* Casey, 1913:288

<i>femoralis</i> Casey, 1913:288	
<i>obesa</i> Casey, 1924:287	
<i>convexa</i> Casey, 1924:289	
<i>rugosipennis</i> Fisher, 1928:2	
<i>isolatum</i> Psota, 1930:132	
<i>punctatum</i> Psota, 1930:133	
<i>walsenburgii</i> Psota, 1930:140	
<b>aterrimum</b> Fisher, 1931:198	cMexico (SLP)
<b>blapsides blapsides</b> (Newman, 1838:397)	cMexico (DU, ME)
subsp. <b>ulkei</b> Horn, 1885:188	scUSA, neMexico (TA)
<i>pleuralis</i> Casey, 1913:287	
<i>mundelli</i> Fisher, 1931:200	
<b>crassipes</b> Fisher, 1931:197	neMexico (TA)
<b>ebeninum</b> Bates, 1885:336	Mexico
<b>gigas</b> LeConte, 1873:230	swUSA (AZ, UT)-wMexico (BC, SI)
<i>spinicollis</i> Casey, 1891:45	
<i>constricta</i> Casey, 1913:285	
<i>pimalis</i> Casey, 1913:285	
<i>uteana</i> Casey, 1913:285	
<i>pollens</i> Casey, 1913:286	
<i>giganteum</i> Craighead, 1923:103	
<i>plectralis</i> Casey, 1924:286	
<i>colossus</i> Casey, 1924:289	
<b>longipes</b> White, 1856:407	Mexico (BC)
<b>manni</b> Psota, 1930:139	cMexico (HI)
<b>mexicanum</b> Fisher, 1926:215	cMexico (HI)
<b>michelbacheri</b> Linsley, 1942:67	Mexico (BC)
<b>opuntiae</b> Fisher, 1928:1	cMexico (SLP)
<b>punctipennis</b> Fisher, 1926:216	scMexico (PU)
<b>rugosissimum</b> Casey, 1924:288	Mexico (BC)
<b>semipunctatum</b> LeConte, 1852:167	wUSA, Mexico (BCN)
<i>forte</i> LeConte, 1873:230	
<i>obtusum</i> LeConte, 1873:230	
<i>armigera</i> Motschulsky, 1875:146	
<i>scabra</i> Motschulsky, 1875:146	
<i>spoliatum</i> Horn, 1885:186	
<i>shantzi</i> Casey, 1924:286	
<b>subrugosum</b> Bland, 1862:268	Mexico (BC)
<i>opaca</i> Casey, 1913:289	
<i>lateralis</i> Casey, 1924:287	
<b>variolare</b> Thomson, 1867:77	cMexico (SLP, ME)
<b>wickhami</b> Psota, 1930:138	ncMexico (DU)

### **Monochamini** Gistel, 1848:9

*Taeniotitae* Thomson, 1864:76

*Agniitae* Thomson, 1864:83

### **Anoplophora** Hope, 1839:439

*Melanauster* Thomson, 1868:181

*Cyriocrates* Thomson, 1868:181

*Micromelanauster* Pic, 1931:49

**glabripennis** (Motschulsky 1853:48)

*laevigator* Thomson, 1857:297

*angustatus* Pic, 1925:21

*nankineus* Pic, 1926:5

*laglasei* Pic, 1953:3

Asia, introduced in eUSA

**Chyptodes** Dillon & Dillon, 1941:50*Parataeniotes* Breuning, 1943:253**albosuturalis** Fuchs, 1961:96**dejeani** (Thomson, 1865:556)

Guatemala

wcMexico (JA, CM, MO, GO)

**Deliathis** Thomson, 1860:101**batesi** Gahan, 1888:398**bifurcatus** Dillon & Dillon, 1941:113**buqueti** (Tasté, 1841:14)*buquetii* var. *mira* Gahan, 1888:398**diluta** Gahan, 1892:257**flavis** Dillon & Dillon, 1941:111**impluviatus** (Lacordaire, 1869:324)*poecilodryas* Bates, 1880:99**incana** (Forster, 1771:38)*vittator* Fabricius, 1775:173*magnifica* Voet, 1778:14**nigrovittata** Breuning, 1980:69**nivea** Bates, 1869:388*nivea* var. *detersa* Bates, 1885:338*nivea* var. *inermis* Aurivillius, 1922:104**parincana** Breuning, 1971:288**pulchra** Thomson, 1865:554**quadritaeniator** (White, 1846:48)*pazii* Rojas, 1856:565**superbus** Franz, 1954:223

swMexico (JA, GR)

Honduras

eMexico (VC), Belize, Honduras

swMexico (GR)-Nicaragua

sMexico (CHS)

eMexico (VC), Guatemala

sMexico (CA, YU)

cMexico (ME)

Guatemala - Panama

Mexico

eMexico (VC), Guatemala

Costa Rica-Colombia, Venezuela,

wEcuador

Guatemala, El Salvador

**Goes** LeConte, 1852:150**debilis** LeConte, 1852:150**fisheri** Dillon & Dillon, 1941:122**novus** Fall, 1928:236**pulcher** (Haldeman, 1847:52)*pulcher fuscatus* Knull, 1944:92**pulverulentus** (Haldeman, 1847:51)*laurenticus* Casey, 1913:297**tesselatus** (Haldeman, 1847:51)*amplipennis* Casey, 1913:295*robinsoni* Casey, 1914:368**tigrinus** (Degeer, 1775:114)*rotator* Fabricius, 1775:175*tigris* Schoenherr, 1817:383*tomentosus* Ziegler, 1844:47*tigrinus marmoratus* Casey, 1913:296**tumifrons** Linsley & Chemsak, 1984:91**variegatus** Linsley & Chemsak, 1984:86

eNAmer

swUSA (TX)

swUSA (TX)

eNAmer

eNAmer

eUSA

eUSA

seUSA (GA, FL, TX)

seUSA (SC-FL, TX)

**Hebestola** Haldeman, 1847:54*Cacoplia* LeConte, 1852:149**nebulosa** Haldeman, 1847:54*nebulosa albata* Knull, 1960:116**Lochmodocerus** Burne, 1984:145**antennatus** Burne, 1984:146

sMexico (CHS), Guatemala

**Microgoes** Casey, 1913:298**oculatus** (LeConte, 1862:40)*tenuicornis* Casey, 1913:298

eNAmer

**Mimolochus** Thomson, 1868:99**hoefneri** (Thomson, 1865:554)*hoepneri* Lacordaire, 1869:325

Mexico (ME, MO, PU, OA, GR, CH)

**Monochamus** Dejean, 1821:106 (not Megerle in Dejean auct)*Monachammus* Gray in Griffith, 1832:106*Monohammus* Dejean, 1837:366*Monohamus* Guérin-Méneville, 1844:242**carolinensis** (Olivier, 1792:463)*caroliniensis* Olivier, 1795:85*dentator* Fabricius, 1792:278*minor* LeConte, 1873:231

eUSA

**clamator clamator** (LeConte, 1852:149)*maculosus* Horn, 1885:191 (not Haldeman, 1847)*strenuus* Casey, 1913:293

swUSA (CO, UT, NM, AZ, wTX)

subsp. **latus** Casey, 1924:290*oregonensis* Casey, 1913:292 (not LeConte, 1873)

wNAmer

subsp. **linsleyi** Dillon & Dillon, 1941:72subsp. **nevadensis** Dillon & Dillon, 1941:72subsp. **rubiginus** (Bates, 1880:103)

wUSA (CA)

wUSA (NV, ID)

swUSA (AZ), Mexico (DU, ME) - Honduras

ecNAmer (NC)

**marmorator** Kirby in Richardson, 1837:169*fautor* LeConte, 1852:149*acutus* Lacordaire, 1869:316**mutator** LeConte in Agassiz, 1850:235*maculosus* Haldeman, 1847:51 (not Voet, 1778)

sCanada, nUSA (MI, MN)

**notatus** (Drury, 1773:65)*confusor* Kirby in Richardson, 1837:168*notatus morgani* Hopping, 1945:17

eUSA- nwUSA, sCanada

**obtusus obtusus** Casey, 1891:47subsp. **fulvomaculatus** Linsley, 1933:118

wUSA (ID, WA, OR, CA)

wUSA (CA)

**scutellatus scutellatus** (Say, 1824:289)*resutor* Kirby in Richardson, 1837:167subsp. **oregonensis** LeConte, 1873:231*monticola* Casey, 1913:293

wNAmer (Br Col-CA, NV)

**titillator** (Fabricius, 1775:172)*angusticollis* Casey, 1913:292*titillator obesus* Casey, 1924:290

eUSA, Bahamas

**Neoptychodes** Dillon & Dillon, 1941:44**candidus** (Bates, 1885:337)**cosmeticus** Martins & Galileo, 1996:293**cretatus** (Bates, 1872:197)**hondurae hondurae** (White, 1858:412)subsp. **trivittatus** (Taschenberg, 1870:194)**trilineatus** (Linnaeus, 1771:532)*vittata* Fabricius, 1776:251*insularis* Fairmaire, 1850:61*fairmairei* Thomson, 1865:556*abbreviatus* Casey, 1893:593

Costa Rica-Colombia

Colombia, wEcuador

Nicaragua-Panama

swMexico (OA)-Panama

wEcuador, Colombia

swUSA-SAmer, Mexico (BC), W Indies, Tahiti

**Plagiohammus** Dillon & Dillon, 1941:85*Hammoderus* Thomson, 1861:98 (not Thomson, 1856)*Hammatoderus* Gemminger & Harold, 1873:3022**albatus** (Bates, 1880:100)**blairi** (Breuning, 1936:297)**brasilensis** (Breuning, 1943:259)**brunneus** Dillon & Dillon, 1941:92**camillus** Dillon & Dillon, 1949:3**confusor** Dillon & Dillon, 1941:95

Costa Rica, Panama

Colombia

sBrasil (SC)

sMexico (CHS)

Peru

sBrasil (RS), Bolivia (SC)



- decorus** Chemsak & Linsley, 1986:20  
**elatus** (Bates, 1872:199)  
**emanon** Dillon & Dillon, 1941:101  
**granulosus** (Bates, 1885:339)  
**imperator** (Thomson, 1868:100)  
*albidus* Linsley, 1935:111  
**inermis** (Thomson, 1857:173)  
*albiplagiatus* White, 1858:275  
**laceratus** (Bates, 1885:339)  
**lacordairei** (Thomson, 1861:98)  
**lunaris** (Bates, 1880:102)  
**maculosus** (Bates, 1880:101)  
**mexicanus** Breuning, 1950:514  
**nitidus** (Bates, 1874:224)  
**niveus** (Breuning, 1943:258)  
**olivescens** Dillon & Dillon, 1941:89  
*strandii* Breuning, 1943:262  
**ornator** (Bates, 1885:340)  
**pollinosus** (Bates, 1880:102)  
**quadriplagiatus** (Breuning, 1943:262)  
**rotundipennis** Breuning, 1950:2  
**rubefactus** (Bates, 1872:199)  
**sallei** (Thomson, 1861:99)  
*sallaei* Bates, 1880:102  
**sargi** (Bates, 1885:340)  
**spinipennis** (Thomson, 1861:100)  
*jacobyi* Nonfried, 1894:141  
**sticticus** (Bates, 1874:225)  
**thiodes** (Bates, 1880:101)  
**thoracicus** (White, 1858:275)
- sMexico (CHS)  
Honduras-Colombia, Ecuador  
Costa Rica, Panama  
swMexico (OA), Belize  
wcMexico (ME, JA, PU)
- eMexico (VC)-Nicaragua
- scMexico (JA, MO, OA)  
eMexico (VC)-Panama  
Mexico  
Mexico-Nicaragua  
ecMexico (HI)  
Nicaragua, Costa Rica (AL, CA, GU, LI, PA, SJ)  
Mexico  
ecMexico (HI)-Costa Rica
- eMexico (VC)  
Costa Rica  
Venezuela  
Mexico  
Nicaragua-Panama  
swMexico (OA)
- sMexico (CHS), Guatemala  
ecMexico (TL, VC), Costa Rica (AL, CA, GU, HE,  
LI, PA, SJ) - nSAmer  
Ecuador  
Costa Rica, Panama  
SAmer
- Plectrodera** Dejean, 1837:367  
*Plectrodera* Thomson, 1857:176  
**scalator** (Fabricius, 1792:278)  
*bellii* LeConte, 1845:201
- USA
- Pseudotaeniotes** Dillon & Dillon, 1949:2  
*Parataeniotes* Dillon & Dillon, 1943:15 (not Breuning, 1943)  
**mimus** (Dillon & Dillon, 1943:16)
- Peru, Bolivia
- Ptychodes** Audinet-Serville, 1835:74  
**alboguttatus** Bates, 1880:97  
**bifasciatus** Dillon & Dillon, 1941:56  
**dilloni** Breuning, 1949:6  
*taeniotoides* Dillon & Dillon, 1941:60 (not Thomson, 1865)  
**guttulatus** Dillon & Dillon, 1941:57  
**mixtus** Bates, 1880:97  
**politus politus** Audinet-Serville, 1835:75  
*lineatus* Newman, 1838:497  
subsp. **lecontei** Thomson, 1856:477  
*lecontei* m. *batesi* Breuning, 1943:252  
**punctatus** Dillon & Dillon, 1941:53  
**taeniotoides taeniotoides** Thomson, 1865:556  
*niveisparsis adspersus* Dillon & Dillon, 1941:58  
subsp. **niveisparsis** Bates, 1872:197  
*niveisparsus* Bates, 1880:96
- swMexico (OA)  
wMexico (CM)  
Panama
- swMexico (GR)  
Panama  
seMexico (VC, YU) – Honduras, El Salvador
- Costa Rica-Colombia
- eMexico (VC)  
Colombia
- Mexico-Panama

**Taeniotes** Audinet-Serville, 1835:90*Hammoderus* Thomson, 1856:324**affinis** Breuning, 1935:62**amazonum** Thomson, 1857:172*scalaris* Heyne & Taschenberg, 1907:241 (not Fabricius, 1781)**batesi** (Thomson, 1879:lxxxiii)*strandii* Breuning, 1935:63**boliviensis** Dillon & Dillon, 1941:33**buckleyi** Bates, 1872:198**cayennensis** Thomson, 1859:98**chapini** Dillon & Dillon, 1941:28**dentatus** Dillon & Dillon, 1941:29**farinosus** (Linnaeus, 1758:390)*subocellatus* (Olivier, 1792:459)*ocellatus* Fabricius, 1801:272*decoratus* Laporte, 1840:479**inquinatus** Thomson, 1857:172**insularis insularis** Thomson, 1857:171*thomsoni* Breuning, 1943:246subsp. **gahani** Breuning, 1943:246**iridescens** Dillon & Dillon, 1941:26**leucogrammus leucogrammus** Thomson, 1865:554subsp. **luciae** Touroult, 2007:7**luciani** Thomson, 1859:96*buquetii* Thomson, 1856:324**marmoratus** Thomson, 1865:554*singularis* Gahan, 1888:397**monnei** Martins & Santos-Silva, 2012:50**naevius** Bates, 1872:198**orbignyi** Guérin-Meneville, 1844:244*d'orbignyi* ab. *suturalis* Aurivillius, 1919:4**peruanus** Breuning, 1971:287**praeclarus** Bates, 1872:197*praeclaris* Dillon & Dillon, 1941:30**pulverulentus** Olivier, 1790:302*guttularis* Schwarzer, 1929:364*parafarinosus* Breuning, 1971:287*scalaris* Bondar, 1913:9 (not Fabricius, 1781)**scalatus** Gmelin, 1790:1825*scalaris* (Fabricius, 1781:213) (not Linnaeus, 1758)*suturalis* Thomson, 1857:172*univittatus* Taschenberg, 1870:195*scalaris* var. *azoricus* Kolbe, 1888:179**similis** Dillon & Dillon, 1941:29*inquinatus* Bates, 1872:198 (not Thomson, 1857)**simplex** Gahan, 1888:396*hayi* Mutchler, 1938:13*cocoensis* Mutchler, 1938:13**xanthostictus** Bates, 1880:98*xanthostictus* var. *zunilensis* Bates, 1885:338*luciani* Bates, 1872:198 (not Thomson, 1859)

Ecuador, Peru

Panama, nwBrasil (AM), Bolivia (BN, SC), eEcuador

Colombia

eEcuador, Bolivia (BN, SC), Argentina

Ecuador, Peru

Fr Guiana, nBrasil (AM-PA)

Peru, Bolivia, Ecuador

Colombia, Ecuador, Bolivia (SC)

Guyanas, Brazil (AM, ES, RJ)

Colombia, Venezuela, eEcuador

Guadeloupe

Dominica

Costa Rica, Panama, Colombia

Martinique, St. Lucia

St Lucie

ecMexico (PU, VC) - Colombia

Ecuador

Brazil (RJ, PE, BA, MG, ES, SP, PA, SC, RS), Argentina

Colombia, eEcuador, Peru

Panama-SAmer, Bolivia (BN, LP, PN, SC)

Peru

Nicaragua-Colombia, Ecuador

West Indies &amp; Suriname, Fr Guiana

Bolivia

ecMexico (PU, VC) - nSAmer

Colombia, Ecuador, Peru

Costa Rica (CI), Galapagos Is, Cocos Is

Mexico-Colombia, wEcuador

**Obereiini** Thomson, 1864:117**Oberea** Mulsant, 1839:194*Isosceles* Newman, 1842:318*Amaurostoma* Mueller, 1906:223**affinis** Leng & Hamilton, 1896:155

eNAmer

**caseyi** Plavilstshikov, 1926:64

eNAmer

*ferruginea* Casey, 1913:366*canadensis* Fisher, 1946:56*quadricollis* Linsley & Chemsak, 1995:226 (not LeConte, 1874)*schaumi* Linsley & Chemsak, 1995:229 (part) (not LeConte, 1852)*myops* Linsley & Chemsak, 1995:244 (not Haldeman, 1847)**deficiens** Casey, 1924:296

neNAmer

*tripunctata* Linsley & Chemsak, 1995:242 (not Swederus, 1787)**delongi** Knull, 1928:12

neUSA

*m. anteruficollis* Breuning, 1962:224**erythrocephala** (Schränk, 1776:67)

Europe, introduced and established in central U.S.

*taygetana* Pic, 1901:27**flavipes** Haldeman, 1847:57

neNAmer-Manitoba

**gracilis** (Fabricius, 1801:324)

Atlantic Coast NAmer

**myops** Haldeman, 1847:57

eNAmer (Manitoba, Ont-GA)

**ocellata** Haldeman, 1847:56

eUSA-TX, ND

*var. discoidea* Horn, 1878:47*plagiata* Casey, 1913:371**oculaticollis** Say, 1824:406

c NAmer (Manitoba-TX)

*brooksi* Wallis, 1926:94**pallida** Casey, 1913:366

neNAmer

*praelonga* Linsley & Chemsak, 1995:246 (not Casey, 1913)**perspicillata** Haldeman, 1847:57

eNAmer-UT, TX

*bimaculata* Horn, 1878:46 (not Olivier, 1795)*var. tripunctata* Horn, 1878:46*bipunctata* Creutzer, 1896: pl.16*basalis* LeConte, 1852:153*texana* Horn, 1878:47*montana* Casey, 1913:369*filum* Casey, 1913:369*delicatula* Casey, 1913:368*exilis* Casey, 1913:368*iowensis* Casey, 1913:370*insignis* Casey, 1913:370*m. insignior* Breuning, 1962:231*umbra* Casey, 1913:370*dolosa* Casey, 1913:368*flavocephala* Blatchley, 1922:32*m. submandarina* Breuning, 1962:229*m. basicollis* Breuning, 1962:230*m. bicallosicollis* Breuning, 1962:232**praelonga** Casey, 1913:367

neNAmer

*tripunctata* Dillon & Dillon, 1961:654 (not Swederus, 1787)**pruinosa** Casey, 1913:365

neNAmer

*quadricollis cylindricollis* Casey, 1924:295*schaumi* Linsley & Chemsak, 1995:229 (part) (not LeConte, 1852)**quadricollis** LeConte, 1874:68

wNAmer-CO, NV

*schaumii* Garnett, 1918:284 (not LeConte, 1852)*m. infrarufa* Breuning, 1962:223**ruficollis** (Fabricius, 1792:311)

eUSA

*plumbea* Olivier, 1795:21*bicolor* Megerle, 1804:11*tibialis* Haldeman, 1847:57*rufolineata* Breuning, 1962:227

- schaumii** LeConte, 1852:153 eNAmer-TX, Alberta  
*wapleri* Chevrolat, 1853:420  
*m. subcylindricollis* Breuning, 1962:223  
*m. vittipennis* Breuning, 1962:224
- tripunctata** (Swederus, 1787:197) eNAmer-Manitoba, TX  
*mandarina* Fabricius, 1801:321  
*amabilis* Haldeman, 1847:57  
*tripunctata intermedia* Casey, 1913:367  
*tripunctata appalachiana* Casey, 1913:367  
*m. subexilis* Breuning, 1962:228  
*m. subdeficiens* Breuning, 1962:229
- ulmicola** Chittenden, 1904:4 neNAmer  
*ocellata* Linsley & Chemsak, 1995:233 (not Haldeman, 1847)
- Onciderini** Thomson, 1861:38  
*Hypsiomitae* Thomson, 1861:109  
*Hypselominae* Pascoe, 1864:7
- Agaritha** Dillon & Dillon, 1945:78  
*iolaia* Dillon & Dillon, 1945:79 seBrasil (RJ-RS), nArgentina (MI)
- Alexera** Dillon & Dillon, 1945:119  
**barii** (Jekel, 1861:261) Guianas, Peru, ncBrasil (AM), Bolivia (CO, SC), Ecuador  
*lignicolor* Bates, 1865:169  
*sordida* Thomson, 1868:48  
**secunda** Martins & Galileo, 2007:133 Bolivia (SC)
- Apamauta** Thomson, 1868:58  
*Apamanta* Lacordaire, 1872:674  
**lineolata** Thomson, 1868:59 seBrasil (BA, RJ-PR)
- Apocoptoma** Thomson, 1857:186  
**chabrillaci** Thomson, 1857:186 eBrasil (BA, ES)
- Bacuris** Gounelle, 1906:274  
**sexvittatus** (Bates, 1865:181) Costa Rica, Panama, ncBrasil (AM, PA), Peru, Fr Guiana
- Bucoides** Dillon & Dillon, 1945:80  
**erichsoni** Martins, 1979:150 wEcuador  
*egens* Dillon & Dillon, 1945:81 (not Erichson, 1847)  
**exotica** Martins & Galileo, 1990:66 seBrasil (RJ)  
**montana** Martins & Galileo, 2009:154 Brasil (MG)
- Cacostola** Fairmaire & Germain, 1859:527  
*Aporataxia* Hamilton in Leng & Hamilton, 1896:142  
*Cylindrataxia* Linsley, 1934:183  
*Paratucumaniella* Breuning, 1943:41  
*Hyagniellus* Breuning, 1943:42
- acuticauda** Marinoni & Martins, 1982:248 seBrasil (ES-PR)  
**apyruiuba** Martins & Galileo, 2008:30 Bolivia (SC)  
**bimaculata** Martins, Galileo & de-Oliveira, 2009:521 Brasil (MA)  
**brasiliensis** Thomson, 1868:68 eBrasil (ES), Argentiona, Bolivia (SC)  
*braziliensis* Dillon & Dillon, 1946:265  
**cana** Marinoni & Martins, 1982:249 eBrasil (ES)  
**clorinda** Dillon & Dillon, 1946:266 cBrasil (MT)  
**colombiana** Martins & Galileo, 1999:74 Colombia  
**exilis** Martins, Galileo and Oliveira, 2011:289 Brasil (MA)

- flexicornis** Bates, 1865:32  
**fusca** Thomson, 1868:68  
**fuscata** Dillon & Dillon, 1952:71  
**gracilis** Marinoni & Martins, 1982:250  
**grisea** Dillon & Dillon, 1946:268  
**janzeni** Chemsak & Linsley, 1986:22  
**leonensis** Dillon & Dillon, 1946:259  
**lineata** (Hamilton in Leng & Hamilton, 1896:142)  
**mexicana** (Breuning, 1943:42)  
**nelsoni** Chemsak & Linsley, 1986:23  
**nordestina** Martins & Galileo, 1999:812  
**obliquata** Martins & Galileo, 1995:2  
**ornata** Fleutiaux & Sallé, 1899:470  
*strandii* Breuning, 1943:42  
**parafusca** Martins, Galileo & de-Oliveira, 2009:521  
**rugicollis** Bates, 1885:370  
**salicicola** (Linsley, 1934:184)  
**simplex** (Pascoe, 1859:55)  
**sirena** Dillon & Dillon, 1946:267  
**strandii** (Breuning, 1943:41)  
**sulcipennis** Melzer, 1934:96  
**vagelineata** Fairmaire & Germain, 1859:527  
**vanini** Martins, 1979:154  
**variegata** Dillon & Dillon, 1946:260  
**volvula** (Fabricius, 1781:150)  
*nitida* Dillon & Dillon, 1946:258  
**zanao** Dillon & Dillon, 1946:256
- Carenesycha** Martins & Galileo, 1990:79  
**carenata** Martins & Galileo, 1990:79  
**velezi** Martins & Galileo, 1995:3
- Cherentes** Gounelle, 1906:273  
**niveilateris** (Thomson, 1868:70)
- Chitron** Dillon & Dillon, 1946:404  
**mniszehi** (Buquet, 1859:48)
- Cicatrodea** Dillon & Dillon, 1946:223  
**bahia** Dillon & Dillon, 1946:224  
**monima** Dillon & Dillon, 1946:225
- Cipriscola** Dillon & Dillon, 1945:82  
**fasciata** (Thomson, 1861:118)  
*crassipes* Bates, 1865:168
- Clavidesmus** Dillon & Dillon, 1946:293  
*Orteguaza* Lane, 1958:10  
**chicae** Giorgi, 1998:3  
**columbianus** Breuning, 1961:333  
**funerarius** (Lane, 1958:13)  
**heterocerus** (Buquet, 1852:344)  
**indistinctus** Dillon & Dillon, 1952:74  
**lichenigerus** (Lane, 1958:10)  
**metallicus** (Thomson, 1868:70)  
**monnei** Giorgi, 1998:2  
**rogueti** Audureau, 2012:58  
**rubiginus** Dillon & Dillon, 1949:11
- nBrasil (MA, PA), Fr Guiana  
 Brasil  
 nwBrasil (AM)  
 ecBrasil (GO)  
 Fr Guiana, Guyana  
 Mexico (OA, VC), Honduras  
 Puerto Rico  
 swUSA (TX)  
 eMexico (VC)  
 wMexico (SI)  
 Brasil (PB, MA)  
 wEcuador  
 Barbados, Guadeloupe, Martinique
- Brasil (MA)  
 eMexico (VC), Guatemala, Honduras  
 swUSA (TX), Mexico  
 nBrasil (PA), Fr Guiana, Peru  
 Venezuela  
 Venezuela  
 eBrasil (ES), Bolivia (SC)  
 Chile  
 eBrasil (MG)  
 Fr Guiana  
 Fr Guiana, Bolivia (BN, SC), Brasil (MA)
- Bolivia (SC)
- Ecuador  
 Colombia
- Mexico, Costa Rica, Panama, Colombia, Peru, Brasil,  
 Fr Guiana, Paraguay, Argentina, Bolivia (SC)
- seBrasil (ES-RS)
- eBrasil (BA)  
 Peru, w Brasil (RO), Bolivia (SC), Ecuador (Napo)
- Colombia, Brasil (PA, MA, PE-RS), Paraguay, Peru,  
 nArgentina (MI, CO, CH), Bolivia (SC)
- seBrasil (SP)  
 Colombia  
 Bolivia  
 Brasil, Paraguay, Bolivia (SC)  
 eBrasil (BA)  
 Honduras-Colombia, nwBrasil (AM), Ecuador  
 Fr Guiana, Bolivia (SC), Ecuador, Peru  
 Brasil (MI)  
 Peru  
 sBrasil (SC)

**Cnemosioma** Martins, 1975:65*innominata* Martins, 1975:66

eBrasil (ES)

**Cordites** Dillon & Dillon, 1946:232*armillata* (Thomson, 1868:57)

seBrasil (RJ-SC)

*pubescens* (Thomson, 1868:59)

seBrasil (MG-SP)

*modesta* Melzer, 1931:58**Cydros** Pascoe, 1866:285*Trachytoxus* Thomson, 1868:72*leucurus* Pascoe, 1866:285

Panama, Colombia, Fr Guiana, Brasil (PA)

*scabrosus* Thomson, 1868:72*melzeri* Monné & Fragoso, 1984:929

Brasil (RO, MT, SP)

**Cylicasta** Thomson, 1868:42*difficilis* (Lameere, 1893:278)

Venezuela

*litrata* (Fabricius, 1801:325)

Fr Guiana, ncBrasil (AM), Peru

*coarctata* (Bates, 1865:312)

Brasil (AM)

*mariahelenae* Nearn & Tavakilian, 2012:5

Fr Guiana

*nysa* Dillon & Dillon, 1946:274

Nicaragua, Costa Rica, Colombia

*paralela* (Melzer, 1934:93)

scBrasil (MS), Bolivia (SC), Argentina

*chionea* Martins, 1979:155*terminata* (Buquet, 1859:47)

Fr Guiana, ncBrasil (AM, PA)

*litrata* Dillon & Dillon, 1946:270 (not Fabricius, 1801)**Delilah** Dillon & Dillon, 1945:53*gilvicornis* (Thomson, 1868:46)

eBrasil (ES)

*subfasciata* Dillon & Dillon, 1952:61

Peru

**Ecthoea** Pascoe, 1858:250*Talasius* Buquet, 1859:99*quadricornis* (Olivier, 1792:466)

Costa Rica, Panama Ecuador, Brasil, Fr Guiana,

*bispinator* Fabricius, 1801:292

Peru, Surinam, Trinidad

*faunus* Erichson, 1847:148*douei* Buquet, 1859:cxviii**Ephiales** Dillon & Dillon, 1946:218*cretacea* (Bates, 1865:173)

nwBrasil (AM), Fr Guiana, eEcuador, Peru

**Esonius** Dillon & Dillon, 1945:144*panopus* Dillon & Dillon, 1945:145

cBrasil (MT, GO, MG)

**Eudesmus** Audinet-Serville, 1835:81*Larvica* Thomson, 1861:71*diopites* Dillon & Dillon, 1946:303

Peru

*ferrugineus* (Thomson, 1861:72)

Mexico - Panama, nSAmér, Bolivia (SC)

*caudalis* Bates, 1865:180

Brasil (AM)

*grisescens* Audinet-Serville, 1835:82

Nicaragua- Fr Guiana, nwBrasil, Peru, Bolivia (SC)

Ecuador, Trinidad &amp; Tobago, Venezuela

*nicaraguensis* Breuning, 1958:35

Nicaragua

*posticalis* Guérin-Méneville, 1844:248

nwBrasil (AM)

*rubefactus* Bates, 1865:180

Costa Rica (LI, PA), nwBrasil (AM), Fr Guiana

**Eupalessa** Monné, 2005:548*Eupales* Dillon & Dillon, 1946:220**attenuata** (Thomson, 1868:91)*multinotata* Melzer, 1934:92

seBrasil (MG-RJ)

**Euthima** Dillon & Dillon, 1945:106**araujoi** Martins, 1979:151**rodens** (Bates, 1865:112)*rodens ceres* Dillon & Dillon, 1945:108**variegata** (Aurivillius, 1921:50)**wendtae** Martins, 1979:151

seBrasil (SP)

eEcuador, Peru, Fr Guiana, Bolivia (BN, LP, SC),

nBrasil (AM, MA)

Peru, Bolivia (LP), Ecuador

Peru

**Furona** Dillon & Dillon, 1945:96**corniculata** (Bates, 1885:365)**degenera** (Bates, 1880:123)**egens** (Erichson, 1847:149)

Honduras - Panama

eMexico (VC) - Panama, Colombia, Bolivia (SC)

Peru, eEcuador

**Glypthaga** Thomson, 1868:64**lignosa** Thomson, 1868:55**monnei** Audureau, 2012:59**mucorea** Martins & Galileo, 1990:72**nearnsi** Martins & Galileo, 2008:30**paupercula** (Thomson, 1868:62)**unicolor** Martins & Galileo, 1990:72**vicina** Martins & Galileo, 1990:72**xylina** (Bates, 1865:172)*maculicornis* Thomson, 1868:63

seBrasil (MG-SC), Fr Guiana

Peru

eBrasil (PE, BA)

Bolivia (SC)

eBrasil (GO, BA)

sBrasil (RS)

seBrasil (RJ-SC)

seBrasil (PB-SC)

**Hesycha** Fairmaire & Germain, 1859:523*Falsestola* Breuning, 1940:155*Estolosybra* Breuning, 1943:41**biguttata** Martins & Galileo, 2010:67**bimaculata** Martins & Galileo, 1990:76**clavata** Martins & Galileo, 1990:77**consimilis** Thomson, 1868:63**cribripennis** Fairmaire & Germain, 1859:523**crucifera** Dillon & Dillon, 1952:66*paupercula* Dillon & Dillon, 1945:133 (not Thomson, 1868)**fasciata** Martins & Galileo, 1990:77**inermicollis** (Breuning, 1940:155)*ocellifera* Martins & Galileo, 1990:74**microphthalma** Martins & Galileo, 1990:76**simplex** Martins & Galileo, 1990:76**tavakiliani** Nearn & Swift, 2011:3**variabilis** Dillon & Dillon, 1945:131

Bolivia (SC)

eBrasil (BA, ES)

scBrasil (MS)

seBrasil (MG-SP)

Chile

seBrasil (RJ)

eBrasil (ES)

seBrasil (BA, MG-PR), nArgentina (MI),

Bolivia (BN)

seBrasil (MG-SC)

eBrasil (MG)

Brasil (MG)

seBrasil (RJ-SC), Paraguay, Argentina, Bolivia (SC)

**Hesychotypa** Thomson, 1868:53**ableptema** Martins & Galileo, 1990:80*nyphonoides* Dillon & Dillon, 1945:160 (not Pascoe, 1859)**aeropa** Dillon & Dillon, 1945:155**aotinga** Martins & Galileo, 2008:28**balia** Martins & Galileo, 2009:155**bimaculata** Dillon & Dillon, 1945:161**cedestes** Dillon & Dillon, 1945:173**colombiana** Martins & Galileo, 1990:80**crocea** Dillon & Dillon, 1945:170**dola** Dillon & Dillon, 1945:164**fernandezi** Martins & Galileo, 1999:76

nBrasil (PA)

Bolivia

Bolivia (SC)

Bolivia (SC)

eEcuador

Guatemala - Panama, Ecuador

Colombia, Ecuador

Fr Guiana

seBrasil (BA, RJ, SP)

Colombia

**heraldica** (Bates, 1872:201)  
**jaspidea** (Bates, 1865:172)  
**lirissa** Dillon & Dillon, 1945:153  
**litrata** (Bates, 1865:172)  
     *humilis* Thomson, 1868:57  
**maculosa** (Bates, 1865:173)  
**magnifica** Martins & Galileo, 2007:128  
**maraba** Martins & Galileo, 2007:130  
**miniata** Thomson, 1868:54  
     *archippa* Dillon & Dillon, 1945:165  
**morvanae** Audureau, 2012:59  
**nyphonoides** (Pascoe, 1859:36)  
     *phaola* Dillon & Dillon, 1945:163  
**punctata** Martins, 1979:153  
**subfasciata** Dillon & Dillon, 1945:152  
**turbida** (Bates, 1880:122)  
     *maculosa* Bates, 1880: pl.8, fig.20 (not Bates, 1865)

### **Hypselomus** Perty, 1832:95

*Clytemnestra* Thomson, 1861:113 (part)  
**cristatus** Perty, 1832:96  
     *tumulosus* Thomson, 1861:113

### **Hypsioma** Audinet-Serville, 1835:38

*Hypselomus* Bates, 1865:111 (not Perty, 1832)  
**affinis** Thomson, 1861:117  
**amydon** Dillon & Dillon, 1945:36  
**aristonia** Dillon & Dillon, 1945:47  
**asthenia** Martins & Galileo, 1990:56  
**attalia** Dillon & Dillon, 1945:45  
**bahiensis** Martins & Galileo, 2010:69  
**barbara** Martins & Galileo, 1990:60  
**basalis** Thomson, 1861:117  
     *chaseba* Dillon & Dillon, 1945:30  
**carioca** Martins & Galileo, 2007:128  
**cariua** Galileo & Martins, 2007:68  
**chapadensis** Dillon & Dillon, 1945:22  
**charila** Dillon & Dillon, 1945:43  
**constellata** Thomson, 1868:48  
**dejeanii** Thomson, 1868:47  
**gibbera** Audinet-Serville, 1835:39  
**grisea** (Fleutiaux & Sallé, 1889:469)  
     *insularis* Fisher, 1935:199  
**hezia** Dillon & Dillon, 1945:46  
**inornata** Thomson, 1868:49  
**lyca** Dillon & Dillon, 1945:34  
  
**nesiope** Dillon & Dillon, 1945:33  
**opalina** Dillon & Dillon, 1945:44  
**pylades** Dillon & Dillon, 1945:31  
**renatoi** Martins & Galileo, 1990:56  
**rimosa** Dillon & Dillon, 1945:24  
**robusta** Dillon & Dillon, 1945:39  
**solangeae** Galileo & Martins, 2007:67  
**sororcula** Martins, 1981:213  
**steinbachi** Dillon & Dillon, 1945:27  
**viridis** Gilmour, 1950:537

Belize - Panama  
 Fr Guiana, nBrasil (PA)  
 cBrasil (MT), Bolivia (SC)  
 Fr Guiana, Brasil, Peru

nwBrasil (AM)  
 Bolivia (SC)  
 Brasil (PA)  
 seBrasil, Paraguay, Argentina

Peru  
 ncBrasil (AM, PA), Peru, eEcuador, Colombia

Ecuador, Peru  
 seBrasil (MA, RJ-SC), Paraguay  
 Nicaragua-Panama

seBrasil (BA-RS), Bolivia, Paraguay,  
 Argentina

seBrasil (MG-RS)  
 Peru, eEcuador, nwBrasil (AM)  
 eBrasil (ES)  
 wBrasil (RO)  
 seBrasil (RJ)  
 Brasil (BA)  
 eBrasil (ES)  
 seBrasil (ES, RJ)

Brasil (RJ)  
 Bolivia (SC)  
 cBrasil (MT), Paraguay  
 seBrasil (MG-PR)  
 Fr Guiana, nBrasil (AP, PA)  
 seBrasil (ES, RJ)  
 seBrasil, Paraguay, Argentina, Bolivia (SC)  
 W Indies (Lesser Antilles)

seBrasil, Paraguay, Argentina  
 seBrasil, nArgentina (MI)  
 Colombia, eEcuador, nwBrasil (AM), Peru,  
     Bolivia (BN, SC)  
 Panama, Colombia  
 seBrasil (RJ)  
 seBrasil (RJ)  
 eBrasil (ES)  
 Paraguay  
 nBrasil (PA)  
 Brasil (MG), Bolivia (SC)  
 cBrasil (MT)  
 wcBrasil (MT, RO), Bolivia (SC), Peru  
 seBrasil (SP)



**Iaquira** Galileo & Martins, 2001:102**viridis** Galileo & Martins, 2001:102

eBrasil (ES)

**Ischiocentra** Thomson, 1860:382*Ischyocentra* Thomson, 1864:103**clavata** Thomson, 1861:383**diringshofeni** Lane, 1956:23**disjuncta** Martins & Galileo, 1990:84**hebes** (Thomson, 1868:59)*costalimai* Melzer, 1931:59**insulatus** (Rodrigues & Mermudes, 2011:45)**monteverdensis** Giesbert, 1984:79**nobilitata** Thomson, 1868:55**punctata** Martins & Galileo, 2005:11**quadrisignata** Thomson, 1868:57**stockwelli** Giesbert, 1984:81

eBrasil (ES)

sBrasil (SC)

Venezuela

seBrasil (ES-SC)

Brasil (RJ)

Costa Rica, Panama

Brasil

Colombia

seBrasil (MG-SP)

Costa Rica, Panama

**Ischioderes** Dillon & Dillon, 1945:184**bahiensis** Monné & Fragoso, 1984:928**oncideroides** Dillon & Dillon, 1945:185

eBrasil (BA, MG)

sBrasil (SC)

**Ischiosioma** Martins & Galileo, 1990:82**albata** Martins & Galileo, 1990:82**obliquata** Martins & Galileo, 1990:82

eBrasil (ES)

sBrasil (SC)

**Jamesia** Jekel, 1861:259*Paraclytemnestra* Breuning, 1974:239**bella** Galileo & Martins, 2003:173**duofasciata** Dillon & Dillon, 1952:59**ericksoni** Hovore, 1989:253**fuscofasciata** Dillon & Dillon, 1952:60**globifera** (Fabricius, 1801:284)*gemmata* Blanchard in Orbigny, 1843:210*variolosus* Pascoe, 1859:35**lineata** (Fisher, 1926:14)*gigantea* Breuning, 1974:240**multivittata** Bates, 1869:388**papulenta** Thomson, 1868:43**phileta** Dillon & Dillon, 1945:8**pyropina** Dillon & Dillon, 1945:9**ramirezi** Nearn & Tavakilian, 2012:3

Colombia

Ecuador

Costa Rica, Panama

wEcuador

nSAmer, Colombia, eEcuador, Bolivia (LP, SC)

W Indies (St. Lucia)

Nicaragua-Panama

Nicaragua-Colombia, wEcuador, Peru

Peru

eEcuador

Costa Rica (GU, LI)

**Japi** Martins & Galileo, 2012:559**duartei** Martins & Galileo, 2012:559

Brasil (SP)

**Lachaerus** Thomson, 1868:71**fascinus** (Audinet-Serville, 1835:82)*seminivorus* Buquet, 1852:345*seminivorus* Thomson, 1868:71

seBrasil (BA- RJ)

**Lachnia** Audinet-Serville, 1835:63**subcincta** Audinet-Serville, 1835:64*subvineta* Breuning, 1961:207*fulvoirrorata* Thomson, 1868:56

Fr Guiana, ncBrasil (AM, PA), eEcuador

**Lesbates** Dillon & Dillon, 1945:12*Truncatoides* Dillon & Dillon, 1945:16**acromii** (Dalman, 1823:70)*omoplata* Lacordaire, 1872:676**axillaris** (Thomson, 1861:116)**carissima** Dillon & Dillon, 1945:14**caviunas** (Dillon & Dillon, 1949:4)*hauffi* Tippmann, 1953:357**milleri** Nearn & Swift, 2011:6

seBrasil (ES-PR)

seBrasil (MG-PR)

eBrasil (BA)

seBrasil (ES-PR)

Venezuela

**Leus** Dillon & Dillon, 1946:222**ramuli** (Bates, 1865:311)*piperella* Dillon & Dillon, 1946:222Peru, cBrasil (AM, MT), eEcuador, Bolivia (SC)  
Trinidad & Tobago**Lingafelteria** Nearn & Tavakilian, 2012:5**giuglarisi** Nearn & Tavakilian, 2012:5

Fr Guiana

**Lochmaeocles** Bates, 1880:124*Lochmaeodes* Aurivillius, 1923:345*Lochmalodes* Arnett, 1962:871*Ischiomaeocles* Franz, 1954:224**alboplagiatus** Dillon & Dillon, 1946:193**basalis** Dillon & Dillon, 1946:212**batesi** (Aurivillius, 1923:345)*callidryas* Bates, 1880:124 (not Bates, 1865)**callidryas** (Bates, 1865:175)**confertus** Aurivillius, 1923:346*tessellata* var. 2 Bates, 1885:366**congener** (Thomson, 1868:89)*vermiculata* Thomson, 1868:91**consobrinus consobrinus** Dillon & Dillon, 1946:205subsp. **bolivianus** Dillon & Dillon, 1946:207**cornuticeps cornuticeps** (Schaeffer, 1906:20)*tessellatus* Knull, 1937:42 (not Thomson, 1868)subsp. **federalis** Dillon & Dillon, 1946:197subsp. **pacificus** Dillon & Dillon, 1946:198**cretatus** Chemsak & Linsley, 1986:25**fasciatus** (Lucas in Laporte, 1857:189)**grisescens** Noguera & Chemsak, 1993:290**hondurensis** Dillon & Dillon, 1946:204**laticinctus** Dillon & Dillon, 1946:200**leuripennis** Martins & Galileo, 1995:2**marmoratus** Casey, 1913:351*tessellatus* Schaeffer, 1906:18 (not Thomson, 1868)**nigritarsus** Chemsak & Linsley, 1986:23**obliquatus** Dillon & Dillon, 1946:215**pseudovestitus** Chemsak & Linsley, 1988:135*vestitus* Dillon & Dillon, 1946:207 (not Bates, 1885)**pulcher** Dillon & Dillon, 1946:211**salvadorensis** (Franz, 1954:225)**sladeni** (Gahan in Arrow, 1903:254)**sparsus** (Bates, 1880:125)*callidryas* var. Bates, 1880: pl.9, fig.10**tessellatus tessellatus** (Thomson, 1868:90)subsp. **costaricae** Chemsak, 1986:18**vestitus** (Bates, 1885:366)**zonatus** Dillon & Dillon, 1946:214

Panama, Trinidad

Honduras – Panama, Ecuador, Trinidad &amp; Tobago

Honduras-Colombia, wEcuador

nSAmer, Bolivia (LP, SC)

Guatemala

seBrasil (ES-SP)

Costa Rica-Colombia

Bolivia (SC), Peru

swUSA (TX), neMexico (TA)

cMexico (MO)

wMexico (SI, JA)

seMexico (YU, QR)

seBrasil, Paraguay, Argentina

wMexico (JA)

Honduras

Guatemala

Colombia

swUSA (AZ), nwMexico

seMexico (YU, QR) - Honduras

eBrasil (CE-BA)

wMexico (JA, SI, GR)

eEcuador, nwBrasil (AM), Fr Guiana

El Salvador

Brasil, Paraguay, Argentina, Uruguay, Bolivia (CO)

eMexico (VC) - Panama

Panama, Colombia

Nicaragua, Costa Rica

eMexico (VC)

Trinidad - Tobago, Fr Guiana, Guyana, Venezuela

- Lydipta** Thomson, 1868:52  
*Aenea* Dillon & Dillon, 1945:110  
**conspersa** (Aurivillius, 1922:164) Brasil (RO, GO, MT, SP), Paraguay, Bolivia (BN, SC), Peru  
**humeralis** Martins & Galileo, 1995:1 eEcuador  
**pumilio** Thomson, 1868:53 seBrasil, Paraguay, Argentina  
**senicula** (Bates, 1865:167) ncBrasil (AM, PA), Bolivia (SC)  
*nerissa* Dillon & Dillon, 1945:108
- Marensis** Dillon & Dillon, 1945:94  
**simplex** (Bates, 1865:168) nwBrasil (AM), eEcuador, Peru  
*tybalmoides* Dillon & Dillon, 1945:95
- Microcanus** Dillon & Dillon, 1946:400  
**minor** (Bates, 1885:368) eMexico (VC)
- Midamiella** Monné, 2005:569  
*Midamus* Dillon & Dillon, 1945:141 (not Simon, 1881 Arachnida)  
**hecabe** (Dillon & Dillon, 1945:141) seBrasil, Paraguay, Argentina, Bolivia (BN, SC)  
**santaremensis** (Dillon & Dillon, 1945:143) cBrasil (PA, RO, MT), Bolivia (SC)
- Monneoncideres** Nearn & Swift, 2011:8  
**cristata** Nearn & Swift, 2011:8 Ecuador (Napo), Peru
- Neocherentes** Tippmann, 1960:155  
**dilloniorum** Tippmann, 1960:156 Peru, Bolivia, eEcuador, Brasil (ES)
- Neodillonia** Monné & Fragoso, 1984:926  
*Dillonia* Lane, 1955:269  
*Clytemnestra* Thomson, 1861:113 (part)  
**albisparsa** (Germar, 1824:477) Brasil, Paraguay, Argentina, Uruguay, Bolivia (SC)  
*adspersus* Laporte, 1840:482  
*bonariensis* Thomson, 1861:115  
**waltersi** Nearn & Swift, 2011:10 Ecuador
- Neohylus** Monné, 2005:570  
*Hylus* Dillon & Dillon, 1945:104  
**alexandrei** Martins & Galileo, 2010:67 Brasil (RO)  
**dubius** (Dillon & Dillon, 1945:105) Peru, Colombia
- Neolampidusa** Monné, 2005:570  
*Lampidusa* Dillon & Dillon, 1945:112 (not Boettger, 1877 Mollusca)  
**lateralis** (Thomson, 1868:63) Fr Guiana  
*obliquator* Dillon & Dillon 1945:114 (not Fabricius, 1801)  
**obliquator** (Fabricius, 1801:303) Fr Guiana, Peru, ncBrasil (AM, PA), Bolivia (SC), Ecuador
- Oncideres** Lacordaire, 1830:183  
*Oncoderes* Gemminger & Harold, 1873:3124  
**albipilosa** Noguera, 1993:25 seMexico (CA, YU)  
**albistillata** Dillon & Dillon, 1952:75 Peru  
**albomaculata** Dillon & Dillon, 1946:347 nBrasil (PA), Fr Guiana  
**albomarginata albomarginata** Thomson, 1868:80 Nicaragua-nSamer, Trinidad  
subsp. **chamela** Chemsak & Giesbert, 1986:35 Mexico (JA, GR, NA, VC, OA, CHS), Guatemala  
**albopicta** Martins & Galileo, 1990:93 Peru  
**alicei** Lane, 1977:233 eBrasil (BA)  
**amo** Galileo & Martins, 2008:3 Bolivia (SC)

- amputator** (Fabricius, 1792:276)  
*lherminieri* Forsstrom in Schoenherr, 1817:419
- anama** Galileo & Martins, 2010:75
- angaturama** Galileo & Martins, 2008:2
- apiaba** Martins, 1981:225
- apicalis** Dillon & Dillon, 1946:349  
*dalmanii* Martins, 1981:228 (not Thomson, 1868)
- aragua** Martins & Galileo, 1990:93
- argentata** Dillon & Dillon, 1946:353
- aurantiaca** Galileo & Martins, 2010:74
- aurivillii** Galileo & Martins, 2011: 93  
*stillata* Galileo & Martins, 2010: 76 (preoccupied Aurivillius, 1904)
- bella** Martins & Galileo, 1999:77
- boliviana** Heyrovsky, 1952:44
- bondari** Melzer, 1923:7  
*albifasciata* Dillon & Dillon, 1952:78
- bouchardi** Bates, 1865:179
- bucki** Melzer, 1934:95  
*centromaculata* Gilmour, 1947:187
- canidia** Dillon & Dillon, 1946:365
- capitosa** Martins, 1981:229  
*aegrota* Fonseca, 1931:37 (not Thomson, 1868)
- castanea** Dillon & Dillon, 1946:370
- cephalotes** Bates, 1865:178  
*fabricii* Thomson, 1868:78
- cervina** Thomson, 1868:87
- chagasi** Martins, 1981:227
- chevrolatii** Thomson, 1868:77  
*diana* Bates, 1865:176 (not Olivier, 1792)
- cingulata cingulata** (Say, 1826:272)  
*angulata* Schaeffer, 1908:195  
*cingulata* Sanborn, 1911:5  
*cingulator* Manley & French, 1976:50  
*cingulatus pallescens* Casey, 1913:353  
*praecidens* Casey, 1913:354  
*texana* Herrick, 1902:15 (not Horn, 1885)  
 subsp. **texana** Horn, 1885:195  
*subtropicus* Casey, 1913:353  
*cingulatus* Townsend, 1902:79 (not Say, 1826)
- coites** Martins, Galileo & Limeria-de-Oliveira, 2009:244
- colombiana** Dillon & Dillon, 1946:324  
*saga* var. *cinnamomea* Gilmour, 1950:541
- crassicornis** Bates, 1865:177
- cumdisci** Noguera, 1993:16
- dalmani** Thomson, 1868:76
- defectiofasciata** Gilmour, 1950:546
- dejeanii** Thomson, 1868:201  
*pustulata* Thomson, 1868:88 (not LeConte, 1854)
- demezi** Audureau, 2012:60
- diana** (Olivier, 1792:470)  
*albella* Schoenherr, 1817:395
- digna** Bates, 1865:178  
*aegrota* Thomson, 1868:330  
*ogrota* Thomson, 1868:88
- diringsi** Martins & Galileo, 1990:91
- disiunctus** Galileo & Martins, 2011:181
- dorsomaculata** Noguera, 1993:36
- errata** Martins & Galileo, 2009:160
- estebani** Martins & Galileo, 2010:67
- etiolata** Dillon & Dillon, 1946:318
- W Indies
- Bolivia (SC)
- Peru
- ecBrasil (GO)
- nBrasil (AM, PA), Fr Guiana, Bolivia (SC)
- Venezuela, Bolivia (SC)
- Panama, Colombia
- Honduras
- Bolivia (CO)
- Colombia
- Bolivia (SC)
- Brasil (GO, MT, BA, SP)
- Panama, Colombia, Venezuela
- sBrasil (RS)
- Jamaica
- seBrasil (BA-RS), Paraguay, nArgentina (MI)
- eBrasil (GO, MT, MG-SC)
- Fr Guiana, nwBrasil (AM, PA, MA), Bolivia (SC)
- seBrasil (MG-RS)
- nBrasil (MA), Fr Guiana
- ncBrasil (AM, MA, PA), Fr Guiana
- eUSA
- swUSA (TX), Mexico
- Brasil (MA)
- Panama, Colombia, Venezuela, Bolivia (CO, SC)
- cBrasil (AM), eEcuador, Peru
- sMexico (CHS) - Honduras
- Fr Guiana, ncBrasil (AM, PA)
- nBrasil (AM)
- seBrasil (MA), Paraguay, Argentina, Uruguay
- Peru
- Fr Guiana, nBrasil (PA)
- Panama, ncBrasil (AM, PA), Fr Guiana, Peru
- nwBrasil (AM), Ecuador, Bolivia (SC)
- Brasil (AM)
- Mexico (GR, QE)
- Brasil (RJ, BA, MG, ES, SP, SC, GO)
- Costa Rica (AL)
- seBrasil (ES-SC)

- fisheri** Dillon & Dillon, 1946:395  
**fulva** Bates, 1865:176  
*satyra* Dillon & Dillon, 1946:326 (not Bates, 1865)  
**fulvoguttata** Dillon & Dillon, 1946:356  
**fulvostillata** Bates, 1872:202  
**gemmata** Dillon & Dillon, 1946:350  
*margarethae* Gilmour, 1950:543  
**germarii** Thomson, 1868:79  
*propenigra* Gilmour, 1950:538  
**gibbosa** Thomson, 1868:82  
**glebulenta** Martins, 1981:231  
**guttulata** Thomson, 1868:84  
**gutturator** (Fabricius, 1775:172)  
*saga amazona* Dillon & Dillon, 1946:323  
*satyra* Martins, 1981:225 (not Bates, 1865)  
**hoffmanni** Galileo & Martins, 2008:25  
**humeralis** Thomson, 1868:86  
**ilaire** Dillon & Dillon, 1946:319  
**immensa** Martins & Galileo, 2009:159  
**impluviata** (Germar, 1842:483)  
**intermedia** Dillon & Dillon, 1946:398  
**irrorata** Melzer, 1934:94  
*gutturator* Bruch, 1941:366 (not Fabricius, 1775)  
**jatai** Bondar, 1953:31  
**laceyi** Dillon & Dillon, 1949:10  
**limpida** Bates, 1865:179  
**lyside** Dillon & Dillon, 1949:9  
**macra** Thomson, 1868:87  
*teixeirai* Martins & Galileo, 1990:90  
**maculosus** Redtenbacher, 1868:184  
**magnifica** Martins, 1981:224  
**malleri** Fragoso, 1970:79  
**manauara** Martins & Galileo, 1995:3  
**maxima** Dillon & Dillon, 1946:335  
**miliaris** (Voet, 1778:11)  
**miniata** Thomson, 1868:88  
**minuta** Thomson, 1868:86  
**mirador** Martins, Galileo & Limeria-de-Oliveira, 2009:244  
**mirim** Martins & Galileo, 1996:297  
**modesta** Dillon & Dillon, 1946:379  
**multicincta** Dillon & Dillon, 1946:346  
*diana* Bates, 1865:176 (not Olivier, 1792)  
**nearnsi** Audureau, 2012:61  
**nicea** Dillon & Dillon, 1949:5  
**nipheta** Martins, 1981:221  
**nivea** Dillon & Dillon, 1946:324  
**ocellaris** Bates, 1885:367  
**ochreostillata** Dillon & Dillon, 1952:75  
**ocularis** Thomson, 1868:82  
*ocularis* var. *argus* Thomson, 1868:83  
**ophthalmalis** Dillon & Dillon, 1946:392  
*phtharmalis* Breuning, 1961:392  
**pallifasciata** Noguera, 1993:19  
**paurosoma** Noguera, 1993:37  
**pectoralis** Thomson, 1868:83  
**pepotinga** Martins, 1981:230  
**phaetusa** Dillon & Dillon, 1946:338  
**philosipes** Dillon & Dillon, 1946:328  
*duodilloni* Gilmour, 1950:541  
sMexico (VC, OA, CHS), Guatemala, Costa Rica (LI)  
nBrasil (PA), Fr Guiana, Colombia, Bolivia (SC), Peru  
ncBrasil (AM, PA)  
sMexico (OA, CHS) - Panama  
Colombia, Fr Guiana, nBrasil (PA, MA)  
seBrasil (SP-RS), Paraguay, Argentina, Uruguay,  
Bolivia (SC)  
seBrasil (MG-SP)  
ecBrasil (GO, SP), Argentina  
sBrasil (RS), Argentina, Uruguay  
Panama, Ecuador, nBrasil, Guianas, Bolivia (SC)  
Brasil (BA)  
seBrasil (ES- RS)  
Panama, Colombia, Peru  
Brasil (PA)  
seBrasil, Paraguay, Argentina, Uruguay  
Fr Guiana, nBrasil (PA)  
seBrasil (RJ)  
nBrasil (MA)  
Peru  
neBrasil (MA-BA)  
Panama  
seBrasil (MG-RS)  
seBrasil (RJ)  
nBrasil (MA, PA), Fr Guiana  
cBrasil (MT)  
ncBrasil (AM)  
Fr Guiana, nBrasil (MA, PA)  
Fr Guiana  
seBrasil, Paraguay, Argentina  
Costa Rica (LI), Fr Guiana, eEcuador, Bolivia (SC),  
Brasil (MA)  
Brasil (MA)  
nBrasil (MA, PA)  
nBrasil (PA)  
Bolivia (SC), Ecuador, nBrasil, Fr Guiana  
Peru  
Peru, Bolivia (SC)  
Costa Rica (PA), seBrasil (MG, SP), Fr Guiana  
nBrasil (PA)  
Mexico (OA, CHS) - Nicaragua  
Brasil  
seBrasil (ES-RS), Argentina  
Colombia  
wMexico (JA)  
swMexico (OA, GR)  
seBrasil (RJ-SC)  
ncArgentina (SE)  
nwBrasil (AM), Fr Guiana  
Ecuador, Peru

- pittieri** Gahan, 1894:119  
**poecila** Bates, 1880:125  
**poeta** Dillon & Dillon, 1949:7  
**polychroma** Dillon & Dillon, 1946:377  
**pretiosa** Martins & Galileo, 1990:94  
**pulchella** Bates, 1865:178  
**punctata** Dillon & Dillon, 1946:390  
**pustulata** LeConte, 1854:82  
     *putator* Riley, 1880:271 (not Thomson, 1868)  
     *trinodatus* Essig, 1926:460 (not Casey, 1913)  
**putator putator** Thomson, 1868:81  
     subsp. **brevifasciatus** Dillon & Dillon, 1946:360  
**pyrrothrix** Noguera, 1993:23  
**quercus** Skinner, 1905:291  
**repandator** (Fabricius, 1792:277)  
**rhodosticta** Bates, 1885:365  
     *trinodatus* Casey, 1913:352  
     *putator* Horn, 1885:195 (not Thomson, 1868)  
     *cingulatus* Hamilton in Leng & Hamilton, 1896:141 (not Say, 1826)  
     *pustulatus* Essig, 1926:460 (not LeConte, 1854)  
**rubra** Franz, 1959:186  
     *santarosae* Chemsak, 1986:16  
**saga** (Dalman, 1823:69)  
     *vomicosa* Germar, 1842:483  
     *saga* var. *pallens* Gilmour, 1950:541  
**satyra** Bates, 1865:176  
     *trigerta* Dillon & Dillon, 1949:8  
**schreiteri** Bruch, 1941:367  
**scitula** Bates, 1880:126  
**seabrai** Fragoso, 1970:81  
**senilis** Bates, 1885:367  
  
**sobrina** Dillon & Dillon, 1946:354  
**sparsemaculatus** Martins & Galileo, 2010:66  
**stillata** Aurivillius, 1904:208  
**travassosi** Fragoso, 1970:80  
**tuberculata** Thomson, 1868:85  
**tuberosa** Martins & Galileo, 2006:269  
**ulcerosa** (Germar, 1824:482)  
     *heterocera* Thomson, 1868:78  
**vicina** Thomson, 1868:79  
     *crocala* Dillon & Dillon, 1946:317  
**vitiliga** Martins, 1981:226  
**voetii** Thomson, 1868:84  
     *ochreomaculata* Dillon & Dillon, 1952:77  
**wappesi** Martins & Galileo, 2005:460  
**xavieri** Galileo & Martins, 2010:77  
  
**Oncideres** Martins & Galileo, 1990:88  
     **picta** Martins & Galileo, 1990:88  
     **rondoniae** Martins & Galileo, 1990:90  
  
**Paratrachysomus** Monné & Fragoso, 1984:931  
     **huedepohli** Monné & Fragoso, 1984:931  
  
**Paratritania** Breuning, 1961:27  
     **alternans** (Aurivillius, 1920:382)  
     *ochritarsis* Breuning, 1961:28, 1952:72
- Costa Rica  
 seMexico (YU, QR), El Salvador, Honduras  
 Panama  
 cBrasil (MT)  
 nwBrasil (AM), Fr Guiana  
 nwBrasil (AM)  
 Mexico - Costa Rica  
 swUSA (TX), nMexico (NL)  
  
 Mexico (VC, OA, CHS), Guatemala, Honduras  
 Nicaragua - Panama  
 wMexico (NA)  
 swUSA (AZ), nMexico (NL)  
 Costa Rica (HE), (nwBrasil (AM), Guianas  
 USA (AZ-TX), Mexico (BCN, CH, CO, DU, SO)  
  
 Mexico (JA-YU) - Costa Rica  
  
 seBrasil (GO, MA, MG-RS), Argentina,  
 Paraguay, Uruguay, Bolivia (SC)  
  
 Guianas, Bolivia (SC), ncBrasil (AM), Peru  
  
 nwArgentina (CA, TU)  
 Mexico (OA, TA, GR, JA, MI, DF)  
 cBrasil (MT)  
 Mexico (GR, JA, MO, PU, VC), Nicaragua,  
 Costa Rica (GU)  
 Panama, Colombia  
 Guatemala  
 Bolivia  
 seBrasil (RJ)  
 Fr Guiana, Guyana  
 Brasil (AM, MA)  
 seBrasil (BA, MA, ES-RS), Paraguay, Bolivia (SC)  
  
 neBrasil (MA-BA)  
  
 Bolivia (SC), Peru  
 Fr Guiana, Guyana  
  
 Bolivia (SC)  
 Brasil (AM)  
  
 seBrasil (SP?)  
 w Brasil (RO), Fr Guiana  
  
 cBrasil (MT), Fr Guiana  
  
 eBrasil (BA, ES)

- Pericasta** Dillon & Dillon, 1952:72  
*virescens* (Aurivillius, 1920:383) seBrasil (BA-RS)
- Periergates** Lacordaire, 1872:679  
*badeni* Bates, 1885:369 Mexico ?  
*chiriquensis* Bates, 1885:368 Panama  
*rodriguezi* Lacordaire, 1872:679 Guatemala, Costa Rica
- Peritrox** Bates, 1865:313  
*denticollis* Bates, 1865:313 SAmer, ncBrasil-Uruguay, Bolivia (BN, SC)  
*marcelae* Nearn & Tavakilian, 2012:6 Fr Guiana, Brasil (MT)  
*nigromaculatus* Aurivillius, 1920:383 seBrasil (ES, RJ), Paraguay, Bolivia (SC)  
*perbra* Dillon & Dillon, 1945:93 Fr Guiana, nwBrasil (AM, MA), Peru, Ecuador  
*vermiculatus* Dillon & Dillon, 1945:90 seBrasil (RJ)
- Plerodia** Thomson, 1868:60  
*singularis* Thomson, 1868:61 Fr Guiana, nwBrasil (AM), Bolivia (SC)  
*spuria* Thomson, 1968:61  
*syrinx* (Bates, 1865:170) seBrasil (RJ-RS), Paraguay  
*pygmaea* Thomson, 1868:61
- Priscatoides** Dillon & Dillon, 1945:146  
*tatila* Dillon & Dillon, 1945:147 nBrasil (PA), Bolivia (SC)
- Prohylus** Martins & Galileo, 1990:66  
*phanthasma* Martins & Galileo, 1990:67 nBrasil (PA)
- Proplerodia** Martins & Galileo, 1990:67  
*goyana* Martins & Galileo, 1990:67 cBrasil (GO, MT)  
*piriana* Martins & Galileo, 2009:155 Bolivia (SC)
- Pseudobeta** Zajciw, 1972:219  
*Beta* Dillon & Dillon, 1945:137 (not Saussure, 1855)  
*doris* (Thomson, 1868:50) seBrasil (BA-SC)  
*quadrisignata* Zajciw, 1972:219  
*ferruginea* Galileo & Martins, 1990:15 ncBrasil (PA), Fr Guiana  
*seabrai* Monné & Fragoso, 1984:928 wcBrasil (RO, MA, MT), Bolivia (SC)  
*transversa* Martins & Galileo, 2010:69 Bolivia (SC)
- Psyllotoxoides** Breuning, 1961:336  
*albomaculata* Breuning, 1961:336 nwBrasil (AM)
- Psyllotoxus** Thomson, 1868:74  
*dalensi* Nearn & Tavakilian, 2012:9 Fr Guiana  
*faurei* Nearn & Tavakilian, 2012:10 Fr Guiana  
*griseocinctus* Thomson, 1868:75 seBrasil (MG-RS), Fr Guiana  
*inexpectatus* Martins & Galileo, 1990:90 seBrasil (SP)  
*melanospidus* Giacomel, 1991:1
- Sternycha** Dillon & Dillon, 1945:121  
*approximata* Dillon & Dillon, 1945:123 Costa Rica  
*clivosa* Martins & Galileo, 1990:68 Bolivia (LP, SC)  
*diasi* Martins & Galileo, 1990:69 Brasil (RO, SP), Bolivia (SC)  
*ecuatoriana* Martins & Galileo, 2007:131 wEcuador  
*panamensis* Martins & Galileo, 1999: 810 Panama

- paupera** (Bates, 1885:366)  
**sternalis** Dillon & Dillon, 1945:122
- Strioderes** Giorgi, 2001:1  
**peruanus** Giorgi, 2001:3
- Sulpitus** Dillon & Dillon, 1945:139  
**lilla** Dillon & Dillon, 1945:140
- Taricanus** Thomson, 1868:73  
**truquii** Thomson, 1868:74  
**zaragozai** Noguera & Chemsak, 1993:292
- Tibiosioma** Martins & Galileo, 1990:77  
*Paraplerodia* Martins & Galileo, 2010:68  
**flavolineata** Giorgi, 2001:1  
**maculosa** Martins & Galileo, 2007:132  
*acarinata* Martins & Galileo, 2010:68  
**martinsi** Nearn & Swift, 2011:14  
**remipes** Martins & Galileo, 1990:79
- Touroultia** Nearn & Tavakilian, 2012:8  
**lordi** Nearn & Tavakilian, 2012:8  
**obscura** (Bates, 1865:169)  
**swifti** Nearn & Tavakilian, 2012:13
- Trachysomus** Audinet-Serville, 1835:40  
**apipunga** Martins & Galileo, 2008:27  
**arriagadai** Galileo & Martins, 1991:129  
**buquetii** Thomson, 1858:386  
**camelus** Buquet, 1852:352  
**cavigibba** Martins, 1975:68  
**clarkei** Martins & Galileo, 2009:158  
**dromedarius** (Voet, 1778:10)  
*verrucosa* Olivier, 1792:458  
*elephas* Buquet, 1852:351  
**fragifer** (Kirby, 1818:440)  
**gibbosus** Buquet, 1852:354  
**hydaspes** Dillon & Dillon, 1946:236  
**luederwaldti** Martins, 1975:69  
**mexicanus** Dillon & Dillon, 1946:240  
*fragifer* Bates, 1880:124 (not Kirby, 1818)  
**peregrinus** Thomson, 1858:387  
**santarensis** Bates, 1865:174  
**surdus** Dillon & Dillon, 1946:242  
**thomsoni** Aurivillius, 1923:345  
*dromedarius* Buquet, 1852:353 (not Voet, 1778)  
**wappesi** Martins & Galileo, 2009:156
- Trestoncideres** Martins & Galileo, 1990:87  
**albiventris** Martins & Galileo, 2005:459  
**lateralis** Martins & Galileo, 1990:88  
**santossilvai** Nearn & Tavakilian, 2012:15
- Trestonia** Buquet, 1859:45  
**albilatera** (Pascoe, 1859:36)  
**assulina** Bates, 1874:226
- eMexico (VC), Belize  
nBrasil (PA), Fr Guiana
- Peru, Brasil (PA)
- seBrasil (ES, RJ)
- ecMexico (PU), Nicaragua  
wMexico (JA)
- Brasil (MG, RO)  
Bolivia (SC)
- Ecuador (Napo), Peru, Brasil (SP)  
seBrasil (MG)
- Fr Guiana  
Brasil (PA)  
Ecuador (Napo)
- Bolivia (SC), Peru  
Bolivia, Paraguay, nArgentina (CH)  
Brasil, nArgentina (CH)  
Fr Guiana, nwBrasil (AM), Venezuela  
Bolivia (SC), Peru  
Bolivia (SC)  
Panama, seBrasil (RJ, SP), Fr Guiana
- Brasil (MG-SC), Paraguay  
seBrasil (RJ-RS)  
Fr Guiana, Guyana, Bolivia (SC)  
eBrasil (BA, MG, SP)  
swMexico (JA, CM, GR)
- Costa Rica (HE), Panama, Fr Guiana, seBrasil (RJ),  
Ecuador  
nBrasil (PA), Fr Guiana  
Nicaragua-Panama, Trinidad  
Panama, Colombia, Venezuela
- Trinidad & Tobago (Tobago)
- Bolivia (SC), Peru  
Costa Rica, Surinam, Fr Guiana, Brasil (PA)  
Fr Guiana
- nBrasil (PA)  
Nicaragua-Panama



- bilineata** Martins, Galileo & Tavakilian, 2008:282  
**capreola** (Germar, 1824:492)  
**ceara** Dillon & Dillon, 1946:280  
**confusa** Dillon & Dillon, 1946:282  
**exotica** Galileo & Martins, 1990:14  
**fasciata** Martins & Galileo, 1990:87  
**forticornis** Buquet, 1859:46  
**frontalis** (Erichson, 1847:148)  
*chevrolatii* Buquet, 1859:46  
**fulgurata** Buquet, 1859:48  
**grisea** Martins & Galileo, 1990:87  
**lateapicata** Martins & Galileo, 2010:89  
**morrisi** Martins & Galileo, 2005:460  
**nivea** Martins & Galileo, 1990:85  
**pulcherrima** Dillon & Dillon, 1946:285  
**pyralis** Dillon & Dillon, 1946:283  
**rugosicollis** Martins, Galileo & de-Oliveira, 2009:522  
**signifera** Buquet, 1859:49  
**solangeae** Nearn & Tavakilian, 2012:18  
**turbula** Monné & Fragoso, 1984:929  
*ramuli* Dillon & Dillon, 1946:281 (not Bates, 1865)  
**wappesi** Nearn & Swift, 2011:15
- Tritania** Dillon & Dillon, 1945:51  
**dilloni** Chalumeau, 1990:300  
*grisea* Dillon & Dillon, 1945:52 (not Fleutiaux & Sallé, 1889)
- Tulcoides** Martins & Galileo, 1990:64  
**pura** Martins & Galileo, 1990:64  
**tibialis** Martins & Galileo, 2009:152
- Tulcus** Dillon & Dillon, 1945:50  
*Charoides* Dillon & Dillon, 1945:55  
**amazonicus** (Thomson, 1861:119)  
**crudus** (Erichson, 1847:148)  
*subcostata* Dillon & Dillon, 1945:61  
**diaphorus** Martins & Galileo, 2009:154  
**dimidiatus** (Bates, 1865:112)  
*cruda* Dillon & Dillon, 1945:64 (not Erichson, 1847)  
**distinctus** (Dillon & Dillon, 1945:77)  
**fulvofasciatus** (Dillon & Dillon, 1945:74)  
**hebes** (Dillon & Dillon, 1945:59)  
**liturus** (Dillon & Dillon, 1945:62)  
**lycinnius** (Dillon & Dillon, 1945:72)  
*picticornis* Bates, 1880:123 (not Bates, 1865)  
**obliquefasciatus** (Dillon & Dillon, 1952:61)  
**paganus** (Pascoe, 1859:35)  
**pallidus** (Dillon & Dillon, 1945:69)  
**pepoatus** (Martins & Galileo, 1996:295)  
**picticornis** (Bates, 1865:111)  
**pigrus** (Martins & Galileo, 1990:62)  
**pullus** (Dillon & Dillon, 1945:65)  
**signaticornis** (Thomson, 1868:48)  
**somus** (Dillon & Dillon, 1945:67)  
**subfasciatus** (Thomson, 1861:118)  
**thysbe** (Dillon & Dillon, 1945:68)  
**tigrinatus** (Thomson, 1868:49)  
*antennata antennata* Dillon & Dillon, 1945:71  
*antennata sodalis* Dillon & Dillon, 1945:72
- Fr Guiana  
 seBrasil (MA), Paraguay, Argentina  
 eBrasil (CE)  
 Costa Rica, Panama, Colombia  
 ncBrasil (PA), Ecuador, Fr Guiana  
 Colombia  
 Fr Guiana  
 Colombia, eEcuador, Peru, ncBrasil (AM),  
 Bolivia (CO, SC)  
 Guadeloupe, Grenada, Trinidad & Tobago  
 seBrasil (BA-SC)  
 Bolivia (SC), Brasil (GO)  
 Panama, Bolivia, Fr Guiana  
 Surinam, Fr Guiana, nBrasil (AP)  
 Costa Rica, Panama  
 Costa Rica, Panama  
 Brasil (MA)  
 Guadeloupe, Martinique  
 Bolivia (CO)  
 ncBrasil (AM), Fr Guiana, eEcuador, Peru,  
 Bolivia (SC)  
 Panama (Bayano)
- ncBrasil (PA), Venezuela, Fr Guiana, Surinam
- eBrasil (BA-ES)  
 no data
- wcBrasil (AM, RO), eEcuador  
 Peru, eEcuador
- Bolivia (SC)  
 nwBrasil (AM), eEcuador, Colombia
- nwBrasil (AM)  
 Panama, Colombia  
 Peru  
 Bolivia  
 eMexico (VC)-Panama, Trinidad, Venezuela
- Brasil  
 ncBrasil, Peru, Colombia, Bolivia (SC), Ecuador  
 Panama, Colombia, Bolivia  
 Bolivia  
 Peru, nwBrasil (AM)  
 Bolivia (BN, SC)  
 Peru, Bolivia  
 nwBrasil (AM)  
 Peru  
 Fr Guiana, Brasil (MA)  
 Costa Rica, Panama, eEcuador  
 Fr Guiana, ncBrasil (AM, PA), Peru, eEcuador

**Tybalimia** Thomson, 1868:44

**breuningi** Dillon & Dillon, 1952:66  
**caeca** Bates, 1872:201  
*coeca* Aurivillius, 1923:341  
**funeraria** Bates, 1880:122  
**ianthe** Dillon & Dillon, 1945:178  
**mydas** (Lucas in Laporte, 1857:189)  
**orbis** Dillon & Dillon, 1945:177  
**pixe** Dillon & Dillon, 1945:179  
**pupillata** (Pascoe, 1859:35)  
*bipunctata* Jekel, 1861:260  
**tetrops** Bates, 1872:201

Colombia  
 Nicaragua-Panama  
 eMexico (VC), Guatemala, Honduras  
 Panama ?  
 Brasil  
 Bolivia  
 Panama  
 Guianas, Peru, Colombia, ncBrasil, eEcuador  
 Brasil, Peru, eEcuador

**Typhlocerus** Dillon & Dillon, 1945:117

**prodigiosus** (Thomson, 1868:45)

seBrasil (RJ ?)

**Ubytyra** Martins & Galileo, 2012:558

**tuberosa** Martins & Galileo, 2012:559

Peru

**Venustus** Dillon & Dillon, 1945:115

**analogus** Martins & Galileo, 1996:296  
**zeteki** Dillon & Dillon, 1945:116

Colombia  
 Honduras, Costa Rica (GU, LI, PA), Panama,  
 Colombia, wEcuador, Bolivia (BO, Yungas)

**Xylomimus** Bates, 1865:308

**baculus** Bates, 1865:308

nBrasil (PA), Fr Guiana

**Onocephalini** Thomson, 1861:120**Onocephala** Sturm, 1843:262

*Perma* Lacordaire, 1872:690

**aulica** Lucas in Laporte, 1859:191  
**diophthalma** (Perty, 1830:98)

seBrasil (RJ, SP)  
 seBrasil (MG-RJ)

**lacordairei** Dillon & Dillon, 1946:32  
**lineola** Dillon & Dillon, 1946:37  
**obliquata** Lacordaire, 1872:690  
**rugicollis** Thomson, 1857:305  
**suturalis** (Bates, 1887:63)  
**tepahi** Dillon & Dillon, 1946:36  
**thomsoni** Dillon & Dillon, 1946:33  
**vittipennis** (Breuning, 1940:185)

seBrasil (RJ)  
 seBrasil (ES-RJ)  
 seBrasil (MG-SC)  
 Brasil (RJ, ES)  
 seBrasil (MG-SP)  
 seBrasil (RJ)  
 seBrasil (MG-SP)  
 seBrasil (ES)

**Pseudoperma** Dillon & Dillon, 1946:46

**chalcogramma** (Bates, 1887:63)  
**patruelis** (Breuning, 1940:186)

seBrasil (MG-RJ)  
 seBrasil (RJ)

**Stethoperma** Lameere, 1884:93

**batesi** Lameere, 1884:94  
**candezei** Lameere, 1884:94  
**duodilloni** Gilmour, 1950:548  
**flavovittata** Breuning, 1940:186  
**multivittis** Bates, 1887:63  
**obliquepicta** Breuning, 1940:185  
**zikani** Melzer, 1923:8

seBrasil (ES-RJ)  
 Brasil  
 eBrasil (BA, ES)  
 eBrasil (BA)  
 seBrasil (MG-RJ)  
 seBrasil (BA-SC)  
 seBrasil (MG, SP)

**Parmenini** Mulsant, 1839:118

- Bocainella** Monné & Monné, 2008:65  
**minima** Monné & Monné, 2008:65 Brasil (SP)
- Cleptonotus** Breuning, 1950:142  
**albomaculatus** (Blanchard in Gay, 1851:509) Chile  
**subarmatus** (Fairmaire & Germain, 1859:516) Chile
- Cleptosoma** Breuning, 1950:141  
**clavipes** (Blanchard in Gay, 1851:510) Chile
- Cupeyalia** Zayas, 1975:167  
**subterranea** Zayas, 1975:168 Cuba
- Echthistatus** Pascoe, 1862:352  
*Edechthistatus* Monné, 2005:605  
*Parechthistatus* Giesbert, 2001:9 (not Breuning, 1942 Coleoptera)  
**cobosi** Esteban & Santos-Silva, 2011:104 Honduras (Lempira)  
**hawkxi** (Giesbert, 2001:9) Honduras  
**spinosus** Pascoe, 1862:353 scMexico (OA)
- Gracililamia** Breuning, 1961:141  
**ecuadorensis** Breuning, 1961:142 Ecuador
- Hoplocleptes** Breuning, 1947:5  
**humidens** Breuning, 1947:6 Chile
- Ipochus** LeConte, 1852:166  
**fasciatus** LeConte, 1852:167 wUSA (CA), Mexico (BC)  
*pubescens* Casey, 1891:45  
*subnitidus* Casey, 1891:45  
*hispidus* Casey, 1913:279  
*parvulus* Casey, 1913:280  
*pinicola* Casey, 1913:280  
*globicollis* Casey, 1913:280  
*catalinae* Casey, 1913:281  
**insularis** Blaisdell, 1925:340 Mexico (BC, San Benito I.)
- Maisi** Zayas, 1975:168  
**fisheri** Zayas, 1975:169 Cuba
- Mecynome** Bates, 1885:335  
*Caudelytra* Franz, 1954:221  
**aenescens** Bates, 1885:335 sMexico, Guatemala, El Salvador  
**quadrispinosus** (Franz 1954:222) El Salvador
- Microcleptes** Newman, 1840:11  
**aranea** Newman, 1840:11 Chile  
*hemisphaerica* Blanchard in Gay, 1851:510  
*blanchardii* Thomson, 1867:21  
**variolosus** Fairmaire & Germain, 1859:520 Chile  
*globulosus* Thomson, 1867:22  
*sphaeroides* Thomson, 1867:22

**Nanilla** Fleutiaux & Sallé, 1889:467

- de-launeyi** Fleutiaux & Sallé, 1889:467 Guadeloupe  
**globosa** Zayas, 1975:171 Cuba  
**terrestris** Zayas, 1975:172 Cuba  
**tuberculata** Fisher, 1935:196 Cuba

**Neohoplonotus** Monné, 2005:608

- Hoplonotus* Blanchard in Gay, 1851:507 (not Schmidt-Goebel, 1846 Coleoptera)  
**spiniferus** (Blanchard in Gay, 1851:508) Chile

**Neoplectrura** Chemsak & Linsley, 1983:228

- breedlovei** Chemsak & Linsley, 1983:228 scMexico (GR)

**Parananilla** Breuning, 1956:665

- mexicana** Breuning, 1956:665 swMexico (GR)

**Parmenosoma** Schaeffer, 1908:343

- griseum** Schaeffer, 1908:344 swUSA (TX)  
**villosa** (Bates, 1885:335) Mexico

**Plaumanniella** Fisher, 1938:136

- novateutoniae** Fisher, 1938:137 sBrasil (SC)

**Plectrura** Mannerheim, 1852:365

- spinicauda** Mannerheim, 1852:366 wNAmer (Alaska-n CA)  
*producta* LeConte, 1854:19

**Schreiteria** Melzer, 1933:459

- bruchii** Melzer, 1933:460 nArgentina (TU)  
**colombiana** Monné & Monné, 2006:489 Colombia

**Tuberolamia** Breuning, 1940:408

- andicola** Breuning, 1940:409 Peru  
**grilloides** Touroult & Demez, 2012:104 Peru

**Phacellini** Lacordaire, 1872:664**Brachychilus** Blanchard in Gay, 1851:499

- chevrolatii** Thomson, 1868:103 Chile  
**literatus** Blanchard in Gay, 1851:500 Chile  
*modestus* Philippi & Philippi, 1864:383  
**scutellaris** Blanchard in Gay, 1851:500 Chile, wArgentina (NE)  
*irroratus* Thomson, 1868:102  
**wagenknechti** Cerda, 1954:96 Chile

**Eurycallinus** Bates, 1885:362

- Eurycallinodes* Breuning, 1947:60  
**mirabilis** Bates, 1885:363 eMexico (VC)  
**unifasciatus** (Breuning, 1947:61) eMexico (VC, PU?)

**Neobrachychilus** Monné, 1979:410

- consobrinus** (Lane, 1939:75) cBrasil (MT), Bolivia (SC), Argentina (SA)

**Phacellus** Dejean, 1835:335

- boryi** (Gory, 1832: pl.45) Fr Guiana, Surinam, nwBrasil (AM)  
**castaneus** Monné, 1979:406 seBrasil (ES)  
**cuvieri** Buquet, 1851:604 seBrasil (MG, SP)  
*purpureus* Lacordaire, 1872:665  
**dejeani** Buquet, 1838:255 seBrasil (ES)  
**fulguratus** Monné, 1979:408 sBrasil (SC)  
**latreillei** Buquet, 1838:255 seBrasil (ES)  
**plurimaculatus** Galileo & Martins, 2001:104 Brasil (AM)

**Piola** Marinoni, 1974:86

- colombica** Martins & Galileo, 1999:818 Colombia  
**quiabentiae** Marinoni, 1974:88 scBrasil (MA, MT), nArgentina (SA, FO),  
Bolivia (SC)  
**rubra** Martins & Galileo, 1999:815 Bolivia (SC)  
**unicolor** Martins & Galileo, 1999:817 Brasil (PA)

**Scolochilus** Monné, 1979:411

- lautus** Monné & Tavakilian, 1988:237 Fr Guiana, nwBrasil (AM)  
**maculatus** Monné, 1979:412 seBrasil (MG)

**Tuberopeplus** Breuning, 1947:66

- chilensis** Breuning, 1947:67 Chile  
*chilensis* Cerda, 1963:5  
**krahmeri** Cerda, 1980:66 Chile

**Phrynetini** Thomson 1864:71**Phryneta** Dejean, 1835:341

- verrucosa** (Drury, 1773:90) Barbados, Grenada, Trinidad (Introduced)  
*sternutator* Fabricius, 1775:172  
*squamata* Goeze, 1777:218  
*verrucata* Schoenherr, 1817:396  
*melanoptera* Thomson, 1878:65

**Phytoeciini** Pascoe, 1864:8

*Obereitae* Thomson, 1864:119

**Mecas (Dylobolus)** Thomson, 1868:195

- rotundicollis** (Thomson, 1868:196) swUSA, Mexico (widely distributed) -  
Costa Rica  
*ruficollis* Horn, 1878:44  
*laticeps* Bates, 1881:204  
*mexicana* Bates, 1881:204  
*vitticollis* Casey, 1913:363  
*bivitticollis* Breuning, 1955:148  
m. *mediomaculata* Breuning, 1955:149  
m. *suturaflava* Breuning, 1955:151  
m. *mediopunctata* Breuning, 1955:151

**Mecas (Mecas)** LeConte, 1852:155

- Stenostola* LeConte, 1852:154 (not Mulsant, 1839)  
**? albovitticollis** Breuning, 1955:146 Mexico  
**ambigena** Bates, 1881:203 Mexico (DU-ME)  
*pseudambigena* Breuning, 1955:147  
**bicallosa** Martin, 1924:244 wNAmer-CO, Mexico (BC)  
**cana cana** (Newman, 1840:12) seUSA (FL)  
subsp. **saturnina** (LeConte, 1859:21) scUSA-TX, Mexico  
*inornata* Packard, 1871:594 (not Say, 1824)

- brevicollis* Casey, 1913:362  
*concolor* Kirk & Balsbaugh, 1975:100  
**cineracea** Casey, 1913:360 seUSA-AZ, CO, neMexico  
*bicallosa* Breuning, 1955:140 (not Martin, 1924)  
**cinerea** (Newman, 1840:13) Mexico (SLP, PU, MO, NA, HI, ME)  
*senescens* Bates, 1881:203  
*rubripes* Bates, 1881:203  
*inornata* Gahan, 1888:300 (not Say, 1824)  
*rubripes* m. *callosoreducta* Breuning, 1955:143  
**cirrosa** Chemsak & Linsley, 1973:171 cMexico (GU, QE)  
**confusa** Chemsak & Linsley, 1973:163 scUSA (KS-TX)  
*inornata* Townsend, 1884:222 (not Say, 1824)  
**femoralis** (Haldeman, 1847:59) seUSA  
**humeralis** Chemsak & Linsley, 1973:172 wMexico (JA)  
**linsleyi** Knull, 1974:130 swUSA (TX)  
**marginella** LeConte, 1873:239 seUSA-NM  
**marmorata** Gahan, 1892:268 Mexico (PU, SI, GR)  
**menthae** Chemsak & Linsley, 1973:174 swUSA (AZ)-wMexico (SI, NA, JA, MI, DF)  
*marginella* Linsley, Knull & Statham, 1961:32 (not LeConte, 1873)  
**obereoides** Bates, 1881:204 Mexico (widely distributed) - Honduras  
*laminata* Bates, 1881:204  
m. *rufobasalis* Breuning, 1955:150  
m. *discopunctata* Breuning, 1955:150  
m. *discoimpunctata* Breuning, 1955:150  
**pergrata** (Say, 1824:407) sc-seUSA-NM, neMexico  
*gentilis* LeConte, 1852:154  
*discovittata* Breuning, 1955:143  
m. *semiruficollis* Breuning, 1955:145
- Mecas (Pannychis)** Thomson, 1864:127  
**sericeus** (Thomson, 1864:127) Mexico (CHA, JA, GR, MI, PU, VC)  
*ducalis* Bates, 1881:205
- Pannychella** Gilmour, 1962:137  
**callicera** (Bates, 1881:206) Mexico
- Pannychina** Gilmour, 1962:138  
**atripennis** (Bates, 1885:427) ecMexico (HI)
- Pseudolinda** Breuning, 1954:562  
**quinquepunctata** (Bates, 1881:202) sMexico (OA, TL, CHS), Honduras
- Pogonocherini** Mulsant, 1839:118
- Alphomorphus** Linsley, 1935:100  
**vandykei** (Linsley, 1930:82) Mexico (ME, MO, GR)  
*vandykei grandis* Linsley, 1933:185  
*mexicanus* Breuning, 1940:185
- Callipogonius** Linsley, 1935:79  
**cornutus** (Linsley, 1930:86) swUSA (TX)- Mexico (JA, VC)  
**hircinus** (Bates, 1885:358) eMexico (VC) – Honduras, Nicaragua
- Cosmotomidius** Melzer, 1931:74  
**cacaoensis** Touroult, Tavakilian & Dalens, 2010:199 Fr Guiana  
**crudiaphilus** Touroult, Tavakilian & Dalens, 2010:200 Fr Guiana  
**egregius** (Martins & Galileo, 2007:160) Bolivia (SC)

- elongatus** Touroult, Tavakilian & Dalens, 2010:196  
**morvanae** Touroult, Tavakilian & Dalens, 2010:198  
**nigrisetosus** Touroult, Tavakilian & Dalens, 2010:195  
**setosus** (Audinet-Serville, 1835:58)  
**vincus** Machado & Monné, 2009:332
- Fr Guiana  
 Fr Guiana  
 Fr Guiana  
 sBrasil (ES-SC), Paraguay, Argentina, Bolivia (SC)  
 Bolivia (SC)
- Ecteneolus** Bates, 1885:359  
**flohri** Bates, 1885:360
- cMexico (ME)
- Ecyrus** LeConte, 1852:160  
*Exocentrus* Haldeman, 1847:50 (not Mulsant)  
*Oebaceres* Thomson, 1868:164  
**albifrons** Chemsak & Linsley, 1975:284  
**arcuatus** Gahan, 1892:259  
*dasycerus* var. *texanus* Schaeffer, 1908:347  
**ciliatus** Chemsak & Linsley, 1975:285  
**dasycerus dasycerus** (Say, 1827:270).  
*obscurus* Haldeman, 1847:50  
*exiguus* Haldeman, 1847:50  
 subsp. **floridanus** Linsley, 1935:93  
**hirtipes** Gahan, 1895:127  
*insularis* Fisher, 1932:76  
*hoffmanni* Fisher, 1932:78  
*nanus* Fisher, 1932:79  
*flavus* Fisher, 1932:80  
**lineicollis** Chemsak & Linsley, 1975:283  
**pacificus** Linsley, 1942:80  
**penicillatus** Bates, 1880:137  
*fasciatus* Hamilton, 1896:137
- cMexico (MO)-Costa Rica  
 swUSA (TX), sMexico (QR, YU), Guatemala,  
 Honduras  
 swMexico (MI, GR)  
 eNAmer-TX, Mexico
- seUSA (FL)  
 W Indies, Barbados, Bahamas
- swMexico (JA, OA, VC, SLP)  
 wMexico (BC, SO, SI)  
 swUSA (TX), Mexico (SI, TA, VC), Guatemala  
 Honduras
- Estoloderces** Melzer, 1928:147  
*Falsestoloderces* Breuning, 1963:521  
**luederwaldti** Melzer, 1928:148
- seBrasil (MG-RS), Paraguay, Bolivia (SC)
- Hypomia** Thomson, 1868:51  
**mexicana** Thomson, 1868:52
- Mexico
- Lophopogonius** Linsley, 1935:94  
**crinitus** (LeConte, 1873:237)
- wNAmer (Pacific Coast)
- Lypsimena** Haldeman, 1847:54  
*Alloeoscelis* Bates, 1885:358  
**fuscata** Haldeman, 1847:54  
*brasiliensis* Aurivillius, 1922:164  
*navarroi* Melzer, 1928:148  
*fuscata* Bruch, 1912:210 (not LeConte, 1852)  
*leptis* Bates, 1885:358  
*californica* Horn, 1885:194  
**nodipennis** (Burmeister, 1865:181)  
**proletaria** (Melzer, 1931:2)  
*proletaria* var. *vitticollis* Melzer, 1931:3  
**strandiella** Breuning, 1943:58  
**tomentosa** Chemsak & Linsley, 1978:30
- sUSA (FL, CA), scMexico (MO) - SAmer
- seBrasil, Argentina, Uruguay, Bolivia (SC)  
 eBrasil (PE-RS)
- cMexico (PU)  
 Venezuela

**Pogonocherus (Pogonocherus)** Dejean, 1821:107 (not Megerle in Dejean)*Pogonochaerus* Gemminger & Harold, 1873:3116*Pityphilus* Mulsant, 1862:302*Pityophilus* Bedel, 1889:41*Pogonocherus* (*Eupogonocherus*) Linsley, 1935:97**arizonicus** Schaeffer, 1908:346

swUSA (AZ), ncMexico (DU)

*medianus* Linsley, 1935:98**mixtus** Haldeman, 1847:50

NAmer

*simplex* LeConte, 1873:237**parvulus** LeConte, 1852:160

n USA, Canada

*salicola* Casey, 1913:347*salicicola* Morris, 1918:41*mixtus* Caulfield, 1881:60 (not Haldeman, 1847)**penicillatus** LeConte in Agassiz, 1850:234

n USA, Canada, Alaska

*penicellatus* LeConte, 1852:160*pencillatus* Craighead, 1923:123*alaskanus* Schaeffer, 1909:385*carinatus* Casey, 1913:346**pictus** Fall, 1910:6

wNAmer

*simplex* Hamilton, 1896:135 (not LeConte, 1873)*emarginatus* Casey, 1913:347*fastigiatus* Casey, 1913:348**propinquus** Fall, 1910:6

wNAmer

**Poliaenus** Bates, 1880:120**abietis** Tyson, 1968:140

wUSA (CA)

**batesi** Linsley, 1933:183

Guatemala

**californicus** (Schaeffer, 1908:347)

wUSA (CA)

*pilatei* Van Dyke, 1920:46**concolor** (Schaeffer, 1909:102)

Mexico (BC)

*obliquus* Linsley, 1942:81**hesperus** Chemsak & Linsley, 1988:133

wMexico (JA, GR)

**negundo** (Schaeffer, 1905:164)

wUSA (AZ), NMexico (SO)

**nuevoleonis nuevoleonis** Chemsak & Linsley, 1975:279

swUSA (TX), neMexico (NL)

subsp. **similnegundo** Skiles, 1979:107

swUSA (AZ), Mexico (DU)

**obscurus obscurus** (Fall, 1910:5)

swUSA (AZ, NV)

subsp. **albidus** Linsley, 1933:184

wUSA (CA)

*concolor* Van Dyke, 1920:46 (not Schaeffer, 1909)subsp. **ponderosae** Linsley, 1935:85

wUSA (CA)

*californicus* Van Dyke, 1920:49 (not Schaeffer, 1908)subsp. **schaefferi** Linsley, 1933:184

wUSA (CA)

*vandykei* Schaeffer, 1932:153 (not Linsley, 1930)*californicus* Craighead, 1923:124 (not Schaeffer, 1908)**oregonus** (LeConte, 1861:354)

wNAmer

**sparsus** Chemsak & Linsley, 1975:277

wMexico (NA)

**volitans** (LeConte, 1973:232)

wMexico (BC, SO, SI), Guatemala

*hirsutus* Bates, 1880:120*incertus* Breuning, 1943:58**Pygmaeopsis** Schaeffer, 1908:347**viticola** Schaeffer, 1908:348

swUSA (TX)

**Soluta** Lacordaire, 1872:657**gramineoides** Lacordaire, 1872:657

Brasil

**Zaplous** LeConte, 1878:415**annulatus** (Chevrolat, 1862:250)

seUSA, Cuba

*hubbardi* LeConte, 1878:415**baracutey** Zayas, 1975:212

Cuba



**Polyrhaphidini** Thomson 1860:30**Polyrhaphis** Audinet-Serville, 1835:26*Polyrhapshis* Lacordaire, 1872:731*Polyrrhaphis* Gemminger & Harold, 1873:3139**angustata** Buquet, 1853:445*elongata* Bates, 1880: pl.10, fig.3*bondari* Lane, 1939:76**argentina** Lane, 1978:72**armiger** Schoenherr, 1817:381*armata* Voet, 1778:15**baloupae** Santos-Silva, Martins & Tavakilian, 2010:498**batesi** Hovore & McCarty, 1998:8**belti** Hovore & McCarty, 1998:10**confusa** Lane, 1978:63**fabricii** Thomson, 1865:542*denudata* Lane, 1978:69**gracilis** Bates, 1862:403*testacea* Lane, 1965:298**grandini** Buquet, 1853:444**hystricina** Bates, 1862:402**jansoni** Pascoe, 1859:30*janseni* Aurivillius, 1923:372**kempfi** Lane, 1978:67**lanei** Santos-Silva, Martins & Tavakilian, 2010:497**michaeli** McCarty, 1997:43**olivieri** Thomson, 1865:543**papulosa** (Olivier, 1795:72)*paraensis* Bates, 1862:404**peruana** Santos-Silva, Martins & Tavakilian, 2010:476**pilosa** Lane, 1965:294**spinipennis** Laporte, 1840:460*abdominalis* Heyne & Taschenberg, 1906:243 (not White, 1855)**spinosa** (Drury, 1773: pl. 31)*horrida* Voet, 1778:15**turnbowi** Hovore & McCarty, 1998:12Nicaragua-Panama, Fr Guiana,  
eEcuador, neBrasil (AM, BA), Bolivia (LP)Peru, Argentina, Bolivia, Paraguay, Brasil  
UnknownFr Guiana  
Mexico (VC) - Panama, wEcuador  
Guatemala, Honduras - Panama, wEcuador, Colombia  
seBrasil (RJ-RS)  
Peru, Guianas, nwBrasil (AM), eEcuador

Brasil (AM, SP), eEcuador, Bolivia (SC), Fr Guiana

seBrasil (MG, RJ)  
nBrasil (PA), Fr Guiana  
nBrasil (PA), eEcuadoreBrasil (BA, ES)  
Brasil (AM, PA)  
Mexico (QR, YU)  
Fr Guiana  
Fr Guiana, Brasil, Peru, Colombia, Bolivia (LP, SC)Peru  
Peru, eEcuador, Bolivia, Guianas  
ecSAmer  
Guianas, eEcuador, nBrasil (AP, AM), Colombia,  
Bolivia (SC)  
Panama, Peru?**Pretiliini** Martins & Galileo, 1990:705**Pretilia** Bates, 1866:302**tuberculata** (Fabricius, 1801:331)*telephoroides* Bates, 1866:302

Fr Guiana, nBrasil (PA)

**Pteropliini** Thomson, 1861:43, 73*Protorhopalitae* Thomson, 1861:69*Niphoninae* Pascoe, 1864:56*Hebestolitae* Thomson, 1864:107 (part)*Ataxiides* Lacordaire, 1872:597*Emphytoeciides* Lacordaire, 1872:713*Baroeides* Lacordaire, 1872:439*Atossides* Lacordaire, 1872:496*Metagnomini* Breuning, 1961:5**Anobrium** Belon, 1902:334*Euteles* Breuning, 1940:212**fasciatum** Galileo & Martins, 2002:21**fraterculum** Galileo & Martins, 2002:24Brasil (MT), Bolivia (SC)  
Brasil (SP, RG)

**leuconotum** Galileo & Martins, 2002:19  
**luridum** (Breuning, 1940:212)  
**minimum** Martins, Galileo & de-Oliveira, 2009:523  
**oberthuri** Belon, 1902:334  
**punctatum** Galileo & Martins, 2002:21  
**rugosicollis** Galileo & Martins, 2002:23  
**simplicis** Galileo & Martins, 2002:22

### **Ataxia** Haldeman, 1847:56

*Stenidea* Haldeman, 1847:373 (not Mulsant, 1847)  
*Stenosoma* LeConte, 1852:158 (not Mulsant, 1839)  
*Proechea* Thomson in Chevrolat, 1862:252  
*Esthlogena* Bates, 1866:289 (not Thomson, 1864)  
*Parysatis* Thomson, 1868:118  
*Parepectasis* Bruch, 1926:345  
**acutipennis** (Thomson, 1868:111)  
**albisetosa** Breuning, 1940:38  
**alboscuteclata** Fisher, 1926:3  
**alpha** Chemsak & Noguera, 1993:91  
**arizonica** Fisher, 1920:158  
**brunnea** Champlain & Knull, 1926:206  
**canescens** (Bates, 1880:113)  
**cayennensis** Breuning, 1940:152  
**cayensis** Chemsak & Feller, 1988:182  
**cineracea** Galileo & Martins, 2007:205  
**crassa** Vitali, 2007:50  
**crypta** (Say, 1831:5)  
*annulata* Fabricius, 1801:326 (not Fabricius, 1792)  
*sordida* Haldeman, 1847:56  
**cylindrica** Breuning, 1940:39  
**estoloides** Breuning, 1940:39  
**falli** Breuning, 1961:225  
*sulcata* Fall, 1907:84  
**fulvifrons** (Bates, 1885:346)  
**haitiensis** Fisher, 1932:73  
**hovorei** Lingafelter & Nearn, 2007:184  
**hubbardi** Fisher, 1924:253  
*crypta* Riley, 1880:271 (not Say, 1832)  
**illita** (Bates, 1885:347)  
**linearis** (Bates, 1866:290)  
**lineata** (Fabricius, 1792:314)  
**luteifrons** (Bruch, 1926:345)  
*strandii* Breuning, 1940:40  
**mucronata** (Bates, 1866:289)  
**nivisparsa** (Bates, 1885:346)  
**obscura** (Fabricius, 1801:307)  
*sulcata* Bates, 1866:290  
*collaris* Thomson, 1868:119  
*flaviceps* Breuning, 1942:137  
**obtusa** (Bates, 1866:291)  
*brunnipes* Thomson, 1868:122  
**operaria** Erichson in Schomburg, 1848:574  
*nigritarsis* Thomson, 1868:120  
*lineata* Gemminger & Harold, 1873:3100  
*flavescens* Bates, 1880:112  
**parva** Galileo & Martins, 2011:179  
**perplexa** (Gahan, 1892:258)  
**piauiensis** Martins & Galileo, 2012:559  
**prolixa** (Bates, 1866:291)  
**rufitarsis** (Bates, 1880:112)

Brasil (MA, MG)  
eBrasil (ES)  
Brasil (MA)  
Brasil (PA, RO, MT, MG), Bolivia (SC), eEcuador  
Brasil (MA, PI)  
Brasil (MG), Peru, Bolivia (SC)  
Brasil (SP, GO, PN)

seBrasil (RJ-RS)  
eBrasil (CE, PE)  
Cuba, Puerto Rico, Virgin Is.  
wMexico (SI, JA)  
swUSA (AZ), nMexico (BC)  
c USA (MN-IL, TX)  
seMexico (YU), Honduras  
Fr Guiana  
Belize (Twin Cays)  
Bolivia (SC)  
Jamaica  
eUSA-Brasil (?)

Colombia  
seBrasil (SP)  
sUSA (Fla)  
Costa Rica, Panama  
Haiti  
R Dominicana, Haiti  
swUSA (AZ-AR, TX, CO), neMexico

Guatemala  
cBrasil (PA, RO, MT), Fr Guiana, Bolivia (SC)  
eMexico (VC) – Argentina, Bolivia (SC), Brasil (MA)  
Paraguay, Argentina, Bolivia (SC)

nwBrasil (AM), Fr Guiana  
Honduras, Costa Rica, Panama  
cBrasil (AM, MA), eEcuador, Fr Guiana

seBrasil (ES-SC), Bolivia (SC)

eUSA-TX-Samer

Brasil (PB)  
cMexico (MO, GR, PU)  
Brasil (PI)  
seBrasil (RJ)  
Nicaragua

- setulosa** Fall, 1907:84  
**spinicauda** Schaeffer, 1904:224  
**spinipennis** Chevrolat, 1862:252  
**stehliki** Chemsak, 1969:187  
**tibialis** Schaeffer, 1908:348  
**uniformis** Fisher, 1926:3  
**variegata** Fisher, 1925:1  
**yucatana** Breuning, 1940:39
- Mexico (BC)  
 sUSA (FL), Cuba, Bahamas, Jamaica  
 Cuba, Puerto Rico, St Thomas  
 Cuba  
 swUSA (TX)  
 Trinidad  
 Cuba, Jamaica  
 seMexico (YU)
- Catafimbria** Aurivillius, 1922:260  
*Fimbria* Belon, 1896:387 (not Boheman, 1861)  
**boliviana** (Belon, 1896:388)
- Bolivia
- Cryptocranium** Lacordaire 1830:184  
*Ornatodesisa* Breuning, 1961:18  
**cazieri** Lane, 1958:6  
*pulchra* Breuning, 1961:19  
*gounellei* Breuning, 1980:68  
**laterale** Audinet-Serville, 1835:76
- Brasil (PA, GO), Peru, Bolivia (SC)  
 eBrasil (PE, MG-SC), Bolivia
- Emphytoecia** Fairmaire & Germain, 1859:529  
*Amphytoecia* Thomson, 1861:383  
*Emphytoecides* Breuning, 1942:174  
**alboliturata** (Blanchard in Gay, 1851:520)  
**camousseighti** Cerda, 1995:77  
**dimidiata** (Blanchard in Gay, 1851:521)  
*dimidiata* m. *vitticollis* Breuning, 1947:61  
**elquiensis** Cerda, 1995:79  
**lineolata** (Blanchard in Gay, 1851:519)  
*lineolata* Breuning, 1942:175  
**niveopicta** Fairmaire & Germain, 1864:390  
**sutura-alba** Fairmaire & Germain, 1859:531  
**suturella** (Blanchard in Gay, 1851:518)
- Chile  
 Chile  
 Chile  
 Chile  
 Chile  
 Chile  
 Chile  
 Chile
- Emphytoeciosoma** Melzer, 1934:96  
**daguerrei** Melzer, 1934:97
- eArgentina (BA), Uruguay
- Epectasis** Bates, 1866:294  
**hiekei** Breuning, 1974:157  
**junceae** (Newman, 1840:13)  
*attenuata* Bates, 1866:294  
*grossepunctata* Breuning, 1942:175  
**junceoides** Breuning, 1961:25  
**mexicana** Breuning, 1954:6  
**panamensis** Breuning, 1974:157  
**rotundipennis** Breuning, 1943:63  
**similis** Gahan, 1895:126
- eMexico (VC), Honduras  
 eMexico (VC) - Panama, Ecuador, Peru,  
 Fr Guiana, Brasil, Bolivia (SC)  
 nwBrasil (AM)  
 Mexico  
 Panama  
 eBrasil (ES, MA)  
 W Indies (Lesser Antilles)
- Esaete** Galileo & Martins, 2002:15  
**rufulus** Galileo & Martins, 2002:15
- Brasil (ES, BA)
- Esthlogena (Esthlogena)** Thomson, 1864:107  
*Hebestola* Thomson, 1857:302 (not Haldeman, 1847; not Blanchard in Gay, 1851)  
**albisetosa** Bates, 1880:113  
**albolineata** (Breuning, 1940:40)  
**amaliae** Galileo & Martins, 2011:184
- Mexico - Honduras  
 Fr Guiana, Guyana  
 Guatemala

- brunescens** Breuning, 1940:41  
*brunescens* Breuning, 1961:35  
**chicacaoensis** Galileo & Martins, 2011:184  
**comata** (Thomson, 1857:303)  
**dissimilis** Galileo & Martins, 2011:186  
**foveolata** Aurivillius, 1920:381  
**glaucipennis** Thomson, 1868:121  
**guatemalena** Bates, 1885:348  
**lanata** Breuning, 1940:152  
**maculifrons** Thomson, 1868:120  
**mirandilla** Bates, 1885:348  
**monticola** (Fisher, 1942:25)  
**nigrosuturalis** Galileo & Martins, 2011:183  
**porosa** Bates, 1872:200  
**porosoides** Breuning, 1969:188  
**spinipennis** Breuning, 1942:137  
**spinosa** Breuning, 1954:6
- Colombia**
- Guatemala  
 Brasil, Uruguay  
 Peru (Cusco)  
 Bolivia (SC)  
 Brasil  
 Guatemala  
 Brasil  
 seBrasil (BA, RJ, SP)  
 Guatemala, Panama  
 Jamaica  
 Mexico (Colima), Panama  
 eMexico (VC) - Panama  
 eBrasil (BA)  
 sBrasil (SC)  
 Guatemala
- Esthlogena (Pseudotaxia)** Breuning, 1940:152  
*obliquata* Breuning, 1940:152  
*proletaria* Thomson, 1868:121
- Brasil**  
 Venezuela, Peru
- Esthlogenopsis** Breuning, 1942:138  
*atlantica* Monné & Monné, 2006:491  
*ochreoscutellaris* Breuning, 1942:138
- Brasil (BA, ES, MG, RJ)**  
 ecBrasil (GO), Bolivia (BN, SC)
- Ophthalmocydrus** Aurivillius, 1925:513  
*Kuauna* Martins & Galileo, 2009:531  
*semiorbifer* Aurivillius, 1925:513  
*schmidi* Martins & Galileo 2009:531
- Colombia, Venezuela**
- Parepectasoides** Breuning, 1979:47  
*Proxepectasis* Monné & Giesbert, 1992:252  
*Parepectasis* Breuning, 1974:159 (not Bruch, 1926)  
**boliviana** (Breuning, 1974:159)
- eBrasil (ES), Bolivia (SC)**
- Pteroplius** Lacordaire, 1830:183  
*Pteroplia* Thomson, 1861:73  
**acuminatus** Audinet-Serville, 1835:66
- seBrasil (BA, ES, RJ)**
- Rhaphiptera** Audinet-Serville, 1835:66  
**affinis** Thomson, 1868:116  
**albicans** Breuning, 1940:152  
**albipennis** Breuning, 1947:51  
**alvarengai** Fragoso & Monné, 1984:1081  
**annulicornis** Gounelle, 1908:13  
**apeara** Galileo & Martins, 2011:179  
**avicenniae** Dalens & Tavakilian, 2007:6  
**boliviana** Galileo & Martins, 2007:205  
**candicans** Gounelle, 1908:16  
**clarevestita** Tippmann, 1953:359  
**durantoni** Tavakilian & Touroult, 2007:2  
**elegans** Breuning, 1961:11  
**gahani** Gounelle, 1908:15  
*planipennis* Zajciw, 1960:144  
**lavaissierorum** Dalens & Tavakilian, 2007:3  
**melzeri** Fragoso & Monné, 1984:1082  
**nodifera** Audinet-Serville, 1835:66
- seBrasil (RJ-RS), Paraguay**  
 eBrasil (ES)  
 eBrasil (BA, MG)  
 cBrasil (MT), Fr Guiana  
 cBrasil (GO, MT, MG)  
 Brasil (BA)  
 Fr Guiana  
 Bolivia (SC)  
 eBrasil (PE)  
 seBrasil (SP-SC)  
 Fr Guiana  
 ecBrasil (GO)  
 seBrasil (RJ)
- Fr Guiana**  
 eBrasil (BA)  
 eBrasil, Paraguay, Argentina

<b>obtusipennis</b> Melzer, 1935:188	seBrasil (ES, RJ)
<b>oculata</b> Gounelle, 1908:16	eBrasil (GO, MA, PB-SP), nArgentina, Bolivia (SC)
<i>oculata</i> var. <i>gounellei</i> Breuning, 1961:16	
<b>pallens</b> Gounelle, 1908:15	seBrasil (MG-SP)
<b>punctulata</b> Thomson, 1868:117	seBrasil (ES, RJ)
<b>rixator</b> Thomson, 1868:117	Brasil (PA, MT, ES), Fr Guiana
<i>americanus</i> Schoenherr, 1817:363	
<i>notata</i> Voet, 1778:16	
<b>roppai</b> Fragoso & Monné, 1984:1082	nwBrasil (AM)
<b>scrutatatrix</b> Thomson, 1868:118	Panama, Fr Guiana, Peru
<b>seabrai</b> Fragoso & Monné, 1984:1080	eBrasil (ES)
<b>tavakiliani</b> Fragoso & Monné, 1984:1082	Fr Guiana
<b>triangulifera</b> Lane, 1974:97	eBrasil (ES)
<b>Rhaphipteroides</b> Touroult & Tavakilian, 2007:14	
<b>apicalis</b> Touroult & Tavakilian, 2007:14	Fr Guiana
<b>Trichepectasis</b> Breuning, 1940:213	
<b>rufescens</b> Breuning, 1940:213	seBrasil (MG, RJ)

### **Saperdini** Mulsant, 1839:181

<b>Saperda</b> Fabricius, 1775:184	
<i>Anaerea</i> Mulsant, 1839:184	
<i>Compsidia</i> Mulsant, 1839:185	
<i>Amilia</i> Mulsant, 1863:376	
<i>Argalia</i> Mulsant, 1863:381	
<i>Lopezcolonia</i> Alonso-Zarazaga, 1998:131	
<b>calcarata</b> Say, 1824:408	NAmer
<i>adpersa</i> LeConte, 1850:234	
<b>candida</b> Fabricius, 1787:147	eNAmer
<i>bivittata</i> Say, 1824:409	
<i>bipunctata</i> Hopping, 1925:208	
<b>cretata</b> Newman, 1838:395	eNAmer
<b>discoidea</b> Fabricius, 1798:147	eNAmer
<i>fuscipes</i> Say, 1827:273	
<i>fuscipes</i> var. <i>dorsalis</i> Haldeman, 1847:56	
<b>fayi</b> Bland, 1863:320	neNAmer
m. <i>imaculipennis</i> Breuning, 1952:167	
<i>shoemakeri</i> Davis, 1923:97	
<b>horni</b> Joutel, 1902:33	Pac Coast NAmer
<i>uteana</i> Casey, 1924:294	
<b>imitans</b> Felt & Joutel, 1904:58	neNAmer
<b>inornata</b> Say, 1824:107	eNAmer-ID, AZ
<i>concolor</i> LeConte, 1852:163	
<i>concolor</i> var. <i>unicolor</i> Felt & Joutel, 1904:16	
<i>mecasoides</i> Casey, 1913:359	
<b>lateralis</b> Fabricius, 1775:185	eNAmer-TX, ND
<i>abbreviatus</i> Fitch, 1858:61	
<i>suturalis</i> Fitch, 1858:61	
var. <i>connecta</i> Felt & Joutel, 1904:60	
var. <i>disconotata</i> Pic, 1907:152	
m. <i>transeuns</i> Breuning, 1952:165	
<b>mutica</b> Say, 1824:409	e NAme
<b>obliqua</b> Say, 1826:274	eNAmer

<b>populnea populnea</b> (Linnaeus, 1758:394)	Europe, Asia
subsp. <b>moesta</b> LeConte, 1850:234	eNAmer
subsp. <b>tulari</b> Felt & Joutel, 1904:70	wNAmer
<b>puncticollis</b> Say, 1824:406	eNAmer
<i>trigeminata</i> Randall, 1838:43	
<b>tridentata</b> Olivier, 1795:30	eNAmer-TX
var. <i>dubiosa</i> Haldeman, 1847:55	
<i>intermedia</i> Fitch, 1858:60	
<i>rubronotata</i> Fitch, 1858:60	
<i>trifasciata</i> Casey, 1913:359	
var. <i>disconotata</i> Pic, 1907:152	
<b>vestita</b> Say, 1824:290	eNAmer
<i>atkinsoni</i> Curtis, 1829: pl.275	
<i>immaculata</i> Breuning, 1976:740	

### **Tapeinini** Thomson 1857:41

#### **Tapeina** Lepeletier & Audinet-Serville in Latreille, 1828:545

*Eurycephalus* Gray in Griffith, 1831:pl. 65, fig. 5

*Tapina* Gemminger & Harold, 1873:3068

<b>bicolor</b> Lepeletier & Audinet-Serville in Latreille, 1828:546	seBrasil (RJ)
<b>coronata coronata</b> Lep. & Audinet-Serville in Latreille, 1828:546	seBrasil (RJ)
<i>picea</i> Lepeletier & Audinet-Serville in Latreille, 1828:546	
<i>niger</i> Gray in Griffith, 1831:pl. 65, fig. 5	
<i>diadema</i> Gemminger, 1873:146	
subsp. <b>integra</b> Marinoni, 1972:20	seBrasil, Paraguay, Argentina
<b>dispar</b> Lepeletier & Audinet-Serville, 1828:546	SAmer
<b>erectifrons erectifrons</b> Thomson, 1857:43	Colombia, Venezuela
<i>coronata</i> Gerstaecker, 1858:329 (not Lepeletier & Audinet-Serville, 1828)	
subsp. <b>amazona</b> Marinoni, 1972:55	Peru, Brasil (AM, PA, AC)
subsp. <b>avuncula</b> Marinoni, 1972:53	Venezuela, Fr Guiana
<b>hylaeana</b> Marinoni, 1972:34	nwBrasil (AM)
<i>dispar</i> Bates, 1866:196 (not Lepeletier & Audinet-Serville, 1828)	
<b>melzeri</b> Zajciw, 1966:373	sBrasil, Paraguay, Argentina, Bolivia (SC)
<b>paulista</b> Marinoni, 1972:37	seBrasil (SP), Bolivia (SC)
<b>rubronigra</b> Marinoni, 1972:39	w Brasil (AC, RO, MT), Bolivia (SC)
<b>rudifrons</b> Marinoni, 1972:30	scBrasil, Paraguay, Argentina, Bolivia (SC)
<b>transversifrons transversifrons</b> Thomson, 1857:44	eMexico (VC) - Honduras
subsp. <b>brevifrons</b> Chemsak & Linsley in Marinoni, 1972:64	wMexico (SI, JA)
subsp. <b>centralis</b> Marinoni, 1972:62	Nicaragua - Panama, Venezuela
<i>costaricensis</i> Breuning, 1974:162	

### **Tetraopini** Thomson, 1861:66

#### **Mecasoma** Chemsak & Linsley, 1974:183

<b>validicornis</b> (Bates, 1885:426)	swMexico (JA, OA)
---------------------------------------	-------------------

#### **Phaea** Newman, 1840:13

*Oberopa* Haldeman, 1847:373

*Lamprocleptes* Thomson, 1857:64

<b>acromela</b> Pascoe, 1858:256	eMexico (VC)
<b>andrewsi</b> Chemsak, 1999:45	eEcuador
<b>astatheoides</b> Pascoe, 1866:289	Colombia
var. <i>apicalis</i> Aurivillius, 1923:478	
<b>beierli</b> Chemsak, 1999:46	Honduras
<b>biplagiata</b> Chemsak, 1977:270	Mexico (widely distributed), Guatemala
<b>brevicornis</b> Chemsak, 1999:47	Venezuela, Colombia

- bryani** Chemsak, 1999:48  
**canescens** (LeConte, 1852:157)  
**carnelia** Chemsak & Linsley, 1988:137  
**coccinea** Bates, 1866:367  
**copei** Chemsak, 1999:51  
**crocata** Pascoe, 1866:288  
**elegantula** Melzer, 1933:381  
**erinae** Chemsak, 1999:53  
**eyai** Chemsak, 1999:53  
**flavovittata** Bates, 1881:197  
**giesberti** Chemsak, 1999:55  
**haleya** Chemsak, 1999:56  
**hatsueae** Chemsak, 1999:57  
**högei** Bates, 1881:198  
*latifrons* Chemsak, 1977:271  
**hovorei** Chemsak, 1999:58  
**howdenorum** Chemsak, 1999:59  
**janzeni** Chemsak, 1999:60  
**johni** Chemsak, 1999:61  
**juanitae** Chemsak & Linsley, 1988:138  
**kaitlinae** Chemsak, 1999:62  
**kellyae** Chemsak, 1999:63  
**lateralis** Bates, 1881:196  
**laurieae** Chemsak, 1999:65  
**lawi** Chemsak, 1999:65  
**linsleyi** Chemsak, 1999:66  
**maccartyi** Chemsak, 1999:67  
**mankinsi** Chemsak & Linsley, 1979:272  
**mariae** Chemsak, 1999:68  
**marthae** Chemsak, 1977:271  
**maryannae** Chemsak, 1977:272  
**maxima** Bates, 1881:199  
**miniata** Pascoe, 1858:256  
*lineola* Bates, 1872:228  
**mirabilis** Bates, 1874:232  
**monostigma** (Haldeman, 1847:57)  
*jucunda* LeConte, 1862:40  
*expurgata* Casey, 1913:386  
**nigripennis** Bates, 1881:196  
**nigromaculata** Bates, 1881:199  
**noguerai** Chemsak, 1999:74  
**phthisica** Bates, 1881:197  
*auricapilla* Bates, 1885:425  
*vittulata* Melzer, 1934:240  
*macilenta* Bates, 1881:197  
**rosea** Bates, 1885:425  
**rubella** Bates, 1881:198  
*nevermanni* Melzer, 1932:236  
**rufiventris** Bates, 1872:228  
**saperda** Newman, 1840:14  
*entomologorum* Thomson, 1857:65  
**scuticollis** Bates, 1872:227  
*schildi* Melzer, 1934:240  
**semirufa** Bates, 1872:228  
*scapularis* Bates, 1881:198  
**sharonae** Chemsak, 1999:81  
**sherylae** Chemsak, 1999:81  
**signaticornis** Melzer, 1932:235  
**tenuata** Bates, 1872:228  
*unicolor* Gahan, 1892:267  
Mexico (CH - JA)  
wcUSA (KS, CO, NM)  
wMexico (JA)  
nBrasil (PA), Bolivia (SC)  
Costa Rica  
Panama, Colombia  
Costa Rica  
Mexico (VC)  
Mexico (JA)  
eMexico (MI, VC) - Costa Rica  
Guatemala to Panama  
Mexico (CH)  
Costa Rica  
swMexico (JA, OA), Costa Rica (GU)  
Costa Rica, Panama  
Panama  
Costa Rica, Panama  
Panama  
wMexico (JA, GR)  
Mexico (SI)  
Mexico (OA, CH), Guatemala - Costa Rica  
ecMexico (MO, VC)-Costa Rica  
Mexico (GU)  
Costa Rica, Panama  
Mexico (VC)  
Mexico (JA, GU, CH)  
Guatemala - Honduras  
Guatemala  
wMexico (SI)  
Mexico (SI, MO, JA,GR)  
wMexico (JA)  
sMexico (CHS)-Venezuela  
wMexico (JA)-Costa Rica  
eUSA  
Guatemala  
seMexico (YU)  
Mexico (OA, CH)  
scMexico (ME)-Costa Rica, Panama  
Costa Rica, Panama  
Mexico - Costa Rica  
Mexico (Si - CH)  
Mexico (SLP, OA, VC), Guatemala, Honduras, Belize  
Nicaragua, Costa Rica, Panama  
sMexico (CHS, GR, MO, OA,VC), Guatemala  
Mexico (CH)  
Costa Rica  
Costa Rica  
sMexico (MO, GU, OA)

**tricolor** Bates, 1881:199  
**turnbowi** Chemsak, 1999:84  
**vitticollis** Bates, 1872:228  
**wappesi** Chemsak, 1999:86

neMexico (TA, SLP), Guatemala  
 Panama  
 scMexico (MO)  
 Mexico (CH)

## **Tetraopes** Dalman in Schoenherr, 1817:401

**annulatus** LeConte, 1847:93  
     *canescens* LeConte, 1852:158  
     *vestitus* Casey, 1913:378  
     *canescens fontinalis* Casey, 1913:378  
     *uteanus* Casey, 1913:378  
**basalis** LeConte, 1852:158  
     *mancus* LeConte, 1859:81  
     *omissus* Casey, 1913:377  
     *coccineus* Casey, 1913:382  
     *obsoletus* Casey, 1913:382  
     *junctus* Casey, 1913:380  
     *laticor* Casey, 1924:296  
**batesi** Chemsak, 1963:28  
**cleroides** Thomson, 1861:66  
**comes** Bates, 1881:200  
**crassus** Chemsak & Noguera, 2004:237  
**crinitus** Chemsak & Noguera, 2004:238  
**discoideus** LeConte, 1858:26  
     *rubrocinereus* Thomson, 1861:67  
     *nanulus* Casey, 1913:376  
     *nigricollis* Casey, 1913:376  
**elegans** Horn, 1894:404  
**femoratus** LeConte, 1847:93  
     *oregonensis* LeConte, 1854:19  
     *collaris* Horn, 1878:49  
     *nigripes* Casey, 1913:377  
     *vegasensis* Casey, 1913:380  
     *velutinus* Casey, 1913:380  
     *robustus* Casey, 1913:381  
     *brevisetosus* Casey, 1913:381  
     *punctipennis* Casey, 1913:383  
     *atrisetosus* Casey, 1913:383  
     *femoratus amnicola* Casey, 1913:384  
     *femoratus monticola* Casey, 1913:384  
     *spissicornis* Casey, 1913:384  
     *ruber* Casey, 1913:384  
     *fortis* Casey, 1913:384  
     *caseyi* Aurivillius, 1923:575  
**huetheri** Skillman, 2007:1  
**ineditus** Chemsak & Giesbert, 1986:38  
**linsleyi** Chemsak, 1963:31  
**mandibularis** Chemsak, 1963:47  
**melanurus** Schoenherr, 1817:401  
     *canteriator* Drapiez, 1819:47  
     *arator* Germar, 1824:486  
     *tornator* Stephens, 1829:413 (not Fabricius, 1775)  
**paracomes** Chemsak, 1963:26  
**pilosus** Chemsak, 1963:40  
**quinquemaculatus** Haldeman, 1847:53  
     *quadrimaculatus* Leng & Hamilton, 1896:160  
**skillmani** Chemsak & Noguera, 2004: 240  
**subfasciatus** Bates, 1881:201  
     var. *nigripes* Bates, 1881:201

Canada (Alberta)-swUSA (TX, AZ)

wUSA (CA, OR)

swMexico (OA)  
 wMexico (JA-OA)  
 sMexico (CHS, OA)-Costa Rica  
 cMexico (JA)  
 wMexico (NA, SI)  
 swUSA (CO, TX, AZ, CA), Mexico (widely distributed)-Honduras

Mexico (BC)  
 ec USA (OH)-wNAmer, nMexico (widely distributed)

South Dakota  
 wMexico (JA, CHS, CM)  
 swUSA (TX, AZ, NM)  
 swUSA (OK, TX)  
 eUSA

Guatemala-Costa Rica  
 wcUSA (NE, CO, OK, TX)  
 eNAmer-swUSA (TX)

swUSA (AZ)  
 scMexico (GR, ME, MO, NA, OA, PU)



<b>sublaevis</b> Casey, 1913:382 <i>sandix</i> Casey, 1914:370	swUSA (CA, AZ)
<b>tetrophthalmus</b> (Forster, 1771:41) <i>tetraophthalmus</i> Provancher, 1877:637 <i>tornator</i> Fabricius, 1775:176 <i>formator</i> Fabricius, 1787:141 <i>tredecimpunctatus</i> Drapiez, 1820:121 <i>tetrophthalmus iowensis</i> Casey, 1913:386 <i>humeralis</i> Casey, 1913:379	eNAmer
<b>texanus</b> Horn, 1878:49	swUSA (OK, TX, AK), nMexico
<b>thermophilus</b> Chevrolat, 1861:190	swUSA (TX), sMexico (OA, VC)-Nicaragua
<b>thoreyi</b> Bates, 1881:201	swMexico (GR, PU, OA, VC)
<b>umbonatus</b> LeConte, 1852:156	Mexico (NA-VC), Nicaragua, Costa Rica (GU, LI)
<b>varicornis</b> Laporte, 1840:487 <i>cordifer</i> Imhoff, 1856:177 <i>undecimpunctatus</i> Thomson, 1857:61	cMexico (MI-VC)
<b>Tetrops</b> Stephens, 1829:16	
<b>praeustus</b> (Linnaeus, 1758:641)	Europe, nAfrica (introduced, established in eUS)

### **Xenofreini** Bates 1885:373

<b>Curiofrea</b> Galileo & Martins, 1999:96 <b>curiosa</b> Galileo & Martins, 1999:97	Colombia
<b>Oroxenofrea</b> Galileo & Martins, 1999:95 <b>spiculata</b> Galileo & Martins, 1999:96	Brasil (MA, PA), Fr Guiana, eEcuador
<b>Xenofrea</b> Bates, 1885:373 <b>albofasciata</b> Galileo & Martins, 2001:61 <b>anomala</b> Bates, 1885:373 <b>anoreina</b> Tavakilian & Néouze, 2006:281  <b>apicalis</b> Melzer, 1931:3 <b>aragua</b> Tavakilian & Néouze, 2006:274 <b>arcifera</b> Néouze & Tavakilian, 2005:145 <i>clarkei</i> Galileo & Martins, 2005:385 <b>areolata</b> Bates, 1885:374 <b>basitriangularis</b> Néouze & Tavakilian, 2005:145 <b>berkovi</b> Néouze & Tavakilian, 2005:133 <b>bicincta</b> Tavakilian & Néouze, 2006:275 <b>camixaima</b> Galileo & Martins, 2005:385 <b>cretacea</b> Néouze & Tavakilian, 2005:132 <b>dechambrei</b> Néouze & Tavakilian, 2005:148 <b>diagonalis</b> Martins & Galileo, 2010:690 <b>durantoni</b> Néouze & Tavakilian, 2005:160 <b>enriquezae</b> Tavakilian & Néouze, 2006:287 <b>exotica</b> Galileo & Martins, 1999:97 <b>favus</b> Tavakilian & Néouze, 2006:280 <b>fractanulis</b> Tavakilian & Néouze, 2006:276 <b>fulgida</b> Galileo & Martins, 2001:60 <b>griseocincta</b> Tavakilian & Néouze, 2006:273 <b>guttata</b> Galileo & Martins, 2006:26 <b>hovorei</b> Néouze & Tavakilian, 2005:140 <b>inermis</b> Néouze & Tavakilian, 2005:138 <b>larrei</b> Néouze & Tavakilian, 2005:155 <b>lineatipennis</b> Zajciw, 1961:222 <b>lupa</b> Tavakilian & Néouze, 2006:282	sBrasil (PA, SC) Costa Rica (HE), Panama Venezuela, Brazil (PA, GO, MA, SP, MS), Argentina (MI) sBrasil (MA, MG, RJ, SC), Fr Guiana, Paraguay Venezuela Fr Guiana, nBrasil (AM), Bolivia (SC)  Panama Fr Guiana Fr Guiana, Brasil (AM) Brasil Brasil (RO), Bolivia (SC) Fr Guiana Fr Guiana Brasil (RO) Fr Guiana Equador Brasil (MA), Colombia Brasil (PA) Brasil (SC) Brasil (AM), Fr Guiana, eEcuador Brasil (RO) Mexico (CH, GR) Fr Guiana Fr Guiana Fr Guiana eBrasil (ES), Fr Guiana Brasil (GO)

<b>magdalenae</b> Néouze & Tavakilian, 2005:156	Fr Guiana, Brasil (AM)
<b>mariahelenae</b> Tavakilian & Néouze, 2006:286	Brasil (SP)
<b>martinsi</b> Tavakilian & Néouze, 2006:285	Brasil (Mato Grosso do Sul)
<b>mascara</b> Néouze & Tavakilian, 2005:134	Fr Guiana
<b>monnei</b> Tavakilian & Néouze, 2006:285	Brasil (AM, PA)
<b>morvanae</b> Néouze & Tavakilian, 2005:147	Fr Guiana
<b>murina</b> Néouze & Tavakilian, 2005:144	Fr Guiana
<b>nana</b> Galileo & Martins, 2005:387	Bolivia (SC)
<b>obscura</b> Galileo & Martins, 2005:385	Argentina (ER), Bolivia (SC)
<b>ocellata</b> Tavakilian & Néouze, 2006:276	Brasil (MG)
<b>picta</b> Tavakilian & Néouze, 2006:275	Brasil (SC)
<b>proxima</b> Néouze & Tavakilian, 2005:139	Fr Guiana, Brasil (AM)
<b>pseudomurina</b> Tavakilian & Néouze, 2006:280	Brasil (GO), Bolivia
<b>puma</b> Néouze & Tavakilian, 2005:146	Fr Guiana, Brasil (RO), Bolivia
<i>fasciolata</i> Galileo & Martins, 2005:384	
<b>punctata</b> Galileo & Martins, 2005:387	Bolivia (SC)
<b>rogueti</b> Néouze & Tavakilian, 2005:143	Fr Guiana
<b>seabrai</b> Tavakilian & Néouze, 2006:279	Brasil (AM, PA)
<b>senecauxi</b> Néouze & Tavakilian, 2005:153	Fr Guiana
<b>soukai</b> Néouze & Tavakilian, 2005:150	Fr Guiana
<b>tavakiliani</b> Dalens, Touroult & Giuglaris, 2009:82	Fr Guiana
<b>trigonalis</b> Bates, 1885:373	Peru, Fr Guiana, Bolivia (SC)
<b>veronicae</b> Dalens, Touroult & Giuglaris, 2009:81	Fr Guiana
<b>zischkai</b> Galileo & Martins, 2012:224	eEcuador, Bolivia (SC)
<b>zonata</b> Bates, 1885:373	Costa Rica, Panama, nBrasil (PA), Fr Guiana

### Incertae Sedis (probably Lamiinae)

<b>Lamia annulata</b> Fabricius, 1801:300	"America meridionalis"
<b>Lamia annulicornis</b> Kirby, 1818:439	Brasil
<b>Lamia obscura</b> Fabricius, 1798:144	"America boreali"

## References

- ABDULLAH, M. 1968. *Parandra (Neandra) brunnea quebecensis*, a new subspecies of the Parandrinae. **Entomol. Mon. Mag.**, **104**:75.
- ABREU, R., B. RONCHI-TELES, M. A. MONNÉ & B. VIANEZ. 2009. First record of species of Cerambycidae (Coleoptera) in cardeiro (*Scleronema micranthum*) (Bombacaceae) in the Central Amazon. **Neotropical Entomology** 38(3): 432-433.
- ACHARD, J. 1910. Description de deux *Callichroma* nouveaux de l'Amérique du Sud. **Bull. Soc. Entomol. Fr.**, 1910:279-281.
1913. Monographie du genre *Amphionthe* Bates. **Insecta**, 3:29-42, 5 figs.
- AGASSIZ, J. L. R. 1846. **Nomenclator Zoologicus, Fasciculus XI: Continens Coleoptera**. 170 pp.
- ALTEN, R.L., G.R. ALTEN, & T.S. RAMEY. 2009. A new genus and species of Cerambycidae from Utah (Coleoptera: Cerambycidae: Cerambycinae). **Pan-Pac Ent.** 85(1):1-7. 4 figs.
- ANDROW, R.A. & G.D. KEENEY. 1999. New Records of Ohio Long-Horned Beetles (Coleoptera-Cerambycidae). **Great Lakes Ent.** **32 (1-2)**: 1-7.
- ARAI, H. 2005. **Longhorn beetles of the Amazon I**. Amazon Insectarium. 125 pp. 43 color plates.
- ARAGAO, A.C. & M.A. MONNÉ. 2011. O gênero *Megacyllene* s. str. Casey (Coleoptera, Cerambycidae) na Mata Atlântica: descrição de duas espécies inéditas, chave para identificação e novas ocorrências. **Rev. Bras. Ent.** **55(2)**: 159-171, 25 figures.
- ARIGONY, T. H. A. 1970. Notas sobre Parandrinae. I. Redescricao de *Parandra expectata* Lameere, 1902. **Papéis Avulsos Dep. Zool.**, **23(9)**:77-82, 2 figs.
1970. Notas sobre Parandrinae. II. Redescricao de *Parandra villei* Lameere, 1885. **Rev. Bras. Entomol.**, **14(8)**:57-62, 7 figs.
1971. Notas sobre Parandrinae. III. Redescricao de *Parandra galapagoensis* Van Dyke, 1953. **Rev. Bras. Entomol.**, **15(3)**:15-20, 15 figs.
1972. Notas sobre Parandrinae. IV. Redescricao e comentários sobre algumas espécies de Zikán, 1948. **Rev. Bras. Entomol.**, **16(5)**:31-48, 49 figs.
1977. Notas sobre Parandrinae. V. Redescricao de *Parandra (Archandra) caspia* Ménétries, 1832. **Rev. Bras. Entomol.**, **20(3-4)**:159-164, 8 figs.
1978. Revisao do gênero *Parandra*. I. O subgênero *Hesperandra* Arigony, 1977. **Rev. Bras. Entomol.**, **22(3-4)**:119-159, 64 figs.
1984. O subgênero *Parandra* Latreille, 1804 (Parandrinae): estudo fenético e cladístico de 12 espécies. **Iheringia, Zool.** (64):87-125, 66 figs.
- ARNETT, R. H. 1962. **The beetles of the United States. (A manual for identification)**. xi +1112 pp., Univ. of America Press, Washington.
- ARTIGAS, J. N. 1970. Descripción de la larva y pupa de *Chenoderus testaceus* (Blanchard) **Bol. Soc. Biol. Concepción**, **42**:245-250, 10 figs.
- AUDINET-SERVILLE, J. G. 1832. Nouvelle classification de la famille des longicornes. **Ann. Soc. Entomol. France**, (1)**1**: 118-201.
1833. Nouvelle classification de la famille des longicornes (suite). **Ann. Soc. Entomol. France**, (1)**2**:528-573.
1834. Nouvelle classification de la famille des longicornes (suite). **Ann. Soc. Entomol. France**, (1)**3**:5-110.
1835. Nouvelle classification de la famille des longicornes (suite). **Ann. Soc. Entomol. France**, (1)**4**:5-100.

1835. Nouvelle classification de la famille des longicornes (suite et fin). **Ann. Soc. Entomol. France**, (1)**4**:197-228.
- AUDUREAU, A. 2008. Un Nouveau *Pseudodeltaspis* originaire du Nicaragua (Coleoptera\_Cerambycidae, Cerambycinae) **Les Cahiers (77)**: 1-4, 5 figs.
2008. Contribution a l'etude des Longicornes de Guyane Française (Addendum à la liste d'Odette Morvan). **Lambillionea 108(1)**: 73-74.
2008. Contribution a la connaissance des Cerambycidae de la reserve privee forestiere de Domitila (Nicaragua). **Lambillionea 108(3)**: supplement, p.3-21.
2009. Un nouvel Acanthoderini du Bolivie. **Lambillionea CIX (4)**:499-500, 2 figures.
2010. Complement a' l'inventaire faunistique des Cerambycidae de la reserve privee forestiere de Domitila (Nicaragua) avec description de nouvelles especes (Coleoptera, Cerambycidae). **Les Cahiers Magellanes 110**:1-10, 8 figs.
2011. Revision du Genre *Orthomegas* Audinet-Serville, 1832 (Coleoptera, Cerambycidae, Prioninae). **Les Cahiers Magellanes (N.S.) 6**:63-96, 52 figures.
2012. Notes sur les Onciderini du Perou (Coleoptera, Cerambycidae, Lamiinae, Onciderini). **Les Cahiers Magellanes NS 9**:57-64, 6 figures.
- AURIVILLIUS, C. 1887. Nya Coleoptera Longicornia. **Entomol. Tidskr.**, **8**:191-197, 3 figs.
1891. Neue Coleoptera Longicornia. **Entomol. Tidskr.**, **12**:97-106, 6 figs.
1893. Neue oder wenig bekannte Coleoptera Longicornia. 4. **Entomol. Tidskr.**, **14**:177-186, 12 figs.
1897. Neue oder wenig bekannte Coleoptera Longicornia. 5. **Entomol. Tidskr.**, **18**:241-248, pl. 3.
1899. Neue oder wenig bekannte Coleoptera Longicornia. 6. **Entomol. Tidskr.**, **20**:259-265, 5 figs.
1900. Verzeichniss der von Dr. F. Meinert im Jahre 1891 in Venezuela gesammelten Cerambyciden. **Öfversigt af Kongl. Vetenskaps-Akad. Förh.**, **1900**, **4**:409-421, 1 fig.
1902. Neue oder wenig bekannte Coleoptera Longicornia. 7. **Entomol. Tidskr.**, **23**:207-224, 9 figs.
1904. Cerambyciden aus Bolivien und Argentina gesammelt von Freiherrn Erland Nordenskiöld. **Entomol. Tidskr.**, **25**:205-208, 1 fig.
1907. Neue oder wenig bekannte Coleoptera Longicornia. 9. **Ark. Zool.**, **3**(18):1-39, 1 pl.
1908. Cerambyciden aus den Grenzgebieten zwischen Peru und Bolivien gesammelt von Dr. Nils Holmgren. **Ark. Zool.**, **5**(1):1-11.
1910. Neue oder wenig bekannte Coleoptera Longicornia. 11. **Ark. Zool.**, **7**(3):143-187, 1 fig.
1911. Neue oder wenig bekannte Coleoptera Longicornia. 12. **Ark. Zool.**, **7**(19):187-228, 9 figs.
1912. **Coleopterorum Catalogus**, pars 39, Cerambycidae: Cerambycinae. Berlin, W. Junk, 574 p.
1913. Neue oder wenig bekannte Coleoptera Longicornia. 13. **Ark. Zool.**, **8**(22):229-263, 11 figs.
1915. Neue oder wenig bekannte Coleoptera Longicornia. 15. **Ark. Zool.**, **9**(8):319-334.
1916. Neue oder wenig bekannte Coleoptera Longicornia. 16. **Ark. Zool.**, **10**(19):335-360, 4 figs., 1 pl.
1919. Wissenschaftliche Ergebnisse der schwedischen entomologischen Reise des Herrn Dr. A. Roman in Amazonas 1914-1915. 2. Cerambyciden. **Ark. Zool.**, **12**(11):1-7, 2 figs.

1920. Neue oder wenig bekannte Coleoptera Longicornia. 17. **Ark. Zool.**, **13**(9):361-403, 9 figs.
1921. Neue Cerambyciden aus der Sammlung G. van Roon. **Tijdschr. Entomol.**, Amsterdam, **64**:46-53, 1 pl.
1922. **Coleopterorum Catalogus**, pars 73, Cerambycidae:Lamiinae. I. Berlin, W. Junk, 322 p.
1922. Neue oder wenig bekannte Coleoptera Longicornia. 18. **Ark. Zool.**, **14**(18):405-436, 30 figs.
1922. Neue Cerambyciden aus der Sammlung G. van Roon. **Tijdschr. Entomol.**, **65**:160-173.
1923. **Coleopterorum Catalogus**, pars 74, Cerambycidae: Lamiinae. II. Berlin, W. Junk, pp. 323-704.
1923. Neue oder wenig bekannte Coleoptera Longicornia. 19. **Ark. Zool.**, **15**(25):437-479, 21 figs.
1925. Neue oder wenig bekannte Coleoptera Longicornia. 20. **Ark. Zool.**, **17A**(12):481-501, 7 figs.
1925. Neue oder wenig bekannte Coleoptera Longicornia. 21. **Ark. Zool.**, **18A**(9):503-524, 23 figs.
1926. Cerambyciden gesammelt von Dr. A. Roman in Brasilien in den Jahren 1923-1924. **Ark. Zool.**, **18B**(14):1-6, 1 fig.
1927. Neue oder wenig bekannte Coleoptera Longicornia. 22. **Ark. Zool.**, **19A**(17):525-547, 14 figs., 1 pl.
1929. Cerambycidae. Bearbeitet von Chr. Aurivillius. **Zool. Jahrb.**, Suppl. **16**:1-3, 1 fig.
- AUSTIN, E. P. 1877. Remarks on the synonymy of North American Coleoptera. **Can. Entomol.**, **9**(5):92-94.
1880. **Supplement to the check list of the Coleoptera of America, north of Mexico**. Boston, S. F. Cassino, 67 pp.
- AUSTIN, E. P. & J. L. LeCONTE. 1874. Catalogue of the Coleoptera of Mt. Washington, N. H., by E. P. Austin; with descriptions of new species by J. L. LeConte, M. D. **Proc. Boston Soc. Nat. Hist.**, **16**:265-276.
- BARR, W.F. & R.L. PENROSE. 1969. Notes on the Distribution of Some Idaho Cerambycidae (Coleoptera). **Great Basin Nat.** **29**(2): 88-95.
- BARRIGA, J. E. & CEPEDA, D. E. 2004. Nuevo género y especie de Compsocerini de Chile (Coleoptera, Cerambycidae). **Rev. Chil. Entomol.**, **30**(2): 58-8.
2006. Revisión del género *Oectropsis* Blanchard, 1851 (Coleoptera, Cerambycidae), con descripción de una nueva especie. **Rev. Chil. Entomol.**, **31**:43-54.
2007. New Synonymies on Cerambycidae of Chile (Coleoptera). **Rev. Chilena Ent.** **33**:5-13, 12 figs.
2007. Revision of the Necydalopsini Blanchard 1851 from Chile and Argentina (Coleoptera:Cerambycidae) with the Descriptions of two new Genera and Species. **Rev. Chilena Ent.** **33**:15-30, 16 figs.
- BARRIGA, J. E. & L. E. PEÑA. 1994. Nuevas especies de Cerambycidae de Chile y algunas sinonimias. **Gayana Zool.**, **58**(1):91-98.
- BARRIGA, J., T. MOORE, T. & D. E. CEPEDA, 2005. Nueva especie del genero *Estola* Fairmaire et Germain, 1859, para Chile (Coleoptera, Cerambycidae, Desmiphorini). **Gayana**, **69**(2), 397-401, figs.
- BATES, H. W. 1861. Contributions to an insect fauna of the Amazon Valley. Coleoptera:Longicornes. **Ann. Mag. Nat. Hist.**, (3)**8**:40-52; 147-152; 212-219; 471-478.
1862. Contributions to an insect fauna of the Amazon Valley. Coleoptera:Longicornes. **Ann. Mag. Nat. Hist.**, (3)**9**:117-124; 396-405; 446-45.
1863. Contributions to an insect fauna of the Amazon Valley. Coleoptera:Longicornes. **Ann. Mag. Nat. Hist.**, (3)**12**: 100-109; 275-288; 367-381.

1864. Contributions to an insect fauna of the Amazon Valley. Coleoptera:Longicornes. **Ann. Mag. Nat. Hist.**, (3)**13**:43-56; 144-164; **14**:11-24.
1865. Contributions to an insect fauna of the Amazon Valley. Coleoptera:Longicornes. **Ann. Mag. Nat. Hist.**, (3)**15**: 213-225; 382-394; **16**:101-113; 167-182; 308-314.
1866. Contributions to an insect fauna of the Amazon Valley. Coleoptera:Longicornes. **Ann. Mag. Nat. Hist.**, (3)**17**:31-42; 191-202; 288-303; 367-373; 425-435.
1867. New genera of longicorn Coleoptera from the river Amazons. **Entomologist's Mon. Mag.**, **4**:22-28.
1869. Contributions to an insect fauna of the Amazon Valley. Coleoptera:Prionides. **Trans. Entomol. Soc. London**, **1869**:37-58.
1869. New species of Coleoptera from Chontales, Nicaragua. **Trans. Entomol. Soc. London**, **1869**:383-389.
1870. Contributions to an insect fauna of the Amazon Valley. **Trans. Entomol. Soc. London**, **1870**:243-335; 391-444.
1871. Description of a new genus, and two new species of longicorn Coleoptera. **Trans. Entomol. Soc. London**, **1871**:375-376.
1872. On the longicorn Coleoptera of Chontales, Nicaragua. **Trans. Entomol. Soc. London**, **1872**:163-238.
1873. Notes on the longicorn Coleoptera of tropical America. **Ann. Mag. Nat. Hist.**, (4)**11**:21-45; 117-132.
1874. Supplement to the longicorn Coleoptera of Chontales, Nicaragua. **Trans. Entomol. Soc. London**, **1874**:219-235.
1875. New genera and species of longicorns from South America. **Entomologist's Mon. Mag.**, **11**:273-278.
1875. New genera and species of Prionidae. **Entomologist's Mon. Mag.**, **12**:47-53.
1878. New genera and species of longicorn Coleoptera. **Entomologist's Mon. Mag.**, **14**:272-274.
1879. **Biologia Centrali-Americana**, Insecta, Coleoptera, Longicornes, London, **5**:1-16, pl. 1-2.
1879. New genera and species of Callichrominae. **Cist. Entomol.**, **2**:395-419.
1880. **Biologia Centrali-Americana**, Insecta, Coleoptera, Longicornes, **5**:17-152, pls. 3-11.
1880. Note on *Discopus*, a genus of South American Longicorns, family Lamiidae. **Entomologist's Mon. Mag.**, **16**:253-255.
1880. New species of *Alcidion*, a genus of longicorn Coleoptera. **Entomologist's Mon. Mag.**, **16**:273-274.
1880. New species of *Acanthoderes*. **Entomologist's Mon. Mag.**, **17**:58-61.
1881. **Biologia Centrali-Americana**, Insecta, Coleoptera, Longicornes, London, **5**:153-224, pls. 12-15.
1881. New species of longicorn Coleoptera allied to *Colobothea*. **Entomologist's Mon. Mag.**, **17**:275-277.
1881. Notes on longicorn Coleoptera. Revision of the aerénicides and amphionychides of tropical America. **Ann. Mag. Nat. Hist.**, (5)**8**:142-152; 196-204; 290-306.
1884. **Biologia Centrali-Americana**, Insecta, Coleoptera, suppl. to Longicornia, London, **5**:225-248, pl. 16.
1885. **Biologia Centrali-Americana**, Insecta; Coleoptera, suppl. to Longicornia, London, **5**:249-436, pls. 17-24.
1887. Three new longicorn Coleoptera from South America. **Entomologist's Mon. Mag.**, **4**:62-63.
1891. New longicorn Coleoptera, chiefly from Mexico. **Entomologist's Mon. Mag.**, **27**:158-161.

1891. Coleoptera, pp. 7-39. In E. Whymper, **Supplementary appendix to Travels amongst the Great Andes of the Equator**, London, xxii + 147 pp. 14 pls.
1892. Additions to the Longicornia of Mexico and Central America, with remarks on some of the previously recorded species. **Trans. Entomol. Soc. London, 1892**:143-183, 2 pls.
- BEDEL, L. 1894. Recherches sur la synonymie des coléoptères de l'Ancien Monde. **Abeille, 28**:150-156.
- BEIERL, J.D. & E.J. BARCHET-BEIERL. 1999. A new species of *Deltaspis* Audinet-Serville from southern California. **Occ. Pap. of the Cons. Coleop., 3**(1): 5 - 7, 1 fig.
- BELON, P. M. 1890. Contribution à l'étude du genre *Anoplomerus* Th.. **Ann. Soc. Linn. Lyon, (N. S.) 36**:291-304.
1890. Description d'un longicorne exotique. **Bull. Soc. Entomol. France, 1890**: ix-xi.
1891. Description d'une genre nouveau de longicorne lamiide. **Bull. Soc. Entomol. France, 1891**: liv-lv.
1896. Contribution à l'étude des longicornes de Bolivie. **Ann. Soc. Linn. Lyon, (N. S.) 43**:241-255.
1896. Description d'un cérambycide inédit du groupe des Disteniini. **Bull. Soc. Entomol. France, 1896**:128.
1896. Description d'un longicorne nouveau, du groupe des nipphonides. **Bull. Soc. Entomol. France, 1896**:387-388.
1897. Remarques sur le genre *Euryptera* Serv. du groupe des lepturides et description d'une espèce nouvelle de Bolivie. **Ann. Soc. Entomol. Belg., 41**:339-342.
1897. Description d'un longicorne nouveau du genre *Hebestola*. **Bull. Soc. Entomol. France, 1897**:186-187.
1899. Diagnose d'un longicorne nouveau de Bolivie, appartenant au genre *Mecometopus* Th. **Bull. Soc. Entomol. France, 1899**:156-157.
1902. Description d'un longicorne inédit de Bolivie. **Bull. Soc. Entomol. France, 1902**:333-334.
1902. Description de trois longicornes brésiliens du genre *Ectenessa* Bates. **Ann. Soc. Entomol. Belg., 46**:13-16.
1902. Description de plusieurs longicornes de Bolivie appartenant au genre *Adetus* LeC. **Ann. Soc. Entomol. Belg., 46**:464-472.
1903. Matériaux pour l'étude des longicornes de Bolivie. **Revue Entomol., 2**:47-76.
1903. Notes sur le genre *Aletretia* Bates, longicorne lamiare et description de trois espèces nouvelles. **Ann. Soc. Entomol. Belg., 47**:148-154.
- BERG, F. G. C. 1885. [ M. Ch. Bery envoyé de Buenos-Aires des notes sur divers Coleoptères des familles des Buprestides et des Cérambycides ]. **Bull. Séanc. Soc. Entomol. France, (6)5**: civ-cv.
1886. Notas sinonímicas acerca de algunos cerambycoides de la fauna Argentina. **Ann. Soc. Entomol. Arg., 21**:234-240.
1889. Quadraginta Coleoptera nova Argentina. **Ann. Univ. B. Aires, 6**:105-157.
1898. Descriptio novi generis cerambycidarum ReipublicaeArgentinae. **Comun. Mus. Nac. B. Aires, 1**(2):31-33.
- BERGE, F. 1844. **Käferbuch. Allgemeine und specielle Naturgeschichte der Käfer, mit vorzüglicher Rücksicht auf die europäischen Gattungen. Nebst Anweisung sie zu sammeln, zuzubereiten und aufzubewahren.** Stuttgart, Hoffmann, 268 pp., 1315 figs.
- BERKOV, A. 2002. The impact of redefined species limits in *Palame* (Lamiinae: Acanthocinini) on assessments of host, seasonal, and stratum specificity. **Biol. Journ. of the Linnean Soc., 76**: 195-209, 4 figs.
- BERKOV, A. & M. A. MONNÉ. 2010. A new species of *Neobaryssinus* Monné & Martins, and two new species of *Baryssiniella* new genus (Coleoptera: Cerambycidae), reared from trees in the Brazil nut family (Lecythidaceae).

- Zootaxa 2538**:47-59, 20 figs.
- BEUTENMÜLLER, W. 1903. (Description of *Anthophylax hoffmani*.) **Bull. Amer. Mus. Nat. Hist.**, **19**:518.
- BEZARK, L. G. & A. SANTOS-SILVA. 2012. A new species of *Novantinoe* Santos-Silva & Hovore 2007 from Panama (Coleoptera: Disteniidae). **Pan-Pac Ent.** **88**(4): 413-415, 3 figures.
- BEZARK, L.G., A. SANTOS-SILVA, & U. R. MARTINS. 2011. New species of Rhinotragini and redescription of two species of *Stultutragus* Clarke (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa**: **2965**: 61–68, 9 figures.
- BIEZANKO, C.M. & J.M. BOSQ. 1956. Cerambycidae de Pelotas e seus arredores (Contribuicao ao conhecimento da fisiografia do Rio Grande do Sul). **Agros IX (3-4)**:3-16.
- BILLBERG, G. J. 1815. Insecta ex ordine coleopterorum descripta. **Nov. Act. Soc. Sci. Upsaliensis**, (2)**7**:271-281.
1820. Novae insectorum species descriptae. **Mem. Acad. Imp. Sci. St. Petersbourg**, (5)**7**:381-395.
- BLACKWELDER, R. E. 1946. Checklist of the coleopterous insects of Mexico, Central America, the West Indies and South America. Part 4. **Bull. U. S. Nat. Mus.**, **185**:551-763.
- BLAIR, K. G. 1933. Further Coleoptera from the Galapagos Archipelago. **Ann. Mag. Nat. Hist.**, (10)**11**:471-487.
- BLAISDELL, F. E. 1903. *Desmocerus californicus*. **Entomol. News**, **14**(8):276.
1925. Expedition to Guadalupe Island, Mexico, in 1922. **Proc. Calif. Acad. Sci.**, (4)**14**:321-343.
- BLANCHARD, C. E. 1832. In Griffith, E. & E. Pidgeon, **The animal kingdom arranged in conformity with its organization by the Baron Cuvier, with supplementary addition to each order**, Insects. London, **2**:1-796, 84 pls. (1831: pls. 6, 14, 65, 73; 1832: pls. 85, 88, 89, 95, 100, 119).
1842. Notice sur un insecte de la famille des longicornes. **Ann. Soc. Entomol. France**, **11**:49-51.
1845. **Histoire des insectes, traitant de leurs moeurs et de leurs métamorphoses en général, et comprenant une nouvelle classification fondée sur leurs rapports naturels**. **2**:1-524.
1847. In **Voyage dans l'Amérique meridionale (le Brésil, la République Orientale de l'Uruguay, la République Argentine, la Patagonie, la République du Chili, la République de Bolivia, la République du Pérou), exécute pendant les années 1826, 1827, 1828, 1829, 1830, 1831, 1832 et 1833 par Alcide D'Orbigny**. Insectes de l'Amérique méridionale, recueillis par Alcide D'Orbigny (Tribu des Longicornes). **6**(2):206-210, pls. 20-22.
1848. Note sur un genre d'insectes de la famille des prionides. **Ann. Sci. Nat.**, (3)**9**:210.
1851. Fauna Chilena, Insectos, Coleópteros, in Gay, C., **Historia física y política de Chile**, Zoologia. **5**:285-563, pls. 1-31 (Cerambycidae, pls. 27 - 30).
- BLANCHARD, F.. 1884. Note on the species of *Gaurotes* LeConte. **Bull. Brooklyn Ent. Soc.** **7**:107.
- BLAND, J. H. B. 1861. Catalogue of the Longicorn Coleoptera taken in the vicinity of Philadelphia. **Proc. Ent. Soc. Philadelphia** **1**:93-101.
1862. Descriptions of several supposed new species of Cerambycidae in the collection of the Entomological Society of Philadelphia, with observations on some already described. **Proc. Entomol. Soc. Philadelphia**, **1**:267-276.
1863. Descriptions of a few supposed new species of North American Coleoptera. N° 2. **Proc. Entomol. Soc. Philadelphia**, **2**:319-323.
1864. Descriptions of new North American Coleoptera. **Proc. Entomol. Soc. Philadelphia**, **3**:253-256.
1865. Descriptions of several new species of North American Coleoptera. **Proc. Entomol. Soc. Philadelphia**, **4**:381-384.



- BLATCHLEY, W. S. 1910. On the Coleoptera known to occur in Indiana. An illustrated descriptive catalogue of the Coleoptera or beetles (exclusive of the Rhynchophora) known to occur in Indiana. **Bull. Indiana Dep. Geol. Nat. Res.**, 1:1-1386, 590 figs.
1917. On some new or noteworthy Coleoptera from the west coast of Florida. II. **Can. Entomol.**, 49(7):236-240; (8):272-279.
1920. Notes on the winter Coleoptera of western and southern Florida with descriptions of new species. **Can. Entomol.**, 52(3):68-72.
1922. Some new and rare Coleoptera from southwestern Florida. **Can. Entomol.**, 60(3):60-76.
- BLEUZEN, P. 1990. Revision du genre *Macrodonia* Serville, 1832 (Ancistrotini). **Sci. Nat.**, 67:8-11, 1 pl.
1993. Note systematique sur les Callipogonini du Nouveau Monde. **Sci. Nat.**, Paris, 79:18-19, 8 figs.
1994. **Les Coléoptères du Monde, The Beetles of the World, Vol. XXI, Prioninae 1.** Sci. Nat, 92 pp, 16 pl.
- BODKIN, G. E. 1919. Notes on the Coleoptera of British Guiana. **Entomologist's Mon. Mag.**, 55:264-272.
- BOHEMAN, C. H. 1859. Coleoptera. Species novas descripsit, in **Koniglga Svenska Fregatten Eugenie resa omkring Jorden...**, Stockholm, zoologi, I (Insecta) p. 113-218.
- BONDAR, G. 1938. Notas entomológicas da Bahia. III. **Rev. Entomol.**, 9(3-4):441-449, 8 figs.
1939. Dois Cerambycídeos novos da Bahia. **Bahia Rur.**, 6(63-64):54-56.
1953. A biologia do genero *Oncideres* e descrição de nova espécie. **Agronomia**, 12(2):29-31.
1956. A biologia do gênero *Oncideres* e descrição de nova espécie. **Longicornia**, 3:765-768, 1 fig.
- BOPPE, P. L. 1921. **Genera Insectorum**, Fam. Cerambycidae: subfam. Disteniinae-Lepturinae. P. Wytsman, 178:1-119, 8 pls.
- BOSQ, J. M. 1943. Agregados al Catálogo de los Longicorneos de la República Argentina. **Rev. Soc. Entomol. Zoogeografia**, 3(3):103-112.
1943. Segunda Lista de Coleopteros de la Republica Argentina, daninos al la Agricultura. **Ing. Agron.** 4:18-22.
1943. Notas sobre *Maripanus decoratus* Germain, 1898, y su presencia en la Reublica Argentina. **Rev. Soc. Entomol. Arg.**, 12(2):132-136, 4 figs.
1944. Sobre Interesantes Longicornios del Alto Parana Colectados por los Padres Bridarolli y Williner S.J. **Rev. Soc. Ent. Arg.** 12(3):196-202.
1947. Catalogo Preliminar de los Coleopteros del Paraguay; Parte III Superfamilia Cerambycoidea. **Rev Soc Cien Paraguay** 7(2):5-11.
1947. Interesantes longicornios de Catamarca. **Rev. Soc. Entomol. Arg.**, 13(1-5):292-300, 2 pls.
1948. Nueva combinación para *Leptidea brevipennis* Muls. **Agric. Tecn.**, 8:69-71.
1949. Los Cerambycidae (Insecta, Coleoptera) de Tarapacá. **Agric. Tecn.**, 9:77-80.
1949. Nueva combinación para *Leptidea brevipennis* Muls. Addenda. **Agric. Tecn.**, 9:81.
1949. Anotaciones Relativas a una Lista de Fauna Local Sobre Cerambycidos Argentinos. **Rev. Soc. Entomol. Arg.**, 14:192-203.
1950. Notas sobre un longicórnio chileno-argentino. **Arthropoda**, 1(2-4):377-378.
1951. Novedades en Cerambycídeos del Norte Argentino I. **Rev. Soc. Entomol. Arg.**, 15(1-3):96-107.
1951. Novedades en Cerambycídeos chilenos. **Rev. Chil. Entomol.**, 1:191-197.

1951. Revisión del género *Calydon* Thoms., 1864. **Ann. Soc. Entomol. Arg.**, **152**(2):51-62.
1952. Descripción de una nueva especie del género *Centrocerum* Chevr., 1861. **Acta Zool. Lilloana**, **10**:95-97.
1953. Nota sobre el género *Adalbus* Fairm. et Germ., 1859. **Ann. Mus. Nahuel Huapí**, **3**:63-67.
1953. Longicórnios del Parque Nacional Lanín, zona de San Martín de los Andes y cercanía. **Ann. Mus. Nahuel Huapí**, **3**:69-87, 5 pls.
1953. Descripción de una nueva especie del género *Achryson* Serv., 1833. **Comun. Zool. Mus. Hist. Nat.**, **4**(69):1-4, 2 figs.
1953. Descripción de un género y especie nuevos de Torneutini. **Rev. Soc. Entomol. Arg.**, **16**:31-33, 1 fig.
- BOSQ, J.M. & A. RUFFINELLI. 1951. Notas Para el Catalogo de los Cerambycidos del Uruguay. **Com. Zoo. Mus. Montevideo** **62**:1-32.
- BOTERO, J. P. & M. L. MONNÉ. 2011. *Andraegoidus Aurivillius*: new species, synonymies and key to the species (Insecta: Coleoptera: Cerambycidae). **Zootaxa** **2780**: 57-62, 6 figs.
2012. Revision of the genus *Eucharitolus* Bates (Coleoptera: Cerambycidae: Lamiinae). **Zootaxa** **3438**: 43-53, 13.
2012. Revision of the genus *Andraegoidus* Aurivillius (Insecta: Coleoptera: Cerambycidae). **Zootaxa** **3169**: 1-60, 228 figures.
- BOUCHARD, P., Y. BOUSQUET, A. E. DAVIES, M. A. ALONSO-ZARAZAGA, J. F. LAWRENCE, C. H. C. LYAL, A. F. NEWTON, C. A. M. REID, M. SCHMITT, S. A. SLIPINSKI, & A. B. T. SMITH. 2011. Family-group names in Coleoptera (Insecta). **ZooKeys** **88**:1-972.
2011. Family-group names in Coleoptera (Insecta). **ZooKeys** **88**:1-972.
- BOUSQUET, Y. 1991. Checklist of the Beetles of Canada and Alaska. **Res. Branch. Agric. Canada Pub.** **1861/E**
2008. Nomenclatural and Bibliographic Notes on Cerambycidae (Coleoptera). **Coleop. Bull.** **61**(4):616-631.
- BOUSQUET, Y., D. J. HEFFERN, P. BOUCHARD, & E. H. NEARNS. 2009. Catalogue of family-group names in Cerambycidae (Coleoptera). **Zootaxa** **2321**:1-80.
- BREME, F. de. 1844. Insectes coléoptères nouveaux ou peu connus. Première et deuxième décades. **Ann. Soc. Entomol. France**, (2) **2**:287-313.
- BRETHES, J. 1916. Description d'un nouveau coléoptère du Chili. **Rev. Chil. Hist. Nat.**, **20**:75-78, 1 fig.
1920. Insectes du Perou. **Ann. Soc. Entomol. Arg.**, **89**:27-54.
1925. Nouveaux coléoptères Sud Américains. **Nunquam Otiosus**, **4**:11-16.
- BREUNING, S. 1935. Novas species Cerambycidarum. III. **Folia zool. hydrobiol.**, **8**:51-71.
1936. Novae species Cerambycidarum. V. **Festschr. 60 Geburtst. E. Strand**, **1**:274-325.
1938. Études sur les Lamiinae. Huitième tribu: Mesosini Thomson. **Novit. Entomol.**, **8**:365-392.
1939. Novae species Cerambycidarum. VII. **Festschr. 60 Geburtst. E. Strand**, **5**:144-290.
1940. Novae species Cerambycidarum. VIII. **Folia zool. hydrobiol.**, **10**:37-85.
1940. Novae species Cerambycidarum. IX. **Folia zool. hydrobiol.**, **10**:115-214.
1940. Novae species Cerambycidarum. X. **Folia zool. hydrobiol.**, **10**:407-437.

1942. Novae species Cerambycidarum. XI. **Folia zool. hydrobiol.**, **11**:113-175.
1943. Novae species Cerambycidarum. XII. **Folia zool. hydrobiol.**, **12**:12-66.
1943. Études sur les Lamiaires. Douzième tribu: Agniini. **Novit. Entomol.**, **3**(104):137-280, figs. 1-157.
1944. Études sur les Lamiaires. Douzième tribu: Agniini (cont.). **Novit. Entomol.**, **3**(107-135):281-512.
1947. Nouvelles formes de Longicornes du Musée de Stockholm. **Ark. Zool.**, **39A**(6):1-68.
1948. Nouvelles formes de Lamiaires (Première partie). **Bull. Mus. Hist. Nat. Belg.**, **24**(38):1-44.
1948. Nouvelles formes de Lamiaires (Deuxième partie). **Bull. Mus. Hist. Nat. Belg.**, **24**(47):1-47.
1949. Notes systématiques sur les Lamiaires. **Bull. Inst. Sci. Nat. Belg.**, **25**(38):1-32.
1950. Quelques nouveaux Lamiaires du Riksmuseum. **Ark. Zool.**, (2)**1**:265-274.
1950. Revision des Parmenini. **Longicornia**, **1**:29-159, 18 figs.
1950. Lamiaires nouveaux de la collection Lepesme. **Longicornia**, **1**:511-535, 8 figs.
1950. Nouveaux Lamiaires du Musée de Genes. **Ann. Mus. Civ. Stor. Nat. Giacomo Doria**, **64**:170-201.
1950. Nouvelles formes de Lamiaires (Troisième partie). **Bull. Inst. Sci. Nat. Belg.**, **26**(12):1-32.
1952. Revision einiger Gattungen aus der Gruppe der Saperdini. **Entomol. Arb. Mus. G. Frey**, **3**(1):107-213, 3 pls.
1953. Nouvelles formes de Lamiaires (Quatrième partie). **Bull. Inst. Sci. Nat. Belg.**, **29**(8):1-38, 1 pl.
1954. Nouvelles formes de Lamiaires (Sixième partie). **Bull. Inst. Sci. Nat. Belg.**, **30**(28):1-23, 4 figs.
1954. Nouvelles formes de Lamiaires (Septième partie). **Bull. Inst. Sci. Nat. Belg.**, **30**(41):1-24, 3 figs.
1954. Revision von 35 Gattungen aus der Gruppe der Saperdini Muls. **Entomol. Arb. Mus. G. Frey**, **5**(2):401-567, 3 pls.
1955. Revision du genre *Mecas* LeConte. **Mém. Soc. Entomol. Belg.**, **27**:138-152, 1 fig.
1955. Eine neue Lamiiden-Gattung aus Brasilien. **Entomol. Arb. Mus. G. Frey**, **6**(1):311-312.
1955. Neue Cerambyciden von der Insel Trinidad. **Entomol. Arb. Mus. G. Frey**, **6**(2):659-661.
1956. Lamiaires nouveaux de la collection Lepesme (2e. note). **Longicornia**, **3**:665-702, 12 figs.
1956. Nouveaux Lamiaires du Riksmuseum. **Ark. Zool.**, (N. S.) **9**:355-361.
1958. **Catalogue des Lamiaires du Monde**. 1 Lief. Tutzing b. München, Mus. G. Frey, 48 p.
1958. Nouvelles formes de Lamiaires (Dixième partie). **Bull. Inst. Sci. Nat. Belg.**, **34**(22):1-47, 11 figs.
1958. Nouveaux Lamiaires du Muséum National d'Histoire Naturelle (3e Note). **Bull. Soc. Entomol. France**, **63**(1-2):31-37, 2 figs.
1959. **Catalogue des Lamiaires du Monde**. 2 Lief. Tutzing b. München, Mus. G. Frey, p. 49-107.
1959. Nouveaux genres de Lamiinae. **Bull. Ann. Soc. Entomol. Belg.**, **95**:70-88.
1959. Nouvelles formes de Lamiaires (Onzième partie). **Bull. Inst. Sci. Nat. Belg.**, **35**(6):1-14, 6 figs.

1960. **Catalogue des Lamiaires du Monde**. 3 Lief. Tutzing b. München, Mus. G. Frey, p. 109-182.
1960. Nouvelles formes de Lamiaires (Douzième partie). **Bull. Inst. Sci. Nat. Belg.**, **36**(7):1-30, 4 figs.
- 1960-1962. Révision systématique des espèces du genre *Oberea* Mulsant du globe. **Frustula Entomol.**, **3**(4):1-59; **4**(3):61-140; **5**(4):141-232.
1961. **Catalogue des Lamiaires du Monde**. 4 Lief. Tutzing b. München, Mus. G. Frey, p. 183-284.
1961. **Catalogue des Lamiaires du Monde**. 5 Lief. Tutzing b. München, Mus. G. Frey, p. 287-382.
1961. Nouvelles formes de Lamiaires (Treizième partie). **Bull. Inst. Sci. Nat. Belg.**, **37**(20):1-44, 4 figs.
1961. Neue oder schlecht bekannte Cerambyciden. **Entomol. Arb. Mus. G. Frey**, **12**:140-160.
1961. Neue Lamiiden aus dem Museum G. Frey. **Entomol. Arb. Mus. G. Frey**, **12**:245-250.
1961. Neue Lamiiden aus dem Museum G. Frey. **Entomol. Arb. Mus. G. Frey**, **12**:326-342.
1961. Revision des Pteropliini. **Pesquisas**, (5)**9**:5-60, 7 figs.
1962. **Catalogue des Lamiaires du Monde**. 6 Lief. Tutzing b. München, Mus. G. Frey, p. 387-459.
1962. Revision des Agapanthiini Muls. américains. **Pesquisas**, (6)**13**:1-48, 9 figs.
1962. Nouvelles formes de Lamiaires (Quatorzième partie). **Bull. Inst. Sci. Nat. Belg.**, **3**(40):1-16, 5 figs.
1963. **Catalogue des Lamiaires du Monde**. 7 Lief. Tutzing b. München, Mus. G. Frey, p. 463-555.
1964. Neue Lamiiden aus dem Museum G. Frey. **Entomol. Arb. Mus. G. Frey**, **15**:91-97.
1966. **Catalogue des Lamiaires du Monde**. 9 Lief. Tutzing b. München, Mus. G. Frey, p. 659-765.
1966. Nouvelles formes de Lamiaires (Dix-septième partie). **Bull. Inst. Sci. Nat. Belg.**, **42**(21):1-22.
1967. **Catalogue des Lamiaires du Monde**. 10 Lief. Tutzing b. München, Mus. G. Frey, p. 771-864.
1969. **Catalogue des Lamiaires du Monde**. 11 Lief. Tutzing b. München, Mus. G. Frey, p. 865-1069.
1971. Revision des espèces américaines de la tribue des Apomecynini Lac. **Entomol. Abh. St. Mus. Tierk.**, Dresden, **37**(3):209-335, 21 figs.
1971. Neue Lamiinae aus den Beständen des Zoologischen Museums der Humboldt-Universität in Berlin. **Mitt. Zool. Mus. Berlin**, **47**(2):285-288.
1973. Lamiaires nouveaux ou peu connus du Muséum de Paris. **Ann. Soc. Entomol. France**, (N. S.) **9**(3):647-665.
1973. Neue Lamiinae aus den Beständen des Zoologischen Museums der Humboldt-Universität Berlin. **Mitt. Zool. Mus. Berlin**, **49**(1):37-40.
1974. Revision des Rhodopiniini américains. **Studia Entomol.**, **17**(1-4):1-210, 24 figs.
1974. Neue arten und gattungen von Lamiinen. **Mitt. Zool. Mus. Berlin**, **50**(1):149-165.
1974. Neue Lamiinae. **Mitt. zool. Mus. Berlin**, **50**(2):237-241.
1974. Neue Lamiinae aus den Beständen des Staatlichen Museum für Tierkunde Dresden **Reichenbachia**, **15**(5):37-42.
1975. Revision de la tribue des Pogonocherini. **Folia Entomol. Hung.**, Budapest, (N. S.), **28**(1):9-53, 6 figs.

1979. Description de nouveaux genres et espèces de Lamiinae. **Bull. Soc. Entomol. Mulhouse**, **1979**: 13-15.
1980. Nouveaux Cerambycidae Lamiinae néotropicaux. **Bull. Soc. Entomol. France**, **5**:67-71.
1980. **Revision de la tribu des Compsomatini Thoms.** Venette, Compiègne, Edit. Sci. Nat., p. 1-32, 8 figs.
- BREUNING, S. & L. HEYROVSKY. 1961. Cerambycides nouveaux de la collection Heyrovsky. **Bull. Soc. Entomol. Mulhouse**, **1961**:16-18.
1964. Cerambycides nouveaux de la collection Heyrovsky (Deuxième partie). **Bull. Soc. Entomol. Mulhouse**, **1964**:27-30.
- BRONGNIART, P. 1793. Description d'une nouvelle espèce de Lamie. **Bull. Soc. Philomath.**, **1**:34, pl. 2, fig. 2.
- BROWN, W. J. 1952. Some species of Phytophaga. **Can. Entomol.**, **84**:335-342.
- BROWNE, D.J., S.B. PECK, & M.A. IVIE. 1993. The Longhorn beetles (Coleoptera Cerambycidae) of the Bahama Islands with an analysis of species-area relationships, distribution patterns, origin of the fauna and an annotated species list. **Trop. Zoo.**, **6**:27-53.
- BRUCH, C. 1908. Longicórnios argentinos nuevos o poco conocidos. I. **Rev. Mus. La Plata**, **15**:198-220, figs.
1911. Longicórnios argentinos nuevos o poco conocidos. II. **Rev. Mus. La Plata**, **18**:164-178, 13 figs.
1912. Catálogo sistemático de los Coleópteros de la República Argentina. Pars VIII, Familia Cerambycidae. **Rev. Mus. La Plata**, **18**:179-226.
1914. Descripción de un cerambícido extraordinario de la República Argentina (*Pleiarthrocerus opacus*, n. gen., n. sp.). **Rev. Mus. La Plata**, **19**:340-345, 5 figs.
1914. Descripción de la hembra de *Anoplodermis* (*Pathocerus*) *wagneri* Waterh. **Bol. Soc. Physis**, **1**(6):381-385, 2 figs.
1915. Suplemento al catálogo sistemático de los Coleópteros de la República Argentina. I. (Addenda et corrigenda). **Rev. Mus. La Plata**, **19**:538-573.
1918. Cerambícidos argentinos nuevos o poco conocidos. **Rev. Mus. La Plata**, **24**:5-29, 9 figs.
1921. Algunos interesantes cerambícidos. **Rev. Mus. La Plata**, **25**:345-356, 8 figs.
1925. Coleópteros nuevos y poco conocidos. **Physis**, **8**:199-211, 6 figs.
1926. Cerambícidos nuevos o poco conocidos. **Physis**, **8**:338-348, 2 pls.
1929. Una nueva especie de *Prionapterus* Guér. **Rev. Soc. Entomol. Arg.**, **2**(10):203-208, 1 pl.
1933. Un longicórnio nuevo de la Argentina. **Rev. Entomol.**, **3**(3):335-337, 1 fig.
1935. Biología y metamorfosis de un interesante longicornio: *Schreiteria bruchi* Melzer. **Physis**, **11**(40):361-365, 2 pls.
1939. Una nueva especie de *Adetus*. Misceláneas entomológicas II. **Notas Mus. La Plata**, **4** (Zool. 20):200-202, 3 figs.
1940. *Parozodera* n. gen. para *Ozodera farinosa* (Burm.). Misceláneas entomológicas III. **Notas Mus. La Plata**, **5**(Zool. 35):116-118, 1 fig., 1 pl.
1940. El longicornio de las vainas del algarrobo, *Lophopoeum timbouvae* Lam. Misceláneas entomológicas III. **Notas Mus. La Plata**, **5**(Zool 35):118-122, 2 pls.
1941. Las especies argentinas del género *Migdolus* Westwood. Misceláneas entomológicas VI. **Notas Mus. La Plata**, **6**(Zool. 48):163-171, 2 pls.

1941. Descripción de una especie nueva de *Oncideres*. Misceláneas entomológicas VII. **Notas Mus. La Plata**, 6(Zool. 50):367-369, 2 figs., 1 pl.

BUCK, P. 1959. Cerambycidae in der Sammlung des Instituto Anchietano de Pesquisas. **Pesquisas**, 3:577-609.

BUQUET, J. B. 1838. Notice sur nouveau genre de longicornes de la tribu des cérambycins. **Revue Zool.**, 1838:253-254.

1838. Notice sur deux coléoptères longicornes de la tribu des lamiaires et appartenant au genre *Phacellus* de M. Dejean. **Revue Zool.**, 1838:254-255.

1839. Notice sur deux longicornes nouveaux de la tribu des lamiaires. **Mag. Zool.**, 1839: pl. 5.

1840. Description d'une nouvelle espèce de trachydéride, appartenant au genre *Ozodera*. **Revue Zool.**, 1840:110-112.

1840. Description de quelques coléoptères longicornes appartenant aux genres *Calocomus*, *Stenaspis* et *Galissus*. **Revue Zool.**, 1840:142.

1840. Coléoptères nouveaux. **Revue Zool.**, 1840:172-173.

1840. Une notice sur le genre *Anacolus*. **Revue Zool.**, 1840:254.

1840. Une notice sur un genre nouveau de longicornes, de la tribu des cérambycins, et désigné sous le nom de *Pteroplatus*, dans la troisième édition du catalogue de M. le comte Dejean. **Revue Zool.**, Paris, 1840:287.

1840. Notice sur un genre nouveau de longicornes, de la tribu des cérambycins. **Revue Zool.**, 1840:292-295.

1840. G. Calocome. *Calocomus* Serville. **Mag. Zool.**, 1840: pls. 50-55.

1840. G. Mécosarthron. *Mecosarthron* Buquet. **Mag. Zool.**, 1840: pl. 52.

1840. Notice sur le genre *Anacolus*, et description de trois espèces nouvelles. **Ann. Soc. Entomol. France**, (1)9:379-384.

1840. Notice sur un genre nouveau de longicornes, de la tribu des cérambycins, et description de plusieurs espèces qui se rattachent. **Ann. Soc. Entomol. France**, (1)9:385-391.

1840. Description de plusieurs coléoptères nouveaux appartenant aux genres *Lebia*, *Vatellus*, *Acmaeodera*, *Hammaticherus*, et *Leptura*. **Ann. Soc. Entomol. France**, (1)9:393-400.

1840. Un longicorne du Brésil, de la tribu des prioniens et du genre *Ergates*. **Bull. Soc. Entomol. France**, 1840: xxvii-xxviii.

1840. Un longicorne nouveau et monstrueux de Colombie. **Bull. Soc. Entomol. France**, 1840: xxix.

1841. Description d'un genre nouveau de longicornes, de la tribu des prioniens. **Mag. Zool.**, 1841: pl. 63.

1841. Description de deux longicornes appartenant aux genres *Stenaspis* et *Galissus*. **Mag. Zool.**, 1841: pls. 66-67.

1841. Description de plusieurs longicornes appartenant au genre *Pteroplatus*, tribu des cérambycins. **Ann. Soc. Entomol. France**, (1)10:151-155.

1841. Notice supplémentaire sur un genre de longicornes (le G. *Pteroplatus*), description de quatre espèces nouvelles. **Revue Zool.**, 1841:206-207.

1841. Observations relatives a un longicorne décrit et figure par M. Duponchel. **Ann. Soc. Entomol. France**, (1)10:325-326.

1841. Un longicorne nouveau du groupe des Prioniens et appartenant au genre *Solenoptera*. **Bull. Soc. Entomol. France**, 1841: xxxix-xl.

1842. Description d'une espèce nouvelle de prionien du genre *Derobrachus* (Dejean, Serville). **Ann. Soc. Entomol. France**, (1)11:203-04.

1843. G. Hétéropalpe. *Heteropalpus* Buquet. **Mag. Zool.**, 1843: pl. 118.
1843. Notice monographique sur le genre *Ctenoscelis*, de la tribu des prioniens. **Ann. Soc. Entomol. France**, (2)1:231-240.
1843. Description d'une nouvelle espèce de longicorne de la tribu des prioniens, appartenant au genre *Torneutes* de M. Reich. **Revue Zool.**, 1843:299-300.
1844. In F. E. Guérin-Ménéville, **Iconographie du regne animal de G. Cuvier** (Insectes). 7: iv + 576 pp., 110 pls.
1845. Remarque sur le genre *Heteropalpus*. **Bull. Soc. Entomol. France**, 1845: xi.
1851. Notice monographique sur le genre *Cometes*, de la famille des longicornes, tribu des lepturètes. **Revue Mag. Zool.**, (2)3:188-192.
1851. Description d'une nouvelle espèce de longicorne du genre *Phacellus* de la tribu des lamiaires. **Revue Mag. Zool.**, (2)3:603-605.
1852. Notice monographique sur le genre *Trachysomus*, de la tribu des lamiaires, suivie de la description de cinq espèces nouvelles de criodions. **Ann. Soc. Entomol. France**, (2)10:349-358.
1852. Description d'une nouvelle espèce du genre *Chlorida*, Serville. **Ann. Soc. Entomol. France**, (2)10:655-656, 1 pl.
1852. Description d'une nouvelle espèce de prionien du genre *Derobrachus* Dejean, Serville. **Ann. Soc. Entomol. France**, (2)10:657-658.
1852. Notice sur le genre *Eudesmus*, de l'ordre des coléoptères. **Revue Mag. Zool.**, (2)4:343-345.
1853. Description d'une nouvelle espèce de longicorne de la tribu des prioniens, appartenant au genre *Ancistrotus*, Serv. **Ann. Soc. Entomol. France**, (3)1:41-42.
1853. Description de deux espèces nouvelles de longicornes du genre *Polyrhaphis*, Serville. **Ann. Soc. Entomol. France**, (3)1:443-446.
1853. Erratum. **Bull. Soc. Entomol. France**, 1853: xxiv.
1853. Notice monographique sur un nouveau genre de coléoptères de la famille des longicornes, tribu des cérambycins. **Revue Mag. Zool.**, (2)5:256-261.
1854. Description de deux espèces nouvelles de longicornes. **Revue Mag. Zool.**, (2)6:343-345.
1857. Notice supplémentaire sur le genre *Euryprosopus*, de l'ordre des coléoptères, suivie de la description de deux espèces nouvelles. **Revue Mag. Zool.**, (2)9:409-412.
1857. Lettre sur le genre *Ancylocera* de la famille des cérambycides. **Archiv. Entomol.**, 1:137-138.
1857. Notice monographique sur le genre *Hemicladius*, de la famille des longicornes. **Archiv. Entomol.**, 1:327-331.
1857. Description d'une nouvelle espèce de longicorne, du genre *Ancylocera*. **Archiv. Entomol.**, 1:332-333.
1857. Notice monographique sur deux genres de longicornes. **Archiv. Entomol.**, 1:333-340.
1859. Mémoire sur deux genres nouveaux de coléoptères de la famille des longicornes (*Oxilus* et *Sthelenus*), suivi de la description de plusieurs espèces appartenant aux genres *Platyarthron*, *Oeme* (*Sclerocerus* Dej.), *Clytus*, *Apriona*, *Cerosterna* et *Acanthoderus*. **Ann. Soc. Entomol. France**, (3)7:619-636.
1859. Notice monographique sur un genre nouveau de coléoptères de la famille des cérambycides (longicornes). **Arcana Nat.**, 1:45-49.
1859. Un genre nouveau de longicorne. **Bull. Soc. Entomol. France**, 1859: cxxxviii.

1859. Description d'un genre nouveau de coléoptères de la famille des cérambycides (longicornes). **Arcana Nat.**, **1**:99-100.
1860. Description de quelques longicornes nouveaux. **Ann. Soc. Entomol. France**, (3)**8**:617-628.
- BURMEISTER, H. C. 1861. **Reise Durch Die La Plata Staaten 1857-1860**. **1**:1-504; **2**:1-540.
1865. Longicornia Argentina. Systematische Uebersicht der Bockkäfer der La Plata-Staaten. **Stettin. Entomol. Ztg.**, **26**:156-181.
1879. Briefliche Mittheilungen. (3. Nachträge zu dem Aufsatz: Longicornia Argentina, Zeitung 1865, S. 156 ff.). **Stettin. Entomol. Ztg.**, **40**:194-209.
- BURNE, J. C. 1984. A new genus of Cerambycidae from Chiapas, Mexico. **Coleop. Bull.**, **38**(2):145-149, 4 figs.
1998. Notes on the Cerambycidae of Georgia III. **Coleop. Bull.**, **52**(4): 393.
- CAMERON, M. 1909. Description of a new species of the longicorn genus *Myrmolamia* from Haiti (W. I.). **Entomologist's Mon. Mag.**, **45**:78-79.
1910. Description of two new species of the longicorn genus *Pentomacrus*. **Entomologist's Mon. Mag.**, **46**:135-136.
- CARDONA-DUQUE, J., A. SANTOS-SILVA & M. WOLFF. 2007. A new species of Parandrinae from the Central Andes of Colombia (Coleoptera, Cerambycidae). **Zootaxa** **1661**: 39-45, 15 figs.
2010. Parandrinae (Coleoptera: Cerambycidae) de Colombia. **Rev. Colomb. Ent.** **36** (1):135-157. 9 figs.
- CARVALHO, S. M. 1981. Nova espécie de *Hippopsis* da República Argentina. **Rev. Bras. Entomol.**, **25**(1):53-54.
1981. *Hippopsis solangeae*, sp. n. com notas sobre a morfologia do exoesqueleto. **Rev. Bras. Entomol.**, **25**(4):327-331, 25 figs.
- CASARI, S.A. & STEFFANELLO, E. A. W. (2010) Immature of *Tapurua felisbertoi* Lane, 1973 (Cerambycidae, Cerambycinae, Hexoplonini). **Pap. Avuls. Zool.** **50**(27):425-434.
- CASEY, T. L. 1890. Coleopterological notices II. **Ann. New York Acad. Sci.**, **5**:307-504.
1891. Coleopterological notices III. **Ann. New York Acad. Sci.**, **6**:9-214.
1893. Coleopterological notices V. **Ann. New York Acad. Sci.**, **7**:281-606, 1 pl.
1899. New species of *Pemphus* and *Tragosoma*. **Entomol. News**, **10**(4):97-99.
1912. Studies in the Longicornia of North America. **Mem. Col.**, **3**:215-376.
1913. Further studies amongst the American Longicornia. **Mem. Col.**, **4**:193-388.
1914. Miscellaneous notes and new species. **Mem. Col.**, **5**:355-378.
1918. Miscellaneous notes and corrections. **Mem. Col.**, **8**:413-416.
1924. Additions to the known Coleoptera of North America. **Mem. Col.**, **11**:1-347.
- CAZIER, M. A. 1952. New West Indian Scarabaeidae and Cerambycidae. **Amer. Mus. Novit.**, **1566**:1-4, 1 fig.
- CAZIER, M. A. & L. LACEY. 1952. The Cerambycidae of the Bahama Islands, British West Indies. **Amer. Mus. Novit.**, **1588**:1-55, 13 figs.
- CERDA, M. A. 1953. Nuevos cerambycoides chilenos. **Rev. Chil. Entomol.**, **3**:135-139.
1953. Contribución al estudio de los cerambycoides chilenos. **Rev. Chil. Entomol.**, **3**:150-151.
1954. Dos nuevos cerambycoides chilenos. **Rev. Chil. Entomol.**, **8**:94-96.



1963. Dos nuevos cerambícidos chilenos. **Publ. Occ. Mus. Hist. Nat.**, **3**:3-8.
1968. Nuevos cerambícidos chilenos. **Rev. Chil. Entomol.**, **6**:101-107.
1972. Revisión de la subfamilia Oxypeltinae. **Publ. Occ. Mus. Hist. Nat.**, **13**:1-10.
1973. Nueva tribu de Cerambycidae. **Rev. Chil. Entomol.**, **7**:115-122.
1974. Revisión de los Prioninae de Chile. **Rev. Chil. Entomol.**, **8**:41-46.
1980. Contribución al estudio de los cerambícidos de Chile. **Rev. Chil. Entomol.**, **10**:63-66.
1980. Nuevo cerambícido de la República Argentina. **Rev. Chil. Entomol.**, **10**:91.
1986. Lista sistemática de los cerambícidos chilenos. **Rev. Chil. Entomol.**, **14**:29-39.
1987. Nota sobre *Achryson philippi* Germain, 1898. **Rev. Chil. Entomol.**, **15**:79-81, 5 figs.
1987. Nuevo Holopterini de Chile. **Acta Entomol. Chil.**, **14**:187-188.
1988. Nuevo Cerambycinae de Chile. **Rev. Chil. Entomol.**, **16**:69-70.
1988. Actualización de la lista sistemática de los Cerambycidae de Chile. **Rev. Chil. Entomol.**, **16**:89-91.
1991. Nuevo Cerambycinae de Chile. **Acta Entomol. Chil.**, **16**:263-264, 1 fig.
1993. Nuevos Cerambicidos De Chile (Coleoptera: Cerambycidae). **Rev. Chil. Entomol.**, **20**:13-14.
1995. Nuevos cerambycidos chilenos. **Rev. Chil. Entomol.**, Santiago, **22**:75-79.
- CERDA, M. A. & T. CEKALOVIC. 1986. Nuevo Holopterini de Chile y descripción de sus estados larval y pupal. **Bol. Soc. Biol. Concepción**, **57**:189-193, 4 figs.
- CHABRILLAC, F. 1857. Description de treize espèces de cérambycides. **Archiv. Entomol.**, **1**:194-200.
- CHALUMEAU, F. 1982. Acanthocinini des Petites Antilles. Nouveaux taxa et observations diverses. **Nouv. Rev. Entomol.**, **13**(2):219-237, 14 figs.
1985. Quelques Cerambycidae mimétiques des Petites Antilles et description d'une espèce nouvelle. **L'Entomol.**, **41**:147-152.
2010. A new Brazilian species of *Physopleurus* Lacordaire (Coleoptera: Cerambycidae: Prioninae). **Coleopt. Bull.** **64**(2):113-115, 3 figures.
- CHALUMEAU, F. & J. TOUROULT. 2004. Un nouveau lamiaire de Guadeloupe. **Lambillionea**, **CIV**, **1**: 64 – 65, 1 fig.
2004. Nouvelles espèces, synonymies et notes concernant quelques longicornes des Petites Antilles. **Lambillionea**, **CIV**, **2**: 189 – 198, 7 figs.
2004. Nouveaux Elaphidiini des Petites Antilles et notes diverses (Cerambycinae). **Lambillionea**, **CIV**, **4**: 751 – 755, 3 figs.
2005. Nouveaux longicornes de la Dominique et de la Martinique (Petit Antilles) et notes diverses. **Lambillionea**, **CV**, **1**: 155 – 159, 5 figs.
2005. **Les longicornes des Petites Antilles, taxonomie, éthologie, biogéographie**. Series Faunistica No. 51, Pensoft Publ., Bulgaria. 241 pp., XVIII b&w illus., 132 figs.
- CHAMPION, G. C. 1892. In H. W. Bates, [Footnote proposal of *Charisia* to replace *Charis* Bates]. **Trans. Entomol. Soc. London**, **1892**:161.

- CHAMPLAIN, A. B. & J. N. KNULL. 1922. New North American Coleoptera. **Entomol. News**, **33**(5):144- 149.
1922. A new *Typocerus*. **Entomol. News**, **33**(10):304.
1925. Two new North American Coleoptera. **Ann. Entomol. Soc. Amer.**, **1**(4):469-470.
1925. A new species of *Lepturges*. **Entomol. News**, **36**(7):207.
1926. Notes on Cerambycidae with descriptions of new species. **Entomol. News**, **37**(7):205-07.
- CHEMSAK, J. A. 1959. Descriptions of some new Cerambycidae from Mexico and southwestern United States. **J. Kansas Entomol. Soc.**, **32**(3):111-114.
1959. A new genus of Mexican Cerambycidae related to *Crossidius*. **Entomol. News**, **70**(5):131-133.
1959. Two new North American species of *Anelaphus* Linsley. **Pan-Pacific Entomol.**, **35**(3):165-166.
1960. A new species of *Aneflomorpha* Casey, associated with Citrus in Arizona. **Pan-Pacific Entomol.**, **36**(3):149-150.
1961. A new species of *Purpuricenrus* from Texas. **Pan-Pacific Entomol.**, **37**(3):183-184.
1962. New North American species of Elaphidionine Cerambycidae. **Pan-Pacific Entomol.**, **38**(2):103-112.
1963. Taxonomy and bionomics of the genus *Tetraopes*. **Univ. Calif. Publ. Entomol.**, **30**:1-90, 17 figs., 9 pls.
1963. Some new North American Callidiini with notes on the synonymy of *Pronocera* Motschulsky and *Gonocalus* LeConte. **Pan-Pacific Entomol.**, **39**(1):37-41.
1963. Synopsis of the genus *Ancylocera* in Mexico. **J. Kansas Entomol. Soc.**, **36**(2):104-109.
1964. Introduced European cerambycid. **Pan-Pacific Entomol.**, **40**(1):62
1964. Immature habits of Callidiini with a description of new California *Callidium*. **Pan-Pacific Entomol.**, **40**(3):187-190, 2 figs.
1964. Type species of generic names applied to North American Lepturinae. **Pan-Pacific Entomol.**, **40**(4):231-237.
1964. A new species of Mexican *Ancylocera* with records of others. **Entomol. News**, **75**(4):108-110.
1965. A new subspecies of *Oeme costata*, with observations on the habits of larvae and adults. **J. Kansas Entomol. Soc.**, **38**(4):351-355, 2 figs.
1966. Descriptions and records of West Indian Cerambycidae. **Proc. U. S. Nat. Mus.**, **118**(3526):209-220.
1967. Lectotype designations of Cerambycidae in the British Museum (Natural History). **J. Kansas Entomol. Soc.**, **40**(1):73-81.
1967. Lectotype designations of Cerambycidae in the Muséum d'Histoire Naturelle, Paris. **J. Kansas Entomol. Soc.**, **40**(1):81-83.
1967. Review of the genus *Championa* Bates. **Pan-Pacific Entomol.**, **43**(1):43-48, 5 figs.
1967. Notes on Cerambycidae of Grand Bahama Islands. **Pan-Pacific Entomol.**, **43**(3):181-188, 8 figs.
1969. New Mexican and Central American species of *Strangalia* Audinet-Serville. **J. New York Entomol. Soc.**, **77**(1):2-9, 7 figs.
1969. Records and descriptions of Cuban Cerambycidae. **Acta Musei Moraviensis**, **54**:185-190.
1969. Records and descriptions of Mexican and Central American Tillomorphini. **Pan-Pacific Entomol.**, **45**(4):303-317, 8 figs.
1972. Review of the genus *Cirrhicera* Thomson. **Pan-Pacific Entomol.**, **48**(2):86-93, 11 figs.
1972. A new seed inhabiting cerambycid from Costa Rica. **Pan-Pacific Entomol.**, **48**(2):150-152, 1 fig.

1977. A list of types of Cerambycidae at the Field Museum of Natural History, Chicago. **Coleop. Bull.**, **31**(2):173-179.
1977. New neotropical Tillomorphini in the genus *Tetranodus* Linell. **Pan-Pacific Entomol.**, **53**(2) 124-125.
1977. Records and descriptions of some Mexican species of the genus *Phaea* Newman **Pan-Pacific Entomol.**, **53**(4):269-276, 1 fig.
1978. Review of the genus *Essostrutha* Thomson. **Pan-Pacific Entomol.** **54**(2):125-128, 2 figs.
1979. New species of neotropical Prioninae. **Coleop. Bull.**, **33**(1):125-128, 1 fig.
1980. Revision of the genus *Stenobatyle* Casey. **Pan-Pacific Entomol.**, **56**(2):113-120.
1983. A new Central American species of *Derancistrus*. **Proc. Entomol. Soc. Washington**, **85**(4):714-716, 1 fig.
1984. Description of a new Purpuricenine genus, *Linsleyella*. **Pan-Pacific Entomol.**, **60**(2):114-118, 1 fig.
1986. New Onciderini from Santa Rosa National Park, Costa Rica. **J. New York Entomol. Soc.**, **94**(1):16-19, 1 fig.
1987. A new Mexican species of *Linsleyella* Chemsak. **Pan-Pacific Entomol.**, **63**(2):145-146, 1 fig.
1991. New Mexican and Central American Elaphidiini. **Ann. Inst. Biol. Univ. Nac. Autón. México**, (ser. Zool.) **62**(3):469-480.
1996. **Illustrated Revision of the Cerambycidae of North America**. Vol. I, Subfamilies Parandrinae, Spondylidinae, Aseminae, Prioninae. Wolfsgarden Press, Burbank, CA, ix+150 pp., 10 pls.
1997. A new Central American Rhinotragine. **Occ. Papers of the Cons. Coleop.**, **1**(1):15-16, 1 fig.
1998. A new genus of Mexican Prioninae. **Occ. Papers of the Cons. Coleop.**, **2**(1): 24-26, 1 fig.
1999. Revision of the genus *Phaea* Newman. **Occ. Pap. of the Cons. Coleop.**, **3**(1): 36 - 101, 59 figs.
2005. **Illustrated Revision of the Cerambycidae of North America**. Vol. 2, Subfamily Lepturinae. Wolfsgarden Press, Chino, CA, 446 pp., 27 pls.
- CHEMSAK, J. A. & C. FELLER. 1988. New species of Cerambycidae from Twin Cays, Belize. **Proc. Entomol. Soc. Washington**, **90**(2):179-188, 5 figs.
- CHEMSAK, J. A. & E. F. GIESBERT. 1986. New species of Cerambycidae from the Estación de Biología de Chamela, Jalisco, Mexico. **Folia Entomol. Mex.**, **69**:19-39, 5 figs.
- CHEMSAK, J. A. & F.T. HOVORE. 2002. New Mexican & Central American species of Acanthoderini (Lamiinae) with notes on others, parts 1 & 2. **Les Cahiers Magellanes**, **No. 15**: 1-32, 17 figs; **No. 16**: 1-26, 15 figs.
- CHEMSAK, J. A. & E. G. LINSLEY. 1959. Some new species and subspecies of *Crossidius* from western North America. **J. Kansas Entomol. Soc.**, **32**(4):176-183.
1963. The North American genera related to *Gaurotes* with a key to the Mexican component species. **Pan-Pacific Entomol.**, **39**(2):81-87.
1963. A new genus and two new species of Mexican Elaphidionini. **Entomol. News**, **74**(4):85-88, 1 fig.
1963. The genera of Hesperophaninae Cerambycidae presently known from Mexico, with description of several new species. **J. Kansas Entomol. Soc.**, **36**(4):207-230, 1 fig.
1963. Synopsis of the known Mexican species of *Aneflus*. **Bull. Brooklyn Entomol. Soc.**, **58**:80-96, 3 pls.
1964. Methiine Cerambycidae of Mexico and Central America. **J. New York Entomol. Soc.**, **72**:40-61, 1 fig.

1964. Descriptions and records of Hesperophanini with keys to the species of *Anatinomma* and *Amphelictus*. **J. Kansas Entomol. Soc.**, **37**(3):216-226.
1964. Descriptions and records of Mexican Methiini. **Pan-Pacific Entomol.**, **40**(3):158-161.
1965. New genera and species of North American Cerambycidae. **Pan-Pacific Entomol.**, **41**(3):141-153, 4 figs.
1965. A revised key to the species of *Elytroleptus* with notes on variation and geographical distribution. **Pan-Pacific Entomol.**, **41**(3):193-199.
1965. The Elaphidionine subgenus *Protaneflus*. **Proc. Entomol. Soc. Washington**, **67**(1):24-28.
1966. The genus *Callidiellum* in North America. **Pan-Pacific Entomol.**, **42**(2):151-155.
1966. The genus *Tigrinestola* Breuning. **Pan-Pacific Entomol.**, **42**(3):239-243, 2 figs.
1967. A reclassification of the Western Hemisphere Methiini. **Pan-Pacific Entomol.**, **43**(1):28-39, 3 figs.
1967. A review of the genus *Sphaerionillum* Bates. **Pan-Pacific Entomol.**, **43**(1):40-43, 3 figs.
1967. Notes on the genera *Pseudoperiboeum* Linsley and *Conosphaerion* Linsley. **J. Kansas Entomol. Soc.**, **40**(3):285-290.
1968. New species of Elaphidionini from Mexico. **Pan-Pacific Entomol.**, **44**(1):26-34, 6 figs.
1968. New species of the genus *Zagymnus*. **J. Kansas Entomol. Soc.**, **41**(1):37-40, 2 figs.
1970. Additional designations of lectotypes of neotropical Cerambycidae in the collections of the British Museum (Natural History). **J. Kansas Entomol. Soc.**, **43**(4):404-417.
1970. New Mexican species of *Eburia* Serville and *Eburodacrys* Thomson. **Pan-Pacific Entomol.**, **46**(4):299-305.
1971. New Neotropical Methiine Cerambycidae. **Pan-Pacific Entomol.**, **47**(2):117-122, 2 figs.
1972. *Tapeina transversifrons brevifrons*, n. subsp., in R. C. Marinoni, Esboço monográfico do gênero *Tapeina*. **Bol. Univ. Fed. Paraná**, (Zool.) **5**(1):64
1973. The genus *Mecas* LeConte. **Proc. Calif. Acad. Sci.**, (4)**39**(12):141-184, 11 figs.
1973. New species of *Eburia* from Mexico. **Pan-Pacific Entomol.**, **49**(4):338-353, 12 figs.
1974. Reclassification, synonymy, and descriptions of some North American Cerambycidae. **Coleop. Bull.**, **28**(4):181-184.
1974. Notes and descriptions of some Lycid-like Neotropical Lepturine Cerambycidae. **Pan-Pacific Entomol.**, **50**(1):35-43, 2 figs.
1974. Descriptions and records of Clytini from Mexico and Central America. **Pan-Pacific Entomol.**, **50**(2):129-138, 7 figs.
1975. New species of the genus *Aneflomorpha* from Mexico. **Pan-Pacific Entomol.**, **51**(3):201-204.
1975. Mexican Pogonocherini. **Pan-Pacific Entomol.**, **51**(4):271-286.
1976. Further studies among the Mexican and Central American Lepturine Cerambycidae related to *Euryptera* and *Choriolaus*. **Pan-Pacific Entomol.**, **52**(1):38-49, 2 figs.
1976. The genus *Triacetelus* Bates. **Pan-Pacific Entomol.**, **52**(3):216-219.
1976. A review of the Mexican and Central American species of *Strangalia* Audinet-Serville. **J. New York Entomol. Soc.**, **84**(4):216-232, 2 figs.
1976. The Lepturine genus *Pseudotypocerus*. **Coleop. Bull.**, **30**(2):171-175.

1976. A new genus of Mexican and Central American Lepturinae with a review of the genus *Neoleptura* Thomson. **J. Kansas Entomol. Soc.**, **49**(2):177-187, 2 figs.
1977. Review of the genus *Derobrachus* Audinet-Serville occurring in the United States **J. Kansas Ent Soc.**, **50**(4):508-514.
1978. New Neotropical Lamiinae. **Pan-Pacific Entomol.**, **54**(1):26-30, 1 fig.
1978. Additions to the Cerambycidae of the Revilla Gigedo Islands. **Bull. So. Calif. Acad. Sci.**, **77**(3):138-142, 2 figs.
1979. Review of the Rhinotragini of Mexico. **Proc. Calif. Acad. Sci.**, **42**(3):69-85, 7 figs.
1979. New Cerambycidae from Honduras. **Pan-Pacific Entomol.**, **55**(4):267-272.
1980. Records of Cerambycidae from Cocos Islands. **Pan-Pacific Entomol.**, **56**(4):310.
1981. Additions to the known species of *Pseudotypocerus* and *Strangalia*. **Pan-Pacific Entomol.**, **57**(4):485-491.
1982. **Checklist of Cerambycidae. The Longhorned beetles. Checklist of the Cerambycidae and Disteniidae of North America, Central America, and the West Indies.** Medford, N.J., Plexus Publ. Inc., 138 pp.
1982. Review of the genus *Rhodoleptus* Linsley. **Coleop. Bull.**, **36**(2):390-394, 1 fig.
1982. New Mexican Purpuricenini. **Wasmann J. Biol.**, **40**(1-2):71-76, 2 figs.
1983. Confirmation of the occurrence of *Echthistatus* in Mexico and description of a related new genus. **Inter. J. Entomol.**, **25**(2-3):226-230, 2 figs.
1984. A new California species of *Phymatodes* Mulsant. **Pan-Pacific Entomol.**, **60**(2):73-75, 1 fig.
1984. New genera and species of neotropical Cerambycidae. **Pan-Pacific Entomol.**, **60**(4):279-288, 4 figs.
1986. New Lamiinae from Mexico. **J. New York Entomol. Soc.**, **94**(1):20-31, 3 figs.
1988. Additional new species of Cerambycidae from the Estación de Biología Chamela, Mexico and environs. **Folia Entomol. Mex.**, **77**:123-140, 1 fig.
- CHEMSAK, J. A., E. G. LINSLEY & F. T. HOVORE. 1988. A Concentration Site for Cerambycidae in Jalisco, Mexico (Coleoptera) **Pan-Pacific Entomol.**, **64**(3):291-292.
- CHEMSAK, J. A., E. G. LINSLEY & J. V. MANKINS. 1980. Records of some Cerambycidae from Honduras. **Pan-Pacific Entomol.**, **56**(1):26-37.
- CHEMSAK, J. A., E. G. LINSLEY & F. A. NOGUERA. 1992. **Listados Faunísticos de México II. Los Cerambycidae y Disteniidae de Norteamérica, Centroamérica y las Indias Occidentales.** Univ. Nac. Autónoma de México, Instituto de Biología, México. 204 pp.
- CHEMSAK, J. A. & U. R. MARTINS. 1966. A new South American species of *Nyssicostylus* Melzer. **Papéis Avulsos Dep. Zool.**, **19**(16):193-195, 1 fig.
- CHEMSAK, J. A. & J. D. McCARTY. 1997. Review of the genus *Thryallis* Thomson. **Coleop. Bull.**, **51**(2):101-112, 8 figs.
- CHEMSAK, J. A. & F. A. NOGUERA. 1993. Annotated Checklist of the Cerambycidae of the Estación de Biología Chamela, Jalisco, Mexico, with descriptions of new genera and species. **Folia Entomol. Mex.**, **89**:55-102, 3 figs.
1997. New Mexican Cerambycidae. **Occ. Pap. of the Cons. Coleop.** **1**(1):6-14, 2 figs.
1998. Review of the genus *Sphaenothecus* Dupont. **Pan-Pacific Entomol.**, **74**(1):12-26, 7 figs.
2001. New Mexican and Central American Cerambycidae. **Occ. Pap. of the Cons. Coleop.**, **4**(1): 50-55, 6 figs.

2003. New species of *Anelaphus* Linsley from Mexico, Central America and South America. **Pan-Pacific Entomol.**, **79(1)**: 58 - 65, 6 figs.
2004. New species of the genus *Tetraopes* Schoenherr. **Pan-Pac. Entomol.**, **79(3/4)**: 237 – 244, 3 figs.
2005. New Mexican species of the elaphidionine genus *Aneflomorpha* Casey, 1912, with a key to the Mexican species. **Pan-Pacific Entomol.**, **81(1/2)**: 20-33, 9 figs.
- CHEMSAK, J. A. & J. A. POWELL. 1966. Studies on the bionomics of *Tragidion armatum* LeConte. **Pan-Pacific Entomol.**, **42(1)**:36-47, 3 figs, 1 map.
- CHENU, J. C. 1870. **Encyclopédie d'histoire naturelle...**, Coléoptères. **3**: vi + 360 pp., 296 figs., 48 pls. (2nd edit.).
- CHEVROLAT, L. A. A. 1833. Description de deux genres nouveaux de curculionites et d'un nouveau prionen, de la deuxième division du genre *Macrodonia* de M. Serville. **Ann. Soc. Entomol. France**, **2**:60-66, 3 pls.
1833. Description d'espèces nouvelles. **Revue Entomol.**, Strasbourg, **1(10)**:14.
1834. **Coléoptères de Mexique**. Strasbourg, **2**:1-44; **3**:1-48; **4**:1-53.
1835. **Coléoptères de Mexique**. Strasbourg, **4**:54-70.
1838. In F. E. Guérin-Méneville, Insectes Coléoptères inédits, découverts par M. Lanier dans l'intérieur de l'Ile de Cuba. **Revue Zool.**, **1838**:279-286
1843. G. Trichodere. *Trichoderes*. **Mag. Zool.**, **1843**:35-37, pl. 113.
- 1842-49. In C. D. d'Orbigny, **Dictionnaire universel d'histoire naturelle**. Paris. 13 vols.+ 3 vols. plates.
1851. Note sur les longicornes de la collection de Banks, la plupart types de Fabricius, rapportés aux genres actuels. **Ann. Soc. Entomol. France**, (2)**9**:657-664.
1852. Rappel des coléoptères décrits par Palisot de Beauvois aux genres actuellement adoptés, avec synonymie. **Ann. Soc. Entomol. France**, (2)**10**:629-651.
1853. Description de Coléoptères nouveaux III. Deux espèces du Nord de l'Amerique. **Revue Mag. Zool.**, (2)**4**:419-422.
1855. Description de vingt et une espèces nouvelles de coléoptères longicornes. **Revue Mag. Zool.**, (2)**7**:178-187.
1857. Description de trois longicornes nouveaux. **Revue Mag. Zool.**, (2)**9**:103-107, pl. 7.
1858. Description de nouvelles espèces de coléoptères. **Ann. Soc. ent France**, (3)**6**:315-329, pl. 8.
1858. Descriptions de coléoptères de la partie méridionale de l'Ile de Cuba. **Revue Mag. Zool.**, (2)**10**:209-211.
1859. Description d'un genre nouveau établi aux dépens de plusieurs espèces de *Rhopalophora* de Dejean. **Arcana Nat.**, **1**:50-54.
1859. Description de deux espèces nouvelles du genre *Cynoderus* (Serville). **Arcana Nat.**, **1**:55-56.
1859. Essai monographique sur le genre *Rhopalophora*. **Arcana Nat.**, **1**:57-64.
1859. Description de cinq espèces nouvelles de coléoptères longicornes. **Revue Mag. Zool.**, (2)**11**:26-29.
1860. Description d'espèces de *Clytus* propres au Mexique. **Ann. Soc. Entomol. France**, (3)**8**:451-504, pl. 9.
1861. Réflexions et notes synonymiques sur le travail de M. James Thomson sur les Cérambycides, avec descriptions de quelques nouvelles espèces. **J. Entomol.**, **1**:185-192; 245-254.
1861. Description d'un genre inédit de Dejean (*Centrocerum*) de la tribu des cérambycides. **Ann. Soc. Entomol. France**, (4)**1**:189-191.

1861. Description de clytides de l'ancienne Colombie. **Ann. Soc. Entomol. France**, (4)**1**:377-388.
1862. Description de clytides du Brésil. **Ann. Soc. Entomol. France**, (4)**2**:49-67.
1862. Coléoptères de l'Ile de Cuba. Notes, synonymies et descriptions d'espèces nouvelles. Familles des cérambycides et des parandrides. **Ann. Soc. Entomol. France**, (4)**2**:245-280.
1862. Description de clytides américains. **Ann. Soc. Entomol. France**, (4)**2**:517-536.
1862. Révision des genres *Eriphus* et *Mallosoma* Serville, du groupe des clytides et description de trois nouveaux genres dont un doit être rapporté au groupe des callidiites. **Ann. Soc. Entomol. France**, (4)**2**:747-763.
1864. Description d'un nouveau genre et diverses espèces d'insectes coléoptères de l'Ile de Cuba. **Revue Mag. Zool.**, (2)**16**:179-182.
1877. Description d'une nouvelle espèce de prionen exotique. **Bull. Soc. Entomol. France**, **1877**: xxxi-xxxii.
- CHITTENDEN, F. H. 1895. Some changes in nomenclature. **Insect Life**, 7(5):418-419.
- CLARKE, R.O.S. 2007. New species of Rhinotragini and Heteropsini and a note on *Trachelissa maculicollis* (Trachyderini) (Coleoptera, Cerambycidae, Cerambycinae). **Papéis Avulsos Zool.**, **47**(11):153-158, 8 figs.
2007. New and newly illustrated *Gnomidolon* Thomson (Coleoptera, Cerambycidae, Hexoplonini) from Bolivia. **Rev. Bras. Ent.** **51**(3): 257-262, 18 figs.
2007. Synopsis of the Bolivian species of *Mimasynogenes* Breuning, 1950 (Coleoptera, Cerambycidae, Desmiphorini) with two new species. **Papéis Avulsos Zool.**, **47**(26):359-368, 6 figs.
2008. *Oxylopsebus brachypterus*: a new genus and species of Oxycoleini (Coleoptera, Cerambycidae, Cerambycinae) from Bolivia. **Papéis Avulsos Zool.**, **48**(9):61-67, 6 figs.
2009. Bolivian Rhinotragini I: New species of *Ecliptoides* Tavakilian & Penaherrera-Leiva, 2005 new status, and *Cleptoides* new genus (Coleoptera, Cerambycidae). **Papéis Avulsos Zool.**, **49**(43):563-576, 6 figs.
2009. Bolivian Rhinotragini II: *Isthmiade* Thomson, 1864 (Coleoptera, Cerambycidae), with two new species. **Papéis Avulsos Zool.**, **49**(44):577-591, 5 figs.
2010. Bolivian Rhinotragini III: new genera and species (Coleoptera, Cerambycidae) **Pap. Avuls. Zool.** **50**(16):239-267, 10 figs.
2011. *Brachylophora*, a new brachypterous genus of Rhopalophorini (Coleoptera, Cerambycidae). **Rev. Bras. Ent.** **55**(2):154-158, 3 figures.
2011. Bolivian Rhinotragini IV: *Paraeclipta* gen. nov. (Coleoptera, Cerambycidae), new species and new combinations. **Pap. Avuls. Zool.** **51**(15):233-251, 6 figures.
2012. Bolivian Rhinotragini V: New Species of *Erythroplatys* White, 1855, *Rhinotragus* Germar, 1824, *Ornistomus* Thomson, 1864, and *Aechmutes* Bates, 1867 (Coleoptera, Cerambycidae). **Pap. Avuls. Zool.** **52**(5): 55-79, 7 figures.
2012. Contribution towards the knowledge of Rhinotragini (Coleoptera, Cerambycidae). V. Reconsideration of *Rhopalessa rubroscutellaris* (Tippmann, 1960). **Pap. Avuls. Zool.** **52**(22):255-259, 4 figures.
- CLARKE, R. O. S., U. R. MARTINS & A. SANTOS-SILVA. 2011. Contribuição para o estudo dos Rhinotragini (Coleoptera, Cerambycidae). IV. *Rhopalessa* Bates, 1873. **Pap. Avuls. Zool.** **51**(21):325-339, 11 figures.
- COCKERELL, T. D. A. 1890. Description of *Ergates spiculatus* var. *marmoratus*. **Entomol. News**, **1**:61.
1906. Preoccupied generic names in Coleoptera. **Entomol. News**, **17**(7):240-244.

- COMOLLI, A. 1837. **De coleopteris novis ac rarioribus cognitis provinciae Novocomi**. Ticini Regii, 54 pp.
- COPE, J. S. 1984. A New Species of *Phymatodes* from NewMexico. **Pan-Pacific Entomol.**, **60**(1):63-64.
1984. Notes on the Ecology of Western Cerambycidae. **Col. Bull.** **38**(1):27-36.
- CORBETT, D.C. 2004. Sinopse do gênero *Cobelura* (Lamiinae, Acanthocinini), com descrição de três espécies novas. **Iheringia, Sér. Zool.**, **94**(3): 277 – 280, 3 figs.
- COSTA LIMA, A. M. da. 1922. Descrição de uma nova espécie do gênero *Rhatimoscelis* Thom. **Bol. Soc. Entomol. Bras.**, **1**:21-23.
1931. *Melzerella lutzi*, n. gen., n. sp. **Rev. Entomol.**, **1**(2):139-142, 1 fig.
1955. **Insetos do Brasil**, 9.ºTomo, Coleópteros, pt. 3, Escola nacional de agronomia, Série didática, No. 11. 289 pp., 201 figs.
- CRAIGHEAD, F. C. 1923. North American cerambycid-larvae. **Bull. Can. Dep. Agric.** (N. S.) **27**:1-239, figs. 1-8, pls. 1-44.
- CROTCH, H. H. 1873. **Check list of the Coleoptera of America, north of Mexico**. Salem, Mass. Naturalists' Agency, 136 pp.
- CSIKI, E. 1904. Magyarország Cerambycidai. **Rovart. Lap.**, **11**:99.
1909. Coleoptera nova in Museo Nationali Hungarico. **Ann. Hist-Nat. Mus. Natn. Hung.**, **7**:340-343.
1931. Cerambycidarum species nova europaea. **Ann.Hist-Nat. Mus. Natn. Hung.**, **27**:278.
- CURTIS, J. 1825. **British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland**. London, **2**: pls. 51-98.
1829. **British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland**. London, **6**: pls. 242-289.
- DALENS, P-H. 2011. Un nouveau *Paranyssicus* Martins, 2005 de Guyane (Coleoptera Cerambycidae Cerambycinae). **L'Entomologiste** **67**(1):9-13, 4 figures.
- DALENS, P. & N. DELAHAYE. 2007. Contribution a la Connaissance des Longicornes de Petites Antilles: Un Nouveau *Solenoptera* de Sainte-Lucie. **Lambillionea.**, **107**(1):31-35, 2 figs.
- DALENS P-H, & J.L. GIUGLARIS.2012. *Atiaia* Martins & Monné, 2002 et Paratiaia gen. nov. de Guyane (Coleoptera Cerambycidae Cerambycinae). **L'Entomologiste** **68**(1):31-40, 5 figures.
2012. Les *Ectenessa* Bates, 1885 de Guyane (Coleoptera Cerambycidae Cerambycinae). **L'Entomologiste** **68**(6): 329-332, 8 figures.
- DALENS, P. H. & G. L. TAVAKILIAN. 2006. *Beaveriella virginiae* n. sp. de Guyane (Coleoptera, Cerambycidae, Cerambycinae). **Lambillionea**, **106**(4): 711-713, fig.
2009. Revision du genre *Hespereburia* Tavakilian & Monné, 1991 (Coleoptera, Cerambycidae, Hesperophanini). **Les Cahiers Magellanes.** **99**:1-11, 3 figs.
- DALENS, P. & J. TOUROULT. 2007. Nouveau Taxon et Liste Commentee des Longicornes de la Barbade. **Lambillionea.**, **107**(2):289-294, 8 figs.
2008. Un nouveau Psebiini Lacordaire, 1869 de Guyane: *Dodecercus poirieri* n. gen., n. sp. (Coleoptera, Cerambycidae, Cerambycinae). **L'Entomologiste.** **64**(6):305-307, 4 figs.
2009. **Les Compsocerini de Guyane I. Une nouvelle espèce de *Caperonotus* Napp, 1993 (Coleoptera Cerambycidae Cerambycinae).** **L'Entomologiste.** **65**(5):235-238, 4 figs.
2010. Un nouvel Ectenessini de Guyane: *Paralissoeme maculipennis* n. gen., n. sp. (Coleoptera Cerambycidae



- Cerambycinae). **L'Entomologiste** **66(5-6)**:287-290, 2 figs.
2010. Diversité des longicornes de la Montagne des Chevaux : résultats d'un suivi continu entre 2008 et 2010 (Coleoptera, Cerambycidae). **Contribution a l'etude des Coleopteres de Guyane** **1**:37-9, 17 figures.
2011. Un nouvel *Ochrus* Lacordaire proche d'*Ochrus ornatus* (Fisher, 1935) (Coleoptera Cerambycidae). **L'Entomologiste** **67(6)**:333-335, 4 figures.
- DALENS, P-H., J-L. GIUGLARIS, & G. L. TAVAKILIAN 2010. Première contribution à la connaissance des Dodecosini Aurivillius, 1912 de Guyane (Coleoptera Cerambycidae Cerambycinae) **L'Entomologiste** **66(2)**:105-108, 4 figs.
2010. Contribution à la connaissance des Mauesini Lane, 1956 de Guyane (Coleoptera, Cerambycidae, Lamiinae) **Les Cahiers Magellanes** **113**: 1-10, 10 figs.
- DALENS, P-H., G. L. TAVAKILIAN & J. TOUROULT. 2009. Contribution à la connaissance des Trachyderini de Guyane (Coleoptera, Cerambycidae, Cerambycinae). **L'Entomologiste**. **65(4)**:199-206, 6 figs.
2011. Revision de Compsocerini de Guyane (Coleoptera, Cerambycidae, Cerambycinae). **Les Cahiers Magellanes** **NS 2**:79-111, figures.
- DALENS, P-H., J. TOUROULT, & J-L. GIUGLARIS. 2009. Deux nouveau *Xenofrea* Bates, 1885 de Guyane (Coleoptera, Cerambycidae, Lamiinae). **L'Entomologiste**. **65(2)**:81-84, 4 figs.
- DALENS, P-H., J. TOUROULT, & G. L. TAVAKILIAN. 2009. Les *Blabicentrus* Bates, 1866 et genres proches (Coleoptera, Cerambycidae, Lamiinae, Desmiphorini). **Les Cahiers Magellanes**, **101**:1-19, 8 figs.
2010. Les Compsocerini de Guyane II. *Compsopyris pereuræ* n. gen., n. sp. (Coleoptera, Cerambycidae, Cerambycinae). **L'Entomologiste** **66(2)**:49-52, 4 figs.
2010. Un nouveau Prionien du plateau des Guyanes (Coleoptera Cerambycidae Prioninae). **L'Entomologiste** **66(4)**:215-219, 6 figs.
2010. Un nouveau genre d'Hemilophini à douze articles antennaires: *Purusiella* n. gen. (Coleoptera, Cerambycidae, Lamiinae) **Contribution a l'etude des Coleopteres de Guyane** **1**:34-36, 4 figures.
- DALMAN, J. W. 1817. In C. J. Schoenherr, **Synonymia insectorum, oder: Versuch einer Synonymie aller bisher bekannten Insecten; nach Fabricii Systema Eleutheratorum & c. geordnet, Eleutherata oder Käfer**. Skara, Lewerentzichen Buch., Stockholm, **1(3)**: xi + 506 pp.
1817. In C. J. Schoenherr, **Appendix ad C. J. Schoenherr Synonymia Insectorum sistens descriptiones novarum specierum**. Scaris, Off. Lewerentziana, **1(3)**:1-266, 2 color pls.
1819. Några nya Insekt-genera, beskrifna. **K. Svenska Vetensk. Akad. Handl.**, **40**:117-127.
1823. **Analecta entomologica**. Holmiae, viii + 108 pp., 4 pls.
- DAMOISEAU, R. & J. COOLS. 1987. Liste du material typique conserve dans les collections entomologiques de l'Institut royal des Sciences naturelles de Belgique. Coleoptera, Cerambycoidea, Cerambycidae: Aseminae, Cerambycinae, Disteniinae, Lepturinae, Parandrinae, Prioninae et Spondylinae. **Documents de travail**, **42**:1-39.
- DANILEVSKY, M.L. 2012. **Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera)** edited by I. Löbl and A. Smetana, 2010. Part. IV. **Humanity space International almanac** VOL. 1, No 1, 2012 86-136.
- DAVIS, W. T. 1904. A new beetle from New Jersey. **Entomol. News**, **15(1)**:34-35, 1 pl.
1923. A new longicorn beetle from the Catskill Mountains. **Bull. Brooklyn Entomol. Soc.**, **18**:97-98.
- DEGEER, C. 1774. **Mémoires pour servir à l'histoire des insectes**. Stockholm, Imp. Pierre Hesselberg, **4**: xii + 455 pp., 19 pls.

1775. **Mémoires pour servir à l'histoire des insectes**. Stockholm, Imp. Pierre Hesselberg, **5**: vii + 448 pp., 16 pls.
- DEJEAN, P. F. M. A. 1821. **Catalogue de la collection de coléoptères de M. le baron Dejean**. Crevot Libr., viii + 136 pp. + 11 pp.
1835. **Catalogue de la collection de Coléoptères de M. le comte Dejean**. 2e. ed., livr. 4, pp. 257-360.
1837. **Catalogue de la collection de Coléoptères de M. le comte Dejean**. Méquignon-Marvis Père et Fils, troisième édition, revue, corrigée et augmentée, livr. 5, xiv + 503 pp.
- DELAHAYE, N. & G. L. TAVAKILIAN. 2009. Note sur *Mallodon downesii* Hope, 1843, et mise en synonymie de *M. plagiatum* Thomson, 1867 (Coleoptera, Cerambycidae). *Bull. Soc. Ent. Fr.* **114**(1):39-45, 7 figs.
- DELER-HERNANDEZ, A. & A. SANTOS-SILVA. 2011. Pandrinae from Cuba (Coleoptera, Cerambycidae). **Pap. Avuls. Zool.** **51**(14):221-232, 22 figures.
- DELFINO, S. M. 1981. Revisão do gênero *Trichonyssodrys* Gilmour, 1957 (Acanthocinini). **Rev. Bras. Biol.**, **41**(2):255-258, 3 figs.
1985. Quatro novas espécies de Platyarthrini. **Rev. Bras. Entomol.**, **29**(3-4):497-502, 5 figs.
1990. Um gênero novo de Trachyderini. **Rev. Bras. Biol.**, **50**(3):695-699, 6 figs.
- DEMELT, C. 1989. Zwei neue Bockkäferarten. **Entomofauna**, **10**(14):241-245.
- DEMETS, Y. 1973. Notes sur les Callichromatini. **Papéis Avulsos Zool.**, **26**(12):173-177.
1973. Notes sur les Callichromatini. II. *Diotecnon iris* (Taschenberg, 1870) **Papéis Avulsos Zool.** **27**(12):157-171, 16 figs.
1974. Notes sur les Callichromatini III. Étude préliminaire du genre *Cnemidochroma* Schmidt, 1924. **Papéis Avulsos Zool.**, **28**(5):91-104, 19 figs.
1976. Notes sur les Callichromatini IV. Étude préliminaire des genres *Schwarzerion* Schmidt, 1924 et *Xenochroma* Schmidt, 1924. **Papéis Avulsos Zool.**, **29**(17):121-140, 29 figs.
- DEMETS, Y. & U. R. MARTINS 1973. Notes au sujet de quelques types de Smodicini du Muséum National d'Histoire Naturelle de Paris. **Rev. Bras. Entomol.**, **17**(7):41-45, 2 figs.
- DEMEZ, P. & J. TOUROULT. 2011. Contribution, a la connaissance des longicornes du Perou I. 59 nouveaux signalements pour le pays (Coleoptera, Cerambycidae). **Les Cahiers Magellanes N.S.** **6**:97-108, 2 figures.
- DESMAREST, E. 1832. Hypocephale. *Hypocephalus* Desmarest. **Mag. Zool.**, **2**: pl.24
- DIAS, M. M. 1984. Revisão da subfamília Anoplodermatinae. Parte I. Tribo Anoplodermatini. Gênero *Migdolus* Westwood, 1863. **Rev. Bras. Entomol.**, **28**(4):507-535, 90 figs.
1986. Revisão da subfamília Anoplodermatinae. Parte II. Tribo Anoplodermatini. Gêneros: *Acanthomigdolus* Bruch, 1941, *Paramigdolus*, gen. n., *Anoploderma* Guérin-Méneville, 1840, *Sypilus* Guérin-Méneville, 1840. **Rev. Bras. Entomol.** **30**(1):115-139, 99 figs.
1987. Revisão da subfamília Anoplodermatinae. Parte III. Tribo Anoplodermatini. Gêneros: *Cherrocarius* Berg, 1898, *Hypocephalus* Desmarest, 1832. **Rev. Bras. Entomol.**, **31**(1):101-112, 29 figs.
1988. Revisão da subfamília Anoplodermatinae. Parte IV. Tribo Mysteriini. Gêneros: *Mysteria* Thomson, 1861, *Pathocerus* Waterhouse, 1901, *Pseudopathocerus*, gen. n. **Rev. Bras. Entomol.**, **32**(2):139-160, 82 figs.
2004. Novas ocorrencias e descricao ad fema *Mysteria darwini* (Lameere) (Coleoptera, Vesperidae, Anoplodermatinae). **Rev Bras Ent** **48**(1):141-143.
- DI IORIO, O. R. 1995. A new species of *Argentinoeme* Bruch 1911 from Argentina. **Insecta Mundi**, **9**(3-4):279-280, 7 figs.

1995. The Argentine species of the genus *Megacyllene* Casey, 1912, with description of a new species. **Insecta Mundi**, 9(3-4):317-328, 9 figs.
1995. The genus *Neoclytus* Thomson, 1861 (Clytini) in Argentina. **Insecta Mundi**, 9(3-4):335-345, 27 figs.
1995. The genus *Deltosoma* Thomson, 1864 in Argentinian: *D. lacordairei* Thomson, 1864 and *D. xerophila* n. sp.; with a revision of larval tunnels and pupal chambers in neotropical Cerambycinae. **Giorn. ital. Entomol.**, 7: 203 - 217.
1996. Torneutini of Argentina. Part I. Their relation to the South American area of *Prosopis* L. and to the xerophilous *Acacia* Miller (Mimosaceae). **Giorn. ital. Entomol.**, 8: 125-155, 54 figs.
1997. Cerambycidae from Entre Rios, Argentina, Part 1. Host plants and distributions (with a revision of host plants for Uruguay). **Giorn. ital. Entomol.**, 8: 275-289, 1 fig.
1997. Neotropical species of the genus *Megacyllene* (s. str.) Casey 1912 (Clytini), with descriptions of two new species from Argentina. **Giorn. ital. Entomol.**, 8: 383 - 398.
1998. The genus *Erlandia* Aurivillius, 1904 in Argentina, with the description of a new species. **Insecta Mundi**, 12(1-2):1-4, 2 figs.
1998. New species, combinations, synonymies, and records of Clytini. **Insecta Mundi**, 12(1-2):5-14, 4 figs.
1998. Addenda and omissions to the catalogue and checklist of the Cerambycidae and Disteniidae of the Western Hemisphere. **Insecta Mundi**, 12(1-2):15-16.
1998. Presence of *Nyssodrys lignaria* Bates in the Natural Reserve of Otamendi, Buenos Aires, Argentina. **Giorn. ital. Entomol.**, 9:1-2.
1998. Torneutini of Argentina. Part 2. Biology of *Coccoderus novempunctatus* (Germar, 1824), *Diploschema rotundicollis* (Serville, 1834), and *Praxitheia derourei* (Chabrillac, 1857). **Giorn. ital. Entomol.**, 9: 3-25, 36 figs.
1998. One new species, new records and biology of Lissonotini from Argentina and Bolivia. **Giorn. ital. Entomol.**, 9: 27-36, 3 figs.
1998. Redescriptions, new combinations, synonymies, and new records of South American Lepturini (Lepturinae). **Insecta Mundi**, 12(1-2):139-148, 27 figs.
2001. Systematics and biology of the species of the genus *Ischionodonta* Chevrolat, 1859 (Rhopalophorini) from Argentina. **Giorn. ital. Entomol.**, 9: 263-291, 33 figs.
2002. Taxonomy and systematics of Cerambycidae from Argentina: the genus *Micropsalis* Burmeister, 1861 (Prioninae). **Les Cahiers Magellanes**, No. 17: 1-22, 21 figs.
2002. Nomenclatural notes for some American Cerambycidae (Coleoptera). **Giorn. ital. Entomol.**, 10: 73-76.
2002. A new species of the genus *Callideriphus* Blanchard in Gay, 1851 (Coleoptera, Cerambycidae, Cerambycinae, Callidiini) from Patagonia, Argentina. *Giornale Italiano di Entomologia*, 10, 69-71.
2003. Taxonomy and systematics of Cerambycidae from Argentina: *Alanizus tortuosus* gen. et sp. nov. **Les Cahiers Magellanes** No. 19: 1-8, 6 figs.
2003. New species, new records and redescription of some rare Cerambycidae from Argentina. **Les Cahiers Magellanes** No. 23: 1-24, 34 figs.
2003. Reproductive behaviour of *Oncideres germari* Thomson (Lamiinae; Onciderini). **Giorn. ital. Entomol.**, 10: 159 – 170, 12 figs.
2003. Taxonomy and systematics of Cerambycidae from Argentina: a new species of *Achryson* Audinet-Serville 1833 (Coleoptera, Cerambycidae, Achrysonini). **Les Cahiers Magellanes** No. 28: 1-10, 3 figs.

2004. Exotic species of Cerambycidae (Coleoptera) Introduced in Argentina. Part 2. New Records, Host Plants, Emergence periods, and Current Status. **Agrociencia** **38**:663-678.
2005. **A field guide of the longhorned beetles (Coleoptera: Cerambycidae) from Argentina**. Wagner, P.S. & E. I. Abadie, coord. 188 pp., 74 pls, Digital Tech s.r.l., Argentina.
2006. New Record, synonymies and a new species of Clytini from South America (Coleoptera, Cerambycidae, Cerambycinae). **Les Cahiers Magellanes**, No. **58**: 1-28, 42 figs.
- DI IORIO, O. R. & J. FARINA. 2006. La fauna de Cerambycidae (Coleoptera) de la provincia de Buenos Aires, Argentina. **Rev. Mus. Argentino Cienc. Nat.** n.s. **8**(2):261-287.
- DI IORIO, O. R., A. H. RIQUELME, & J. R. ESTEBAN-DURAN. 2003. Cerambycidae (Coleoptera) of the province of Mendoza, Argentina. **Span. J. Agric. Res.** **1**(4):15-29, 17 figures.
- DI IORIO, O.R. & A. SANTOS-SILVA. 2005. Notas sobre *Apterocaulus* (Prioninae). **Iheringia**, Sér. Zool., **95**(1): 53 – 56.
- DI IORIO, O.R., H.A. CORDO, G.A. LOGARZO, & D.E. GANDOLFO. 1998. Cerambycidae (Coleoptera) root and stem borers in living plants from Argentina: a bibliographical review and new host plant records. **Giorn. Ital. Ent.** **9**:73-95
- DILLON, L. S. 1952. The Hawaiian species of *Lagocheirus*. **Entomol. News**, **63**(8):207-209.
1955. Revision of the Neotropical Acanthocinini I. The genus *Canidia* and its allies. **Entomol. News**, **66**:141-149; 176-187.
1956. The Nearctic components of the tribe Acanthocinini. Part I. **Ann. Entomol. Soc. Amer.**, **49**(2):134-167, 9 figs.
1956. The Nearctic components of the tribe Acanthocinini. Part II. **Ann. Entomol. Soc. Amer.**, **49**(3):207-235, 9 figs.
1956. The Nearctic components of the tribe Acanthocinini. Part III. **Ann. Entomol. Soc. Amer.**, **49**(4):332-355, 1 pl.
1956. The neotropic Acanthocinini II. A further note on *Canidia* allies. **Entomol. News**, **67**:105-107.
1957. Revision of the neotropical Acanthocinini (Coleoptera:Cerambycidae). II. The genus *Lagocheirus*. **Bull. Br. Mus. Nat. Hist.**, (Entomol.) **6**:137-166.
1962. Additional notes on Nearctic Acanthocinini. **Coleop. Bull.**, **16**(1):30-32.
- DILLON, L. S. & E. S. DILLON. 1941. The tribe Monochamini in the Western Hemisphere **Sci. Publ. Reading Publ. Mus.**, **1**:1-135, 5 pls.
1943. Supplementary notes on Western Hemisphere Monochamini. **J. New York Entomol. Soc.**, **51**:13-18.
1945. The tribe Onciderini Part I. **Sci. Publ. Reading Publ. Mus.** **5**: xv +186 pp.
1945. Revision of the tribe Pachypezini. **Bull. Brooklyn Entomol. Soc.** **40**:11-27, 1 pl.
1946. The tribe Onciderini Part II. **Sci. Publ. Reading Publ. Mus.** **6**:189-413, 17 pl.
1946. Review of the Onocephalini. **Trans. Amer. Entomol. Soc.**, **72**:27-48, 1 pl.
1946. A review of the tribe Gryllicini. **Livr. Homen. R. Ferreira d'Almeida**, pp.155-164, 1 pl.
1948. The tribe Dorcaschematini. **Trans. Amer. Entomol. Soc.**, **73**:173-298, 6 pls.
1949. Miscellaneous synonymy and new species among Lamiinae. **Amer. Mus. Novit.**, **1388**:1-13.
1952. The tribe Onciderini. Supplementary notes. **Ann. Entomol. Soc. Amer.** **45**:59-79.
1953. A change of names in the Cerambycidae, with other notes. **Entomol. News.**, **64**:260-261.

- DOHRN, C. A. 1878. Exotisches. **Stettin Entomol. Ztg.** **39**:444-462.
1879. Exotisches. **Stettin Entomol. Ztg.** **40**:456-461.
1882. Exotisches. **Stettin Entomol. Ztg.** **43**:245-259; 363-374; 457-470.
- DRAPIEZ, P. A. 1819. Description de huit espèces d'insectes nouvelles. **Ann. Gén. Sci. Phys.**, **1**:45-55.
1819. Description de huit espèces d'insectes nouvelles. **Ann. Gén. Sci. Phys.**, **2**:42-50.
1820. Description de sept insectes nouveaux. **Ann. Gén. Sci. Phys.**, **3**:189-193.
1820. Description de huit espèces d'insectes nouveaux. **Ann. Gén. Sci. Phys.**, **5**:117-123; 323-330.
- DRURY, D. 1772. **Illustrations of Natural History, wherein are exhibited upwards of two hundred and forty figures of exotic insects according to their different genera.** **1**:1-130, 50 pls.
1772. **Illustrations of Natural History...** , **2**:1-90, 50 pls.
1772. **Illustrations of Natural History...** , **3**:1-76, 50 pls.
- DUFFY, E. A. J. 1960. **A monograph of the immature stages of Neotropical timber beetles** (Cerambycidae). London, British Museum (Natural History), vii + 327 pp., 13 pls., 176 figs., frontisp.
- DUGÉS, D. E. 1878. Descripción de coleópteros indígenas (Géneros y especies nuevas). **Naturaleza**, **4**:169-188, 1 pl.
1885. Métamorphoses de l'*Acanthoderes borrei* Dugès. **Ann. Soc. Entomol. Belg.**, **29**(2):45-49.
1886. Métamorphoses de quelques coléoptères mexicains. **Ann. Soc. Entomol. Belg.**, **30**:26-45.
- DUPONCHEL, P. A. 1837. Description d'une espèce coléoptère du genre *Purpuricen*, tribu des cérambyciens, famille longicornes. **Ann. Soc. Entomol. France**, (1)**6**:309-310, 1 fig.
- DUPONT, H. 1832. Callipogon. *Callipogon*, Serville. **Mag. Zool.**, **2**: pl. 33.
1834. In J. G. Audinet-Serville, Nouvelle classification de la famille des longicornes. **Ann. Soc. Entomol. France**, (1)**3**:5-110.
1835. Mallodère. *Malloderes*, Dupont. **Mag. Zool.**, **5**: pl. 125.
1836. Monographie des trachydérides. **Mag. Zool.**, **6**:1-51.
1838. Monographie des trachydérides de la famille des longicornes. **Mag. Zool.**, **8**: i-xiii + 28 pp., pls. 186-200; pp. 29-59, pls. 204-224.
1840. Supplement à la monographie des trachydérides. **Mag. Zool.**, **1840**: pls. 28-38.
1840. Nouvelle espèce du genre *Ozodera*. **Revue Zool.**, **1840**:42.
- DURY, C. 1910. New species and additions to the list of Cincinnati Coleoptera. **J. Cincinnati Soc. Nat. Hist.**, **21**:64-67.
1911. Some new beetles from North Carolina, with ecological notes. **Entomol. News**, **22**:273-275.
- ELGUETA, M. 2010. Acerca de la validez de *Achryson philippii* Germain, 1898 (Coleoptera, Cerambycidae). **Boletín del Museo Nacional de Historia Natural, Chile**, **59**: 143-144.
- ELGUETA, M. & M. CERDA. 2002. *Acalodegma vidali*, nueva especie altoandina de Prioninae de Chile. **Guyana**, **66**(1) 11-21, 8 figs., 1 table.

- ERICHSON, W. F. 1834. Coleoptera und Lepidoptera, in Meyens, Beiträge zur Zoologie, gesammelt auf einer Reise um die Erde, und W. Erichsons und H. Burmeisters und Abbildungen der auf dieser Reise gesammelten Insecten. **Nova Acta Acad. Caesar. Leop. Carol.**, 16: suppl. 1, pp. 219-248.
1847. Conspectus insectorum coleopterorum quae in Republica Peruana observata sunt. **Arch. Naturgesch.**, **13**:67-185.
1848. Die Insekten, in Schomburgk's **Reise in Guiana**. Leipzig, **3**:533-617.
- ESCHSCHOLTZ, J. F. 1830. Nova genera coleopterorum faunae Europaeae. **Bull. Soc. Imp. natur. Moscou**, **2**:63-66.
- ESTEBAN DURAN, J. R. & U. R. MARTINS. 2012. *Jupoata* (Coleoptera, Cerambycidae, Cerambycinae): Nova especie da Costa Rica e chave para identificacao das especies. **Pap. Avuls. Zool.** **52**(4):51-53, 2 figures.
- ESTEBAN DURAN, J. R. & A. SANTOS-SILVA. 2011. A new species of *Echthistatus* Pascoe, 1862 and considerations on synonymy of *Edechthistatus* Monné, 2006 (Coleoptera, Cerambycidae). **Span. Journ. Ag. Res.** **9**(1):100-107, 6 figures.
- EYA, B.K. 2010. New Mexican and Central American genera and species of Trachyderini (Coleoptera, Cerambycidae, Cerambycinae) **Les Cahiers Magellanes** **108**: 1-21, 18 figs.
- EYA, B.K. & J.A. CHEMSAK. 2003. Review of the genus *Amphelictus* Bates, pts. 1 & 2. **Les Cahiers Magellanes**, No. **21**: 1-24, 16 figs; No. **22**: 1-21, 14 figs.
2005. Review of the genus *Coleoxestia* Aurivillius of Mexico & Central America, pts 1 & 2. **Les Cahiers Magellanes**, No. **44**: 1-32, 16 figs, 3 maps; No. **45**: 1-30, 15 figs, 3 maps.
- EYA, B. K. & W. H. TYSON. 2011. A new species of *Callona* Waterhouse (Coleoptera: Cerambycidae) from Costa Rica and Panama. **Zootaxa** **2987**:65-68, 2 figures.
- FABRICIUS, J. C. 1775. **Systema entomologiae, sistens insectorum classes, ordines, genera, species, adiectis synonymis, locis, descriptionibus, observationibus**. Flensburgi et Lipsiae, 832 pp.
1776. **Genera insectorum eorumque characteres naturales secundum numerum, figuram, situm et proportionem omnium partium oris adiecta mantissa specierum nuper detectarum**. Chilonii, 310 pp.
1781. **Species insectorum exhibentes eorum differentias specificas, synonyma auctorum, loca natalia, metamorphosin adiectis observationibus, descriptionibus**. Hamburgi et Kilonii, **1**: viii + 552 pp.
1787. **Mantissa insectorum sistens eorum species nuper detectas adiectis characteribus genericis, differentiis specificis, emendationibus, observationibus**. Hafniae, **1**: xx + 348 pp.
1792. **Entomologia systematica, emendata et aucta. Secundum classes ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus**. Hafniae, **1**: xx + 538 pp.
1794. **Entomologia systematica, emendata et aucta...** Hafniae, **4**:1-472.
1798. **Supplementum entomologiae systematicae...** Hafniae, 572 pp.
1801. **Systema eleutheratorum secundum ordines, genera, species: adiectis synonymis, locis, observationibus, descriptionibus**. Kiliae, **2**:1-687.
- FAIRMAIRE, L. 1857. Melanges et nouvelles. **Archiv. Entomol.**, **1**:38.
1864. In P. N. Jacquelin du Val, **Genera des Coléoptères d'Europe comprenant leur classification en famille naturelle**. **4**:1-295, 376 figs., 78 pls.
1864. Note sur quelques coléoptères recueillis par Ph. Germain a Mendoza, dans les Cordilières. **Ann. Soc. Entomol. France**, (4)**4**:261-274, 1 pl.
1883. Note sur quelques coléoptères de Magellan et de Santa Cruz. **Ann. Soc. Entomol. France**, (6)**3**:483-506.

1893. Quelques Coléoptères de la République Argentine. **Ann. Soc. Entomol. Belg.**, **37**:608-611.
1899. Note sur le genre *Paulistanus* Goun. **Bull. Soc. Entomol. France**, **1899**:39.
- FAIRMAIRE, L. & P. GERMAIN. 1859. Révision des coléoptères du Chili (suite). **Ann. Soc. Entomol. France**, (3)**7**:483-532.
1860. **Coleoptera Chilensia**. 8 pp.
1861. Révision des coléoptères du Chili (Première supplement aux Cerambycidae). **Ann. Soc. Entomol. France**, (4)**1**:105-108.
1864. Révision des coléoptères du Chili. **Revue Mag. Zool.**, (2)**16**:283-287; 385-394.
- FALL, H. C. 1897. A list of the Coleoptera of the southern California islands, with notes and descriptions. **Can. Entomol.**, **29**(10):233-244.
1901. List of the Coleoptera of southern California, with notes on habits and descriptions of new species. **Occ. Pap. Calif. Acad. Sci.**, **8**:1-282.
1905. New species of Coleoptera, chiefly from the southwest. **Can. Entomol.**, **37**(8):270-276.
1907. New genera and species of North American Cerambycidae. **J. New York Entomol. Soc.**, **15**(2):80-87.
1909. New Coleoptera from the southwest IV. **Can. Entomol.**, **41**(5):161-170.
1910. New species of *Pogonocherus*, with synoptic table. **Entomol. News**, **21**(1):5-9.
1912. A new *Tetropium*, two new Bruchides, with brief notes on other Coleoptera. **Entomol. News**, **23**:320-323.
1925. New species of Coleoptera or recent discovery. **Bull. Brooklyn Entomol. Soc.**, **20**(4):180-183.
1928. Miscellaneous notes and descriptions. **Bull. Brooklyn Entomol. Soc.**, **23**(5):236-240.
1929. New Coleoptera XIII. **Can. Entomol.**, **61**(3):54-59.
- FALL, H. C. & T. D. A. COCKERELL. 1907. The Coleoptera of New Mexico. **Trans. Amer. Entomol. Soc.**, **33**:145-272.
- FATTIG, P. W. 1947. The Cerambycidae or Long-Horned Beetles of Georgia. **Emory Univ. Mus. Bull.**, **5**:1-48.
- FAÚNDEZ, E. I. & C. F. ARÉVALO. 2009. Un caso teratológico en *Callisphyris apicicornis* Fairmaire & Germain, 1859 (Coleoptera, Cerambycidae). **Boletín Sociedad Entomológica Aragonesa** **45**: 581-582.
- FELT, E. P. & H. JOUTEL. 1904. Monograph of the genus *Saperda*. **Bull. New York St. Mus.**, **74**:1-86, 14 pls.
- FILHO, M.F. de SOUZA, D. GABRIEL & J.A. de AZEVEDO FILHO. 2001. Caracterização morfológica de três espécies de Broca-da-haste em chuchuzeiro (Lamiinae). **Neotropical Entomol.**, **30**(3): 475-477, 2 figs.
- FISCHER, 1888. *Charinotes richteri* nov. spec. **Berl. Entomol. Ztschr.**, **32**:490.
- FISHER, W. S. 1914. A new species of *Callichroma* from Texas. **Proc. Entomol. Soc. Wash.**, **16**(3):97-98.
1915. One new genus and two new species of Cerambycidae. **Proc. Entomol. Soc. Wash.**, **17**:77-79.
1917. A new species of *Xylotrechus*. **Proc. Entomol. Soc. Wash.**, **18**:214-216.
1918. A new species of longhorn beetle infesting cowpeas from Mexico. **Proc. Entomol. Soc. Wash.**, **19**:173-174.
1919. A new genus and species of Cerambycidae from Colorado. **Proc. Entomol. Soc. Wash.**, **21**(2):38-40.
1920. A new genus and several new species of Cerambycidae. **Proc. Entomol. Soc. Wash.**, **22**(7):153-159.

1921. A new cerambycid beetle from California. **Proc. Entomol. Soc. Wash.**, **23**(9):214-216.
1922. A new cerambycid beetle from Santo Domingo. **Entomol. News**, **33**:52.
1924. A new species of *Ataxia* from the United States. **Can. Entomol.**, **56**:253-254.
1925. New West Indian Cerambycidae. Subfamily Lamiinae. **Amer. Mus. Novit.**, **174**:1-16.
1925. Two new Mexican Cerambycidae. **Proc. Entomol. Soc. Wash.**, **27**(1):15-16.
1925. A new species of *Leptostylus* from the United States. **Proc. Entomol. Soc. Wash.**, **27**(5):103-105.
1926. Descriptions of new West Indian longicorn beetles of the subfamily Lamiinae. **Proc. U.S. Nat. Mus.**, **68**(22):1-40.
1926. New Cactus beetles. **Proc. Entomol. Soc. Wash.**, **28**(9):214-217.
1927. A new cerambycid beetle from Colombia and Central America. **Proc. Entomol. Soc. Wash.**, **29**(1):23-24.
1928. New species of Jamaican Buprestidae and Cerambycidae. In C. C. Gowdey, Catalogus insectorum Jamaicae. **Entomol. Bull. Dep. Agric. Jamaica**, **4**(3):16-17.
1928. New Cactus beetles II. **Proc. Entomol. Soc. Wash.**, **30**(1):1-7.
1930. Notes on the Rhinotrachine beetles of the family Cerambycidae, with descriptions of new species. **Proc. U.S. Nat. Mus.**, **77**(19):1-20.
1930. New West Indian Buprestidae and Cerambycidae. **Can. Entomol.**, **62**(1):7-11.
1931. A new ant-like cerambycid beetle from Honduras. **Psyche**, **38**(2-3):99-101.
1931. New Cactus beetles III. **Proc. Entomol. Soc. Wash.**, **33**(8):197-201.
1931. A new longhorn beetle from Costa Rica. **J. Wash. Acad. Sci.**, **21**(2):23-24.
1932. New West Indian cerambycid beetles. **Proc. U.S. Nat. Mus.**, **80**(22):1-93.
1935. New West Indian cerambycid beetles. **Proc. U.S. Nat. Mus.**, **83**(2979):189-210.
1935. New cerambycid beetles from Puerto Rico. **J. Agric. Univ. Puerto Rico**, **19**(2):51-63.
1936. New Cactus beetle from Argentine Republic. **Proc. Entomol. Soc. Wash.**, **38**(1):7-8.
1936. New cerambycid and buprestid beetles from Cuba. **Mems. Soc. Cub. Hist. Nat.**, **9**:271-273.
1936. New buprestid and cerambycid beetles from Cuba. **Mems. Soc. Cub. Hist. Nat.**, **10**(5):343-348.
1937. New neotropical Cerambycidae. **Rev. Entomol.**, **7**(2):145-154.
1937. A new cerambycid beetle from Chile. **Rev. Chil. Hist. Nat.**, **40**:324-326, 1 fig.
1938. New neotropical Cerambycidae II. **Rev. Entomol.**, **8**(1-2):135-153.
1941. Results of the Oxford University Cayman Islands Biological Expedition, 1938. **Entomologist's Mon. Mag.**, **77**:108-115.
1941. New Coleoptera from Puerto Rico. **J. Agric. Univ. Puerto Rico**, **25**(4):37-39.
1942. New West Indian cerambycid beetles III. **Torreia**, **10**:1-43.
1942. A new cerambycid beetle from Oregon. **Can. Entomol.**, **74**:51.



1942. New Coleoptera from Puerto Rico. **J. Agric. Univ. Puerto Rico**, **25**(4):37-39.
1943. A new cerambycid beetle from the Canal Zone. **Bol. Dep. Sanid. Veget.**, **3**(1):12-14.
1944. New American Cerambycidae from British Guiana and Costa Rica. **Zoologica**, **29**(1):1-2.
1944. Cerambycidae of Caripito, Venezuela. **Zoologica**, **29**(1):3-12.
1945. A new species of *Oberea* from Canada. **Can. Entomol.**, **77**:56.
1945. A change of name in Cerambycidae. **Proc. Entomol. Soc. Wash.**, **47**(8):251.
1946. Synopsis of the cerambycid beetles of the genus *Stenosphenus* Haldeman found in America, north of Mexico. **J. Wash. Acad. Sci.**, **36**(3):86-94.
1946. New cerambycid beetles belonging to the tribe Disteniini from Central and South America. **Proc. U.S. Nat. Mus.**, **96**(3201):329-333.
1947. New neotropical Cerambycidae, belonging to the genus *Dorcasta* Pascoe. **Rev. Entomol.**, **18**(1-2):173-182.
1947. New cerambycid beetles belonging to the tribe Rhinotragini. **Proc. U.S. Nat. Mus.**, **97**(3209):47-57.
1947. New cerambycid beetles belonging to the tribe Rhinotragini from South America. **Amer. Mus. Novit.**, **1349**:1-6.
1947. New West Indian cerambycid beetles IV. **Mem. Soc. Cub. Hist. Nat.**, **19**:29-41.
1948. Results of the Oxford University Cayman Islands Biological Expedition, 1938. Description of five new species and one variety of Cerambycidae. **Entomologist's Mon. Mag.**, **84**:225-228.
1951. A new species of *Elaphidion* from Cuba. **Mem. Soc. Cub. Hist. Nat.**, **20**(2):77-79.
1952. New cerambycid beetles belonging to the tribe Rhinotragini from South America. **Amer. Mus. Novit.**, **1552**:1-17.
1953. New cerambycid beetles belonging to the tribe Rhinotragini. **Pan-Pacific Entomol.**, **29**(1):14-17.
- FISHER, W. S. & H. B. KIRK. 1912. Cerambycidae of Harrisburg, Pennsylvania and vicinity with notes. **Entomol. News**, **23**:308-316.
- FLEUTIAUX, E. & A. SALLÉ. 1889. Liste des coléoptères de la Guadeloupe et descriptions d'espèces nouvelles. **Ann. Soc. Entomol. France**, **9**(6):351-484.
- FONSECA, J. P. 1958. *Migdolus morretesi* Lane, uma broca eventual da cana de açúcar e do eucalipto. **Arq. Inst. Biol.**, **25**:29-40, 4 pls.
- FONSECA-GESSNER, A. A. 1990. Revisão taxonômica do gênero *Paramallocera* Aurivillius, 1912 (Sphaerionini). **Rev. Bras. Entomol.**, **34**(4):817-856, 94 figs.
- FONSECA, E., S. DEVESA, & A. BARRO. 2008. Primer registro de *Oxymerus aculeatus lebasii* Dupont 1838 en Cuba (Coleoptera: Cerambycidae), con observaciones acerca de su historia natural. **Bull. Soc. Ent. Aragonesa** **43**: 510-512, 6 figs.
- FONTES, L. R. & U. R. MARTINS. 1977. Novos Hebestolini do Brasil. **Rev. Bras. Entomol.** **21**(1):7-14, 7 figs.
- FORCHHAMMER, P. 1981. Evolution of diurnal activity in some of the higher taxa of long-horned beetles in relation to continental drift. **Natura Jutl.**, **19**:91-106, 5 figs.
- FORSTER, J. R. 1771. *Novae species insectorum, centuria I*. London, 100 pp.
- FRAGOSO, S. A. 1967. Sobre *Oncideres* Serville, 1835. **Atas Soc. Biol.**, **11**(3):101-108, 22 figs.

1968. Sobre *Brasilianus mexicanus* (Thomson, 1861), como broca do Goncalo Alves (Coleoptera, Cerambycidae). **Atas Soc. Biol.**, **11**(4):145.
1970. Novas espécies do gênero *Oncideres* Serville, 1835. **Atas Soc. Biol.**, **14**(3-4):79-83, 4 figs.
1970. Primeira nota preliminar a uma futura revisão dos Cerambycini neotropicais. **Atas Soc. Biol.**, **14**(3-4):97-101, 9 figs.
1971. Segunda nota preliminar a uma futura revisão dos Cerambycini neotropicais. **Atas Soc. Biol.**, **15**(1):7-9, 10 figs.
1971. Notas sobre Onciderini I. **Atas Soc. Biol.**, **15**(1):33-34, 3 figs.
1978. Revision of the neotropical genus *Poeciloxestia* Lane, 1965. **Coleop. Bull.**, **32**(2):113-158, 238 figs.
1980. *Tomrogersia acanthofemorata*, n. gen., n. sp. **Rev. Bras. Biol.**, **40**(4):743-746, 3 figs.
1981. Third preliminary note on neotropical Cerambycini. **Rev. Bras. Biol.**, **41**(2):379-383, 5 figs.
1981. On *Sphallenopsis*, new genus. **Rev. Bras. Entomol.**, **25**(2):145-147, 8 figs.
1981. The cerambycine genus *Melathemma*. **Rev. Bras. Entomol.**, **25**(3):185-187, 7 figs.
1982. An annotated preliminary key to neotropical Cerambycini genera. **Rev. Bras. Entomol.**, **26**(2):141-161, 19 figs.
1985. The terminalia as a basis for the classification of Cerambycidae subfamilies. Part I. Terminology and genital morphology of *Cerambyx cerda* L. **Rev. Bras. Entomol.**, **29**(1):125-134, 5 figs.
1985. The terminalia as a basis for the classification of Cerambycidae subfamilies. Part II. Oxypeltinae. **Rev. Bras. Entomol.**, **29**(2):165-168, 2 figs.
1993. On old and new species of *Coleoxestia* Aurivillius, 1912 (Cerambycini). **Rev. Bras. Biol.**, **53**(3):327-343, figs.
1995. Fourth preliminary note on neotropical Cerambycini. **Rev. Bras. Biol.**, **55**(2):177-192, 19 figs.
- FRAGOSO, S. A. & F. LANE. 1970. Notas sinonímicas sobre o gen. *Oncideres* Serville, 1835. **Atas Soc. Biol.**, **14**(1-2):33-37, 9 figs.
- FRAGOSO, S. A. & M. A. MONNÉ. 1982. Notas sobre Prioninae neotropicais. **Pesq. Agropec. Bras.**, **17**(4):519-523, 3 figs.
1984. Sinopse do gênero *Rhaphiptera* Audinet-Serville, 1835 (Pteropliini). **Pesq. Agropec. Bras.**, **19**(9):1075-1083, 22 figs.
1988. Sinopse do subgênero *Pyrodes* (*Esmeralda*) Thomson, 1861 (Mallaspini). **Rev. Bras. Entomol.**, **32**(2):131-138, 8 figs.
1989. Duas novas espécies de Callichromatini neotropicais. **Mem. Inst. Oswaldo Cruz**, **84** suppl. IV, pp. 209-212, 2 figs.
1995. Notes on Macrotomini. **Rev. Bras. Biol.**, **55**(2):215-225, 7 figs.
1995. Second Note on Macrotomini. **Rev. Bras. Biol.**, **55**(4):715-726, 20 figs.
- FRAGOSO, S. A., M. A. MONNÉ & C. A. CAMPOS SEABRA. 1987. Preliminary considerations on the higher classification of Cerambycinae, with nomenclatural alterations. **Rev. Bras. Biol.**, **47**(1-2):189-202, 8 figs.
- FRAGOSO, S. A. & G. L. TAVAKILIAN. 1985. *Hirtobrasilianus*, nouveau sous-genre de *Brasilianus* Jakobson, 1924 (Cerambycini). **L'Entomologiste**, **41**(5):229-240, 3 figs.
- FRANCESCHINI, A.F. 2002. Revisão do gênero *Appula* (Cerambycinae, Elaphidiini). **Iheringia**, Sér. Zool., **92**(1): 5-40, 134 figs.
- FRANZ, E. 1935. Neues zur Gattung *Gymnocerus* Serv. **Entomol. Rdsch.**, **52**:169-172, 4 figs.
1954. Cerambycidae aus El Salvador. **Senckenbergiana**, **34**(4-6):213-229, 1 fig., 1 pl.
1955. Cerambycoides. **Comun. Inst. Trop. Inc. Cient.**, **4**(1-2):47-53, 1 pl.

1955. Neue *Tetropium*-Arten aus Guatemala. **Zeitschr. Angew. Entomol.**, **37**(3):323-326, 2 figs.
1956. Eine neue *Paramallocera* aus Peru. **Senckenberg. Biol.**, **37**(1-2):137-138, 2 figs.
1959. Drei neue Lamiinae aus El Salvador. **Senckenberg. Biol.**, **40**(3-4):185-188, 3 figs.
1959. Eine neue Cerambycidae aus Peru. **Senckenberg. Biol.**, **40**(3-4):189-190, 2 figs.
1969. Eine neue Cerambycidae aus Bolivien. **Opusc. Zool. Münch.** **109**:1-2, 1 fig.
- FRIES, B. F. 1833. Beskrifning nya insekter från Colombien. **K. Svenska Vetensk. Akad. Handl.**, **1833**:320-328, 2 pl.
- FRIVALDSKY, J. 1892. Coleoptera in expeditione D. Comitis Belae Széchenyi in China, praecipue boreali, a Dominis Gustavo Kreitner et Ludovico Lóczy anno 1879 collecte. Paris secunda. **Term. Füzetek.**, **15**:114-125.
- FRÖLICH, J. A. von 1792. Bemerkungen über einige seltene Käfer aus der Insecten-Sammlung des Hr. Rudolph in Erlangen. **Naturforscher**, **26**:68-185.
- FUCHS, E. 1955. 1. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Koleopt. Rdsch.**, **33**(1-6):47-53.
1956. 2. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Entomol. Arb. Mus. G. Frey**, **7**(2):567-576.
1958. 3. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Koleopt. Rdsch.**, **36**:52-61.
1959. Neue Cerambyciden aus dem Institut Royal des Sciences Naturelles de Belgique. **Bull. Inst. Sci. Nat. Belg.**, **13**(35):1-4.
1961. Zwei neue *Cyllene*-Arten aus der Sammlung des Senckenberg-Museums. **Senckenberg. Biol.**, **42**(5-6):447-450, 2 figs.
1961. Neue Cerambyciden aus Südbrasilien. **Pesquisas, (Zool.)** **12**:1-10.
1961. 4. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Koleopt. Rdsch.**, **39**:6-21.
1961. Neue Cerambyciden aus der ehemaligen Sammlung Dr. Itzinger. **Entomol. Arb. Mus. G. Frey**, **12**(1):93-98.
1961. Neue Cerambyciden aus dem Institut Royal des Sciences Naturelles de Belgique. **Bull. Inst. Sci. Nat. Belg.**, **37**(40):1-5.
1962. Neue Cerambyciden aus der ehemal Sammlung Dr. Itzinger. 2 Theil. **Entomol. Arb. Mus. G. Frey**, **13**(2):321-324.
1963. 5. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Koleopt. Rdsch.**, **40-41**:10-16.
1963. Neue neotropische Clytini aus der Sammlung des Senckenberg-Museums. **Senckenberg. Biol.**, **44**(6):451-456, 4 figs.
1964. 6. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Koleopt. Rdsch.**, **42**:6-10.
1966. 7. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Koleopt. Rdsch.**, **43-44**:9-15.
1966. Neue Cerambyciden aus dem Museum G. Frey. **Entomol. Arb. Mus. G. Frey**, **17**:33-38.
1970. Neue Lamiinen aus der Sammlung des Zoologischen Museum der Humboldt-Universität zu Berlin. **Mitt. Zool. Mus. Berlin** **46**(1):109-114.
1974. Neue Cerambyciden aus der Sammlung des Zoologischen Museum der Humboldt-Universität zu Berlin. **Mitt. zool. Mus. Berlin** **50**(2):243-245.
1975. Ein neuer *Neoclytus* aus Brasilien. **Opusc. Zool. Münch.** **128**:1-2
1976. Neue Cerambyciden aus der Sammlung des Zoologischen Museum der Humboldt-Universität zu Berlin. **Deut. Entomol. Zeitschr.**, **23**(1-3):57-59.

- GAHAN, C. J. 1888. Notes on some types of North American Cerambycidae in the British Museum. **Trans. Amer. Entomol. Soc.**, **15**:299-300.
1888. On new lamiide Coleoptera belonging to the *Monohammus* group. **Ann. Mag. Nat. Hist.**, (6)**2**:389-401.
1889. On new lamiide Coleoptera in the British Museum collection. **Ann. Mag. Nat. Hist.**, (6)**3**:387-400.
1890. Notes on some West Indian longicorn Coleoptera, with descriptions of new genera and species. **Ann. Mag. Nat. Hist.**, **6** (6):23-34.
1892. Additions to the Longicornia of Mexico and Central America, with notes on some previously-recorded species. **Trans. Entomol. Soc. London**, **1892**:255-274, 1 pl.
1892. Notes on longicorn Coleoptera of the group Cerambycinae, with descriptions of new genera and species. **Ann. Mag. Nat. Hist.**, (6)**9**:19-32.
1894. Descriptions of some new Coleoptera from Costa Rica. **Ann. Mag. Nat. Hist.**, (6)**14**:115-120.
1894. Descriptions of some new species of Prionidae. **Ann. Mag. Nat. Hist.**, (6)**14**:221-227.
1895. On the longicorn Coleoptera of the West India Islands. **Trans. Entomol. Soc. London**, **1895**:79-140, 1 pl.
1895. Remarks on *Chariea cyanea*, a rare Prioned beetle. **Trans. Entomol. Soc. London**, **1895**: xvi.
1895. *Vesperoctenus* Bates, and its systematic position. **Entomologist's Mon. Mag.**, **6**(31):22-24.
1898. In P. H. Grimshaw, On some type specimens of Lepidoptera and Coleoptera in the Edinburgh Museum of Science and Art. **Trans. Entomol. Soc. Edinburgh**, **39**:1-11.
1906. Coleoptera (Cerambycidae) in, **The fauna of British India including Ceylon and Burma**. London, C. T. Bingham, xviii + 329 pp.
1908. Notes on North American Longicornia, with descriptions of some new species. **Ann. Mag. Nat. Hist.**, (8)**1**:140-145.
- GAHAN, C. J. & G. J. ARROW. 1903. List of the Coleoptera collected by Mr. A. Robert at Chapada, Matto Grosso (Percy Sladen Expedition to Central Brazil). **Proc. Zool. Soc. London**, **2**:244-258, 1 pl.
- GAHAN, C. J. & E. GOUNELLE. 1910. Note sur *Callimoxys Brullei* Mulsant. **Bull. Soc. Entomol. France**, **13**:237-238.
- GALILEO, M. H. M. 1987. Sistemática das tribos Meroscelisini e Anacolini nas Américas. I. Meroscelisini. **Rev. Bras. Entomol.**, **31**(2):141-367, 561 figs., 11 pls.
1987. Sistemática das tribos Meroscelisini e Anacolini nas Américas. II. Anacolini. **Rev. Bras. Entomol.**, **31**(4):481-705, figs. 562-1103, pls. 12-28.
- GALILEO, M. H. M. & ESTEBAN-DURAN, J. R. (2010) New species of Desmiphorini (Coleoptera, Cerambycidae, Lamiinae) from the Reserva Biológica Alberto Manuel Brenes, Alajuela, San Ramón, Costa Rica. *Spanish Journal of Agricultural Research*, **8**(4), 1033-1036, 6 figures.
- GALILEO, M. H. M. & U. R. MARTINS. 1987. Sobre as tribos Falsamplesthiini e Hebestolini com descrição de novos táxons. **Rev. Bras. Entomol.**, **31**(1):89-95, 18 figs.
1987. Sobre Falsamplesthiini. I. Revisão do gênero *Falsamplesthis* Breuning, 1959. **Rev. Bras. Entomol.**, **31**(3):447-452, 3 figs.
1987. Novas espécies da tribo Aerenicini. **Rev. Bras. Entomol.**, **31**(3):453-455, 2 figs.
1988. Notas sobre Agapanthini I. *Hippopsis* do grupo *solangeae*. **Rev. Bras. Entomol.**, **32**(2):179-185, 20 figs.
1988. Notas sobre Agapanthini II. *Hippopsis* do grupo *pubiventris*. **Rev. Bras. Entomol.**, **32**(2):187-190, 11 figs.

1988. Notas sobre Agapanthini III. *Hippopsis* do grupo *lemniscata*. **Rev. Bras. Entomol.**, **32**(2):191-195, 3 figs.
1988. Notas sobre Agapanthini IV. *Hippopsis* do grupo *pradieri*. **Rev. Bras. Entomol.**, **32**(2):196-198.
1988. Notas sobre Agapanthini V. Revisão do gênero *Hippopsis* Lepeletier & A.-Serville, 1825. **Rev. Bras. Entomol.** **32**(2):199-207.
1988. *Hyleoza dialepta*, nova espécie neotropical de Meroscelisini. **Rev. Bras. Entomol.**, **32**(3-4):437-440, 7 figs.
1988. Os Gêneros de Calliini relacionados com *Zenicomus* Thomson, 1868. **Rev. Bras. Entomol.**, **32**(3-4):507-524, 61 figs.
1989. Aditamentos à tribo Aerenicini II. Revisão do gênero *Apagomerina* Gilmour, 1962. **Rev. Bras. Zool.**, **6**(4):599-602, 2 figs.
1990. Notas sobre Calliini I. Revisão do gênero *Graminea* Thomson, 1864 e descrição de novos táxons. **Rev. Bras. Entomol.**, **34**(2):467-474, 8 figs.
1990. Aditamentos à tribo Aerenicini. **Rev. Bras. Entomol.**, **34**(3):583-588, 8 figs.
1990. Notas sobre Calliini III. Revisão do gênero *Hastatis* Buquet, 1857. **Rev. Bras. Entomol.**, **34**(3): 601-606, 1 fig.
1990. Novos táxons de Anacolini. **Papéis Avulsos Zool.**, **37**(3):39-52, 28 figs., 4 pls.
1990. Notas sobre Calliini V. Sobre algumas espécies do gênero *Eumathes* Pascoe, 1858 e descrição de *Hirticallia*, gen. n. **Rev. Bras. Entomol.**, **34**(4):877-881, 1 fig.
1991. Longicórnios do Museu Paraense Emílio Goeldi I. Novas espécies em Sphaerionini e Onciderini. **Bol. Mus. Paraense Emílio Goeldi**, sér. Zool., **6**(1):11-15.
1991. Revisão do gênero *Cendiuna*, ge. n. (Hemilophini). **Rev. Bras. Entomol.**, **35**(1):113-119, 21 figs.
1991. Nova espécie do gênero *Trachysomus* A.-Serville, 1835 do Paraguai (Onciderini). **Iheringia**, Ser. Zool., (71):129-132, 1 fig.
1991. Revisão da tribo Calliini. **Giorn. ital. Entomol.**, **5**:243-262, 15 figs.
1991. Longicórnios do Museu Paraense Emílio Goeldi II. Novas espécies em Aerenicini e Hemilophini. **Bol. Mus. Paraense Emílio Goeldi**, Ser. Zool. **7**(2):103-106.
1992. Os gêneros de Hemilophini com flagelômeros basais densamente pilosos e sem carena umeral. **Rev. Bras. Entomol.**, **36**(1):15-19, 2 figs.
1992. Revisão da tribo Mallaspini Thomson, 1861. **Rev. Bras. Entomol.**, **36**(2):293-422, 525 figs.
1992. Novos longicórneos do Paraguai. **Iheringia**, Ser. Zool., (73):59-63, 3 figs.
1992. Duas novas espécies de *Eburodacrys* White, 1853 do Brasil meridional. **Giorn. ital. Entomol.**, **6**:1-4, 2 figs.
1992. Cerambycidae of the Canadian National Museum of Nature, Ottawa. II. Calliini. **Insecta Mundi**, **6**(3-4):135-139, 6 figs.
1992. Neotropical Cerambycidae of the Canadian National Museum of Nature, Ottawa. III. Aerenicini. **Insecta Mundi**, **6**(3-4):141-144, 4 figs.
1993. Revisão da tribo Solenopterini. Parte I. Trans.ferência de *Poekilosoma* A.-Serville, 1832 e *Calocomus* A.-Serville, 1832; os gêneros *Prosternodes* Thomson, 1861 e *Derancistrodes*, gen. n. **Rev. Bras. Entomol.**, **37**(1):79-99, 45 figs.
1993. Revisão da tribo Solenopterini. Parte II. Gêneros *Derancistrus* A.-Serville, 1832, *Holonotus* Thomson, 1861, e *Sphenostethus* Haldeman, 1845. **Rev. Bras. Entomol.**, **37**(2):199-222.
1993. Revisão da tribo Solenopterini. Parte III. Gênero *Solenoptera* A.-Serville, 1832. **Rev. Bras. Entomol.**, **37**(3):425-458, 58 figs.

1993. Revisao do Genero *Ischnolea* Thomson, 1861 (Cerambycidae, Lamiinae, Desmiphorini). **Iheringia** 75:63-79, 15 figs.
1994. Revisao da Tribo Calocomini (Coleoptera, Cerambycidae, Prioninae). **Rev. Bras. Entomol.**, 38(2):489-505, 44 figs
1994. Revisão da tribo Solenopterini. Parte IV. Gênero *Elateropsis* Chevrolat, 1862 e distribuição geográfica da tribo. **Rev. Bras. Entomol.**, 38(1):109-153.
1995. Novas espécies neotropicais da tribo Agapanthiini. **Iheringia**, Ser. Zool., (78):39-43, 5 figs.
1995. Revisão da tribo Eupromerini, trib. n. da região neotropical. **Rev. Bras. Entomol.**, 39(1):131-150, 18 figs.
1995. Gênero *Panegyrtes* Thomson, 1868 (Desmiphorini): novas espécies e chave para identificação. **Rev. Bras. Entomol.**, 39(4):859-869, 14 figs.
1996. Revisão do gênero *Isomerida* Bates, 1866 (Hemilophini). **Papéis Avulsos Zool.** 39(12):231-248, 9 figs.
1996. Revisão do gênero *Nesozineus* Linsley & Chemsak, 1966 (Acanthoderini). **Rev. Bras. Entomol.**, 40(1):41-46, 9 figs.
1996. Notas e descrições em Desmiphorini, com uma revisão do gênero *Mimasyngenes* Breuning. **Rev. Bras. Zool.**, 13(4):867-882, 8 figs.
1996. Revisão de gênero *Tacocha* Lane, 1970 (Hemilophini). **Rev. Bras. Entomol.**, 40(2):233-236, 4 figs.
1996. Notas sinônimas, dimorfismo sexual e descrição de nova espécie de *Mecometopus* Thomson, 1861 (Clytini). **Rev. Bras. Entomol.**, 40(1):57-60, 4 figs.
1997. Transferência de espécies de *Adesmus* para *Zeale*, *Ibitiruna* gen. n. e *Cuiciuna* gen. n. (Hemilophini). **Iheringia**, Ser. Zool., (82):159-172, 7 figs.
1997. Revisão das espécies sul-americanas do gênero *Itumbiara* Martins & Galileo, 1992 (Hemilophini). **Papéis Avulsos Zool.**, 40(1):1-15, 4 figs.
1997. Revisão do genero *Euryestola* Breuning, 1940 (Callini). **Papéis Avulsos Zool.**, 40(7): 127-136, 7 figs.
1997. Sobre o genero *Oedudes* Thomson, 1868 (Hemilophini). **Papéis Avulsos Zool.**, 40(8): 137-146, 4 figs.
1998. Notas e descrições em Lamiinae com garras tarsais apendiculadas ou bifidas e revisão do 1st grupo de espécies do genero *Malacoscyllus*. **Rev. Bras. Entomol.**, 41(2-4): 249-256.
1998. Novas espécies neotropicais de Desmiphorini e revalidação de *Esmia turbata*. **Iheringia**, Ser. Zool., (84): 33-42, 7 figs.
1998. Divisão do genero *Phacellocera* (Anisocerini). **Iheringia**, Ser. Zool., (85): 11-25, 24 figs.
1998. Novo generos e novas espécies de Lamiinae neotropicais. **Rev. Bras. Entomol.**, 42(3/4): 147-153, 12 figs.
1999. O genero *Adesmus* (Hemilophini). **Iheringia**, Ser. Zool., (86): 77-116, 38 figs.
1999. Revisão do genero *Xylotribus* (Anisocerini). **Iheringia**, Ser. Zool., (86): 165-170, 6 figs.
1999. Sobre espécies de Lamiinae da Colombia e do Brasil com garras tarsais divarcadas. **Papéis Avulsos Zool.**, 41 (6): 83 - 104, 10 figs.
1999. Sobre alguns Lamiinae da Colombia com garras tarsais apendiculadas e bifidas. **Papéis Avulsos Zool.**, 41(7): 105 - 118, 6 figs.
2000. Novos táxons e nova combinação em Cerambycinae Sul-Americanos. **Papéis Avulsos Zool.**, 41(10): 155 - 172, 8 figs.
2001. Notas sobre *Amphicnaeia* Bates, 1866 com revalidações e descrições de espécies novas. **Rev. Bras. Entomol.**, 45(1): 37 - 41, 6 figs.

2001. Novas espécies de Lamiinae neotropicais. **Iheringia**, Ser. Zool., (90): 59 - 70, 9 figs.
2001. Novos táxons e notas sobre Cerambycidae neotropicais. **Iheringia**, Ser. Zool., (90): 93 - 106, 6 figs.
2001. Revisão dos gêneros *Chalastinus* Bates, 1862 e *Parachalastinus* gen. n. (Anisocerini), **Giorn. ital. Entomol.**, (9): 293 - 303, 8 figs.
2001. Sobre algumas espécies de Hemilophini do Museu Nacional, Rio de Janeiro, com a descrição de novos táxons. **Rev. Bras. Entomol.**, 45(3): 247 - 250, 4 figs
2001. Sobre o genero *Tethystola* Thomson, 1868 (Apomecynini). **Rev. Bras. Entomol.**, 45(4): 287 - 290, 3 figs
2001. Descrições, transferências e notas em Apomecynini (Lamiinae). **Rev. Bras. Zool.**, 18(4): 1227- 1235, 5 figs.
2002. Espécies novas e chave para as espécies de *Callia* (Lamiinae). **Iheringia**, Ser. Zool., (92): 41 - 52, 8 figs
2002. Generos de Pteropliini semelhantes a *Trichepectasis* Breuning, 1940 (Lamiinae). **Papéis Avulsos Zool.**, 42(2): 13-30, 14 figs.
2003. Cerambycidae da Colômbia. III. Cerambycinae com olhos finamente granulados. **Iheringia**, Sér. Zool., 93(1): 31-36, 2 figs.
2003. Novos táxons neotropicais de Desmiphorini (Lamiinae). **Iheringia**, Sér. Zool., 93(1): 159 - 166, 6 figs.
2003. Cerambycidae da Colômbia. V. Lamiinae com unhas tarsais divergentes. **Iheringia**, Sér. Zool., 93(2): 167 - 176, 5 figs.
2003. Cerambycidae da Colômbia. VI. Lamiinae com unhas tarsais divaricadas ou bífidas. **Iheringia**, Sér. Zool., 93(3): 255 - 270, 6 figs.
2003. Notas e descrições em *Bisaltes* Thomson, 1868 e *Ptericoptus* Lepeletier & Audinet-Serville, 1830 (Lamiinae, Apomecynini). **Rev. Bras. Entomol.**, 47(3): 379 - 383, 6 figs.
2003. Novas espécies e notas sobre Cerambycidae do Pará e do nordeste do Brasil. **Rev. Bras. Zool.**, 20(3): 475 - 478, 5 figs.
2004. Novos táxons em Apomecynini (Lamiinae) da Região Neotropical. **Rev. Bras. Entomol.**, 48(1): 55 - 57, 4 figs.
2004. Novas espécies e nota sobre Cerambycidae neotropicais da coleção Arriagada, Santiago, Chile. **Rev. Bras. Entomol.**, 48(3): 325 - 330, 7 figs.
2004. Novos Hemilophini (Lamiinae) da Região Neotropical. **Iheringia**, Sér. Zool., 94(3): 247 - 252, 6 figs.
2004. Novos táxons em Hemilophini com única carena elitral. **Iheringia**, Sér. Zool., 94(4): 381 - 388, 8 figs.
2005. Novos táxons de Hemilophini (Lamiinae) sem carenas nos élitros da região Neotropical. **Rev. Bras. Entomol.**, 49(1): 63 - 68, 5 figs.
2005. Contribuição aos Hemilophini da Costa Rica (Lamiinae). **Papéis avulsos de Zoologia**, 45(10): 103 - 109, 7 figs.
2005. Novos táxons de Hemilophini da região Neotropical, **Iheringia**, Sér. Zool., 95(3): 269 - 279, 17 figs.
2005. Novas espécies e novas ocorrências de *Xenofrea* (Lamiinae) . **Iheringia**, Sér. Zool., 95(4): 383 - 388, 7 figs.
2006. Novos Hemilophini (Coleoptera, Cerambycidae, Lamiinae) da Colecao F.T. Hovore, Santa Clarita, California. **Rev. Bras. Zool.**, 23(3):789-791, 4 figs.
2006. Notas e descricoes em Eburini (Coleoptera, Cerambycidae). **Iheringia** 96(2): 179-184, 5 figs.
2006. Novos taxons de Apomecynini (Coleoptera, Cerambycidae, Lamiinae). **Papéis Avulsos Zool.**, 46(2): 11-19, 8 figs.

2006. Novos taxons em Hippopsini, Desmiphorini, Xenofreini e Acanthoderini. (Coleoptera, Cerambycidae, Lamiinae). **Papéis Avulsos Zool.**, **46(3)**: 21-29, 8 figs.
2006. Novos Taxons em Cerambycini, Thyrsiini e Necydalopsini (Coleoptera, Cerambycinae). **Lambillionea** **106(1)**:702-710, 5 figs.
2007. Novas especies de Neocorini e Pteropliini (Coleoptera, Cerambycidae). **Rev. Bras. Zool.**, **24(1)**:203-206, 4 figs.
2007. Notas e descrições em Acanthoderini (Coleoptera, Cerambycidae, Lamiinae). II Especies novas do genero *Nesozineus*. **Rev. Bras. Zool.**, **24(3)**:631-634, 4 figs.
2007. Notas e novos taxons em Acanthoderini (Coleoptera, Cerambycidae, Lamiinae). IV Sobre o Genero *Oreodera*. **Rev. Bras. Zool.**, **24(3)**:582-586, 4 figs.
2007. Contribuicao a taxonomia de tres tribos de Lamiinae (Coleoptera, Cerambycidae). **Iheringia, Sér. Zool.**, **97(1)**: 67-72, 9 figs.
2007. Contribuicao ao conhecimento dos Clytini neotropicais (Coleoptera, Cerambycidae, Cerambycinae). **Rev. Bras. Ent.**, **51(3)**:346-351, 8 figs.
2007. Descrições de táxons em Hippopsini, Desmiphorini e Pteropliini Cerambycidae, Lamiinae). **Papéis Avulsos Zool.**, **47(25)**:349-357, 9 figs.
2008. Novos taxons de Lamiinae Neotropicais Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers** (73): 1-9, 6 figs.
2008. Novos Cerambycinae (Cerambycidae) da Regio Neotropical. **Papéis Avulsos Zool.**, **48(7)**:49-54, 6 figs.
2008. Novos taxons em Elaphidionini Cerambycinae) e Onciderini (Lamiinae) e novos registros em Cerambycidae. **Rev. Bras. Ent.**, **52(1)**:24-27, 2 figs.
2008. Especies novas de Calliini e Falsamblethiini (Coleoptera, Cerambycidae, Lamiinae) da Regio Neotropical. **Rev. Bras. Ent.**, **52(1)**:32-35, 6 figs.
2008. Novo genero de Desmiphorini com cinco especies novas (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers** (83): 1-10, 6 figs.
2008. *Eranina* Monné (Coleoptera, Cerambycidae, Lamiinae) e novo genero de Hemilophini. **Rev. Bras. Ent.**, **52(3)**:384-389, 7 figs.
2009. Novos táxons de Desmiphorini (Coleoptera, Cerambycidae, Lamiinae) da Costa Rica e do Brasil. **Papéis Avulsos Zool.**, **49(9)**:103-107, 3 figs.
2009. *Ucai*, novo gênero de Anacolini (Coleoptera, Cerambycidae, Prioninae) do Brasil. **Papéis Avulsos Zool.**, **49(7)**:93-95, 1 figs.
2009. Cinco novas especies de Cerambycidae (Insecta: Coleoptera) da Regiao Neotropical e novos resigtros. **Zoologia** **26(1)**:161-165, 5 figs.
2009. Novos Cerambycidae (Coleoptera) da colecao Odette Morvan, Kaw, Guiana Francesa. IV. **Papéis Avulsos Zool.**, **49(12)**:145-149, 3 figs.
2009. Novas especies de Hemilophini da America do Sul (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers** **97**: 1-10, 8 figures.
2009. *Aleiphaquilon* Martins (Coleoptera, Cerambycidae, Cerambycinae, Neocorini): novas ocorrencias, nova especie e chave. **Papéis Avulsos Zool.**, **49(26)**:339-342, 4 figs.
2010. Novas especies de *Amucallia* e de *Mimolaia* (Coleoptera, Cerambycidae, Lamiinae, Calliini). **Les Cahiers Magellanes** **109**: 1-8, 5 figs.
2010. New species of Cerambycinae (Coleoptera, Cerambycidae) from South America **Insecta Mundi**: **0115**:1-9, 7 figs.
2010. Gênero *Drycothaea* (Coleoptera, Cerambycidae, Lamiinae): chave para espécies, nova combinação, espécies novas. **Papéis Avulsos Zool.** **50(5)**:69-75, 4 figs.



2010. Novas espécies de Prioninae e de Cerambycinae (Cerambycidae) da Região Neotropical. **Rev. Bras. Ent.** **54(1)**:32-37, 7 figs.
2010. Novos taxons de Cerambycinae (Coleoptera, Cerambycidae) da America do Sul. **Pap. Avuls. Zool.** **50(24)**:385-390, 6 figs.
2010. Novo gênero de Calliini (Coleoptera, Cerambycidae, Lamiinae). **Pap. Avuls. Zool.** **50(15)**:233-237, 6 figs.
2010. Novos taxons em Elaphidionini e Eburiini (Cerambycidae, Cerambycinae). **Rev. Bras. Ent.** **54(3)**:367-371, 6 figs.
2010. Quatro novas especies do Genero *Oncideres* Lacordaire, 1830 da regioao Neotropical (Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 2**:73-78, 4 figs.
2011. Novas especies de Acanthoderini, Onciderini e Pteropliini (Coleoptera: Cerambycidae: Lamiinae) do Brasil e da Bolivia. **Acta Amazonica**:**41(1)**:175-182, 7 figures.
2011. Novas especies de *Esthlogena* s. str. Thomson (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.** **55(2)**: 183-186, 5 figures.
2011. Notas, novos registros e novas espécies da coleção de Cerambycidae (Coleoptera) do Instituto Nacional de Pesquisas da Amazônia, Manaus. **Rev. Bras. Ent.** **55(3)**:327-332, 6 figures.
2011. Addenda & Corrigenda. Les Cahiers Magellanes N.S. (4):93
2011. Notas e descrições em Oemini, Dodecosini e Elaphidionini (Coleoptera: Cerambycidae: Cerambycinae). **Acta Amazonica** **41(4)**:575-582., 6 figures.
2012. Novos taxon e nova sininimia em Acanthoderini neotropicais (Cerambycidae, Lamiinae). **Les Cahiers Magellanes n.s. 7**:61-69, 5 figures.
2012. Novos taxons de Lamiinae (Coleoptera, Cerambycidae) da America do Sul. **Iheringia** **102(2)**:221-226, 6 figures.
2012. Desmiphorini : dois generos novos e especie nova de *Pseudestola* Breuning, 1940 (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes n.s. 8**:106-112, 4 figures.
2012. Novos taxons e novos registros sobre Cerambycidae (Coleoptera) Neotropicais. **Rev. Bras. Ent.** **56(3)**:297-303, 6 figures.
- GALILEO, M.H.M. & M.A. MONNÉ. 2003. Novo genero de Anacolini e descrição dos machos de *Myzomorphus flavipes* e *Poekilosoma carinatipenne* (Prioninae). **Iheringia**, Ser. Zool., (93): 37 - 44, 3 figs
- GANHO, N.G. & R.C. MARINONI. 2003. Fauna de Coleoptera no Parque Estadual de Vila Velha, Ponta Grossa, Paraná, Brasil. Abundância e riqueza das famílias capturadas através de armadilhas malaise. **Rev. Bras. Zool.**, **20(4)**: 727 – 736, 4 figs.
- GARNETT, R.T. 1918. An Annotated List of the Cerambycidae of California (Col). **Can. Ent.** **50**:172-177, 205-213, 248-252, 281-284.
- GEMMINGER, M. 1873. Geänderte Namen. **Col. Hefte** **11**:146.
- GEMMINGER, M & E. von HAROLD. 1872. **Catalogus Coleopterorum hucusque descriptorum synonymicus et systematicus.** **9**:2669-2988.
1873. **Catalogus Coleopterorum hucusque descriptorum synonymicus et systematicus.** **10**:2989-3232.
- GEOFFROY, E. L. 1762. **Histoire abrégée des insectes qui se trouvent aux environs de dans laquelle ces animaux sont rangés suivant un ordre méthodique.** Durand. **1**: xxviii + 523 pp., pls I-X.

- GERMAIN, P. 1892. Une excursion entomologique dans la cordillère de Chillan. **Act. Soc. Entomol. Chile**, **2**: clxv-clxvii.
1897. Apuntes entomológicos. Los lonjicorneos chilenos. **Ann. Univ. Chile**, **97**:423-459, 1 pl.
1898. Apuntes entomológicos. Los lonjicorneos chilenos. **Ann. Univ. Chile**, **100**:541-562; 641-676; 723-765; 781-815, 1 pl.
1899. Apuntes entomológicos. Los lonjicorneos chilenos. **Ann. Univ. Chile**, **104**:249-265, 1 pl.
1900. Apuntes entomológicos. Los lonjicorneos chilenos. **Ann. Univ. Chile**, **107**:79-104; 859-912, 1 pl.
- GERMAR, E. F. 1821. Neue exotische Käfer beschrieben von C. R. W. Wiedemann u. E. F. Germar. **Mag. Entomol.**, **4**:107-183.
1824. **Insectorum species novae aut minus cognitae, descriptionibus illustratae**. Halae, xxiv + 624 pp., 2 pls.
1839. In F. E. Guérin-Méneville [Note synonymique sur les cérambycins décrits par M. Germar, dans son *Insectorum species novae aut minus cognitae, descriptionibus illustratae*, Halae, 1824]. **Revue Zool.**, **1839**:329-331.
- GIACOMEL, F. 1976. Nova espécie de *Mallosoma* Serville, 1840. **Dusenía**, **9**(1):1-7, 25 figs.
- GIESBERT, E. F. 1979. A review of the Mexican and Central American species of *Colobothea* Serville. **Coleop. Bull.**, **33**(4): 415-438, 32 figs.
1984. The genus *Ischiocentra* in Central America. **Wasmann J. Biol.**, **42**(1-2):78-83, 1 fig.
1985. Additional species in the genus *Strangalia* in Central America, with a revised key to males. **Pan-Pacific Entomol.**, **61**(4):273-287, 4 figs.
1985. Two new species of Cerambycinae from Quintana Roo, Mexico. **Coleop. Bull.**, **39**(1):80-85, 2 figs.
1986. A new species of *Strangalia* from Western Mexico. **Pan-Pacific Entomol.**, **62**(2):140-143, 1 fig.
1987. Additions to the Callichromatini of Central America, with a key to genera and description of a new species of *Xenochroma*. **Coleop. Bull.**, **41**(1):35-40, 1 fig.
1987. The genus *Pachymerola* Bates. **Pan-Pacific Entomol.** **63**(1):43-47, 1 fig.
1987. A new genus and species in the tribe Macrotomini from Costa Rica. **Pan-Pacific Entomol.** **63**(2):147-150, 1 fig.
1987. A new genus and two new species of longhorn beetles from Mexico and Central America. **Pan-Pacific Entomol.** **63**(4):359-362, 1 fig.
1987. The tribe Pachypezini : first Central American records, with a new species of *Pachypeza* from Panama. **Coleop. Bull.**, **41**(1):315-318, 1 fig.
1989. A new species and new record in the genus *Neoclytus* Thomson from Panama. **Coleop. Bull.**, **43**(3):269-273, 2 figs.
1989. A new species of *Strangalia* Audinet-Serville from Monteverde, Costa Rica. **Pan-Pacific Entomol.** **65**(4):463-467, 1 fig.
1991. New species and records of Rhinotragini for Central America and Mexico. **Coleop. Bull.**, **45**(4):379-398, 7 figs.
1992. Two new species of Cerambycidae from the State of Chiapas, Mexico. **Coleop. Bull.**, **46**(2):155-159, 2 figs.
1993. New species of Cerambycinae from Guatemala and Chiapas, Mexico. **Coleop. Bull.**, **47**(2):137-149, 4 figs.
1993. A new genus and species of clytine cerambycid from Florida. **Insecta Mundi**, **7**(3):129-131, 2 figs.
1996. A new genus and species in the subfamily Lamiinae, with comments on *Laticranium mandibulare* Lane in Central America. **Insecta Mundi**, **10**(1-4):317-319, 1 fig.

1996. Further studies in the Rhinotragini of Mexico and Central America. **Coleop. Bull.**, **50**(4):321-337, 7 figs.
1997. Further Studies in the Lepturini. **Occ. Pap. of the Cons. Coleop.**, **1**(1):17-42, 12 figs.
1998. A new genus and species of Hesperophanini from the Dominican Republic. **Occ. Pap. of the Cons. Coleop.**, **2**(1): 75-76.
1998. A review of the genus *Desmiphora* in North America, Mexico and Central America. **Occ. Pap. of the Cons. Coleop.**, **2**(1): 27-43.
1998. Further studies in the Neotropical Callichromatini. **Occ. Pap. of the Cons. Coleop.**, **2**(1): 60-64.
1998. New Ibidionini from Mexico and Central America. **Occ. Pap. of the Cons. Coleop.**, **2**(1): 44-59.
2001. A new genus and species in the Parmenini from Honduras (Lamiinae). **Occ. Pap. of the Cons. Coleop.**, **4**(1): 9-10, 1 fig.
- GIESBERT, E. F. & J. A. CHEMSAK. 1989. The genus *Stenosphenus* Haldeman. **Pan-Pacific Entomol.**, **65**(3):269-301, 9 figs.
1993. A Review of the Rhopalophorini of North and Central America. **Insecta Mundi**, **7**(1-2):27-64, 12 figs.
1997. A Review of the genus *Eudercus* LeConte (Tillomorphini). **Proc. Calif. Acad. Sci.**, **49**(8):211-286, 60 figs.
- GIESBERT, E. F. & F. T. HOVORE. 1976. Records and descriptions of some southwestern Cerambycidae. **Coleop. Bull.**, **30**(1):95-99, 1 fig.
1989. *Stenochariergus*, a new genus with two new species from Central America. **Pan-Pacific Entomol.**, **65**(3):348-351, 1 fig.
1998. Descriptions and synonymies in the North American Lepturini. **Occ. Pap. of the Cons. Coleop.**, **2**(1): 16-23.
- GIESBERT, E.F. & R. L. PENROSE. 1984. Two new purpuricenine longhorns from the Tamaulipan biotic province. **Coleop. Bull.**, **38**(1):59-65, 3 figs.
- GIESBERT, E.F. & J.E. WAPPES. 1999. Further studies in the Lepturini of Central America. Part II. **Occ. Pap. of the Cons. Coleop.**, **3**(1): 8 - 14, 9 figs.
- GIGLIO-TOS, E. 1893. Un nuovo genere di coleotteri longicorni. **Boll. Musei Zool. Univ. Torino** **8**(136):1-5, 1 fig.
1893. Sui due genere di coleotteri longicorni *Psygmotocerus* Perty e *Badariottia* G.-Tos. **Boll. Musei Zool. Univ. Torino** **8**(142):1-2
- GILMOUR, E. F. 1947. Further new Lamiinae. **Entomologist's Mon. Mag.**, **83**:187-190, 3 figs.
1950. New and rare Lamiinae. **Longicornia**, **1**:537-556, 10 figs.
1950. New Onciderini. **Rev. Entomol.**, **21**(3):537-544, 3 figs.
1954. Notes on a collection of Prionidae from the Institut Royale des Sciences naturelles de Belgique. **Bull. Inst. Sci. Nat. Belg.**, **30**(24):1-48, 9 pls.
1954. Revision of the genus *Sparna* Thomson (Colobotheini). **Entomol. Blätt.**, **50**:76-86, 1 pl.
1955. Revision of the genus *Cosmotoma* Blanchard. **Zoologica**, **40**(1):1-25, 15 figs.
1957. On the Neotropical Acanthocinini. Some new genera and species. **Arq. Biol. Technol.**, **10**(1):3-36, 8 figs.
1959. On the Neotropical Acanthocinini. New genera and species from México. **Anal. Inst. Biol.**, **29**(1-2):329-341, 3 figs.
1959. On the Neotropical Acanthocinini III. A new subgenus and species of *Lepturges* Bates. **Entomol. Blätt.**, **54**(3):133-140, 3 figs.
1959. On the Neotropical Acanthocinini IV. Three new genera and species. **Opusc. Zool. Münch.**, **27**:1-9, 3 figs.

1959. On the Neotropical Acanthocinini V). New species of *Lepturges* Bates and *Urgleptes* Dillon. **Opusc. Zool. Münch.**, **28**:1-10, 1 pl.
1959. On the Neotropical Acanthocinini VI. Some new genera and species. **Anal. Soc. Biol.**, **1959**:23-38, 1 pl.
1960. Notes on a collection of Prioninae from the Staatliches Museum für Tierkunde Dresden. **Abh. Ber. St. Mus. Tierk.**, Dresden, **25**:1-24, 7 figs., 2 pls.
1960. Some new genera and species of neotropical Acanthocinini. **Acta Biol. Venez.**, **3**(3):43-65, 5 figs.
1960. On the Neotropical Acanthocinini VIII. Three new Central American genera and species. **Ciencia**, **20**(3-4):89-96, 1 pl.
1960. On the Neotropical Acanthocinini. The genus *Lepturgantes* Gilmour. **Entomol. Blätt.**, **56**(3):173-181, 5 figs.
1960. On the Neotropical Acanthocinini X. Some new species of *Urgleptes* Dillon. **Rev. Biol. Trop.**, **8**(1):1-23, 2 pls.
1961. On the Neotropical Acanthocinini IX. Some new genera and species III. **Studia Entomol.**, **4**(1-4):347-368, 6 figs., 1 pl.
1961. On the Neotropical Acanthocinini. New Mexican *Lepturges* and *Urgleptes*. **Anal. Inst. Biol.**, **31**(1-2):335-347, 1 pl.
1961. The tribe Falsamblethiini. **Entomol. Abh. st. Mus. Tierk.** **26**(17):131-134, 2 figs.
1962. Synopsis of the tribe Aerenicini. **Rev. Biol. Trop.**, **10**(2):123-147, 11 figs.
1962. On the Neotropical Acanthocinini. Some new species of *Urgleptes* Dillon. **Ciencia**, **22**(1-2):21-28, 4 figs.
1962. On the Neotropical Acanthocinini. Some new species of *Lepturges* Bates. **Caldasia**, **8**(40):543-571, 3 pls.
1962. On the Neotropical Acanthocinini. Some new genera and generic revisions. **Beitr. Neotrop. Fauna**, **2**(4):249-293, 4 pls.
1963. On the Neotropical Acanthocinini. Some Caribbean genera and species. **Stud. Fauna Curaçao**, **17**(76):57-96, 4 pls.
1963. Some Caribbean Coleoptera Cerambycidae. **Stud. Fauna Curaçao**, **18**(78):75-102, 3 pls.
1963. On the Neotropical Acanthocinini. Some new genera and species II. **Rev. Fac. Agron.**, **3**(2):3-19, 1pl.
1965. **Catalogue des Lamiaires du Monde**. 8 Lief. Tutzing b. München, Mus. G. Frey, p. 559-655.
1966. The Erichson species of *Eburia* and *Eburodacrys* (Hesperophanini). **Mitt. Zool. Mus. Berlin** **42**(2):163-176, 3 pls.
1968. The Coleoptera Cerambycidae of Curaçao, Aruba and Bonaire. **Stud. Fauna Curaçao**, **25**(100):83-178, 10 pls.
- GIORGI, J.A. 1998. Duas novas espécies de *Clavidesmus* Dillon & Dillon, 1946 (Onciderini), **Bolm. Mus. nac. Zool.**, **394**: 1-4.
2001. Espécies nova de *Tibiosoma* Martins & Galileo, 1990 (Onciderini). **Bolm. Mus. nac. Zool.**, **445**: 1-3, 1 fig.
2001. A new genus and species of Onciderini (Lamiinae) from Peru. **Bolm. Mus. nac. Zool.**, **471**: 1-6, 7 figs.
- GIORGI, J.A. & D.C. CORBETT. 2005. Sinopse do gênero *Xylergates* (Lamiinae, Acanthocinini). **Iheringia**, Sér. Zool., **95**(1): 5 – 8, 1 fig.
- GIRARD, M. 1873. **Traité élémentaire d'Entomologie**. Librairie J. Baillière et Fils, Atlas, 840 pp.
1885. **Traité élémentaire d'Entomologie**. Librairie J. Baillière et Fils, Atlas, 118 pls.
- GISTEL, J. N. F. 1836. *Mesoclastus paradoxus*, eine neue Familie, Sippe, und Gattung aus der Ordnung der Käfer. München, 8, pl. 1.
1837. *Mesoclastus paradoxus*, eine neue Familie, Sippe, und Gattung aus der Ordnung der Käfer. **Faunus**, **1**(1):54-59, 1 pl.

1848. **Naturgeschichte des Thierreichs für höhere Schulen.** Hoffmann'sche Verlags-Buchhandlung, Stuttgart, xvi + 216 pp., 32 pls.
- GIUGLARIS, J-L. 2010. Présence de *Monnéellus rhodopus* (Bates, 1870) en Guyane (Coleoptera, Cerambycidae, Cerambycinae). **Contribution a l'etude des Coleopteres de Guyane** 1:50-52, 2 figures.
2011. Note sur la capture énigmatique d'un *Cerambyx* en Guyane (Coleoptera, Cerambycidae). **ACOREP – France: Coleopteres de Guyane III**:77, 2 figures.
2012. Les longicornes en zone littorale de Guyane : échantillonnage de la zone agricole Wayabo de Matiti (Coleoptera, Cerambycidae). **ACOREP-France Coleopteres de Guyane VI**:53-65, 40 figures.
- GIUGLARIS, J-L. & P-H DALENS. 2012. Une nouvelle synonymie pour les Rhinotragini Thomson, 1860 de Guyana (Coleoptera, Cerambycidae). **ACOREP-France Coleopteres de Guyane VI**:87-88, 6 figures.
- GMELIN, J. F. 1790. **Caroli a Linné Systema Naturae.** ed. 13. 1(4):1517-2224.
- GNASPINI, P., FRANCINI-FILHO, R.B., & M.R. BURGIERMAN. 2000. Abundance and seasonal activity of beetles in an Atlantic Forest Reservation in São Paulo City (Brazil). **Rev. Bras. Entomol.**, 44(3/4): 115-127.
- GOEZE, J. A. E. 1777. **Entomologische Beyträge zu des Ritter Linné zwölften. Ausgabe des Natursystems.** Leipzig, 1: xvi + 736 pp.
- GORY, H. L. 1831. In F. E. Guérin-Ménéville, **Iconographie du Règne Animal de G. Cuvier...**, insectes. ftspp., 7: iv + 5-576, 110 pls.
1832. Trois espèces de coléoptères nouveaux. **Ann. Soc. Entomol. France**, (1)1:383-385.
1832. Hamatichère. *Hamaticherus*, Megerle. **Mag. Zool.**, 2: pl. 1.
1832. Anacole. *Anacolus*, Lat. **Mag. Zool.**, 2: pl. 31.
1832. Acanthocinus. *Acanthocinus*, Fab. **Mag. Zool.** 2: pl. 45.
1833. Xestie. *Xestia*, Serville. **Mag. Zool.**, 1833: pl. 64.
1839. Note monographique sur le genre *Macrodonia*, établi par M. Audinet-Serville, dans sa nouvelle classification des longicornes publiée dans les Annales de la Société entomologique, t. 1. **Ann. Soc. Entomol. France**, (1)8:124-128, 1 pl.
1844. In F. E. Guérin-Ménéville, **Iconographie du Règne Animal de G. Cuvier...**, insectes. ftspp., 7: iv + 5-576, 110 pls.
- GOSLING, D. C. L. 1974. An annotated list of the Cerambycidae of Michigan. Part I, introduction and the subfamilies Lepturinae and Lamiinae. **Great Lakes Entomol.**, 10(1):1-37, 122 figs.
- GOSLING, D. C. L. 1986. Ecology of the Cerambycidae (Coleoptera) of the Huron Mountains in Northern Michigan. **Great Lakes Entomol.**, 19(3):153-162.
- GOSLING, D. C. L. & N. M. GOSLING. 1977. An annotated list of the Cerambycidae of Michigan. Part II, the subfamilies Parandrinae, Prioninae, Spondylinae, Aseminae, and Cerambycinae. **Great Lakes Entomol.**, 6(3):65-84, 61 figs.
- GOUNELLE, E. 1899. Description d'un type nouveau de prionen aberrant **Bull. Soc. Entomol. France**, 1899:6-8, 1 fig.
1899. Note sur le genre *Migdolus* et description de la femelle de *Migdolus Fryanus* Westw. **Bull. Soc. Entomol. France**, 1899:221-222.
1905. Description d'un cérambycide nouveau appartenant au genre *Coremia* et tableau synoptique de ce genre. **Bull. Soc. Entomol. France**, 1905:227-228.
1905. Description d'un cérambycide nouveau appartenant au genre *Parozodes* Aurivillius. **Bull. Soc. Entomol. France**, 1905:294-296, 1 fig.

1906. Chasses de M. Carlos Bruch dans l'Argentine. Description d'un nouveau genre et d'une nouvelle espèce de cérambycides. **Bull. Soc. Entomol. France, 1906:140-142, 1 fig.**
1906. Note sur deux lamiaires américains placés avec doute dans le genre *Eudesmus* et description de deux genres nouveaux. **Bull. Soc. Entomol. France, 1906:272-275, 2 figs.**
1906. Cérambycides nouveaux ou peu connus de la région néotropicale principalement de la sous-région brésilienne. **Ann. Soc. Entomol. France, 75:1-20, 2 figs., 1 pl.**
1907. Note sur les genres *Sphaerion* Serv., *Nephalius* Newm., *Mephritus* Pasc., *Periboeum* Thoms. et *Stizocera* Serv. **Bull. Soc. Entomol. France, 1907:238-244.**
1908. Cérambycides nouveaux ou peu connus de la région néotropicale, principalement de la sous-région brésilienne. **Ann. Soc. Entomol. France, 77:7-20, 1 pl.**
1908. Notes synonymiques. **Bull. Soc. Entomol. France, 1908:28-289.**
1909. Liste des cérambycides de la région de Jatahy, Etat de Goyaz, Brésil. **Ann. Soc. Entomol. France, 77:587-688, 30 figs.**
1909. Description d'une nouvelle espèce brésilienne d'*Amphionycha*. **Bull. Soc. Entomol. France, 1909:83-85, 1 fig.**
1909. Notes synonymiques. **Bull. Soc. Entomol. France, 1909:304-305.**
1910. Description de deux espèces nouvelles appartenant au genre *Rhatymoscelis* Th. **Bull. Soc. Entomol. France, 1910:46-48, 1 fig.**
1910. Note sur le genre *Compsocerus* Serv. et description de deux espèces inédites appartenant à ce genre. **Bull. Soc. Entomol. France, 1910:136-143.**
1910. Mission géodésique de l'Equateur. Collections recueillies par le Dr. Rivet. Coléoptères: Cérambycides. **Bull. Mus. Nat. Hist. Natur., 16(1):15-19.**
1911. Liste des cérambycides de la région de Jatahy, Etat de Goyaz, Brésil. **Ann. Soc. Entomol. France, 80:1-150.**
1911. Description de quelques espèces nouvelles de *Callichroma* du Brésil méridional. **Bull. Soc. Entomol. France, 1911:165-170.**
1911. Description d'un nouveau genre et d'une nouvelle espèce de la République Argentine appartenant au groupe des Trachyderini. **Bull. Soc. Entomol. France, 1911:233-236, 1 fig.**
1911. Note sur *Halycidocrius Philippii* et *Prionapterus staphylinus* Serv. **Bull. Soc. Entomol. France, 1911:319-327, 2 pls.**
1912. Description d'une espèce nouvelle du genre *Amphionthe* Bates. **Bull. Soc. Entomol. France, 1912:115-117, 1 fig.**
1912. Description d'un genre nouveau et d'une espèce nouvelle de l'Amérique centrale appartenant au groupe des Trachyderini. **Bull. Soc. Entomol. France, 1912:133-135, 1 fig.**
1913. Chasses de M. E. R. Wagner, correspondant du Muséum, dans les provinces du Nord de la République Argentine. Cérambycides nouveaux ou peu connus. **Bull. Mus. Nat. Hist. natur., 19:193-231, 21 figs., 1 pl.**
1913. Cérambycides nouveaux de Colombie, appartenant au Musée de Hambourg 1<sup>re</sup> note. **Bull. Soc. Entomol. France, 1913:386-390, 1 fig.**
1913. Cérambycides nouveaux de Colombie, appartenant au Musée de Hambourg 2<sup>e</sup> note. **Bull. Soc. Entomol. France, 1913:419-423, 1 fig.**
- GRAY, G. 1832. In E. Griffith & E. Pidgeon, **The animal kingdom arranged in conformity with its organization by the Baron Cuvier, with supplementary addition to each order**, (Insecta, vol. 2) London, **2:1-796, 84 pls.** (1831: pls. 6, 14, 65, 73; 1832: 85, 88, 89, 95, 100, 119).

- GREBENNIKOV V.V., GILL B.D. & VIGNEAULT R. 2010. *Trichoferus campestris* (Faldermann) (Coleoptera: Cerambycidae), an Asian wood-boring beetle recorded in North America. **Coleopt. Bull.** **64**(1):13–20.
- GRESSITT, J. L. 1947. Notes on the Lepturinae. **Proc. Entomol. Soc. Wash.**, **49**(7):190-192.
1953. Notes on nomenclature and relationships of some Palearctic and Nearctic Lepturinae **Pan-Pacific Entomol.**, **29**(4): 207.
- GUÉRIN-MÉNEVILLE, F. E. 1832. In J. G. Audinet-Serville, Nouvelle classification de la famille des longicornes. **Ann. Soc. Entomol. France**, (1)**1**:118-201.
1833. Prionaptère. *Prionapterus*, Guérin. **Mag. Zool.**, **3**: pl. 63.
1838. Insectes du voyage de la Favorite. **Mag. Zool.**, **8**: pls. 225-238.
1838. Insectes coléoptères inédits, découverts par M. Lanier dans l'intérieur de l'Ile de Cuba. **Revue Zool.**, **1838**:279-286.
1838. Note sur deux espèces nouvelles du genre *Phoedinus*. **Revue Zool.**, **1838**:286-287.
1840. Note sur le genre *Ozodera*. **Revue Zool.**, **1840**:142-143.
1840. Description de deux genres nouveaux de la famille des longicornes. **Revue Zool.**, **1840**:276-277.
1840. Description d'une nouvelle espèce de coléoptère longicorne du genre *Aegoidus* de M. Buquet. **Revue Zool.**, **1840**:334-335.
1840. In H. Dupont, Supplément à la monographie des trachyderides. **Mag. Zool.**, **1840**: pls. 28-38.
1843. Description d'une troisième espèce du genre *Torneutes*. **Revue Zool.**, **1843**:300-301.
1844. **Iconographie du Règne Animal de G. Cuvier, ou représentations d'après nature de l'une des espèces les plus remarquables et souvent non encore figurées de chaque genre d'animaux.** Insectes. J. B. Baillière. **7**: iv + 576 pp., 110 pls. [Cerambycidae, pls. 42-44, 21 May 1831; pls. 45-46, 9 Jul. 1831]
1844. Note monographique sur le genre *Amphidesmus*. **Mag. Zool.**, **1844**: pl. 146.
1844. Description de coléoptères nouveaux découverts par M. A. Niéto dans l'intérieur du Mexique. **Revue Zool.**, **1844**:253-262.
1855. Catalogue des insectes recueillis par M. Gaetano Osculati, pendant son exploration de la région équatoriale, sur les bords du Napo et l'Amazone. **Verh. Zool.-Bot. Ges.**, **5**:573-612.
- GYLLENHAL, L. 1817. In C. J. Schoenherr, **Appendix ad synonymia insectorum Tom. 1, part 3, sistens descriptiones novarum specierum.** Scaris. Officina Lewerentziana, 266 pp., 2 color pl.
- HAASE, E. 1891. Untersuchungen über die Mimicry auf Grundlagen einer natürlichen Systems der Papilioniden. Zweiter Theil: Untersuchungen über die Mimicry. **Bibl. zool.**, **8**:1-161, 14 pls.
- HAGENBACH, J. J. 1822. **Symbola Faunae Insectorum Helvetiae exhibentia vel species novas vel nondum depictas.** **1**: 48 pp., 19 pls.
- HALDEMAN, S. S. 1846. On several new genera and species of insects. **Proc. Acad. Nat. Sci. Phil.**, **3**:124-128, 1 fig.
1847. Descriptions of several new species and one new genus of insects. **Proc. Acad. Nat. Sci. Phil.**, **3**:149-151.
1847. Material towards a history of the Coleoptera Longicornia of the United States. **Trans. Amer. Philos. Soc.**, **10**:27-66.
1847. Corrections and additions to his paper on the Longicornia of the United States. **Proc. Amer. Philos. Soc.**, **4**:371-376.
1852. Appendix C. Insects. In H. Stansbury, **Exploration and survey of the Valley of the Great Salt Lake of Utah, including a reconnaissance of a new route through the Rocky Mountains.** United States Senate, Washington, pp. 366-379, pls. 9-10.

1853. Descriptions of some new species of insects, with observations on described species. **Proc. Acad. Nat. Sci. Phil.**, **6**:361-365.
- HAMILTON, J. 1896. *Physocnemum violaceipenne* n. s., *Copris gopheri*, *Spalacopsis filum* and *Ancylocera brevicornis*. **Entomol. News**, **7**(9):286-287.
- HAMMOND, H. E. J. & D. J. WILLIAMS. 2011. A Revision of the Genus *Callimoxys* Kraatz (Coleoptera: Cerambycidae) in America North of Mexico and Review of World Species. **Coleopt. Bull.** **65**(3): 246-289, 15 figures.
- HANLEY, G.A. 2005. Cerambycidae of North Dakota, an atlas and identification guide. **Cyril Moore Sci. Ctr. Science Monograph #3**, 105 pp., color illus.
- HARDY, G. A. 1926. Cerambycidae of Vancouver Island. **Rep. Prov. Mus. Nat. Hist. British Columbia**, **1925**:24-33, pls. 4, 5.
1927. Buprestidae and Cerambycidae of Vancouver Island. **Rep. Prov. Mus. Nat. Hist. British Columbia**, **1926**: 32-37, 2 pls.
1944. Further Notes on the Cerambycidae of Vancouver Island. **Proc. Ent. Soc. Brit. Colombia**. **41**:15-18.
1948. Some Beetles of the Families Cerambycidae and Buprestidae from Manning Park, British Colombia. **Proc. Ent. Soc. Brit. Colombia**. **44**:31-34.
- HARDY, G. A. & W. H. A. PREECE. 1926. Notes on some species of Cerambycidae from the southern portion of Vancouver Island. **Pan-Pacific Entomol.**, **3**(1):34-40.
1927. Further notes on some species of Cerambycidae from the southern portion of Vancouver Island, B. C., with descriptions of some new varieties. **Pan-Pacific Entomol.**, **3**(4):187-193.
1927. Additional notes on some Cerambycidae of Vancouver Island, B. C. **Pan-Pacific Entomol.**, **4**(2):61-67.
- HARRINGTON, W.H. 1899. Ottawa Coleoptera – Cerambycidae. **Ottawa Nat.** **13**(3):59-67.
- HARRIS, T. W. 1837. Characteristics of some previously described North American coleopterous insects, and description of others which appear to be new in the collection of Mr. A. Halsey. **Trans. Nat. Hist. Soc. Hartford** **1**:65-91.
1841. **A report on the insects of Massachusetts, injurious to vegetation**. Cambridge. 459 pp.
- HATCH, M. H. 1930. Records and new species of Coleoptera from Oklahoma and western Arkansas, with subsidiary studies. **Publ. Univ. Okla. Biol. Surv.**, **2**(1):15-26.
1971. **The beetles of the Pacific Northwest**. Univ. Wash. Publ. Biol., Seattle, **16**:1-662, 55 pls.
- HAUSEN, J. F. 1891. Notes entomologiques. Description d'espèces nouvelles. **Naturaliste Can.**, Quebec, **20**(8):155-160.
- HEFFERN, D.J. 1998. Insects of western North America. 1. A survey of the Cerambycidae, or longhorned beetles of Colorado. **Contributions of the C.P. Gillette Museum of Arthropod Diversity, Colorado State Univ.** 32 pp.
1998. Correction to the known distribution of *Prionus (Homaesthis) simplex* (Casey). **Insecta Mundi**, **12**(3-4): 174.
2001. New records of Cerambycidae from the United States. **Insecta Mundi**, **15**(2): 94.
- HEFFERN, D.J., A. DRUMONT, G. SAMA, Z. KOMIYA, G. TAVAKILIAN & A. SANTOS-SILVA. 2006. Reversal of precedence using the International Code of Zoological Nomenclature to maintain prevailing usage of *Macrotoma* Audinet-Serville, 1832. **Bull. de la Soc. Entomol. de France**, **111**(1): 123 – 127.
- HENSHAW, S. 1885. **List of the Coleoptera of America, North of Mexico**. Philadelphia, Amer. Entomol. Soc. & Geo B. Cresson Press, 4 + 161 p.
1887. First supplement to the list of Coleoptera of America, North of Mexico. **Entomologica Amer.**, **2**(11):213-220.
1889. Second supplement to the list of Coleoptera of America, North of Mexico. **Entomologica Amer.**, **5**(7):127-132.



1895. **Third supplement to the list of Coleoptera of America, North of Mexico.** Philadelphia. Amer. Entomol. Soc., P. C. Stockhausen Press, 3 + 62 pp.
- HEQUET, V. 1996. **Longicornes de Guyane.** Silvolab, ORSTOM, Cayenne, 36 pp., 19 pls.
- HERBST, J. F. W. 1799. **Natursystem aller bekannten in- und ausländischen Insecten; nach dem System des Ritters Carl von Linné Bearbeitet.** 8:1-420.
- HEYNE, A. & O. TASCHENBERG. 1907. **Die exotischen Käfer in Wort und Bild.** Leipzig. 25/26: vii + 262 p., 39 pls.
- HEYROVSKY, L. 1952. Popis noveho tesarika z Bolívie-*Oncideres boliviana* sp. n. **Acta Soc. Entomol. Czech.**, **49**(1-2):44-45.
1955. **Faune CSR. Svazek 5. Tesarikoviti** (Cerambycidae). Praha. Ceskosl. Akad. Ved. Sekce biol., 346 pp., 70 figs.
1960. Nueva especie del género *Psalidognathus* Gray, subgénero *Prionocaulus* White del Perú. **Biota**, **3**:162-165, 3 figs.
- HICKS, S. D. 1962. The genus *Oberea* Mulsant, with notes on the taxonomy, variation and host-affinities of many of the species. **Coleop. Bull.**, **16**:5-12, 5 figs.
- HILBURN, D.J. & R.D. GORDON. 1989. Coleoptera of Bermuda. *Florida Ent.* **72**(4):677-687
- HIPPISLEY, W. W. 1922. Notes on northern British Columbian Coleoptera. **Can. Entomol.**, **54**(3):63-66.
- HOEBEKE, E. R. 1978. Catalogue of the Coleoptera types in the Cornell University Insect collection. **Bull. Cornell Univ. Agric. Exp. Stn.**, **8**(3):3-31.
- HOFFMAN, R. L. 1958. The subspecies of *Typocerus lunatus*, a cerambycid beetle. **Proc. Entomol. Soc. Wash.**, **60**(5):217-221, 3 figs.
1988. The status of the names *Clytus horridus* LeConte and *Clytus leucozonus* Castelnau & Gory. **Insecta Mundi**, **2**:66-75.
- HOFFMANN, M. 1984. *Nesozineus* Linsley & Chemsak, 1966 (Acanthoderini): sinonímias, descrições e chave para as espécies. **Rev. Bras. Entomol.**, **28**(4):537-545, 30 figs.
- HOPE, F. W. 1834. Descriptions of some hitherto uncharacterized exotic Coleoptera, chiefly from New Holland. **Trans. Entomol. Soc. London**, **1**:11-20.
1835. Characters and descriptions of several new genera and species of coleopterous insects. **Trans. Zool. Soc. London**, **1**:91-112, pls. 13-16.
1846. Descriptions of a few nondescript species of beetles. **Trans. Entomol. Soc. London**, **4**:181-183, pl. 13.
- HOPPING, G. R. 1928. New Cerambycidae (Coleoptera). **Can. Ent.** **60**:246-247.
1932. A revision of the Clytini of boreal America. Part I. **Ann. Entomol. Soc. Amer.** **25**:529-577, 5 pls.
1937. A revision of the Clytini of boreal America. Part II. **Ann. Entomol. Soc. Amer.**, **30**(3): 438-457, 3 pls.
1943. Observations on *Brachysomida corpulenta* Csy. **Pan-Pacific Entomol.**, **19**(3):119-120.
1945. A new subspecies of *Monochamus notatus*. **Proc. Entomol. Soc. British Columbia**, **42**:17-18.
- HOPPING, R. 1921. A review of the genus *Monochamus* Serv. **Can. Entomol.**, **53**(11):252-258, 2 pls.
1922. New species of the old genus *Leptura* and allied genera. **Can. Entomol.**, **54**(7): 162 – 166.
1925. New Coleoptera from Western Canada. **Can. Entomol.**, **57**(11):206-208.
1928. Some notes on examination of types of Coleoptera in the LeConte and Casey collections. **Can. Entomol.**, **60**(1):6-8.

1928. New Cerambycidae. **Can. Entomol.**, **60**(10):246-247.
1931. New Coleoptera from Western Canada III. **Can. Entomol.**, **63**(10):233-238.
1931. Notes on *Pogonocherus*. **Pan-Pacific Entomol.**, **7**(3):105-106.
1934. A new *Bellamira*. **Can. Entomol.**, **66**(5):115-116.
1935. New Coleoptera from Western Canada V. **Can. Entomol.**, **67**(1):8-9.
1937. The Lepturini of America North of Mexico Part II. **Bull. Nat. Mus. Canada**, **5**:1-42, 6 pls.
1940. New Lepturini. **Pan-Pacific Entomol.**, **16**(1):32-4.
1941. A new species of *Xylotrechus*. **Pan-Pacific Entomol.**, **17**(1):29-30.
- HOPPING, R. & G. R. HOPPING. 1947. The Lepturini of America North of Mexico. Part III. *Cortodera*. **Entomol. Agric.**, **27**:220-236, 6 figs.
- HORN, G. H. 1860. Descriptions of new North American Coleoptera, in the cabinet of the Entomological Society of Philadelphia. **Proc. Acad. Nat. Sci. Phil.**, **12**:569-571, 1 pl.
1875. Synonymical notes and descriptions of new species of North American Coleoptera. **Trans. Amer. Entomol. Soc.**, **5**:126-156, 8 figs.
1876. Notes on the coleopterous fauna of Guadalupe Island. **Trans. Amer. Entomol. Soc.**, **5**:198-201.
1876. Synonymy of the Coleoptera of the Fauna Boreali-Americana Kirby. **Can. Entomol.**, **8**(9):166-170.
1878. Notes on some genera of Cerambycidae of the United States. No. 2. **Trans. Amer. Entomol. Soc.**, **7**:41-50.
1878. Contributions to the coleopterology of the United States. No. 2. **Trans. Amer. Entomol. Soc.**, **7**:51-60.
1880. Notes on some genera of Cerambycidae with descriptions of new species. **Trans. Amer. Entomol. Soc.**, **8**:115-138, 1 pl.
1880. List of the Coleoptera described by Mr. J. H. B. Bland with their synonymy. **Trans. Amer. Entomol. Soc.**, **8**: x-xii.
1881. Two new species of *Desmocerus*. **Trans. Amer. Entomol. Soc.**, **9**: vii-vlii.
1882. Note on *Cyllene pictus* and *robiniae*. **Can Entomol.**, **14**(12):240.
1883. Miscellaneous notes and short studies of North American Coleoptera. **Trans. Amer. Entomol. Soc.**, **10**:269-312.
1883. Synonymical note on *Callimus*. **Trans. Amer. Entomol. Soc.**, **10**: xi-xii.
1884. Synonymical notes. **Can. Entomol.**, **16**(8):147-148.
1884. In C. W. Leng, Synopses of Coleoptera. **Bull. Brooklyn Entomol. Soc.**, **7**(1):7-11.
1885. Descriptions of some new Cerambycidae with notes. **Trans. Amer. Entomol. Soc.**, **12**:173-197.
1885. Synonymical notes. **Entomologica Amer.**, **1**(1):5-9.
1885. Synonymical notes No. 2. **Entomologica Amer.**, **1**(5):88-90.
1885. In C. W. Leng, Synopses of Cerambycidae. **Entomologica Amer.**, **1**(7):130-133.
1886. A review of the species described by Olivier in the "Entomologiae". **Trans. Amer. Entomol. Soc.**, **13**:135-144.

1886. Notes from the Museum at Cambridge. **Trans. Amer. Entomol. Soc.**, **13**: xi-xvi, 12 figs.
1888. Additional notes. **Trans. Amer. Entomol. Soc.**, **15**:300-301.
1889. Synonymical notes. **Entomologica Amer.**, **5**(10-11):198-199, 212.
1890. In C. W. Leng, Synopses of Cerambycidae. **Entomologica Amer.**, **6**(5):97-98.
1891. New species and miscellaneous notes. **Trans. Amer. Entomol. Soc.**, **18**:32-48, 1 fig., 1 pl.
1893. Miscellaneous coleopterous studies. **Trans. Amer. Entomol. Soc.**, **20**:136-144.
1894. The Coleoptera of Baja California. **Proc. Calif. Acad. Sci.**, (2)**4**:302-449, pls. 7-8.
1895. Coleoptera of Baja California (supplement I). **Proc. Calif. Acad. Sci.**, (2) **5**:225-259, pl. 20.
1895. *Vesperoctenus flohri* Bates. **Entomol. News**, **6**:114-115.
- HOVORE, F. T. 1979. A new subspecies of *Megacheuma brevipennis* (LeConte) from southeastern California. **Coleop. Bull.**, **33**(4):459-463, 2 figs.
1980. A new genus and species of Cerambycidae from southern Texas. **Coleop. Bull.**, **34**(1):115-119, 1 fig.
1981. Two new species of *Prionus* (*Homaesthis*) from the southwestern United States, with notes on other species. **Coleop. Bull.**, **35**(4):453-457, 2 figs.
1983. Taxonomic and biological observations on southwestern Cerambycidae. **Coleop. Bull.**, **37**(4):379-387.
1987. A new genus and species of Cerambycidae from Costa Rica. **Pan-Pacific Entomol.**, **63**(2):151-154, 1 fig.
1987. A Review of the genus *Coleomethia* Linsley. **Wasmann J. Biol.** **45**(1-2):6-15, 2 figs.
1988. Additions to the cerambycid beetle fauna of Baja California, Mexico: records and descriptions. **Wasmann J. Biol.**, **46**(1-2):1-29, 4 figs.
1989. Records and descriptions of Costa Rican Cerambycidae, Part I: the Turrialba Valley. **Insecta Mundi**, **3**(4):249-260, 6 figs.
1992. A New Genus and Species of Flightless Longhorned Beetle from Central America. **Insecta Mundi**, **6**(1):37-41, 1 fig.
1998. Review of the genus *Sangaris* for Central America. **Occ. Pap. of the Cons. Coleop.**, **2**(1): 65-74.
1998. Two new species of Central American *Lagocheirus*. **Occ. Pap. of the Cons. Coleop.**, **2**(1): 1-5.
- HOVORE, F. T. & J. A. CHEMSAK. 1980. A review of the Mexican and Central American species of *Obrium* Dejean. **Coleop. Bull.**, **34**(1):31-54, 14 figs.
2005. New Latin American Lepturini, with new country records for Honduras & Ecuador. **Les Cahiers Magellanes**, **#47**: 1 –23, 10 figs.
2005. Three new species of *Ceralocyna* Viana, 1971, from Mexico and Ecuador (Cerambycinae, Trachyderini, Ancylocerina). **Folia Entomol. Mexicana**, **44**(Suppl. 1): 45 – 53, figs.
2006. New species of *Hemilissopsis* Lane, 1959 (Coleoptera, Cerambycidae, Cerambycinae, Elaphidionini). **Zootaxa**, **1340**: 45-49, figs.
- HOVORE, F. T. & E. F. GIESBERT. 1974. Two new species of Cerambycidae from southern California. **Pan-Pacific Entomol.**, **50**(2):139-144, 5 figs.
1976. Notes on the ecology and distribution of western Cerambycidae. **Coleop. Bull.**, **30**(4):349-360.

1990. The genus *Pronuba* Thomson in Central America (Heteropsini). **Rev. Bras. Entomol.**, **34**(4):79-794, 1 fig.
1998. New species and records of Agapanthiini from Mexico and Central America. **Occ. Pap. of the Cons. Coleop.**, **2**(1): 77-81.
- HOVORE, F.T. & J.D. MCCARTY. 1998. Records and descriptions of Mexican and Central American species of *Polyrhaphis*. **Occ. Pap. of the Cons. Coleop.**, **2**(1): 6-15.
- HOVORE, F. T. & R. L. PENROSE. 1982. Notes on Cerambycidae co-inhabiting girdles of *Oncideres pustulata* LeConte. **Southwestern Nat.**, **27**(1):23-27.
- HOVORE, F. T., R. L. PENROSE & E. F. GIESBERT. 1978. Notes on North American Cerambycidae. **Entomol. News**, **89**(2-3):95-100.
- HOVORE, F. T., R. L. PENROSE & R. W. NECK. 1987. The Cerambycidae or longhorned beetles of Southern Texas: a faunal survey. **Proc. Calif. Acad. Sci.**, **44**(13):283-334, 20 figs.
- HOVORE, F.T. & A. SANTOS-SILVA. 2004. Notes and descriptions of Neotropical Macrotomini (Prioninae). **Rev. Bras. Entomol.**, **48**(1): 49 – 54, 9 figs.
2007. Novas espécies de *Cometes* Audinet-Serville, 1828 (Coleoptera, Cerambycidae). **Papéis Avulsos Zool.**, **47**(5): 75-96, 56 figs.
2007. Variacao do colorido elitral, nova especie e novos registros em *Cometes* Audinet-Serville, 1828 (Coleoptera, Cerambycidae, Disteniinae). **Papéis Avulsos Zool.**, **47**(8): 113-125, 26 figs.
- HOVORE, F. T. & V. H. TOLEDO. 2006. Review of the genus *Sympagus* Bates, 1881 (Coleoptera: Cerambycidae: Lamiinae: Acanthocinini). **Zootaxa** **1252**: 49–61, figs.
- HOVORE, F. T. & R. H. TURNBOW, Jr. 1984. A new species of *Prionus* (*Homaesthesis*) from the Monahan Sandhills of western Texas. **Entomol. News**, **95**(1):1-4, 4 figs.
- HOVORE, F. T. & W. H. TYSON. 1983. A new species of *Lepturges* from southern Texas **Coleop. Bull.**, **37**(4):349-352, 2 figs.
- HOWDEN, H. F. 1959. A new species of *Anoplodera* Mulsant in the *mutabilis-aspera* group **Can. Entomol.** **91**(3):157-160.
1959. Descriptions of two new species of *Cyrtinus* LeConte, with a key to the New World Cyrtinini. **Can. Entomol.**, **91**(6):373-375.
1960. Two new species of *Cyrtinus* LeConte. **Can. Entomol.**, **92**(3):173-177, 4 figs.
1970. Jamaican *Cyrtinus*, with descriptions of two new species. **Can. Entomol.**, **102**(10):1312-1316, 4 figs.
1973. New species of *Cyrtinus* from Mexico and Venezuela. **Can. Entomol.**, **105**(4):595-597, 5 figs.
- HOWDEN, H. F. & A. HOWDEN. 2001. *Tetrops praeusta* (L.), a potential pest? *Insecta Mundi*, **14**(4): 220.
- HRABOVSKY, M. 1987. On *Anelaphus* Linsley, 1936 - One new species and two new combinations (Elaphidionini). **Rev. Bras. Entomol.**, **31**(1):135-137, 1 fig.
- HUBWEBER, L. & M. SCHMITT. 2010. Differences in genitalia structure and function between subfamilies of longhorn beetles (Coleoptera: Cerambycidae). **Genetica** **138**:37-43, 9 figs.
- HUEDEPOHL, K. E. 1979. Revision der Gattung *Oxymerus* Serville (Trachyderini). **Entomol. Arb. Mus. G. Frey**, **28**:9-74, 13 figs., 2 color pls., 5 maps.
1984. Nova espécie do gênero *Oregostoma* Thomson. **Rev. Bras. Entomol.**, **28**(4):409-410, 1 fig.
1985. Revision der Trachyderini. **Entomol. Arb. Mus. G. Frey**, **33/34**: 1-167, 57 figs.
1985. Eine neue Art der Gattung *Prionocalus* White, 1845, aus Ecuador. **Entomofauna**, **6**(11):117-127, 4 figs.

1987. Nachtrag zur Revision der Trachyderini. **Entomol. Arb. Mus. G. Frey**, **35/36**:199-202, 3 figs.
1988. Sobre o gênero *Eusapia* Gounelle, 1909 (Hesperophanini). **Rev. Bras. Entomol.**, **32**(3-4):525-528, 4 figs.
1989. Nova espécie do genero *Distenia* Mulsant. **Rev. Bras. Entomol.**, **33**(2):357-358, 1 fig.
- ILLIGER, J. C. W. 1804. Familien, Gattungen und Horden der Käfer von Latreille. **Mag. Insektenk.**, **3**:1-145.
- IVIE, M. A. 1985. The generic placement of *Xixuthrus domingoensis* Fisher. **Pan-Pacific Entomol.**, **61**(3):246-250, 8 figs.
1985. Nomenclatorial notes on West Indian Elaphidiini. **Pan-Pacific Entomol.**, **61**(4):303-314, 14 figs.
1985. Synonymy in West Indian Lamiinae. **Pan-Pacific Entomol.**, **61**(4):315-317.
- IVIE, M. A. & J. A. CHEMSAK. 1983. Synonymy in West Indian *Ecyrus* LeConte (Pogonocherini). **Coleop. Bull.**, **37**(3):199-202.
- IVIE, M. A. & M. L. SCHWENGEL-REGALA. 2007. The *Elaphidion* Audinet-Serville of the Puerto Rican Bank: new species, distributions, taxonomic corrections, and a key to species (Coleoptera: Cerambycidae: Elaphidiini). **Zootaxa** **1503**: 55–68, 21 figs.
- JACQUELIN du VAL, P. N. C. 1857. In R. de la Sagra, **Histoire Physique, Politique et Naturelle de l'Ile de Cuba**. **7**:1-328.
- JAKOBSON, G. G. 1899. Coleoptera palaeartica nova et parum cognita. **Ann. Mus. St. Petersb.**, **4**:39.
1924. Annotationes synonymicae et systematicae de coleopteris. **Rev. russ. Entomol.**, **18**:237-24.
- JEKEL, H. 1861. Observations suggérées par les notes de M. Chevrolat sur les cérambycides de M. Thomson. **J. Entomol.**, **1**:255-262.
- JENIS, I. & A. SANTOS-SILVA. 2010. Redescription of the female of *Physopleurus dohrnii* Lacordaire (Coleoptera, Cerambycidae, Prioninae). **Les Cahiers Magellanes NS** **2**:39-47, 12 figures.
- JOLY, L. J. 1985. El género *Sydax* Lacordaire en Venezuela. **Bol. Entomol. Venez.**, (N. S.) **4**(6):45-50.
1990. Los Ibidionini de la expedición at Cerro de la Neblina, Venezuela. **Revista de la Facultad de Agronomía, Maracay**, **16**: 207 - 218.
1991. Sinopsis de la tribu Ibidionini en Venezuela. **Acta Terramaris** **4**:1-84, 111 figs.
1992. *Eburodacrys bilineata*, nueva especie de Cerambycidae de Venezuela. **Bol. Entomol. Venez.**, (N. S.) **7**(2):139-143, 1 fig.
1999. El género *Praxithea* Thomson, 1864, en Venezuela (Torreutini). **Boln. Entomol., venez., n.s.** **10**(2): 177 - 196.
2000. Revisión de las especies venezolanas del género *Achryson* Audinet-Serville (Achrysonini). **Bol. entom. venez.** **15**(2): 147-179, 21 figs.
2010. El género *Obrium* Dejean, 1821 (Coleoptera, Cerambycidae, Oribini) en Venezuela **Pap. Avuls. Zool.** **50**(46):701-707, 4 figs.
- JOLY, L. J. & A. MARTINEZ. 1981. Contribución al conocimiento del género *Nyssicus* Pascoe (Sphaerionini). **Bol. Entomol. Venez.**, (N. S.) **1**(8):99-113, 10 figs.
- JOLY, L. J. & C. J. ROSALES. 1990. Los Cyrtinini de Venezuela. **Bol. Entomol. Venez.**, (N. S.) **5**(20):205-216, 9 figs.
- JORDAN, K. 1895. On some new species of Coleoptera in the Museum of the Hon. Walter Rothschild. **Ann. Mag. Nat. Hist.**, **(6)****15**:218-222.
- JOUTEL, L. H. 1902. A new species of *Saperda*. **Entomol. News**, **13**(2):33-34, 1 pl.
1911. *Phymatodes lengi* Joutel. **J. New York Entomol. Soc.**, **19**(3):200.

- JULIO, C.E.A. 1997. Descrições, sinonímia, novo status, novas combinações e chave para as espécies Brasileiras de *Oxycoleus*. **Bol. do Museu Nac., Zool., #381**, 11 PP.
1998. *Scleronotus*: espécies novas e transferencias. **Bol. do Museu Nac., Zool., #386**, 15 pp.
1999. Revisao do Genero *Scleronotus* White, 1855 (Coleoptera, Lamiinae, Acanthoderini). **Bol. do Museu Nac., Zool., #406**, 1-35, 121 figs.
2002. Revisão do genero *Cyclopeplus* Thomson (Lamiinae, Anisocerini). **Rev. Bras. Zool., 19(Suppl. 2)**: 93-102, 5 figs.
2002. Revisão do genero *Gounellea* Lane (Lamiinae, Anisocerini). **Rev. Bras. Zool., 19(Suppl. 2)**: 103-111, 4 figs.
2003. Sinopse do genero *Phacellocerina* Lane, 1964 (Lamiinae, Anisocerini). **Rev. Bras. Entomol., 47(1)**: 137-140, 2 figs.
2003. Sobre *Gymnocerus* Audinet-Serville, 1835 (Lamiinae, Anisocerini) e generos relacionados. **Rev. Bras. Entomol., 47(1)**: 141-145, 4 figs.
2003. Revalidação de Mauesini (Lamiinae), transferencia de generos, sinónímias e novos táxons. **Iheringia, Ser. Zool., (93)**: 49 - 58, 8 figs
2003. Revisão do gênero *Natagaima* (Lamiinae). **Iheringia, Sér. Zool., 93(1)**: 75 - 80, 3 figs
2003. Revalidação do gênero *Demophoo* (Lamiinae). **Iheringia, Sér. Zool., 93(2)**: 139 - 142, 1 fig
2003. Revisão do gênero *Satipoella* (Lamiinae). **Iheringia, Sér. Zool., 93(2)**: 143 - 148, 3 fig
2003. Revisão do gênero *Anisocerus* Lepeletier & Audinet-Serville, 1830 (Lamiinae, Anisocerini). **Rev. Bras. Entomol., 47(2)**: 149-153, 2 figs.
2005. *Parachalastinus* Galileo & Martins: espécie nova e chave para identificação. **Rev. Bras. Zool., 22(1)**: 19 – 22, 4 figs.
- JULIO, C.E.A., J.A. GIORGI & M.A. MONNÉ. 2000. Os tipos primários de Cerambycidae (Coleoptera) da coleção do Museu Nacional - Rio de Janeiro. **Publ. Avulsas do Museu Nacional, No. 84**, 1 - 54.
- JULIO, C.E.A. & M.A. MONNÉ. 2001. *Onychocerus* Lepeletier & Audinet-Serville, 1830 (Anisocerini): espécies novas e chave para identificação. **Bol. do Museu Nacional, Zool., 443**: 1-8, 8 figs.
2001. Sinopse dos gêneros *Scopadus* e *Omosarotes* (Cyrtinini). **Iheringia Ser. Zool., (91)**: 101-107, 5 figs.
2005. Revisão do gênero *Sympleurotis* Bates (Lamiinae, Colobotheini). **Rev. Bras. Entomol., 49(3)**: 392 – 396, 4 figs.
2005. Novo gênero de Acanthoderini (Lamiinae). **Revista Brasileira de Entomologia, 49(4)**, 446–447.
- KIRBY, W. 1818. A century of insects, including several new genera described from his cabinet. **Trans. Linn. Soc. London, 12**:375-453, 3 pls.
1834. **Centurie d'insectes contenant plusieurs genres nouveaux décrits dans sa collection**. Paris. Lequien fils, 92 pp., 4 pls. (notes of Chevrolat, Dejean, Lequien, Percheron, Guérin-Méneville and Audinet Serville).
1837. The Insects. Coleoptera. In J. Richardson, W. Swainson, and W. Kirby, **Fauna Boreali Americana; or the Zoology of the Northern Parts of British America: containing descriptions of the objects of natural history collected on the Late Northern Land Expedition, under the command of Captain Sir John Franklis, R. N.** Norwich, Josiah Fletcher. 249 pp.
- KIRK, H. B. & J. N. KNULL. 1926. Annotated list of the Cerambycidae of Pennsylvania. **Can. Entomol., 58(1)**:21-26; (2):39-46.
- KIRSCH, T. F. 1870. Beitrage zur Käferfauna von Bogotá. **Berl. Entomol. Zeitschr., 14**:337-378.
1875. Beitrage zur Kenntnis der Peruanischen Käferfauna auf Dr. Abendroths Sammlungen basirt (Fünftes Stück). **Deut. Entomol. Zeitschr., 19(2)**:241-304.

1889. Coleopteren gesammelt in den Jahren 1868-1877 auf einer Reise durch Süd Amerika von Alphons Stübel. **Abh. Berl. Zool. Mus.**, **4**:1-58.

KLUG, J. C. F. 1825. Entomologiae Brasilianae specimen alterum, sistens insectorum coleopterorum nondum descriptorum centuriam. **Nova Acta Acad. Caesar. Leop. Carol.**, **12**(2):421-476.

1829. **Preis-Verzeichniss vorräthiger Insectendoubletten des Königl. zoologischen Museums der Universität.** Berlin, 18 pp.

KNAUS, W. 1925. Three new forms of Coleoptera. **Pan-Pacific Entomol.**, **1**:182-183.

KNOLL, J. N. 1918. A new species of *Eupogonius* from Penna. **Entomol. News**, **29**(4):132-133.

1927. Descriptions of Coleoptera with notes (Buprestidae and Cerambycidae). **Entomol. News**, **38**:115-118.

1928. Two new Cerambycidae. **Entomol. News**, **39**(1):11-13.

1928. A new species of *Batyle*. **Entomol. News**, **39**:126.

1930. Notes on Coleoptera No. 2. **Entomol. News**, **41**(3):82-86; (4):101-102.

1932. Notes on Coleoptera No. 3. **Entomol. News**, **43**(3):62-67.

1934. Five new species of Coleoptera (Cleridae, Elateridae, Buprestidae and Cerambycidae). **Entomol. News**, **45**(1):9-13.

1934. Two new Arizona Coleoptera (Buprestidae and Cerambycidae). **Entomol. News**, **45**(3):68-70.

1934. Notes on the Coleoptera No. 4. **Entomol. News**, **45**(8):207-212.

1934. New Coleoptera (Buprestidae and Cerambycidae). **Ohio J. Sci.**, **34**(5):333-336.

1935. Four new Texas Coleoptera (Buprestidae and Cerambycidae). **Entomol. News**, **46**(4):96-99.

1935. New Coleoptera (Cebrenidae, Buprestidae and Cerambycidae). **Entomol. News**, **46**(7):189-193.

1936. Five new southwestern Coleoptera (Buprestidae and Cerambycidae). **Entomol. News**, **47**(4):105-108.

1937. Notes on Coleoptera with descriptions of new species (Buprestidae and Cerambycidae). **Entomol. News**, **48**(2):36-42.

1937. New southwestern Buprestidae and Cerambycidae with notes. **Ohio J. Sci.**, **37**(5):301-309, 1 pl.

1938. New southwestern Buprestidae and Cerambycidae with notes. **Ann. Entomol. Soc. Amer.**, **31**(2):135-143, 1 pl.

1940. Four new species of western Coleoptera (Cleridae, Buprestidae and Cerambycidae). **Ann. Entomol. Soc. Amer.**, **33**:555-559, 6 figs.

1941. A new species of *Haplidus*. **Ann. Entomol. Soc. Amer.**, **34**(2):317.

1941. New Coleoptera (Buprestidae and Cerambycidae). **Ann. Entomol. Soc. Amer.**, **34**(4):691-695, 1 pl.

1941. Nine new Coleoptera (Platyceridae, Buprestidae and Cerambycidae). **Ohio J. Sci.**, **41**:381-388, 1 pl.

1942. New Cerambycidae with notes. **Entomol. News**, **53**(8):224-227.

1944. New Coleoptera with notes (Buprestidae and Cerambycidae). **Ohio J. Sci.**, **44**(2):90-93, 1 pl.

1946. The long-horned beetles of Ohio. **Bull. Ohio Biol. Surv.**, **39**:133-354, 29 pls.

1947. Two new *Stenosphenus*. **Entomol. News**, **57**(10):253-255.

1947. New North American Coleoptera (Buprestidae, Schizopodidae and Cerambycidae). **Ohio J. Sci.**, **47**(2):69-73, 1 pl.
1948. New genus and species of Cerambycidae with notes. **Ohio J. Sci.**, **48**(2):82-83, 1 fig.
1949. New Coleoptera with notes (Elateridae, Buprestidae and Cerambycidae). **Ohio J. Sci.**, **49**(3):102-104, 1 pl.
1950. New Coleoptera with notes II (Buprestidae and Cerambycidae). **Entomol. News**, **61**(4):89-92.
1954. A new *Euryptera* and notes on other Cerambycidae. **Ohio J. Sci.**, **54**(2):129-130.
1954. A new North American *Eupogonius* with notes. **Entomol. News**, **65**(5):127-128.
1955. A new species of *Obrium* from Tennessee. **Entomol. News**, **66**(5):139.
1955. A new species of *Aneflus* from Arizona. **Entomol. News**, **66**(8):221-222.
1956. A new species of *Typocerus* from Florida. **Ohio J. Sci.**, **56**(6):338.
1958. A new species of *Conosphaeron* from Arizona. **Entomol. News**, **69**(7):185-186.
1958. One new species and one subspecies of Cerambycidae from Texas. **Ohio J. Sci.**, **58**(5):282.
1959. A new subspecies of *Typocerus brunnicornis* LeConte. **Ohio J. Sci.**, **59**(1):47, 1 fig.
1960. A new subspecies of *Cacoplia nebulosa* (Hald.). **Entomol. News**, **71**(5):116.
1960. A new species of *Elaphidion* from Texas. **Ohio J. Sci.**, **60**(1):7.
1962. Three new species of long-horned beetles from southern Texas with a key to the genus *Obrium*. **Ohio J. Sci.**, **62**(2):105-107, 2 figs.
1966. Two new North American species of *Smodicum* Lacordaire. **Entomol. News**, **77**:136-139.
1968. A new species of *Batyle* from Utah. **Ohio J. Sci.**, **68**(4):233-234, 1 fig.
1975. A new species of *Mecas* from Texas. **Ohio J. Sci.**, **75**(3):130-131, 1 fig.
- KOLBE, J. 1888. Ueber lokale Abänderung weit verbreiteter Thiere. **Entomol. Nachr.**, **14**:177-186.
1893. Beiträge zur Kenntnis der Longicornier. **Stettin. Entomol. Ztg.**, **54**:241-290.
1894. Beiträge zur Kenntnis der Longicornier. **Stettin. Entomol. Ztg.**, **55**:11-50.
- KRAATZ, G. 1863. Ueber einige zum Theil neue Cerambyciden-Gattungen. **Berl. Entomol. Zeitschr.**, **7**: 97-108, pl. 4, figs. 3-6.
1871. Sur quelques genres de Cerambycides en partie nouveaux. **Abeille**, **6**:393-400.
- KRYNICKY, J. 1834. Enumeratio Coleopterorum Rossiae meridionales et praecipue in Universitatis in Caesareae Charcoviensis circulo obvenientium, quae annorum 1827-1831 spatio observavit. **Bull. Soc. Imp. Natur. Moscou**, **7**:166-173.
- KUSCHEL, G. 1955. Una nueva especie de *Cheloderus* Castelnau. **Rev. Chil. Entomol.**, **4**:251-254, 1 fig.
- LACEY, L. 1949. Descriptions of three new longicorn beetles with a key to the species belonging to the genus *Nyssicus*. **Amer. Mus. Novit.**, **1439**:1-9.
- LACKERBECK, K. 1998. Neue und wenig bekannte Prioninae. **Entomofauna**, **19** (32): 517-524.
- LACORDAIRE, J. T. 1830. Mémoire sur les habitudes des insectes coléoptères de l'Amérique méridionale. **Ann. Sci. Nat.**, **20**:185-291; **21**:149-194.



1869. **Histoire Naturelle des Insectes. Genera des Coléoptères, ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes.** Paris. Librairie Encyclopédique de Roret., **8**:1-552; **9**(1):1-409.
1872. **Histoire Naturelle des Insectes. Genera des Coléoptères, ou exposé méthodique....**, Librairie Encyclopédique de Roret, **9**(2):411-930.
1876. **Histoire Naturelle des Insectes. Genera des Coléoptères, ou exposé méthodique....**, Librairie Encyclopédique de Roret, Atlas, 47 pp., 134 color pls.
- LAICHARTING, J. N. von. 1784. **Verzeichniss und Beschreibung der Tyroler-Insecten.** II Theil. Zürich. Johann Caspar Füessly, pp. 1-176.
- LAMEERE, A. A. 1883. Liste des cérambycides, décrits postérieurement au catalogue de Munich. **Ann. Soc. Entomol. Belg.**, **26**:1-78.
1884. Longicornes recueillis par feu Camille Van Volxem au Brésil et a La Plata. **Ann. Soc. Entomol. Belg.**, **28**:83-99.
1884. Matériaux pour la fauna des Petites-Antilles. Longicornes recueillis par M. Purves a Antigoa. **Ann. Soc. Entomol. Belg.**, **28**:100-101.
1884. Longicornes des voyages du Dr. E. Fromont au Brésil et a La Plata. **Ann. Soc. Entomol. Belg.**, **28**:102-104.
1884. Matériaux pour servir a la faune de la République de Venezuela. Longicornes nouveaux ou peu connus. **Ann. Soc. Entomol. Belg.**, **28**:105-111.
1885. Note sur quelques Prionides. **Compt. Rend. Séanc. Soc. Entomol. Belg.**, **29**: ix-xiii.
1885. Note sur quelques longicornes du Paraguay. **Compt. Rend. Séanc. Soc. Entomol. Belg.**, **29**: lxi-lxii.
1887. Le genre *Rosalia*. **Ann. Soc. Entomol. Belg.**, **31**:159-174, pl. 3.
1890. Un type nouveau de prionide souterrain. **Compt. Rend. Séanc. Soc. Entomol. Belg.**, **34**: cxxi-cxxiii.
1890. Note sur quelques sphérionides. **Compt. Rend. Séanc. Soc. Entomol. Belg.**, **34**: clxx-clxxiii.
1893. Voyage de M. E. Simon au Venezuela (Decembre 1887-Avril 1888). 23e. mémoire, longicornes. **Ann. Soc. Entomol. France**, **62**:273-280.
1900. Coléoptères. Cerambycidae. Diagnoses d'insectes recueillis par l'expédition antarctique belge. **Ann. Soc. Entomol. Belg.**, **44**:112.
1901. Étude sur la Phylogénie des Longicornes. Première communication préliminaire. **Ann. Soc. Entomol. Belg.**, **45**:314-323.
1902. Révision des prionides (Première mémoire - Parandrinés). **Ann. Soc. Entomol. Belg.**, **46**:59-111.
1902. Révision des prionides (Deuxième mémoire - Anoploderminés). **Ann. Soc. Entomol. Belg.**, **46**:191-225.
1902. Révision des prionides (Troisième mémoire - Spondylinés). **Ann. Soc. Entomol. Belg.**, **46**:303-334.
1902. Révision des prionides (Quatrième mémoire - Sténodontinés). **Mem. Soc. Entomol. Belg.**, **9**:63-110.
1903. Révision des prionides (Cinquième mémoire - *Olethrius*). **Ann. Soc. Entomol. Belg.**, **47**:129-140.
1903. Révision des prionides (Sixième mémoire - *Basitoxus*). **Ann. Soc. Entomol. Belg.**, **47**:213-224.
1903. Révision des prionides (Septième mémoire- Macrotominés). **Mem. Soc. Entomol. Belg.**, **11**:1-216.
1903. Révision des prionides (Huitième mémoire - Mécosarthrinés). **Ann. Soc. Entomol. Belg.**, **47**:307-320.

1904. Révision des prionides (Neuvième mémoire - Callipogonines). **Ann. Soc. Entomol. Belg.**, **48**:7-78.
1904. Révision des prionides (Dixième mémoire - Titanines). **Ann. Soc. Entomol. Belg.**, **48**:309-352.
1909. Révision des prionides (Treizième mémoire – Derancistrines). **Mem. Soc. Entomol. Belg.**, **17**:1-70.
1910. Révision des prionides (Seizième mémoire- Prionines III). **Ann. Soc. Entomol. Belg.**, **54**:272-292.
1910. Révision des prionides (Dix-septième mémoire - Prionines IV). **Ann. Soc. Entomol. Belg.**, **54**:368-383.
1911. Révision des prionides (Dix-huitième mémoire - Prionines V). **Ann. Soc. Entomol. Belg.**, **55**:260-277.
1912. Révision des prionides (Vingtième mémoire - Prionines VII). **Ann. Soc. Entomol. Belg.**, **56**:185-260.
1912. Révision des prionides (Vingt-et-unième mémoire Anacolines). **Mem. Soc. Entomol. Belg.**, **21**:1-188.
1913. **Coleopterorum Catalogus**, pars 52, Cerambycidae: Prioninae. Berlin, W. Junk, 108 pp.
1915. Note sur quelques Prioninae de la collection Em. Gounelle. **Ann. Soc. Entomol. France**, **84**:283-286.
1915. Note sur les Prioninae du Muséum National d'Histoire Naturelle de Paris. **Bull. Mus. Hist. Nat.**, **21**:51-63.
1916. Trois Prioninae nouveaux. **Bull. Soc. Entomol. France**, **1916**:233-235.
1919. **Genera Insectorum**, Coleoptera, Fam. Cerambycidae, Subfam. Prioninae. **172**:1-189, pls. 1-8.
1920. Prioninae nouveaux ou peu connus. **Ann. Soc. Entomol. Belg.**, **60**:137-145.
- LANE, F. 1936. Algumas notas sobre o gênero *Rhathymoscelis* Thoms. e descrição de uma espécie nova. **Rev. Mus. Paulo**, **20**:765-775, 2 pls.
1937. Esboço monographico dos Anoplodermídeos. **Rev. Mus. Paulo**, **23**:153-223, 9 pls.
1938. Descrição de uma espécie nova do gênero *Prionapterus* Guérin, 1832, in **Livr. Jub., Prof. L. Travassos**, p. 263-267, 1 pl.
1938. Notas sobre Lamiídeos neotrópicos e descrição de espécies novas (Lamiidae). **Rev. Mus. Paulo**, **23**:631-642, 1 pl.
1938. Uma nova espécie do gênero *Macropophora* Thomson, 1864 (Lamiidae). **Bol. Biol.**, (N. S.) **3**(1-2):49-51, 1 fig.
1938. Revisão do gênero *Praxithea* Thomson, 1864. **Bol. Biol.**, (N. S.) **3**(3-4):85-97, 2 pls.
1938. Notas sobre Lamiídeos neotrópicos e descrição de espécies novas (Lamiidae) II. **Bol. Biol.**, (N. S.), **3**(3-4):107-112, 1 pl.
1939. Descrições de Longicórnios neotrópicos (nota prévia). **Bol. Biol.**, (N. S.) **4**(1):73-78.
1939. Notas sobre Lamiídeos neotrópicos (Col., Lamiidae) III. **Bol. Biol.**, (N. S.) **4**(3):473-479, 2 pls.
1940. Nota sobre *Brachychilus consobrinus* F. Lane, 1939. **Rev. Chil. Hist. Nat.**, **44**:126-130, 1 fig.
1940. Nova espécie do gênero *Oregostoma* Serville, 1833. **Papéis Avulsos Dep. Zool.** **1**:1-4.
1940. Três novas espécies do gênero *Antodice* Thomson, 1864. **Rev. Entomol.**, **11**(1-2):401-406.
1941. Sobre o genero *Poecilosoma* Serville, 1832, com a descrição de uma nova espécie. **Arch. Inst. Pesq. Agron.**, **3**:149-156, 1 fig.
1942. Notas sobre as espécies de *Sternacanthus* Serville, 1832. **Rev. Bras. Biol.**, **2**(4):477-486, 1 pl.
1943. Descrição do alótipo de *Metopocoilus picticornis* Melzer, 1923 e notas sobre as outras espécies do gênero. **Arq. Mus. Parana.**, **3**:95-108, 1 pl.

1943. Um novo gênero e espécie de Acanthocininae. **Papéis Avulsos Dep. Zool.**, 3(19):261-264.
1949. Cerambicideos neotrópicos I. Sobre algumas espécies de Torneutinae. **Papéis Avulsos Dep. Zool.**, 9(3):33-46, 2 pls.
1950. Cerambicideos neotrópicos II. Sobre a posiao sistemática de alguns gêneros. **Arq. Zool.**, 8(5):363-378, 2 pls.
1950. Cerambycoidea Neotropica nova I. **Dusenía**, 1(2):91-104, 4 figs.
1951. Cerambycoidea Neotropica nova II. **Dusenía**, 2(1):1-20, 1 pl.
1954. Notas sinonímicas I. *Lycodesmus* Melzer, 1927 - *Ites* Waterhouse, 1880. **Rev. Bras. Entomol.** 1:195-201, 2 figs.
1955. Notas sinonímicas II. **Papéis Avulsos Dep. Zool.**, 12(2):265-280, 4 figs.
1955. Cerambycoidea Neotropica nova III. **Papéis Avulsos Dep. Zool.**, 12(13):281-296, 4 figs.
1956. Cerambycoidea Neotropica nova IV. **Dusenía**, 7(1):1-31, 1 pl.
1957. Dos nuevas espécies de Anisocerini. **Neotropica**, 3(12):65-69.
1957. Duas novas espécies de *Xylergates* Bates e descrição do alotipo de *Carphina assula* (Bates, 1864). **Publ. Inst. Pesq. Agron.**, (N S.) 4:1-31, 2 figs.
1958. A new neotropical genus of Ischiolonchini. **Amer. Mus. Novit.**, 1889:1-17, 2 figs.
1958. The neotropical genus *Cryptocranium* Serville, with the description of a new species. **Amer. Mus. Novit.**, 1916:1-10, 2 figs.
1959. Three new genera of Ibidionini. **J. New York Entomol. Soc.**, 67:13-19, 1 fig.
1959. Remarks on Dr. Breuning's revision of the Lamiids. **J. New York Entomol. Soc.**, 67:21-25.
1959. Un nuevo género de Ischiolonchini. **Neotropica**, 5(18):83-84.
1959. Two new species of *Ischnolea* Thomson, 1861. **Studia Entomol.**, 2(1-4):219-224, 2 figs.
1959. Cerambycoidea Neotropica nova V. **Papéis Avulsos Dep. Zool.**, 13(21):251-264, 3 figs.
1959. Novas espécies de Piezocerini. **Papéis Avulsos Dep. Zool.**, 13(25):303-309, 2 figs.
1959. Nova subfamília de Lamiidae. **Papéis Avulsos Dep. Zool.**, 13(26):311-316, 1 fig.
1960. On the identity of *Plistonax albolinitus* (Bates, 1861). **Papéis Avulsos Dep. Zool.** 14:47-51, 1 fig.
1964. Novos gêneros e espécies de Anisocerini. **Studia Entomol.**, 7:179-200.
1965. Cerambycoidea Neotropica nova VI. **Studia Entomol.**, 8(1-4): 269-336, 5 figs.
1965. La revalidación de *Rumacon canescens* (Bruch, 1926). **Neotropica**, 11(35):41-45.
1966. Novos gêneros e espécies de Aerenicin. **Papéis Avulsos Dep. Zool.**, 18(19):231-235.
1966. Novos gêneros e espécies de Anisocerini II. **Papéis Avulsos Dep. Zool.**, 18(20):237-243.
1966. Novos e gêneros e espécies de Hemilophini I. Gêneros com antenas de 12 artículos. **Papéis Avulsos Dep. Zool.**, 18(21):245-249.
1966. Novas espécies do gênero *Eulachnesia* Bates, 1872. **Papéis Avulsos Dep. Zool.**, 18(24):271-275.
1966. Novos gêneros e espécies de Hemilophini II. **Papéis Avulsos Dep. Zool.**, 18(26):281-289.

1966. Notas sinonímicas III. Sobre a identidade de *Acanthoibidion venezuelensis* F. Lane, 1951, com *Piezocera chevrolatii* White, 1855. **Papéis Avulsos Dep. Zool.**, **19**(2):37-41, 1 fig.
1966. Novas espécies de Torneutini. **Papéis Avulsos Dep. Zool.**, **19**(10):129-140.
1966. Novos gêneros e espécies de Aerenicini II. **Papéis Avulsos Dep. Zool.**, **19**(10):129-140.
1970. Notas sinonímicas IV. Sobre a identidade do gênero *Mielkea* Zajciw, 1965, com *Gigantotrichoderes* Tippmann, 1953. (Torneutini). **Atas Soc. Biol.**, **14**(1-2):9-10, 1 fig.
1970. Notas sinonímicas V. Sobre alguns sinónimos nas tribos Acanthoderini e Acanthocinini. **Atas Soc. Biol.**, **14**(1-2):31-32.
1970. Uma nova espécie do gênero *Haruspex* Thomson, 1864 (Piezocerini). **Atas Soc. Biol.**, **14**(3-4):59-60.
1970. *Beaveria nacta*, gen. n., sp. n. de Purpuricenini. **Rev. Bras. Entomol.**, **14**(7):51-55.
1970. Nota sobre *Ommidion modestum* Newman, 1840. **Rev. Bras. Entomol.**, **14**(10):73-82, 2 figs.
1970. Nota sobre *Zonotylus interruptus* (Olivier, 1790). **Rev. Bras. Biol.**, **30**(4):563-570, 4 figs.
1970. Cerambycoidea Neotropica nova VII. **Studia Entomol.**, **13**(1-4):369-428.
1971. Notas sinonímicas VI. Sobre a identidade de *Cyrtinacantha mirabilis* Zajciw, 1970 com *Acanthomerosternoplon paradoxum* Tippmann, 1955. **Atas Soc. Biol.**, **15**(1):5.
1971. Uma nova espécie do gênero *Woytkowskia* Lane, 1966 (Hemilophini). **Atas Soc. Biol.**, **15**(1):37-38, 3 figs.
1972. Cerambycoidea Neotropica nova VIII. **Studia Entomol.**, **15**(1-4):352-382, 4 figs.
1972. Notas sobre o gênero *Batus* Thunberg, 1822. **Rev. Bras. Entomol.**, **16**(10):71-74.
1972. Notas sobre o gênero *Migdolus* Westwood, 1863. **Arq. Inst. Biol.**, **39**(2):81-84, 4 figs.
1973. Cerambycoidea Neotropica nova IX. **Studia Entomol.**, **16**(1-4): 371-438, 4 figs.
1973. Notes on the tribe Gryllicini. **Studia Entomol.**, **16**(1-4):463-480, 8 figs.
1973. A few remarks on Dr. Lawrence S. Dillon's revision of the genus *Lagocheirus*. **Studia Entomol.**, **16**(1-4):529-533.
1973. Um novo gênero de Ibdionini. **Rev. Agric.**, **48**(4):149-154, 2 figs.
1973. Duas novas espécies do gênero *Dolichopterus* Tippmann, 1953. **Rev. Bras. Entomol.** **17**(16):114, 2 figs.
1973. Notas sinonímicas VII. **Rev. Bras. Entomol.**, **17**(21):137-143.
1973. Nota sobre *Sphecomorpha chalybea* Newman, 1838. **Atas Soc. Biol.**, **17**(1):23-25, 8 figs.
1974. Descrição de nova espécie de *Rhaphiptera* Serville, 1835, e notas sobre *R. punctulata* Thomson, 1868. **Rev. Bras. Entomol.**, **18**(3):93-99, 4 figs.
1974. A synopsis of Dr. Gilmour's synopsis of the tribe Aerenicini. **Studia Entomol.**, **17**(1-4):349-377, 20 figs.
1974. Sobre a designação de alguns lectótipos de longicórnios descritos em nota prévia em 1939. **Studia Entomol.**, **17**(1-4):378-382.
1974. Designação de lectótipos de algumas espécies de *Rhathymoscelis* Thomson, 1861. Descrição de uma nova espécie e separação de outras duas em gênero distinto. **Studia Entomol.**, **17**(1-4):513-532, 10 figs.
1974. Notas sinonímicas VIII. **Studia Entomol.**, **17**(1-4):533-541.

1975. Notas para uma revisão dos Anisocerini II. O gênero *Trigonoepplus* White, 1855. **Studia Entomol.**, **18**(1-4):383-400, 4 figs.
1976. Cerambycoidea Neotropica nova X. **Studia Entomol.**, **19**(1-4):451-460, 4 figs.
1977. *Grossmannia alphoides*, gen. n., sp. n. de Acanthoderini. **Anais Soc. Entomol. Brasil** **6**(1):3-6, 1 fig.
1977. Uma nova espécie de *Oncideres* Serville, 1835. **Rev. Agric.**, **52**(4):233-236. 1 fig.
1978. Novas espécies do gênero *Polyrhaphis* Serville, 1835. **Studia Entomol.**, **20**(1-4):63-74, 6 figs.
1978. Alguns esclarecimentos sobre a tribo Lissonotini. **Studia Entomol.**, **20**(1-4): 75-88, 6 figs.
- LANE, F. & U. R. MARTINS. 1965. Nova espécie de *Coccoderus* Buquet, 1840. **Papéis Avulsos Dep. Zool.** **18**(2):17-20, 1 fig.
- LANE, F. & A. F. PROSEN. 1961. *Esmia seabrai* sp. nov. **Ann. Inst. Med. Reg.**, **5**(3):131-132, 1 fig.
- LAPORTE, F. L. N. (Comte de Castelnau). 1832. Mémoire sur cinquante espèces nouvelles ou peu connues d'insectes. **Ann. Soc. Entomol. France**, (1)**1**:386-415, 448.
1840. **Histoire Naturelle des Insectes Coléoptères**. **2**:1-563, 36 pls.
- LAPORTE, F. L. N. & H. L. GORY. 1836. **Monographie du genre Clytus. Histoire naturelle et iconographie des insectes coléoptères, publié par monographies séparées**. **3**:1-124, 20 pls.
- LARA, E. F. & P. D. SHENEFELT. 1964. Three new Costa Rica Cerambycidae collected on cacao. **Ann. Entomol. Soc. Amer.** **57**:437-443, 14 figs.
1966. *Colobothea distincta* on cacao: Notes on its morphology and biology. **Ann. Entomol. Soc. Amer.**, **59**(3): 453-458, 20 figs.
- LATREILLE, P. A. 1804. **Histoire Naturelle, Générale et Particulière des Crustacés et des Insectes**. Paris. Imprimerie de F. Dufart. **11**:1-422, 3 pls.
1807. **Genera Crustaceorum et Insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata**. Paris & Argentorat. Amand Koenig. **2**:1-280; **3**:1-258.
1809. **Genera Crustaceorum et Insectorum**. Paris & Argentorat. Amand Koenig. **4**:1-399.
1810. **Considérations générales sur l'ordre naturel des animaux composant les Classes des Crustacés, des Arachnides et des Insectes, avec un tableau méthodique de leurs genres, disposés en familles**. Schoell, 444 pp.
1811. Insectes de l'Amérique équinoxiale recueillis pendant le voyage de MM de Humboldt et Bonpland, in **Recueil d'observations de zoologie et d'anatomie comparée faites dans l'Océan Atlantique, dans l'intérieur du nouveau continent et dans la mer du sud pendant les années 1799, 1800, 1801, 1802 et 1803**. **1**:127-252; **2**:9-64.
1817. Crustacés, Arachnides et Insectes. in G. L. C. D. Cuvier, **Le Règne Animal distribué d'après son organization, pour servir de base à l'Histoire Naturelle des animaux, et d'introduction à l'Anatomie comparée**, **3**:[29] + 653 pp., 2 pls.
1825. **Familles naturelles du Règne Animal; exposées succinctement et dans un ordre analytique, avec l'indication de leurs genres**. 570 pp.
1829. Crustacés, Arachnides et Insectes. In Cuvier, G. L. C. D. **Le Règne Animal distribué d'après son organization, pour servir de base à l'histoire naturelle des animaux, et d'introduction à l'Anatomie comparée, deuxième édition**, **4**: 28 + 584 pp., 4 pls.
- LEACH, W. E. 1815. **The zoological miscellany; being descriptions of new, or interesting animals**. London, **2**:1-154, pls. 61-120.
- LeCONTE, J. E. 1824. Description of some new species of North American insects. **Ann. Lyc. Nat. Hist.**, **1**:169-173.

- LeCONTE, J. L. 1845. Descriptions of some new and interesting insects, inhabiting the United States. **Boston J. Nat. Hist.**, **5**:203-209, pl. 18
1847. Fragmenta entomologica. **J. Acad. Nat. Sci. Phila.**, (2)**1**:71-93.
1850. General remarks upon the Coleoptera of Lake Superior. In Agassiz, **Lake Superior...**, pp. 201-242.
1850. An attempt to classify the longicorn Coleoptera of the part of America, north of Mexico. **J. Acad. Nat. Sci. Phila.**, (2)**1**:311-340; **2**:5-38.
1851. An attempt to classify the longicorn Coleoptera of the part of America, north of Mexico. **J. Acad. Nat. Sci. Phila.**, (2)**2**:99-112.
1852. An attempt to classify the longicorn Coleoptera of the part of America, north of Mexico. **J. Acad. Nat. Sci. Phila.**, (2)**2**:139-178.
1852. Remarks on some coleopterous insects collected by S. W. Woodhouse, M. D. in Missouri Territory and NewMexico. **Proc. Acad. Nat. Sci. Phila.**, **6**:65-68.
1853. Descriptions of twenty new species of Coleoptera inhabiting the United States. **Proc. Acad. Nat. Sci. Phila.**, **6**:226-235.
1854. Descriptions of some new Coleoptera from Texas, chiefly collected by the Mexican Boundary Commission. **Proc. Acad. Nat. Sci. Phila.**, **6**:439-448.
1854. Descriptions of some new Coleoptera from Oregon, collected by Dr. J. G. Cooper on the North Pacific R. R. expedition under Gov. J. J. Stevens. **Proc. Acad. Nat. Sci. Phila.**, **7**:16-20.
1854. Notice of some coleopterous insects, from the collection of the Mexican Boundary Commission. **Proc. Acad. Nat. Sci. Phila.**, **7**:79-85.
1854. Some corrections in the nomenclature of Coleoptera found in the United States. **Proc. Acad. Nat. Sci. Phila.**, **7**:216-220.
1857. In, **Report of Explorations and Surveys to ascertain the most practicable and economical route for a railroad from the Mississippi river to the Pacific Ocean**. Made under the Direction of the Secretary of War, in 1853-5, according to Acts of Congress of March 3, 1853, May 31, 1854 and August 5, 1854, **12**:1-72, 2 pls.
1858. Catalogue of Coleoptera of the regions adjacent to the boundary line between the United States and Mexico. **J. Acad. Nat. Sci. Phila.**, (2)**4**:9-42.
1858. Description of new species of Coleoptera chiefly collected by the United States and Mexican Boundary Commission, under Major W. H. Emory, U.S.A. **Proc. Acad. Nat. Sci. Phila.**, **10**:59-89.
1859. The Coleoptera of Kansas and eastern NewMexico. **Smithson. Contr. Knowl.**, **2**(6):1-58.
1859. Descriptions of some genera and species of Coleoptera from the vicinity of the southern boundary of the United States of America. **Arcana Nat.**, **1**:121-128, pls. 12, 13.
1859. Catalogue of the Coleoptera of Fort Tejon, California. **Proc. Acad. Nat. Sci. Phila.**, **11**:69-90.
1859. Additions to the coleopterous fauna of northern California and Oregon. **Proc. Acad. Nat. Sci. Phila.**, **11**:281-292.
1860. Notes on Coleoptera found at Fort Simpson, Mackenzie River, with remarks on northern species. **Proc. Acad. Nat. Sci. Phila.**, **12**:315-321.
1861. Notes on the coleopterous fauna of Lower California. **Proc. Acad. Nat. Sci. Phila.**, **13**:335-338.
1861. New species of Coleoptera inhabiting the Pacific District of the United States. **Proc. Acad. Nat. Sci. Phila.**, **13**:338-359.
1862. Note on the classification of Cerambycidae with descriptions of new species. **Proc. Acad. Nat. Sci. Phila.**, **14**:38-43.

1869. List of the Coleoptera collected in Vancouver's Island by Henry and Joseph Matthews with descriptions of some new species. **Ann. Mag. Nat. Hist.** (4)**4**:368-385.
1870. Synonymical notes on North American Coleoptera. **Ann. Mag. Nat. Hist.** (4)**6**:394-404.
1873. New species of North American Coleoptera. Prepared for the Smithsonian Institution. Part II. **Smithson. Misc. Coll'ns.**, **11**(264):169-238; (265):279-348.
1874. On some changes in the nomenclature of North American Coleoptera, which have been recently proposed. **Can. Entomol.**, **6**(10):186-196.
1874. Descriptions of new Coleoptera chiefly from the Pacific slope of North America. **Trans. Amer. Entomol. Soc.**, **5**:43-72.
1875. Descriptions of new Coleoptera of the United States with notes on geographical distribution. **Trans. Amer. Entomol. Soc.**, **5**:169-176.
1876. New species of Coleoptera collected by the expeditions for geographical surveys west of the one hundredth meridian in charge of Lieut. Geo M. Wheeler, United States engineers. **Ann. Rep. Chief Engineers 1876**(3):516-520 (Appendix JJ annual rept. chief engineers for 1876, pp. 296-300).
1878. The Coleoptera of the alpine regions of the Rocky Mountains. **Bull. U. S. Geol. Geogr. Surv. Terr.**, **4**(2): 447-480.
1878. Remarks on geographical distribution. In Schwarz, E. A., The Coleoptera of Florida. **Proc. Amer. Phil. Soc.**, **17**:470-472.
1878. Descriptions of new species. In Hubbard & Schwarz, The Coleoptera of Michigan. **Proc. Amer. Phil. Soc.**, **17**: 593-626.
1879. The Coleoptera of the alpine regions of the Rocky Mountains. **Bull. U. S. Geol. Geogr. Surv. Terr.**, **5**(3):499-520.
1880. Short studies of North American Coleoptera. **Trans. Amer. Entomol. Soc.**, **8**:163-218.
1880. Observations on the synonymy and habits of various Coleoptera of the United States. **Trans. Amer. Entomol. Soc.**, **8**: xxiii-xxiv.
1881. New Coleoptera. **Bull. Buffalo Soc. Nat. Hist.** **4**(1):27-28, 4 figs.
1884. Short studies of North American Coleoptera. No. 2. **Trans. Amer. Entomol. Soc.**, **12**:1-32.
- LeCONTE, J. L. & G. H. HORN. 1883. Classification of the Coleoptera of North America. Prepared for the Smithsonian Institution. **Smithson. Misc. Coll'ns.**, **26**(507): xxxvii + 1-567.
- LEECH, H. B. 1949. Introduction into British Columbia of Japanese Cerambycidae. **Proc. Entomol. Soc. British Columbia** **45**:26.
1959. Notes on a few species of Pacific coast Cerambycidae. **Coleop. Bull.**, **13**(2):42-46.
1963. *Centrodera spurca* (LeConte) and two new species resembling it, with biological and other notes. **Proc. Calif. Acad. Sci.**, **32**:149-218, 28 figs.
- LENG, C. W. 1884. Synopses of the Coleoptera (Cerambycidae). **Bull. Brooklyn Entomol. Soc.**, **7**(1):7-11; (4):57-64, pl. 2; (7):95-101; (8):112-116.
1885. Synopses of the Coleoptera (Cerambycidae). **Bull. Brooklyn Entomol. Soc.**, **7**(9):117-119.
1885. Synopses of Cerambycidae. **Entomologica Amer.**, **1**(2):28-35, 2 pls.; (6): pl. III; (7):130-136.
1886. Synopses of Cerambycidae. **Entomologica Amer.**, **2**(2):27-32; (3):60-63, 2 pls.; (4):81-83; (5):102-103; (6):118-120.
1887. Synopses of Cerambycidae. **Entomologica Amer.**, **2**(10):193-200; **3**(1):4-8; (2):23-24; (3):44.
1890. Synopses of Cerambycidae. **Entomologica Amer.**, **6**(1):9-13; (4):65-69; (5):97-98; (6):104-110; (8):156-160; (10):185-200; (11):213-214.

1918. *Microclytus* - a correction. **J. New York Entomol. Soc.**, **26**(1):8-10.
1920. **Catalogue of the Coleoptera of America, north of Mexico**. Mount Vernon, N.Y., John D. Sherman Jr., 470 pp.
- LENG, C. W. & J. HAMILTON. 1896. The Lamiinae of North America. **Trans. Amer. Entomol. Soc.**, **23**:101-178.
- LENG, C. W. & A. J. MUTCHLER. 1914. A preliminary list of the Coleoptera of the West Indies as recorded to January 1, 1914. **Bull. Amer. Mus. Nat. Hist.**, **33**:391-493.
1917. Supplement to preliminary list of the Coleoptera of the West Indies. **Bull. Amer. Mus. Nat. Hist.**, **37**:191-220.
1927. **Supplement 1919 to 1924 (inclusive) to Catalogue of the Coleoptera of America, north of Mexico**. Mount Vernon, N. Y., John D. Sherman Jr., 78 pp.
1933. **Second and third supplement 1925 to 1932 (inclusive) to Catalogue of the Coleoptera of America, north of Mexico**. Mount Vernon, N. Y., John D. Sherman Jr., 112 pp.
- LEPELETIER, A. L. M. (Comte de Saint-Fargeau) & J. G. AUDINET-SERVILLE. 1825. In P. A. Latreille, **Encyclopédie méthodique, ou par ordre de matière, par un société de gens de lettres**. Entomologie, **10**(1):1-344.
1828. In P. A. Latreille, **Encyclopédie méthodique...**, Entomologie, **10**(2):345-832.
1830. In J. T. Lacordaire, Mémoire sur les habitudes des insectes coléoptères de l'Amerique méridionale. **Ann. Sci. Nat.**, **20**:185-291; **21**:149-194.
- LEPESME, P. 1943. Un remarquable cérambycide nouveau de Guyane. **Rev. Franç. Entomol.**, **9**:135-137, 1 fig.
1946. Les Acrocinini. **Bull. Mus. Hist. Nat.**, (2)**17**:488-492, 7 figs.
1950. Notes longicornesques. **Longicornia**, **1**:587-590, 5 figs
1956. Notes longicornesques II. **Longicornia**, **3**:771-773, 1 fig.
- LEPESME, P. & S. BREUNING. 1952. Note préliminaire sur la classification des coléoptères cérambycides. **Trans. IXth Intern. Congr. Entomol.**, **11**:139-142.
- LEQUIEN (fils). 1833. [Descriptions]. **Mag. Zool.**, **3**: pl. 56-100.
- LESELEUC, A. de. 1844. G. *Amphionycha*. **Mag. Zool.**, **1844**: pl. 138, 2 pp.
- LEWIS, A. E. 1976. A new species of *Evodinus* from Wyoming. **Pan-Pacific Entomol.**, **52**(3): 227-228.
1977. The *Sternidius* of Arizona. **Pan-Pacific Entomol.**, **53**(3):195-203, 5 figs.
1979. A list of Cerambycidae from the Hualapai Mountains, Mojave Co., Arizona. **Pan-Pacific Entomol.**, **55**(1):21-26.
1986. The *Sternidius* of America north of Mexico. **Pan-Pacific Entomol.**, **62**(3):171-202, 17 figs.
2001. A new subspecies of *Typocerus balteatus* from West Texas (Lepturinae). **Occ. Pap. of the Cons. Coleop.**, **4**(1): 11-12, 2 figs.
- LINGAFELTER, S. W. 1998. The Genera of Elaphidiini Thomson 1864. **Mem. Entomol. Soc. Wash.**, **20**. 118 pp., 142 figs.
1999. Redescription of *Linsleyonides* Skiles and inclusion of *Elaphidion portoricensis* Fisher. **Univ. Kansas Nat. Hist. Mus. Spec. Publ.** **24**: 17 - 20, 9 figs.
2004. New species of *Stizocera* from Bolivia. *Zootaxa* 498: 1 – 11 (2004), Magnolia Press, 7 figs.
2007. Illustrated Key to the Longhorned Wodborring Beetles of the Eastern United States. **Coleopterists Society Special Publication #3**, 206 pages, 32 plates.



2008. Seven New Species of Elaphidiini (Coleoptera: Cerambycidae) From the Dominican Republic with Taxonomic Notes, New Country Records, and a Key to *Elaphidion* Audinet-Serville From Hispaniola. **Coleop. Bull.** **62(3)**:353-379, 15 figs.
- 2010 Methiini and Oemini (Coleoptera, Cerambycidae, Cerambycinae) of Hispaniola. **Coleopt. Bull.** **64(3)**:265-269.
2011. New records of *Caribbomerus* from Hispaniola and Dominica with redescription of *C. elongatus* (Fisher) and a key to species of the genus in the West Indies (Coleoptera, Cerambycidae, Cerambycinae, Graciliini). **ZooKeys** **85**:27–39, 6 figures.
2011. New myrmecomorphous longhorned beetles from Haiti and the Dominican Republic with a key to Anaglyptini and Tillomorphini of Hispaniola (Coleoptera, Cerambycidae, Cerambycinae). **ZooKeys** **106**:55-75, 5 figures.
- LINGAFELTER, S. W. & J.A. CHEMSAK. 2002. A new species of *Enaphalodes* Haldeman from Florida, with review of genus, synonymy, and key to species. **Coleop. Bull.**, **56(4)**: 569-581, 5 figs.
- LINGAFELTER, S. W. & N. V. HORNER. 1993. The Cerambycidae of north-central Texas. **Coleop. Bull.**, **47(2)**: 159-191, 7 figs.
- LINGAFELTER, S.W. & M.A. IVIE. 2004. Synonymies and Transfers in Elaphidiini Mostly Relating to the Genus *Elaphidion* Audinet-Serville (Coleoptera: Cerambycidae). **J. New York Ent. Soc.**, **112(2-3)**:205-211, 1 fig.
- LINGAFELTER, S. W. & C.J. MICHELI. 2004. New species of Cerambycidae from Puerto Rico with records and notes for other species. **Journ. New York Entomol. Soc.**, **112(1)**: 37 – 55, 6 figs.
2009. The Genus *Leptostylopsis* of Hispaniola (Coleoptera, Cerambycidae, Acanthocinini). **Zookeys** **17**:1-55, 117 figures.
- LINGAFELTER, S.W. & E. H. NEARNS. 2006. Rediscovery and Redescription of the Remarkable *Phoenixicus sanguinipennis* Lacordaire (Coleoptera, Cerambycidae, Trachyderini) from the Dominican Republic. **Coleop. Bull.**, **60(3)**: 199-206, 4 figs.
2007. Five New Species of Longhorned Beetles (Coleoptera, Cerambycidae) from the Dominican Republic in Genera *Ataxia* Haldeman, *Atimiola* Bates, *Drycothaea* Thomson, *Eburia* Lepeletier & Audinet-Serville, and *Hormathus* Gahan. **Coleop. Bull.**, **61(2)**: 177-191, 2 figs.
2011. New Synonymy in Cuban *Tilloclytus* Bates (Coleoptera:Cerambycidae: Anaglyptini). **Coleopt. Bull.** **65(2)**:153
- LINGAFELTER, S. W. & J. E. WAPPES. 2012. A new species of *Trichoxys* Chevrolat (Cerambycidae: Cerambycinae: Clytini), from Mexico with a key to the known species. **Pan-Pac Ent.** **88(2)**:154-162, 4 figures.
- LINGAFELTER, S. W. & N. E. WOODLEY. 2007. A New Species of *Derancistrus* Audinet-Serville (Coleoptera, Cerambycidae: Prioninae) from the Dominican Republic with Notes on Other Species of Prioninae from Hispaniola. **Coleop. Bull.**, **61(2)**: 165-175, 3 figs.
- LINNAEUS, C. (Carl von Linné). 1758. **Systema Naturae per regna tria naturae secundum classes, ordines, genera, species. cum characteribus, differentiis, synonymis, locis.** (ed. 10). Holmiae. Laur. Salvius. **1**: iii + 824 pp.
1761. **Fauna Suecica sistens animalia Sueciae regni: Mammalia, Aves, Amphibia, Pisces, Insecta, Vermes. Distributa per classes et ordines, genera et species, cum differentiis specierum, synonymis auctorum, nominibus incolarum, locis natalium, descriptionibus insectorum.** (ed. 2). Holmiae. Laur. Salvius. [46] - 578 pp., 2 pls.
1764. **Museum Suae Regiae Majestatis Ludovicae Ulricae Reginae Svecorum, Gothorum, Vandalorumque. In quo animalia rariora, exotica, imprimis insecta et conchilia describuntur et determinantur, prodromi instar editum.** Holmiae. Laur. Salvius. viii + 720 pp.
1767. **Systema Naturae...editio duodecima reformata.** Holmiae, Laur. Salvius. **1(2)**:533-1327.
- LINELL, M. L. 1896. In F. H. Chittenden & M. L. Linell, A pod-inhabiting longicorn found at the Columbian Exposition. **Proc. Entomol. Soc. Wash.**, **4**:42-43.

1897. Descriptions of new species of North American Coleoptera in the families Cerambycidae and Scarabaeidae. **Proc. U. S. Nat. Mus.**, **19**(1113):393-401.

1898. On the coleopterous insects of Galápagos Islands. **Proc. U. S. Nat. Mus.**, **21**(1143):249-268.

LINSLEY, E. G. 1930. New *Pogonocherus* and *Ecyrus* with notes concerning others. **Pan-Pacific Entomol.**, **7**(2):77-90, 2 figs.

1931. A correction. **Pan-Pacific Entomol.**, **7**(3):106.

1931. A new species of *Molorchus* from California. **Pan-Pacific Entomol.**, **8**(1):37-38.

1932. Notes and descriptions of some new and old genera and species of North American Oemini and Methiini. **Pan-Pacific Entomol.**, **8**(3):112-122, 1 pl.

1933. A new species of *Monochamus* from California. **Can. Entomol.**, **65**:118-119.

1933. New longicorn beetles of the subfamily Lamiinae. **Bull. Brooklyn Entomol. Soc.**, **28**(5):183-185.

1933. Two interesting new records. **Pan-Pacific Entomol.**, **9**(2):92.

1933. A new species of *Neoclytus* from white fir. **Pan-Pacific Entomol.**, **9**(2):93-94.

1933. A new longicorn beetle from Central America. **Pan-Pacific Entomol.**, **9**(3):131-132.

1933. A note on *Cosmotoma sertifer* Serv. **Pan-Pacific Entomol.**, **9**(3):132.

1933. A European longicorn new to California. **Pan-Pacific Entomol.**, **9**(4):170.

1934. A short review of the genus *Atimia*, with the description of two new species. **Pan-Pacific Entomol.**, **10**(1):23-26.

1934. Studies in the Cerambycidae of Lower California. **Pan-Pacific Entomol.**, **10**(2):59-63.

1934. Notes and descriptions of some Cerambycidae from the Tres Marias Islands. **Pan-Pacific Entomol.**, **10**(3):107-110.

1934. A new species of *Mallocera* from the British West Indies. **Bull. Brooklyn Entomol. Soc.**, **29**(5):198-199.

1934. Some new longicorn beetles from British Honduras. **Psyche**, **41**(4):233-235.

1934. A new genus and several new species of Neotropical Rhinotragine beetles. **Rev. Entomol.**, **4**(3):345-351.

1934. Notes and descriptions of West American Cerambycidae. **Entomol. News**, **45**(6):161-165; (7):181-185.

1935. Studies in the Longicornia of Mexico. **Trans. Amer. Entomol. Soc.**, **61**:67-102, 1 fig., 1 pl.

1935. Notes and descriptions of new or little known neotropical Sphaerionini. **Rev. Entomol.**, **5**(2):139-149.

1935. Notes and descriptions of new or little known neotropical Ibdionini. **Rev. Entomol.**, **5**(4):479-486, 4 figs.

1935. Notes and descriptions of West American Cerambycidae. II. **Entomol. News**, **46**(6):161-166, 4 figs.

1935. Cerambycidae from the Revillagigedo Islands, Mexico. **Pan-Pacific Entomol.**, **11**(2):72-74, 2 figs.

1935. New species of neotropical longicorn beetles. **Stylops**, **4**(5):109-113.

1935. A revision of the Pogonocherini of North America. **Ann. Entomol. Soc. Amer.**, **28**:73-103, 1 pl.

1936. Preliminary studies in the North American Phoracanthini and Sphaerionini. **Ann. Entomol. Soc. Amer.**, **29**:461-479, 1 pl.

1937. Notes and descriptions of West American Cerambycidae III. **Entomol. News**, **48**:63-69, 1 fig.

1938. Synonymical notes on some North American Cerambycidae. **Pan-Pacific Entomol.**, **14**(3):105-109.
1939. The longicorn tribe Atimiini. **Bull. So. Calif. Acad. Sci.**, **38**(2):63-80, 1 pl.
1940. A reclassification of the tribe Obriini of LeConte. **J. New York Entomol. Soc.** **48**:367-377.
1940. A generic revision of the tribe Methiini. **Bull. So. Calif. Acad. Sci.**, **39**(1):28-38.
1940. The California species of the genus *Tragidion*. **Pan-Pacific Entomol.**, **16**(3):135-137.
1940. Notes and descriptions of West American Cerambycidae IV. **Entomol. News**, **51**(9):253-258; (10):285-290, 2 figs.
1940. The origin and distribution of the Cerambycidae of North America, with special reference to the fauna of the Pacific slope. **Proc. 6th Pacific Sci. Congr.**, **4**:269-282, 3 maps.
1940. Notes on *Oncideres* twig girdlers. **J. Econ. Entomol.**, **33**(3):561-563.
1940. A revision of the North American Necydalini. **Ann. Entomol. Soc. Amer.**, **33**(2):269-281.
1942. Contributions toward a knowledge of the insect fauna of Lower California No. 2., Coleoptera, Cerambycidae. **Proc. Calif. Acad. Sci.**, (4)**24**:21-96, 2 pls.
1942. A new species of *Callidium* from the coast redwood, *Sequoia sempervirens*. **Pan-Pacific Entomol.**, **18**(4):192.
1943. New species of *Crossidius* from western North America. **Entomol. News**, **54**(7):147-149.
1949. A new species of *Stizocera* from Florida. **Pan-Pacific Entomol.**, **25**(4):153-154.
1955. Notes and descriptions of some species of *Crossidius*. **Pan-Pacific Entomol.**, **31**(2):63-66.
1957. Some new genera and species of North American Cerambycidae. **Can. Entomol.**, **89**(6):283-287.
1957. Descriptions and records of some Cerambycidae from Baja California. **Bull. So. Calif. Acad. Sci.**, **56**(2):85-87.
1957. New *Crossidius* from California. **J. Kansas Entomol. Soc.**, **30**(2):42-44.
1957. Descriptive and synonymical notes on some North American Cerambycidae. **Amer. Mus. Novit.**, **1828**:1-21.
1957. New subspecies of Cerambycidae mostly from southwestern United States. **Coleop. Bull.**, **11**: 33-36.
1957. Cerambycidae from Mexico and southwestern United States. **Coleop. Bull.**, **11**:37-39.
1957. New longicorn beetles from Texas. **Entomol. News**, **6**(6):159-161.
1957. A new species of *Callidium* from juniper. **Pan-Pacific Entomol.**, **33**(1):33-34.
1958. An addition to the known cerambycid fauna of the Revillagigedo Archipelago. **Bull. So. Calif. Acad. Sci.**, **57**(1):49-50, 1 fig.
1958. Geographical origins and phylogenetic affinities of the cerambycid beetle fauna of Western North America. **Zoogeography**, **158**: 299-320.
1959. A new subspecies of *Tragosoma* from southeastern Arizona. **Pan-Pacific Entomol.**, **35**(3):127-128.
1961. The Cerambycidae of North America. Part I. Introduction. **Univ. Calif. Publ. Entomol.**, **18**:1-97, 35 pls.
1961. A new Rhinotragine cerambycid from Arizona and Sonora. **Entomol. News**, **72**(6):163-165.
1961. A new species of *Isthmiade* from Barro Colorado Island, Canal Zone. **Proc. Entomol. Soc. Wash.**, **63**(1):65-66, 1 fig.
1961. The North and Central American species of *Euryptera* and a related new genus. **J. New York Entomol. Soc.**, **69**:131-141, 1 fig.

1961. Taxonomic notes on some Mexican and Central American Elaphidionine Cerambycidae. **Bull. Brooklyn Entomol. Soc.**, **56**(2):32-43.
1961. A review of the Pteroplatini of North and Central America. **Pan-Pacific Entomol.**, **37**(1): 1-15, 1 pl.
1961. A reclassification of the described Mexican and Central American Sphaerionine Cerambycidae. **Pan-Pacific Entomol.**, **37**(3):165-183.
1962. The Cerambycidae of North America. Part II. Taxonomy and classification of the Parandrinae, Prioninae, Spondyliinae and Aseminae. **Univ. Calif. Publ. Entomol.**, **19**:1-102, 1 pl., 34 figs.
1962. The Cerambycidae of North America. Part III. Taxonomy and classification of the subfamily Cerambycinae, tribes Opsimini through Megaderini. **Univ. Calif. Publ. Entomol.**, **20**:1-188, 56 figs.
1962. Synopsis of the genus *Elytroleptus* Dugés. **Fol. Entomol. Mex.**, **3**:1-13, 1 pl.
1963. The Cerambycidae of North America. Part IV. Taxonomy and classification of the subfamily Cerambycinae, tribes Elaphidionini through Rhinotragini. **Univ. Calif. Publ. Entomol.**, **21**:1-165, 52 figs.
1963. The characteristics and history of the North American Fauna: Longhorned beetles. **Proc. XVI Int. Congr. Zool.**, p. 28-33.
1964. The Cerambycidae of North America. Part V. Taxonomy and classification of the subfamily Cerambycinae, tribes Callichromini through Ancylocerini. **Univ. Calif. Publ. Entomol.**, **22**:1-197, 60 figs., 1 pl.
1967. A new genus of Cerambycidae near *Pleuromenus* Bates. **Pan-Pacific Entomol.** **43**(2):168-171, 1 fig.
1970. New genera and species in the Lepturine complex related to *Euryptera* and *Choriolaus*. **Pan-Pacific Entomol.**, **46**(2):128-141, 4 figs.
1977. Insects of the Galápagos (Supplement). **Occ. Pap. Calif. Acad. Sci.**, **125**:1-50.
- LINSLEY, E. G. & J. A. CHEMSAK. 1961. A distributional and taxonomic study of the genus *Crossidius*. **Misc. Publ. Entomol. Soc. Amer.**, **3**(2):25-64, 3 pls., 5 maps.
1963. Some new North American Cerambycidae. **Pan-Pacific Entomol.**, **39**(3):207-212.
1966. Cerambycidae of the Galápagos Islands. **Proc. Calif. Acad. Sci.** (4) **33**(8):197-236, 28 figs., 5 tpls.
1966. Cerambycidae of Cocos Island. **Proc. Calif. Acad. Sci.** (4) **33**(9):237-248, 8 figs.
1966. Cerambycidae of the Revilla Gigedo Islands. **Proc. Calif. Acad. Sci.** (4) **33**(10):249-254, 1 tpl.
1971. An attempt to clarify the generic status of some Neotropical species currently assigned to *Euryptera*, *Chontalia* and *Ophistomis*. **Arq. Zool.**, **21**(1):1-40.
1972. Cerambycidae of North America. Part VI, No. 1. Taxonomy and classification of the subfamily Lepturinae. **Univ. Calif. Publ. Entomol.**, **69**: viii + 138 pp, 41 figs., 2 pls.
1974. Cerambycidae collected in the Galápagos Islands by Robert Silberglied. **Pan-Pacific Entomol.**, **50**(3):303-304.
1976. Cerambycidae of North America. Part VI, No. 2. Taxonomy and classification of the subfamily Lepturinae. **Univ. Calif. Publ. Entomol.**, **80**:ix + 186 pp., 50 figs.
1976. XXXI. Galapagos Cerambycidae. Mission zoologique belge aux îles Galapagos et en Ecuador. 3:317-321.
1984. The Cerambycidae of North America, Part VII, No. 1. Taxonomy and Classification of the Subfamily Lamiinae, Tribes Parmenini through Acanthoderini. **Univ. Calif. Publ. Entomol.**, **102**: ix + 258 pp., 57 figs.

1995. The Cerambycidae of North America, Part VII, No. 2. Taxonomy and Classification of the Subfamily Lamiinae, Tribes Acanthocini through Hemilophini. **Univ. Calif. Publ. Entomol.**, Berkeley, **114**: xi + 292 pp., 55 figs.
- LINSLEY, E. G., J. N. KNULL & M. STATHAM. 1961. A list of Cerambycidae from the Chiricahua Mountain area, Cochise County, Arizona. **Amer. Mus. Novit.**, **2050**:1-34, 24 figs.
- LINSLEY, E. G. & J. O. MARTIN. 1933. Notes on some longicorns from subtropical Texas. **Entomol. News**, **44**:178-183.
- LINSLEY, E.G. & E.S. ROSS. 1940. Records of Some Coleoptera from the San Jacinto Mountains, California. **Pan-Pac Ent.** 16(1):75-76
- LINSLEY, E. G. & R. L. USINGER. 1966. Insects of the Galápagos Islands. **Proc. Calif. Acad. Sci.**, (4)**33**:113-196, 1 tbl.
- LOBL, I & A. SMETANA editors. 2010. Catalogue of Palaearctic Coleoptera Volume 6 Chrysomeloidea. Cerambycidae pp. 84-334. Apollo books.
- LUCAS, P. H. 1851. Un Longicorne de la famille des Prionites, qui constitue une espèce nouvelle dans ce genre. **Bull. Soc. Entomol. France**, **1851**: lxx-lxxvii.
1851. *Sympiezocera*. **Bull. Soc. Entomol. France**, **1851**: cvic-vii.
1853. Note sur nouveau genre de la famille des longicornes (*Sympiezocera*) qui habite les possessions françaises du nord de l'Afrique. **Revue Mag. Zool.**, (2)**5**:25-30, 1 pl.
1857. Entomologie, In **Animaux nouveaux ou rares recueillis pendant l'expédition dans les parties centrales de l'Amérique du Sud, de Rio de Janeiro a Lima, et de Lima au Para, exécutée par ordre du Gouvernement Français pendant les années 1843 a 1847, sous la direction du Comte F. de Castelnau**. 204 pp., 18 pls.
1861. Description du *Mallaspis Moreletii* (mâle). **Bull. Soc. Entomol. France**, **1861**: civ.
- MACHADO, V. S. & M. L. MONNÉ. 2009. Revision of the genus *Cosmotomidius* Melzer (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.**, **53**(3):331-333, 6 figs.
2009. Synopsis of the genus *Meridiotroctes* Martins & Galileo (Coleoptera, Cerambycidae. **Zootaxa** **2261**:66–68, 5 figs.
2011. Synopsis of *Zikanita* Lane (Coleoptera: Cerambycidae: Lamiinae). **Zootaxa** **2795**: 65–68, 5 figures.
2011. Revision of *Anoreina* Bates (Coleoptera: Cerambycidae: Lamiinae). **Zootaxa** **2970**: 1-32, 111 figures.
- MacKAY, W. P., J. C. ZAK & F. T. HOVORE. 1987. Cerambycid beetles of the northern Chihuahuan desert (South central New Mexico). **Coleop. Bull.**, **41**(4):361-369.
- MacRAE, T. C. 1993. Annotated checklist of the longhorned beetles (Cerambycidae and Disteniidae) occurring in Missouri. **Insecta Mundi**, **7**(4):223-252, 1 fig.
2000. Review of the genus *Purpuricenus* Dejean in North America. **Pan-Pacific Entomol.**, **76**(3): 137 - 169, 13 figs.
2001. Correction to holotype deposition of *Purpuricenus linsleyi* Chemsak. **Pan-Pacific Entomol.**, **77**(4): 281.
- MacRAE, T. C., L. G. BEZARK, & I. SWIFT. 2012. Notes on distribution and host plants of Cerambycidae (Coleoptera) from Southern Mexico. **Pan-Pac Ent.** **88**(2):173-187.
- MAES, J.- M. , A. ALLEN, M. A. MONNÉ & F. T. HOVORE. 1994. Catálogo de los Cerambycidae de Nicaragua. **Rev. Nicar. Entomol.**, 1994 (27):1-58.
- MAGNO, P. R. 1987. Duas novas espécies do gênero *Periboeum* Thomson, 1864 (Elaphidionini). **Rev. Bras. Entomol.**, **31**(3):431-434, 2 figs.
1992. Sinopse do gênero *Phespia* Bates, 1873 (Rhinotragini). **Rev. Bras. Entomol.**, **36**(4):787-790, 4 figs.

1995. Gênero *Tomopterus* Audinet-Serville, 1833 (Rhinotragini): Descrições, Chave para as espécies e nova combinação. **Rev. Bras. Entomol.**, **39**(3):553-566, 5 figs.
2001. Sinonímia e duas espécies novas de *Odontocera* Audinet-Serville, 1833 (Rhinotragini). **Bol. do Museu Nacional, Zool.**, **449**: 1 - 6, 2 figs.
2001. Gênero novo e espécies nova de Rhinotragini. **Bol. do Museu Nacional, Zool.**, **451**: 1 - 6, 10 figs.
- MAGNO, P. R. & M. A. MONNÉ. 1990. Gênero *Eumimesis* Bates, 1866, duas novas espécies e chave para identificação (Gryllcini). **Rev. Bras. Entomol.**, **34**(2):453-456, 4 figs.
- MANLEY, G. V. & J. V. FRENCH. 1977. A *Neoclytus* new to the United States. **Entomol. News**, **88**(1-2):39-40, 1 fig.
- MANNERHEIM, C. G. von. 1825. Novae coleopterorum species imperii Rossici incolae descriptae, in Hummel, **Essais entomologiques**, **1**(4):19-41.
1843. Beitrag zur Käferfauna der Aleutischen Inseln und der Insel Sitka und Neu-Californiens. **Bull. Soc. Imp. Natur. Moscou**, **16**(1):175-314.
1846. Nachtrag zur Käfer-Fauna der Aleutischen Inseln und der Insel Sitka. **Bull. Soc. Imp. Natur. Moscou**, **19**(1):501-516.
1852. Zweiter Nachtrag zur Käfer-Fauna der Nord-Amerikanischen Länder des Russischen Reiches. **Bull. Soc. Imp. Natur. Moscou**, **25**(2):283-387.
1853. Dritter Nachtrag zur Käfer-Fauna der Nord-Amerikanischen Länder des Russischen Reiches. **Bull. Soc. Imp. Natur. Moscou**, **26**(2):96-273.
- MARAZZI, G., M. PAVISI & V. MARAZZI. 2008. Genus *Macrodon* (Coleoptera, Cerambycidae, Prioninae) Catalog Iconographico con descrizione di una nuova specie. Natura Edizioni Scientifiche. 1-48, 35 figs.
- MARINONI, R. C. 1969. Revisão do gênero *Taurorcus*. **Rev. Floresta**, **1**:51-63, 15 figs. 1 pl.
1970. Notas complementares sobre o gênero *Taurorcus* com a descrição de *T. mourei*. **Bol. Univ. Fed. Paraná, (Zool.)** **3**(14):289-292, 6 figs.
1972. Esboço monográfico do gênero *Tapeina* Lep. & Serv., 1828. **Bol. Univ. Fed. Paraná, (Zool.)** **5**(1):1-76, 67 figs., 7 pls.
1974. *Piola quiabentiae*, gen. n., sp. n. do noroeste argentino (Phacellini). **Rev. Bras. Entomol.**, **18**(3):85-92, 9 figs.
1977. Some genera of Lamiinae and their type-species. **Dusenias**, **10**(1):37-55.
1977. Algumas notas sobre os gêneros *Estoloderces* Melzer, 1928 e *Lypsemina* LeConte, 1852 (Lamiinae). **Dusenias**, **10**(4):217-219.
1978. Nova espécie do gênero *Falsamplesthis* Breuning, 1959 (Lamiinae). **Rev. Bras. Entomol.**, **22**(2):91-94, 2 figs.
- MARINONI, R. C. & C. M. DALOSSI. 1971. Revisão do gênero *Myoxomorpha* White, 1855. **Arq. Mus. Nac.**, **54**:185-192, 2 pls.
- MARINONI, R. C. & U. R. MARTINS. 1978. Notas sinonímicas e novas espécies em Acanthoderini. **Papéis Avulsos Zool.**, **31**(11):173-193, 11 figs.
1982. Notas e descrições em *Cacostola* Fairm. & Germ., 1859 (Onciderini). **Rev. Bras. Entomol.**, **26**(3-4):247-251, 3 figs.
- MARINONI, R. C. & D. S. NAPP. 1984. Thyrsiini, uma nova tribo para Cerambycinae. **Rev. Bras. Entomol.**, **28**(1):39-49, 22 figs.
- MARINONI, R. C. L.M. de ALMEIDA, D.S. NAPP, & G.H. ROSADO-NETO. 1992. Primeira Lista do Material-Tipo de Coleoptera da Coleção de Entomologia PE. J.S. Moure, do Departamento de Zoologia da Universidade Federal do Paraná. **Rev. Bras. Zool.** **9**(1/2):99-126.

- MARQUA, D. G. 1975. Notes on Cerambycidae: description of the female of *Malobidion brunneum* Schaeffer. **Pan-Pacific Entomol.**, **51**(4):317.
1976. A new record of Purpuricene cerambycid from America, north of Mexico. **Pan-Pacific Entomol.**, **52**(1):37.
1976. A new record of Acanthocinine cerambycid from America north of Mexico. **Pan-Pacific Entomol.**, **52**(2):137.
- MARQUES, M. I. 1994. *Dirocoremia*, subgen. n. de *Coremia* Audinet-Serville (Compsocerini). **Rev. Bras. Zool.**, **11**(2):311-324, 42 figs.
1994. *Merocoremia Monnéi*, gen. n., sp. n. de Compsocerini. **Rev. Bras. Zool.**, **11**(2):345-353, 36 figs.
- MARQUES, M. I. & D. S. NAPP. 1996. Revisão e transferência para Rhopalophorini dos gêneros *Coremia* A.-Serville, 1834 e *Merocoremia* Marques, 1994. **Rev. Bras. Entomol.**, **40**(3/4):379-423, 227 figs.
2003. Análise cladística da tribo Rhopalophorini Blanchard, 1845. **Rev. Bras. Entomol.**, **47**(4): 491 – 545, 302 figs.
- MARSEUL, S. A. 1856. Diagnoses d'espèces nouvelles qui seront décrites et figurées prochainement. **Entomol. Revue Mag. Zool.**, (2)**8**:47-48.
- MARTIN, J. O. 1919. Notes on the occurrence of *Schizax senex* in California. **Entomol. News**, **30**(8):231-232.
1920. A new California *Methia*. **Can. Entomol.**, **52**(7):215-216.
1924. Studies in the genus *Mecas*. **Entomol. News**, **35**(1):244-245.
1930. Two new coleopterous insects from Arizona. **Pan-Pacific Entomol.**, **7**(2):70-72.
- MARTÍNEZ, C. 2000. Escarabajos longicornios de Colombia. **Biota Colombiana**, **1**(1): 76-105.
- MARTINS, U. R. 1959. Ibidionini I. Gêneros de escapo cicatricoso. **Papéis Avulsos Dep. Zool.**, **13**(22):265-273, 3 pls.
1959. Ibidionini II. O gênero *Sydax* Lacordaire. **Papéis Avulsos Dep. Zool.**, **13**(24):297-302, 2 pls.
1959. Ibidionini III. Notas sobre o gênero *Tetroplon* Aurivillius. **Papéis Avulsos Dep. Zool.**, **13**(28):321-327, 2 pls.
1959. Ibidionini IV. Comentários, redescrição e espécies novas do gênero *Hexoplon* Thomson. **Papéis Avulsos Dep. Zool.**, **13**(30):339-349, 1 pl.
1960. Ibidionini V. Comentários e descrição de novas espécies do gênero *Gnomidolon* Thomson. **Papéis Avulsos Dep. Zool.**, **14**(1):1-10.
1960. Ibidionini VI. Gêneros de corpo parcialmente sericeo-piloso. **Papéis Avulsos Dep. Zool.**, **14**(3):17-29, 14 figs.
1960. Ibidionini VII. Gênero *Phormesium* Thomson - Breves comentários e espécies novas. **Papéis Avulsos Dep. Zool.**, **14**(6):53-56, 13 figs.
1960. Ibidionini VIII. Sobre duas espécies do gênero *Cynidolon* Thomson. **Papéis Avulsos Dep. Zool.**, **14**(8):71-74, 11 figs.
1960. Ibidionini IX. Novas espécies do gênero *Octoplon*. **Papéis Avulsos Dep. Zool.**, **14**(10):85-92, 10 figs.
1960. Ibidionini X. Novas espécies do gênero *Ibidion* Serville. **Papéis Avulsos Dep. Zool.**, **14**(11):93-98, 3 figs.
1960. Ibidionini XI. Gêneros de pronoto enrugado. **Papéis Avulsos Dep. Zool.**, **14**(13):105-113, 11 figs.
1960. Ibidionini XII. Gêneros cujas espécies possuem olhos largamente separados na parte superior da cabeça. **Papéis Avulsos Dep. Zool.**, **14**(14):115-119, 5 figs.
1960. Ibidionini XIII. Sobre um novo gênero e uma nova espécie. **Papéis Avulsos Dep. Zool.**, **14**(17):153-155, 4 figs.

1960. Ibidionini XIV. Novas espécies dos gêneros *Heterachthes* e *Octoplon*. **Papéis Avulsos Dep. Zool.**, **14**(19):173-182, 11 figs.
1961. Ibidionini XVI. Gêneros com antenas de doze artículos. **Papéis Avulsos Dep. Zool.**, **14**(21):187-191, 9 figs.
1962. Ibidionini XV. Novas espécies, notas sinonímicas, redescritções. **Papéis Avulsos Dep. Zool.**, **14**(30):267-310, 41 figs.
1962. Ibidionini XVII. Redescritções e espécies novas. **Papéis Avulsos Dep., Zool.** **15**(1):1-14, 17 figs.
1962. Ibidionini XIX. Gênero *Ibidion* Serville: espécies proximas de *signatum* Serv. **Papéis Avulsos Dep. Zool.**, **15**(5):49-62, 15 figs.
1962. Ibidionini XX. Descrições, redescritções e novas combinações. **Papéis Avulsos Dep. Zool.**, **15**(10):91-110, 9 figs.
1962. Ibidionini XVIII. Redescritções e espécies novas. **Papéis Avulsos Dep. Zool.**, **15**(13):127-162, 39 figs.
1964. Ibidionini XXI. **Papéis Avulsos Dep. Zool.**, **16**(14):129-143, 11 figs.
1964. Ibidionini XXII. Trans.ferência de espécies de Ibidionini para Achrysonini. **Papéis Avulsos Dep. Zool.**, **16**(18):191-197, 2 figs.
1964. Ibidionini XXIII. Sobre *Ibidion maronicum* Thomson, 1867, espécie polimórfica. **Papéis Avulsos Dep. Zool.**, **16**(20):207-212, 1 fig.
1964. Heteropsini I. Nova espécie de *Chrysoprasis* Serville. **Rev. Bras. Entomol.**, **11**:53-55, 1 fig.
1965. Ibidionini XXIV. Divisão do gênero *Compsa* Perty, 1832. **Papéis Avulsos Dep. Zool.**, **17**(9):89-107.
1965. Ibidionini XXV. *Ophthalmoplon*, novo gênero, com cinco novas espécies. **Papéis Avulsos Dep. Zool.**, **17**(12):119-129, 15 figs.
1965. Ibidionini XXVI. Ibidionini do Riksmuseum, Stockholm. **Papéis Avulsos Dep. Zool.**, **17**(15):201-217, 8 figs.
1967. Monografia da tribo Ibidionini. Parte I. **Arq. Zool.**, **16**(1):1-320, 180 figs.
1967. Notas sobre Cerambycinae. **Papéis Avulsos Zool.**, **21**(5):43-53, 3 figs.
1968. Monografia da tribo Ibidionini. Parte II. **Arq. Zool.**, **16**(2):321-630, figs. 181-347.
1968. Notas sobre Cerambycinae II. **Papéis Avulsos Zool.**, **22**(3):13-30, 8 figs.
1969. Monografia da tribo Ibidionini. Parte III. **Arq. Zool.**, **16**(3):631-877, figs. 348-454.
1970. Monografia da tribo Ibidionini. Parte IV. **Arq. Zool.**, **16**(4):879-1149, figs. 455-586.
1970. Monografia da tribo Ibidionini. Parte V. **Arq. Zool.**, **16**(5):1151-1342, figs. 587-683.
1970. Notas sobre Cerambycinae III. **Papéis Avulsos Zool.**, **23**(4):45-48, 1 pl.
1970. Notas sobre Cerambycinae V. Novo gênero de Smodicini. **Rev. Bras. Entomol.**, **14**(6):47-49, 3 figs.
1971. Monografia da tribo Ibidionini. Parte VI. **Arq. Zool.**, **16**(6):1343-1508, figs. 684-710.
1971. Notas sobre Cerambycinae VI. Subsídios ao conhecimento dos Ibidionini. **Arq. Zool.**, **21**(3):121-178, 25 figs.
1971. Notas sobre Cerambycinae IV. **Papéis Avulsos Zool.**, **24**(3):57-63, 2 pls.
1973. Notas sobre Cerambycinae VIII. **Papéis Avulsos Zool.**, **26**(1):201-213, 5 figs.
1974. Contribuição ao conhecimento dos Acanthocinini III. Notas sobre o gênero *Anisopodus* White, 1855. **Rev. Bras. Entomol.**, **18**(2):55-65, 11 figs.
1974. Longicórnios da coleção Hüdepohl II. **Rev. Bras. Entomol.**, **18**(4):141-155, 8 figs.



1975. A taxonomic revision of the world Smodicini. **Arq. Zool.**, **26**(4):319-359, 69 figs.
1975. Longicórneos da coleção Hüdepohl III. **Papéis Avulsos Zool.**, **29**(2):7-20, 8 figs.
1975. Notas e descrições em Onciderini. **Papéis Avulsos Zool.**, **29**(10):65-70, 4 figs.
1975. Gênero *Trachyderes* Dalman : observações, sinônímias, descrições. **Papéis Avulsos Zool.**, **29**(13):81-92, 13 figs.
1976. Sistemática e evolução da tribo Piezocerini. **Arq. Zool.**, **27**(3-4):165-370, 168 figs., 8 color pls.
1976. Notas sobre *Achryson* Serville, 1833. **Rev. Bras. Entomol.**, **20**(2):73-78, 6 figs.
1977. Revisão do gênero *Sphagoeme* Aurivillius, 1893. **Rev. Bras. Entomol.**, **21**(3-4):79-87, 11 figs.
1978. Revisão dos gêneros *Macroeme* Aurivillius e *Neoeme* Gounelle. **Papéis Avulsos Zool.**, **32**(4):41-57.
1978. Revisão dos gêneros *Proeme*, gen. n., *Temnopsis* Audinet-Serville, 1834 e *Paratemnopsis*, gen. n. **Papéis Avulsos Zool.**, **32**(11):117-139, 15 figs.
1979. Notas e descrições em *Brasilianus* Jakobson, 1924 (Cóleoptera, Cerambycidae). **Rev. Bras. Entomol.**, **23**(1):23-28.
1979. Descrições e notas sobre Onciderini. **Rev. Bras. Entomol.**, **23**(3):147-156, 8 figs.
1980. Revisão dos gêneros *Austroeme*, *Stenoeme*, *Xanthoeme*, gen. n. e *Ocroeme*. **Papéis Avulsos Zool.**, **33**(11):221-229, 3 figs.
1981. Novos longicórneos neotrópicos da coleção Viehmann, com notas sinônímicas **Papéis Avulsos Zool.**, **34**(20):205-219, 11 figs.
1981. Descrições e notas sobre Onciderini II. **Papéis Avulsos Zool.**, **34**(21):221-234, 8 figs.
1981. Revisão do gênero *Atenizus*; os gêneros *Tessaropa* e *Methia* na América do Sul e descrição de novas taxa em Methiini. **Rev. Bras. Entomol.**, **25**(1):9-17.
1984. Contribuição ao estudo da tribo Aerenicini I. Gêneros com pontos elitrais contrastantes. **Papéis Avulsos Zool.**, **5**(24):307-317.
1984. Contribuição ao estudo da tribo Aerenicini (Lamiinae). II. Gêneros com lobos oculares inferiores reduzidos. III. Gêneros com lobos oculares superiores próximos e ápices elitrais acuminados. **Papéis Avulsos Zool.**, **35**(26):325-330, 3 figs.
1985. Novos táxons, sinônímias, notas e nova combinação em Cerambycidae neotropicais. **Rev. Bras. Entomol.**, **29**(2):169-180.
1995. Notas e descrições em Elaphidionini. **Rev. Bras. Entomol.**, **39**(4):741-749, 6 figs.
1997. Contribuições para uma revisão das espécies sul-americanas da Tribo Eburiini. **Rev. Bras. Entomol.**, **41**(1):57-83, 11 figs.
1997. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 1:** Subfamília Cerambycinae: Oemini, Methiini, Dodecosini (with M.H.M. Galileo), Paraholopterini. Soc. Bras. Entomol., São Paulo. 217 pp., 171 figs.
1998. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 2:** Subfamília Cerambycinae: Phlyctaenodini, Holopterini (with M. A. Monné), Uracanthini, Pleiarthrocerini (with M.H.M. Galileo), Ectenessini. Soc. Bras. Entomol., São Paulo. 195 pp., 216 figs.
1999. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 3:** Subfamília Cerambycinae: Hesperophanini (with M.H.M. Galileo), Eburiini, Diorini. Soc. Bras. Entomol., São Paulo. 418 pp., 271 figs.
2002. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 4:** Subfamília Cerambycinae: Erlandiini, Smodicini (with M.H.M. Galileo), Achrysonini, Cerambycini (in part)(with M.A. Monné). Soc. Bras. Entomol., São Paulo. 265 pp., 287 figs.
2003. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 6:** Subfamília Cerambycinae: Oabriini, Oxycoleini, Acangasuini (with M.H.M. Galileo), Lusco-smodicini, Psebiini, Piezocerini, Sydacini. Soc. Bras. Entomol., São Paulo. 232 pp., 261 figs.
2005. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 7:** Subfamília Cerambycinae: Elaphidionini. Soc. Bras. Entomol., São Paulo. 394 pp., 324 figs.

2005. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 5:** Subfamília Cerambycinae: Cerambycini, subtribo Sphallotrichina, subtrib. nov., Callidiopini, Graciliini, Neocorini, trib. nov. Soc. Bras. Entomol., São Paulo. 284 pp., 425 figs.
2006. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 8:** Subfamília Cerambycinae: Phoracanthini Newman, 1840 (with M.H.H. Galileo), Hexoplonini trib. nov. Soc. Bras. Entomol., São Paulo. 234 pp., 229 figs.
2007. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 9:** Subfamília Cerambycinae: Ibidionini, Trepidina, Ibidionina (with M.H.M. Galileo). Soc. Bras. Entomol., São Paulo. 349 pp., 351 figs.
2009. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 10:** Subfamília Cerambycinae: Ibidionini, Compsina, Eligmodermini (with M.H.M. Galileo), Ideratini (with D.S. Napp), Callichromatini (with D.S. Napp). Soc. Bras. Entomol., São Paulo. 373 pp., 349 figs.
2009. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 11:** Subfamília Parandrinae: (with Antonio Santos-Silva), Subfamília Disteniinae (with Antonio Santos-Silva), Soc. Bras. Entomol. São Paulo. 274 pp., 318 figs.
- MARTINS, U. R. & S. M. de CARVALHO. 1983. Sinonímias, nova combinação e novas espécies em *Aerenicopsis* Bates (Aerenicini) e *Trichohippopsis* Breuning (Agapanthiini) (Lamiinae). **Rev. Bras. Entomol.**, **27**(2):161-163.
1984. Considerações sobre a classificação da tribo Methiini com a revalidação de Xystrocerini Blanchard, 1845 e Oemini Pascoe, 1869. **Papéis Avulsos Zool.**, **35**(20):209-224, 90 figs.
- MARTINS, U. R. & J. A. CHEMSAK. 1966. Synopsis of the known Mexican Ibidionini. **Kansas Entomol. Soc.**, **39**(3):454-467.
1966. Revision of the Genus *Micropsyrassa* Linsley. **Pan-Pacific Entomol.**, **42**(2):120-126.
- MARTINS, U. R. & J. E. DURAN. Espécie nova de *Coccoderus* da Costa Rica. Les Cahiers Magellanes N.S. 10: 22-25, 3 figures.
- MARTINS, U. R., J. A. CHEMSAK & E. G. LINSLEY. 1966. A generic revision of the tribe Methiini in the Western hemisphere. **Arq. Zool.**, **14**(3):197-221, 2 figs.
- MARTINS, U. R. & M. H. M. GALILEO. 1985. Contribuição ao estudo da tribo Aerenicini. III. Gêneros com lobos oculares superiores subcontíguos. **Rev. Bras. Entomol.**, **29**(1):89-94, 16 figs.
1985. Contribuição ao estudo da tribo Aerenicini. V. Gêneros com lobos oculares superiores separados. **Rev. Bras. Entomol.**, **29**(3-4):463-470, 5 figs.
1985. Contribuição ao estudo da tribo Aerenicini. VI. Revisão do gênero *Recchia* Lane, 1966, adenda, correções e elenco da tribo. **Rev. Bras. Entomol.**, **29**(3-4):481-496, 2 figs.
1988. Sobre Falsamblethiini. II. Revisão do gênero *Gisostola* Thomson, 1868 e nota sinonímica em *Neohebestola* Marinoni, 1977. **Rev. Bras. Entomol.**, **32**(2):219-222, 1 fig.
1989. Sobre Falsamblethiini. III. Subsídios para uma revisão. **Rev. Bras. Entomol.**, **33**(1):119-134, 7 figs.
1989. Revisão das espécies sul-americanas do gênero *Erana* Bates, 1866 (Hemilophini). **Iheringia, (Zool.)** **(69)**:71-83, 10 figs.
1990. Notas sobre Calliini. II. Descrição de três gêneros novos. **Rev. Bras. Entomol.**, **34**(2):475-480, 5 figs.
1990. Notas sobre Calliini. IV. As espécies sul-americanas do gênero *Drycothaea* Thomson, 1868. **Rev. Bras. Entomol.**, **34**(3):607-613, 5 figs.
1990. Lamiinae com garras tarsais apendiculadas e descrição de Pretiliini, trib. n. **Rev. Bras. Entomol.**, **34**(4):703-708, 11 figs.
1990. Onciderini: sinonímias, novos táxons, chaves e notas. **Papéis Avulsos Zool.**, **37**(4):53-95, 56 figs.
1991. Subdivisão do gênero *Lycidola* Thomson, 1864 (Hemilophini). **Rev. Bras. Entomol.**, **35**(3):553-565, 11 figs.

1991. Os gêneros *Lycaneptia* Thomson, 1868 e *Lycomimus* Melzer, 1931 (Hemilophini). **Rev. Bras. Entomol.**, **35**(3):587-591, 1 fig.
1991. Revisão dos gêneros relacionados com *Themistonoe* Thomson, 1864 (Hemilophini). **Rev. Bras. Entomol.**, **35**(3):607-617, 11 figs.
1991. Gêneros de Hemilophini relacionados com *Malacoscyclus* Thomson, 1868. **Rev. Bras. Entomol.**, **35**(3):619-629, 5 figs.
1991. O gênero *Tyrinthia* Bates, 1866 e gêneros afins (Hemilophini). **Rev. Bras. Entomol.**, **35**(4):813-824, 10 figs.
1991. Dodecosini Bates, 1867 : chave para os gêneros e descrição de novos táxons. **Iheringia**, (Zool.), (71):133-138, 8 figs.
1992. Gêneros de Hemilophini relacionados com *Hemilophus* A.-Serville, 1835. **Rev. Bras. Entomol.**, **36**(1):121-128, 4 figs.
1992. Divisão do gênero *Isomerida* Bates, 1866 (Hemilophini). **Rev. Bras. Entomol.**, **36**(1):187-195, 5 figs.
1992. Divisão do gênero *Hilarolea* Thomson, 1868 (Hemilophini). **Rev. Bras. Entomol.**, **36**(2):437-447, 5 figs.
1992. Gêneros de Hemilophini com antenas de doze artículos. **Rev. Bras. Entomol.**, **36**(3):575-579, 1 fig.
1992. O gênero *Hilaroleopsis* Lane, 1970 e descrições de novos táxons em Hemilophini. **Rev. Bras. Entomol.**, **36**(3):589-596, 6 figs.
1992. Neotropical Cerambycidae primarily in the Canadian Museum of Nature, Ottawa. I. Falsamblesthiini. **Insecta Mundi**, **6**(2):101-108, 9 figs.
1993. Descrição de novos táxons com antenas de doze artículos, Trans.ferência de espécies de *Adesmus* Lepeletier & A.-Serville, 1825 e sinónimos. (Hemilophini). **Iheringia**, (Zool.), (74):109-116, 5 figs.
1993. Cerambycidae of the Canadian Museum of Nature, Ottawa. IV. Hemilophini. **Insecta Mundi**, **7**(3):169-173, 1 fig.
1994. Novas espécies e notas sobre Cerambycidae e Disteniidae do Estado de Tocantins, Brasil. **Iheringia**, (Zool.), (77):77-82.
1994. Revisão do gênero *Stereomerus* Melzer, 1934 (Desmiphorini). **Papéis Avulsos Zool.** **39**(1):1-11.
1994. Descrições de novas espécies, chaves para identificação e notas sobre os gêneros *Sphagoeme* Aurivillius, *Aleiphaquilon* Martins e *Gigantotrichoderes* Tippmann. **Rev. Bras. Zool.**, **11**(4):683-690, 3 figs.
1995. Notas e descrições em Desmiphorini. **Iheringia**, (Zool.), (78):161-170, 5 figs.
1995. Neotropical Cerambycidae of the Canadian Museum of Nature, Ottawa. V. Onciderini. **Insecta Mundi**, **9**(1-2):1-5, 6 figs.
1995. Os gêneros *Coeloprocta* Aurivillius; *Anisopeplus* Melzer e *Acaua*, gen. n. (Desmiphorini). **Rev Bras. Zool.**, **12**(1):25-29, 5 figs.
1995. Revisão do gênero *Blabia* Thomson, 1864 (Desmiphorini). **Rev. Bras. Entomol.**, **39**(3):567-590, 44 figs.
1995. Revisão do gênero *Malthonea* Thomson, 1864 (Desmiphorini). **Rev. Bras. Entomol.**, **39**(3):611-621, 8 figs.
1996. Transferência de gêneros de Aerenicini para Hemilophini, novos táxons e chave para as espécies de *Apagomerina* Gilmour, 1962. **Rev. Bras. Entomol.**, **40**(1):21-24, 7 figs.
1996. Divisão de *Eulachnesia* Bates, 1872 e descrição de novos táxons (Hemilophini). **Rev. Bras. Entomol.**, **40**(2):181-196, 8 figs.
1996. Descrições e notas sobre Cerambycidae sul-americanos. **Rev. Bras. Zool.**, **13**(2):291-311, 13 figs.
1997. Revisão dos gêneros *Pseudestola* Breuning, *Estolomimus* Breuning e *Euestola* Breuning (Desmiphorini). **Rev. Bras. Zool.**, **14**(1):99-112, 9 figs.
1997. Remoção de espécies com duas carenas elitrais do genero *Adesmus* (Hemilophini). **Iheringia**, Ser. Zool., (83): 45-64, 12 figs.
1998. Novas sinonimias e novos táxons em Cerambycidae neotropicais. **Rev. Bras. Zool.**, **15**(1): 47-58, 8 figs.

1998. Generos sul-americanos de Desmiphorini com lados do protórax desarmados. **Rev. Bras. Entomol.**, **41**(2-4): 257-265.
1998. Generos de Hemilophini semelhantes a *Phoebe*. **Rev. Bras. Entomol.**, **41**(2-4): 431-437.
1998. Revisão da Tribo Aerenicini Lacordaire, 1872. **Arquivos de Zool.**, **35**(1): 1 - 133, 77 figs.
1999. Sobre algumas espécies de Lamiinae da Colombia com garras tarsais divergentes. **Papéis Avulsos Zool.**, **41** (5): 67 - 81, 6 figs.
1999. Novas espécies de Cerambycidae neotropicais. **Rev. Bras. Zool.**, **16**(3): 807 - 820, 10 figs.
1999. Novas espécies de Ibidionini da América do Sul. **Rev. Bras. Entomol.**, **43**(3/4): 301 - 307, 7 figs.
1999. *Paleohemilophus* a new genus of fossil Cerambycidae from Hispaniola Island. **Rev. Bras. Entomol.**, **43**(3/4): 309 - 313, 11 figs.
1999. Transferência de *Stenygra* Audinet-Serville, 1834 para Ibidionini e descrição de *Isostenygra* gen. nov. **Rev. Bras. Entomol.**, **43**(3/4): 315 - 317, 5 figs.
2001. Novos táxons de Disteniidae neotropicais. **Iheringia**, Ser. Zool., (90): 15 - 20, 4 figs.
2001. Duas espécies novas do genero *Acakya* Martins & Galileo, 1996 (Acanthoderini). **Rev. Bras. Entomol.**, **45**(2): 103 - 105, 5 figs.
2001. Descrições, transferencias e notas em Apomecynini (Lamiinae). **Revista Brasileira Zoologia**, **18**(4): 1227-1235, 5 figs.
2002. Desmiphorini: novas espécies, nova sinonímia e redescricao de *Inermestoloides praeapicealba* Breuning, 1942. **Papéis Avulsos Zool.**, **42** (1): 1-12, 5 figs.
2002. *Estolomimus* (Lamiinae: Desmiphorini): novas espécies e chave. **Iheringia, Sér. Zool.**, **92**(2): 21-28, 4 figs.
2002. Cerambycidae da Colômbia. I. Eburini. **Iheringia, Zool.**, **92**(4): 5-10, 2 figs.
2002. Cerambycidae da Colômbia. II. Ibidionini. **Iheringia, Zool.**, **92**(4): 11-18, 2 figs.
2003. Novas espécies e revalidação em *Hippopsis* Lepeletier & Audinet-Serville, 1825 (Lamiinae, Agapanthini). **Rev. Bras. Entomol.**, **47**(1): 25-29, 8 figs.
2003. Novos táxons em Apomecynini (Lamiinae). **Rev. Bras. Entomol.**, **47**(1): 133-135, 3 figs.
2003. Cerambycidae da Colômbia. IV. Cerambycinae com olhos grosseiramente granulados. **Rev. Bras. Entomol.**, **47**(2): 175-180, 3 figs.
2003. Novos táxons em Piezocerini e Ibidionini (Cerambycinae). **Rev. Bras. Entomol.**, **47**(2): 225-228, 5 figs.
2003. Sinonímias e descrições em *Adetus* LeConte (Lamiinae, Apomecynini). **Rev. Bras. Entomol.**, **47**(3): 373 - 378, 6 figs.
2003. Novas espécies e nota sobre Lamiinae neotropicais da coleção Arriagada, Santiago, Chile. **Rev. Bras. Entomol.**, **47**(4): 615 - 620, 7 figs
2004. Contribuição aos Hemilophini (Lamiinae) da Colômbia e do Ecuador. **Iheringia, Zool.**, **94**(1): 37 - 44. 8 figs.
2004. Cerambycidae coletados na Venezuela na copa de *Matayba* (Sapindaceae) e *Vochysia* (Vochysiaceae). **Rev. Bras. Entomol.**, **48**(2): 229 - 232, 4 figs.
2004. **Cerambycidae Sul-Americanos, Suplemento 1.** Argania Editio S.C.P., Barcelona, Spain, 147 pp.
2004. Sobre Hemilophini (Lamiinae) da Região Neotropical: espécies novas e novos registros. **Rev. Bras. Zool.**, **21**(3): 535 - 541, 8 figs.

2004. Novos táxons de Aerenicini (Lamiinae) da Guatemala, Brasil e Bolívia. **Iheringia, Zool.**, **94(4)**: 395 – 401, 8 figs.
2004. Contribuição ao conhecimento dos Hemilophini (Lamiinae), principalmente da Costa Rica. **Rev. Bras. Entomol.**, **48(4)**: 467 – 472, 8 figs.
- 2005 Cerambycidae (Coleoptera) da Colômbia. VII. Novos taxons, novos registros, nova sinonímia, nova combinação e novo nome. **Rev. Bras. Zool.**, **22(1)**:5-18, 13 figs.
2005. Novos táxons e notas sobre Cerambycidae da região Neotropical. **Rev. Bras. Zool.**, **22(3)**: 764 – 770, 9 figs.
2005. Novas espécies de *Adetus* (Lamiinae, Apomecynini). **Iheringia, Sér. Zool.**, **95(1)**: 25 – 28, 4 figs.
2005. Novos Onciderini (Lamiinae) da Bolívia. **Revista Brasileira de Entomologia**, **49(4)**: 459–461.
2005. Contribuição para o conhecimento dos Desmiphorini (Lamiinae) da Região Neotropical. **Papéis Avulsos Zool.**, **45(19)**: 243 – 248, 6 figs.
2006. Novos taxons de Cerambycinae (Coleoptera, Cerambycidae) da Região Neotropical. **Iheringia** **96(2)**: 173-178, 9 figs.
2006. Calliini (Coleoptera, Cerambycidae, Lamiinae): Descrições, Homonímia, Novo Registro e Chave Para as Espécies de *Graminea* Thomson, 1864. **Papéis Avulsos Zool.**, **46(18)**: 211-218, 10 figs.
2006. Novos taxons de Desmiphorini (Coleoptera, Cerambycidae) do Equador e Bolívia e redescricao de *Estola medionigra* Breuning. **Rev. Bras. Ent.**, **50(4)**: 458-462, 6 figs.
2006. Gênero *Hippopsis* (Coleoptera, Cerambycidae, Lamiinae): chave para as espécies, sinonímia e descrição de espécies novas. **Rev. Bras. Ent.**, **50(4)**: 475-487, 50 figs.
2006. in Martins, U. R., Galileo, M. H. M., Santos-Silva, A. & Rafael, J. A. (2006) Cerambycidae (Coleoptera) coletados à luz a 45 metros de altura, no dossel da floresta amazônica, e a descrição de quatro espécies novas. **Acta Amazonica**, **36(2)**: 265-272.
- 2007 Notas e Novos espécies de Onciderini (Coleoptera, Cerambycidae, Onciderini). **Papéis Avulsos Zool.**, **47(9)**:127-135, 8 figs.
- 2007 Notas e descrições em Acanthoderini (Coleoptera, Cerambycidae, Acanthoderini). I. Novos taxons, nova sinonímia e novos registros. **Papéis Avulsos Zool.**, **47(12)**:159-164, 3 figs.
- 2007 Novos taxons e notas sobre Acanthoderini (Cerambycidae, Acanthoderini) com artigo III dos palpos labiais truncado. **Papéis Avulsos Zool.**, **47(16)**:159-164, 3 figs.
- 2007 Novos Cerambycidae (Coleoptera) da Coleção Odette Morvan, Kaw, Guiana Francesa. **Papéis Avulsos Zool.**, **47(14)**:175-179, 4 figs.
2007. Novos taxons em Hemilophini (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Zool.**, **24(4)**:1145-1149, 6 figs.
2008. Novas espécies de Onciderini (Coleoptera, Cerambycidae, Lamiinae) da Bolívia. **Papéis Avulsos Zool.**, **48(4)**:27-31, 4 figs.
2008. Novos Cerambycidae (Coleoptera) da Coleção Odette Morvan, Guiana Francesa II. **Papéis Avulsos Zool.**, **48(8)**:55-59, 5 figs.
2008. Notas e Novos Taxons em Acanthoderini (Coleoptera, Cerambycidae, Lamiinae) III. Gêneros semelhantes a *Anoreina*. **Papéis Avulsos Zool.**, **48(10)**:69-73, 5 figs.
2008. Clytini neotropicais II (Coleoptera, Cerambycidae, Cerambycinae). **Rev. Bras. Ent.**, **52(2)**:272-276, 8 figs.
2008. Novos Taxons de Apomecynini (Coleoptera, Cerambycidae, Lamiinae). **Papéis Avulsos Zool.**, **48(24)**:275-280, 5 figs.
2008. Notas e novos taxons em Acanthoderini (Coleoptera, Cerambycidae, Lamiinae). V. Três gêneros novos e notas em *Irundisaua*. **Rev. Bras. Zool.**, **25(3)**:507-511, 5 figs.
2008. Novos taxons e novo registro em Hemilophini (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Zool.**, **25(3)**:547-554, 9 figs.

2008. Trachyderini com reflexos verde-metalicos no corpo: novos taxon e novos registros (Coleoptera, Cerambycidae). **Les Cahiers (87)**:1-8, 4 figs.
2009. Nota e espécies novas de *Cyrtinus* LeConte (Coleoptera, Cerambycidae, Lamiinae, Cyrtinini) da Região Neotropical **Rev. Bras. Ent.**, **53(1)**:65-68, 5 figs.
2009. Novos taxons de Cerambycidae (Coleoptera) neotropicais da colecao Herbert Schmid, Viena, Austria. **Papéis Avulsos Zool.**, **49(39)**:529-538, 10 figs.
2009. Novas espécies de Desmiphorini (Coleoptera, Cerambycidae, Lamiinae) da Costa Rica e do Equador. **Papéis Avulsos Zool.**, **49(10)**:109-113, 5 figs.
2009. Onciderini (Coleoptera, Cerambycidae, Lamiinae): notas, descricoes, novas combinacoes e chave para grupo de especies de *Trachysomus*. **Papéis Avulsos Zool.**, **49(13)**:151-161, 9 figs.
2010. Novas espécies, nova sinonímia e novo registro em Cerambycidae (Coleoptera) do México e da América do Sul. **Pap. Avuls. Zool.** **50(17)**:83-90, 6 figs.
2010. Novos táxons em Onciderini (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras Ent.** **54(1)**:66-71-82, 8 figs.
2010. New species of the genus *Cotycicuiara* Galileo & Martins, 2008 (Cerambycidae, Lamiinae, Desmiphorini). **Insecta Mundi** **134**:1-6, 5 figures.
2010. Cerambycidae (Coleoptera) da Serra Bonita, Camacan, Bahia, Brasil. **Pap. Avuls. Zool.** **50(28)**:435-443, 1 figs.
2010. Notas e descrições em Hesperophanini, Eburiini, Piezocerini e Trachyderini (Coleoptera, Cerambycidae, Cerambycinae) do Brasil e da Bolívia. **Pap. Avuls. Zool.** **50(38)**:587-593, 5 figs.
2010. Novas espécies de Lamiinae (Cerambycidae) neotropicais e transferência de *Palpicrassus* Galileo & Martins, 2007. **Pap. Avuls. Zool.** **50(44)**:681-691, 8 figs.
2010. Novo registro e novas espécies de Cerambycinae (Coleoptera, Cerambycidae) de Trinidad and Tobago e da Venezuela. **Rev. Bras. Ent.** **54(4)**:565-570, 6 figures.
2011. Novas especies de Cerambycinae (Cerambycidae, Coleoptera) da Regiao Neotropical. **Pap. Avuls. Zool.** **51(11)**:189-195, 7 figures.
2011. Novos táxons de Hemilophini (Coleoptera, Cerambycidae, Lamiinae) das Américas. **Iheringia** **100(4)**:356-360, 4 figures.
2012. Duas especies de Onciderini (Cerambycidae, Lamiinae) do Institut Royal des Sciences Naturelles de Belgique, Bruxelas. **Pap. Avuls. Zool.** **52(19)**:291-221, 2 figures.
2012. Notas, novos registros e novas especies de Ibdionini (Coleoptera, Cerambycidae). **Rev. Bras. Ent.** **56(2)**: 199-209, 11 figures.
2012. Novos taxons e notas sobre Cerambycidae (Coleoptera) da Costa Rica. **Pap. Avuls. Zool.** **52(26)**:311-314, 2 figures.
2012. Novos taxons de Cerambycidae (Coleoptera) das Americas Central e do Sul. **Iheringia** **102(3)**:331-339, 11 figures.
2012. Seven new species of Cerambycidae (Coleoptera) from South America with the proposal of three new genera. **Zoologia** **29(6)**:557-562, 8 figures.
- MARTINS, U.R., M.H.M. GALILEO & L. J. JOLY. 2010. Novas espécies de *Callia* Audinet-Serville da América do sul (Cerambycidae, Lamiinae, Calliini). **Pap. Avuls. Zool.** **50(6)**:77-82, 7 figs.
- MARTINS, U.R., M.H.M. GALILEO & F. LIMEIRA-de-OLIVERIA. 2009. Cerambycidae (Coleoptera) do estado de Maranhao,

- Brasil I. **Papéis Avulsos Zool.**, **49(19)**:229-247, 4 figs.
2009. Cerambycidae (Coleoptera) do estado de Maranhao, Brasil II. **Papéis Avulsos Zool.**, **49(38)**:503-527, 15 figs.
2009. Cerambycidae (Coleoptera) do estado do Maranhao, Brasil. III. **Papéis Avulsos Zool.**, **51(18)**:275-293, 12 figs.
- MARTINS, U. R., M. H. M. GALILEO & R. RAMIREZ CAMPOS. 2012. Nova espécie do gênero *Galissus* Dupont (Coleoptera, Cerambycidae) e chave para identificação das espécies. **Pap. Avuls. Zool.** **52(17)**:197-200, 4 figures.
- MARTINS, U. R., M. H. M. GALILEO & A. SANTOS-SILVA. 2006. Cerambycidae (Coleoptera) collected with light trap at 45 meters height over an Amazon forest canopy and the distribution of four new species. **Acta Amaz.** **36(2)**:265-272, 6 figs.
- MARTINS, U.R., M.H.M. GALILEO & G.L. TAVAKILIAN 2008. Novos Cerambycidae (Coleoptera) da coleção Odette Morvan, Kaw, Guiana Francesca. III. **Papéis Avulsos Zool.**, **48(25)**:281-287, 6 figs
- MARTINS, U. R. & M. A. MONNÉ. 1972. Caracterização de dois gêneros de Acanthocinini. **Rev. Bras. Entomol.**, **16(8)**:61-66, 12 figs.
1973. Revisão do gênero *Niophis* Bates. **Rev. Bras. Entomol.**, **17(3)**:19-27, 10 figs.
1974. Contribuição ao conhecimento dos Acanthocinini. **Papéis Avulsos Zool.**, **28(2)**:11-30, 12 figs.
1974. Contribuição ao conhecimento dos Acanthocinini II. **Studia Entomol.**, **17(1-4)**:317-332, 9 figs.
1975. Longicórnios da coleção Hüdepohl. **Papéis Avulsos Zool.**, **28(16)**:269-293, 15 figs.
1978. Notas e descrições em Lissonotini. **Rev. Bras. Entomol.**, **22(2)**:65-68, 2 figs.
1980. Torneutini: chave para os gêneros, chaves para espécies de alguns gêneros, notas e descrições de novos taxa. **Papéis Avulsos Zool.**, **33(24)**:335-353, 12 figs.
1993. Novas espécies de *Oreodera* A.-Serville, 1835 e *Alphus* White, 1855 (Acanthoderini). **Iheringia**, (Zool.), (74):133-140, 4 figs.
- MARTINS, U. R. & J. S. MOURE. 1973. Notas sobre Cerambycidae VII. **Rev. Bras. Entomol.**, **17(12)**:77-84, 2 figs.
- MARTINS, U. R. & D. S. NAPP. 1979. *Delemodacrys mourei*, gen. n., sp. n. com a revalidação de Eburiini. **Dusenía**, **11(2)**:91-94, 4 figs.
1982. Gêneros afins de *Protosphaerion* Gounelle, 1908 : chaves, notas e descrições. **Dusenía**, **13(2)**:59-64, 4 figs.
1983. Gêneros *Stizocera* Audinet Serville, *Nesostizocera* Linsley e *Parastizocera* Linsley: chaves para espécies, descrições, notas e sinônimas. **Papéis Avulsos Zool.**, **35(7)**:79-92, 11 figs.
1984. *Epropetes* Bates, 1870 : descrições, notas e chave para espécies. **Rev. Bras. Entomol.**, **28(4)**:431-439, 6 figs.
1984. Os gêneros americanos de Psebiini. **Papéis Avulsos Zool.**, **35(25)**:319-324, 1 fig.
1986. Ibidionini IIIa divisão: descrições, notas e chave para espécies de *Minibidion*. **Rev. Bras. Entomol.**, **30(1)**:5-12, 5 figs.
1986. Ibidionini Va divisão: descrições e notas. **Rev. Bras. Entomol.**, **30(2)**:227-241, 12 figs.
1989. Rhopalophorini: descrições, sinônimas e novas combinações. **Rev. Bras. Entomol.**, **33(1)**:57-65, 7 figs.
1992. Sphaerionini: novos taxons, sinônima, chaves e nova combinação. **Rev. Bras. Zool.**, **7(4)**:459-476, 17 figs.
2005. Novo gênero e nota sinônima em Callichromatini. **Iheringia**, Sér. Zool., **95(1)**:17 – 19, 2 figs.
2006. Notas sobre os generos *Deltosoma* e *Thelgetra* (Coleoptera, Cerambycidae, Pteroplatini). **Iheringia** **96(3)**: 339-344, 9 figs.

- 2007 Novos Cerambycinae neotropicais e transferencia de *Tippmannia* Monné para Hesperophanini (Coleoptera, Cerambycidae). **Rev. Bras. Ent.**, **51(2)**:190-196, 6 figs.
- MARTINS, U.R. & A. SANTOS-SILVA. 2010 Contribuição para o estudo dos Rhinotragini (Coleoptera, Cerambycidae). I. Mudança de status nos subgêneros de *Ommata* White, 1855 e revisão de *Agaone* Pascoe, 1859 **Pap. Avuls. Zool.** **50(25)**:391-411, 38 figs.
2012. On some species of *Taeniotes* Audinet-Serville, 1835 (Coleoptera: Cerambycidae: Lamiinae). **Pan-Pac. Ent.** **88(1)**: 35-57, 20 figures.
- MARTINS, U. R., A. SANTOS-SILVA, & R. O. S. CLARKE. 2012. Contribuicao para o estudo dos Rhinotragini (Coleoptera, Cerambycidae) VI. *Ecliptoides* Tavakilian & Penaherrera-Leiva, 2005. **Pap. Avuls. Zool.** **52(38)**: 477-506, 30 figures.
2012. Contribuicao para o estudo dos Rhinotragini (Coleoptera, Cerambycidae) VII. *Ischasioides*. **Pap. Avuls. Zool.** **52(39)**:507-513, 9 figures.
- MCCARTY, J. D. 1993. A new species of *Eburia* from the Estacion de Biologia, Los Tuxtlas, Veracruz, Mexico. **Pan-Pacific Entomol.**, **69(4)**:336-338, 1 fig.
1997. A new species of *Polyrhaphis* from Mexico. **Occ. Pap. Cons. Coleop.**, **1(1)**:43-45, 1 fig.
2001. A review of the Mexican species *Oreodera* Audinet-Serville (Lamiinae). **Occ. Pap. of the Cons. Coleop.**, **4(1)**: 13-34, 10 figs.
2005. New species of *Oreodera* Audinet-Serville from Panama and Costa Rica (Lamiinae, Acanthoderini). **Folia Entomol. Mexicana**, **44(Suppl. 1)**: 83 – 86, 2 figs.
2006. A review of the genus *Antodice* Thomson of Mexico and Central America. **Les Cahiers Magellanes**, **53**: 1 – 23, 9 figs.
- MCDOWELL, W.T., & T.C. MacRAE. 2009. First Record of *Typocerus deceptus* Knull, 199 (Coleoptera:Cerambycidae) in Missouri, with notes on additional species from the state. **Pan Pac. Ent.** **84(4)**:341-433.
- MELSHEIMER, F. E. 1853. **Catalogue of the described Coleoptera of the United States**. Washington, D.C., Smithsonian Institution, xvi + 174 pp.
- MELZER, J. 1918. Observações sobre os cerambycideos do grupo dos Compsocerini. **Rev. Mus. Paul.**, **10**:419-435, 1 fig.
1919. Os longicórnios brasileiros da subfamília "Prioninae", tomando em consideração particular as espécies do Estado de São Paulo. **Rev. Mus. Paul.**, **11**:1-207, 10 pls.
1920. Longicórneos novos ou pouco conhecidos do Brasil. **Rev. Mus. Paul.**, **12(2)**:410-437, 6 figs.
1922. Longicórneos do Brasil, novos ou pouco conhecidos. **Notas Prelim. Mus. Paul.**, **2(2)**:1-12.
1923. Longicórneos do Brasil novos ou pouco conhecidos. **Rev. Mus. Paul.**, **13**:527-533, 1 fig.
1923. Longicórneos do Brasil, novos ou pouco conhecidos. **Notas Prelim. Mus. Paul.**, **2(3)**:1-4.
1923. Longicórneos do Brasil, novos ou pouco conhecidos. **Notas Prelim. Mus. Paul.**, **2(4)**:1-10.
1923. Longicórneos do Brasil, novos ou pouco conhecidos. **Notas Prelim. Mus. Paul.**, **2(5)**:1-9.
1926. Longicórneos do Brasil, novos ou pouco conhecidos. **Publ. Mus. nac.**, **7**:1-15.
1927. Longicórneos do Brasil, novos ou pouco conhecidos. **Rev. Mus. Paul.**, **15(1)**:135-202, 20 figs.
1927. Longicórneos do Brasil, novos ou pouco conhecidos. **Rev. Mus. Paul.**, **15(1)**:557-582.
1928. Longicórneos do Brasil, novos ou pouco conhecidos. **Arch. Inst. biol.**, **1**:143-158, 26 figs.



1930. Longicórneos do Brasil, novos ou pouco conhecidos II. **Arch. Inst. biol.**, **3**:187-208, 25 figs.
1931. Longicórneos americanos, principalmente do Brasil, novos ou pouco conhecidos **Arch. Inst. Biol.**, **4**:51-82, 33 figs.
1931. Cerambycideos neotrópicos, principalmente do Brasil. **Rev. Entomol.**, **1**(1):1-15, 8 figs.
1931. Novos Cerambycideos neotrópicos. **Rev. Entomol.**, **1**(2):191-199, 6 figs.
1932. Vinte espécies novas de cerambycideos neotrópicos, principalmente do Brasil. **Rev. Entomol.**, **2**(2):216-238, 14 figs.
1932. Novos gêneros e novas espécies de cerambycideos do Brasil. **Rev. Entomol.**, **2**(4):420-434, 12 figs.
1933. Cerambycideos neotrópicos, novos ou pouco conhecidos. **Rev. Entomol.**, **3**(3):367-382.
1933. Nota prévia sobre um longicórneo interessante dos Andes da Argentina. **Rev. Entomol.**, **3**(4):459-461, 1 pl.
1934. Novos subsidios para o conhecimento dos cerambycideos neotrópicos. **Rev. Entomol.**, **4**(1):70-110, 14 figs.
1934. Longicórneos americanos, principalmente do Brasil, novos ou pouco conhecidos. **Arq. Inst. Biol.**, **5**:213-244, 42 figs.
1935. Novos cerambycideos do Brasil, da Argentina e de Costa Rica. **Arch. Inst. Biol. Veg.**, **2**(2):173-205.
- MENDES, D. 1937. Uma nova espécie de *Pentheochaetes* Melzer, 1932. **Rodriguesia**, **3**:253-254.
1938. Uma nova espécie de *Desmiphora* Serv., 1835, in **Livr. Jub. Prof. L. Travassos**, **3**:315-317, 1 fig.
1938. Três espécies novas de cerambycideos do Brasil, dos gêneros *Lygrocharis*, *Rhathymoscelis* e *Alphus* **Rev. Entomol.**, **9**:117-121, 7 figs.
1940. *Rhopalophora neivai*, nova espécie da família Cerambycidae. **Rev. Entomol.**, **11**:380-382.
1946. Uma nova espécie do gênero *Semmus* Lac., 1869, in **Livr. Hom. R. F. d'Almeida**, **25**:235-238, 10 figs.
- MÉNÉTRIÉS, E. 1832. **Catalogue raisonné des objects de Zoologie recueillis dans un voyage au Cacase et jusqu'aux frontières actuelles de la Perse**. **4**:1-271.
1838. Essai d'une monographie du genre *Anacolus* de la famille des capricornes (Insectes coléoptères). **Bull. Sci. Acad. Imp. Sci. St. Petersbourg**, **4**:129-131.
1844. Sur un envoi d'insectes de la côte N. O. d'Amérique. **Bull. Sci. Acad. Imp. Sci. St. Petersbourg**, **2**: 49-64.
- MERLUDES, J.R.M. 1998. Nova espécie de *Dihammaphora* da Colombia (Cleominini). **Iheringia**, Sér. Zool., **(85)**: 97-100, 1 fig.
2008. Revision of *Piezochaerus* (Coleoptera: Cerambycidae). **Rev. Bras. Zool.**, **25**(2):309-313, 4 figs.
- MERLUDES, J.R.M. & M.A. MONNÉ. 1999. *Aleiphaquilon* (Callidiopini): descrições e chave para identificação. **Iheringia**, Sér. Zool., **(87)**: 81 - 86, 3 figs.
2009. *Pseudosparna*, a new Neotropical genus of Acanthocinini (Coleoptera: Cerambycidae: Lamiinae), with description of three new species, **Zootaxa** **2056**: 63-684, 4 figs.
- MERLUDES, J.R.M. & M.L. MONNÉ. 2001. Descrição da larva e pupa de *Acanthoderes* (*Psapharochrus*) *melanosticta* White, 1855 (Acanthoderini). **Rev. Bras. Entomol.**, **45**(4): 331-334, 15 figs.
- MERLUDES, J.R.M. & D.S. NAPP. 2001. Review of the genus *Haenkea* Tippman (Cleomenini). **Coleop. Bull.**, **54**(4): 511-519, 6 figs.
2001. Revision of *Eupempelus* Bates and its transference to Heteropsini Lacordaire. **Rev. Bras. Zool.**, **18**(1): 245-253, 6 figs.
2002. Redescrição e transferência do gênero *Fregolia* Gounelle, 1911 para Callidiopini Lacordaire. **Rev. Bras. Entomol.**, **46**(4): 553 - 559, 34 figs.

2004. Comparative morphological study of the Neotropical Cleominini genera and their transference to the tribes Rhopalophorini Blanchard and Rhinotragini Thomson (Cerambycinae). **Rev. Bras. Entomol.**, **48**(2): 251 – 272, 129 figs.
2009. Synopsis of the Genus *Pandrosos* Bates 1867 (Coleoptera, Cerambycidae). **Zootaxa** **2245**: 59–64, 4 figs.
- MICHARD, A. 1887. *Poecilopeplus tardifi* n. sp. **Revue Entomol.**, **6**:139.
- MICHEL, C. J. 2010. Nomenclatural changes within West Indian Acanthocinini (Coleoptera: Cerambycidae: Lamiinae). **Zootaxa** **2622**:65-67.
- MICHEL, J. 1978. Ten new insect records from Puerto Rico. **Journ. Agric. of the Univ. Puerto Rico**, **LXII**(3): 301 – 303.
1983. *Curiosa dominicana*, a new genus and species of Curiini from Dominican Republic. **Coleop. Bull.**, **37**(3):261-266, 3 figs.
2003. New longhorn beetles from Puerto Rico (West Indies). **Coleop. Bull.**, **57**(2): 191-204, 5 figs.
- MICHEL, J. & F.T. HOVORE. 2003. New synonymies and distributional records for Caribbean Cerambycidae. **Coleop. Bull.**, **57**(1): 1-4, 1 fig.
- MICHEL, J. & C. J. MICHEL. 2004. Five new Puerto Rican longhorn beetles and other notes on West Indian Acanthocinini (Lamiinae). **Journ. New York Entomol. Soc.**, **112**(1): 18 – 36, 7 figs.
2006. Reinstatement of *Solenoptera micheli* (Chemsak, 1979) (Coleoptera: Cerambycidae: Prioninae: Solenopterini) as a valid species. **Zootaxa** **1161**: 65-68, 2 figs.
- MICHEL, C. J. & E.H. NEARNS. 2005. Two new species of *Plectromerus* Haldeman from the West Indies. **Zootaxa** **1028**: 23 – 36, 4 figs.
- MICKEL, C. E. 1919. A new genus of Cerambycidae from Wyoming. **Entomol. News**, **30**(7):198-200, 3 figs.
- MIROSHNIKOV, A. I. 1998. A new classification of longicorn beetles of the *Anoplodera* complex, Tribe Lepturini, of Holarctic fauna, I. **Entomologicheskoe Obozrenie**. **77**(2): 384-421.
- MONNÉ, M. A. 1969. Descripción de una nueva especie del género *Acanthachryson* Bruch, 1921 (Achrysonini). **Rev. Bras. Biol.**, **29**(2):279-282, 1 fig.
1972. Revisión parcial del género *Achryson* Serville, 1833 (Achrysonini). **Rev. Peru. Entomol.**, **15**(1):103-112, 17 figs.
1974. Revisão do gênero *Toronaeus* Bates, 1864 (Lamiinae, Acanthocinini). **Rev. Bras. Biol.**, **34**(4):589-598, 8 figs.
1975. Notas sinonímicas em Acanthocinini. **Rev. Bras. Entomol.**, **19**(2):55-58.
1975. Contribuição ao conhecimento dos Acanthocinini IV. **Rev. Bras. Biol.**, **35**(2):245-252, 6 figs.
1976. O gênero *Lepturges* (s. str.) Bates, 1863 no Leste e Sul do Brasil Acanthocinini). **Rev. Bras. Biol.**, **36**(2):357-376, 28 figs.
1976. Contribuição ao conhecimento dos Acanthocinini V. **Rev. Bras. Biol.**, **36**(3):577-583, 4 figs.
1976. Revisão do gênero *Oxathres* Bates, 1864 (Acanthocinini). **Rev. Bras. Biol.**, **36**(3):585-593, 6 figs.
1977. Contribuição ao conhecimento dos Acanthocinini VI. **Rev. Bras. Biol.**, **37**(4):693-711, 19 figs.
1978. O gênero *Lepturges* (s. str.) Bates, 1863 no Norte e Centro-Oeste do Brasil (Acanthocinini). **Rev. Bras. Biol.**, **38**(1):1-12, 12 figs.
1978. Revisão dos gêneros *Pucallpa* Lane, 1959, *Anisolophia* Melzer, 1934 e *Hamatastus* Gilmour, 1957 (Acanthocinini). **Rev. Bras. Biol.**, **38**(3):587-593, 18 figs.
1979. Notas e descrições em Phacellini. **Rev. Bras. Biol.**, **39**(2):405-413, 20 figs.

1979. Contribuição ao conhecimento dos Aerenicini. **Rev. Bras. Biol.**, **39**(2):415-418, 3 figs.
1980. Contribuição ao conhecimento dos Comptosomatini. Parte I. **Rev. Bras. Entomol.**, **24**(1):29-51, 20 figs.
1980. Contribuição ao conhecimento dos Comptosomatini. Parte II. **Rev. Bras. Entomol.**, **24**(2):85-104, 23 figs.
1980. Contribuição ao conhecimento dos Comptosomatini. Parte III. **Rev. Bras. Entomol.**, **24**(3-4):227-265, 46 figs.
1981. Contribuição ao conhecimento dos Comptosomatini. Parte IV. **Rev. Bras. Entomol.**, **25**(2):73-84, 4 figs.
1982. Revisão do gênero *Hylettus* Bates, 1864 (Acanthocinini). **Rev. Bras. Biol.**, **42**(1):95-106, 10 figs.
1984. Revisão do gênero *Cobelura* Erichson, 1847 (Acanthocinini). **Rev. Bras. Entomol.**, **28**(3):337-344, 5 figs.
1985. Duas espécies novas do genero *Hamatastus* Gilmour, 1957 (Acanthocinini). **Rev. Bras. Entomol.**, **29**(1):27-30, 2 figs.
1985. Sinopse do gênero *Palame* Bates, 1864 (Acanthocinini). **Rev. Bras. Entomol.**, **29**(2):299-304, 5 figs.
1985. Sinopse do gênero *Nyssocarinus* Gilmour, 1960 (Acanthocinini). **Rev. Bras. Entomol.**, **29**(2):305-308, 3 figs.
1985. Novas espécies de Acanthocinini neotropicais. **Rev. Bras. Entomol.**, **29**(2):369-377, 6 figs.
1985. Sinopse do gênero *Nyssodrysternum* Gilmour, 1960, com notas sobre o "complexo *Nyssodrys*" (Acanthocinini). **Rev. Bras. Entomol.**, **29**(3-4):535-548, 9 figs.
1988. Novas espécies de Acanthocinini neotropicais II. **Rev. Bras. Entomol.**, **32**(2):119-130, 8 figs.
1989. Novos táxons e sinonímia em Rhopalophorini. **Rev. Bras. Biol.**, **49**(3):737-741, 4 figs.
1990. Sinopse dos gêneros de Acanthocinini neotropicais. I. Gêneros com setas e crista centro-basal nos élitros. **Rev. Bras. Biol.**, **50**(1):249-278, 3 figs.
1990. Novas espécies de Acanthocinini neotropicais III. **Rev. Bras. Entomol.**, **34**(3):679-686, 6 figs.
1991. Sinopse do gênero *Tropidozineus* Monné & Martins, 1976 (Acanthocinini). **Rev. Bras. Entomol.**, **35**(1):127-133, 3 figs.
1992. Novas espécies de *Nyssodrysternum* Gilmour, 1960 do sudeste e sul do Brasil (Acanthocinini). **Rev. Bras. Entomol.**, **36**(4):773-777, 4 figs.
1993. Novas espécies de *Sangaris* Dalman, 1823 (Colobotheini). **Rev. Bras. Entomol.**, **37**(3):469-474, 3 figs.
1993. Novas espécies e sinonímia em *Colobothea* Lepeletier & Audinet-Serville, 1825 (Colobotheini). **Rev. Bras. Entomol.**, **37**(3):475-482, 8 figs.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part I. **Soc. Bras. Ent.** 1-76.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part II. **Soc. Bras. Ent.** 1-77.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part III. **Soc. Bras. Ent.** 1-52.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part IV. **Soc. Bras. Ent.** 1-129.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part V. **Soc. Bras. Ent.** 1-100.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part VI. **Soc. Bras. Ent.** 1-47.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part VII. **Soc. Bras. Ent.** 1-81.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part VIII. **Soc. Bras. Ent.** 1-97.

1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part IX. **Soc. Bras. Ent.** 1-131.
1998. Notas sobre Acanthocinini Neotropicais: genero e espécies novas. **Rev. Bras. Entomol.**, **41**(2-4): 289-295.
1998. Sinopse do genero *Sporetus* Bates, 1864 (Acanthocinini). **Rev. Bras. Entomol.**, **42**(3/4): 27-34, 11 figs.
2001. Catalogue of the Neotropical Cerambycidae with known host plant -- Part I: Subfamily Cerambycinae, tribes Achrysonini to Elaphidiini. **Publicações Avulsas do Museu Nacional**, No. **88**, 1 - 108.
2001. Catalogue of the Neotropical Cerambycidae with known host plant -- Part II: Subfamily Cerambycinae, tribes Graciliini to Trachyderini. **Publicações Avulsas do Museu Nacional**, No. **90**, 1 - 119.
2001. Genero *Plistonax* Thomson, 1864, (Acanthoderini): espécie nova e chave de identificação. **Bol. Mus. Nac.**, (n. s. Zool.), **466**: 1-3, 1 fig.
2001. Sinopse dos generos de Acanthocinini Neotropicais. II. Élitros sem setas, com crista centro-basal e carenas laterais (Lamiinae). **Iheringia**, Ser. Zool., (**91**): 177-181, 4 figs.
2001. Catalogue of the Neotropical Cerambycidae with known host plant -- Part III: Subfamily Lamiinae, tribes Acanthocinini to Apomecynini. **Publicações Avulsas do Museu Nacional**, No. **92**, 1 - 94.
2002. Catalogue of the Neotropical Cerambycidae with known host plant - Part IV: Subfamily Lamiinae, tribes Batocerini to Xenofreini. **Publicações Avulsas do Museu Nacional**, **94**: 1-92.
2002. Catalogue of the Neotropical Cerambycidae with known host plant - Part V: Subfamilies Prioninae, Parandrinae, Oxypeltinae, Anoplodermatinae, Aseminae and Lepturinae. **Publicações Avulsas do Museu Nacional**, **96**: 1-72.
2004. O gênero *Beloesthes* Thomson e nota sinonímica em *Alcathousites* Gilmour (Lamiinae, Acanthocinini). **Rev. Bras. Entomol.**, **48**(1): 31 – 33, 2 figs.
2005. Gênero *Colobothea* Lepelletier & Audinet-Serville: novas espécies e sinonimia (Lamiinae). **Rev. Bras. Entomol.**, **49**(2): 245 – 248, 7 figs.
2005. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical region. Part I. Subfamily Cerambycinae. **Zootaxa**, **946**, 765 pp.
2005. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical region. Part II. Subfamily Lamiinae. **Zootaxa**, **1023**, 759 pp.
2006. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical region. Part III. Subfamilies Parandrinae, Prioninae, Anoplodermatinae, Aseminae, Spondylidinae, Lepturinae, Oxypeltinae, and addenda to the Cerambycinae and Lamiinae. **Zootaxa** **1212**, 244 pp.
2007. Sinopse do gênero *Brevoxathres* Gilmour (Coleoptera, Cerambycidae). **Rev. Bras. Ent.**, **51**(3):290-293, 6 figs.
2009. Novos taxons neotropicais em Acanthocinini (Coleoptera, Cerambycidae). **Rev. Bras. Ent.** **53**(3):321-326, 9 figs.
2011. Revision of the genus *Stenolis* Bates (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**:**2831**: **39–53**, 17 figures.
2012. Catalogue of the type-species of the genera of the Cerambycidae, Disteniidae, Oxypeltidae and Vesperidae (Coleoptera) of the Neotropical Region. **Zootaxa** **3213**:1-183.
2012. Catalogue of the type-species of the genera of the Cerambycidae, Disteniidae, Oxypeltidae and Vesperidae (Coleoptera) of the Neotropical Region. **Zootaxa** **3255**:68 Erratum
- MONNÉ M.A & L. G. BEZARK. 2009. Checklist of the Cerambycidae, or longhorned wood-boring beetles, of the Western Hemisphere. **BioQuip Publications, Rancho Dominguez, California**, **455 pp.**
- MONNÉ, M.A. & J. P. BOTERO R., 2011. Synonymical notes on Neotropical Cerambycidae (Insects, Coleoptera). **Zootaxa** **2928**:64-68, 9 figures.

- MONNÉ, M. A. & S. M. DELFINO. 1980. Contribuição ao conhecimento dos Acanthocinini VII. **Rev. Bras. Biol.**, **40**(2):317-322, 3 figs.
1981. Os gêneros *Exalcidion* Monné, 1977 e *Trichalcidion* gen. n. (Acanthocinini). **Rev. Bras. Biol.**, **41**(2):259-262, 3 figs.
1986. Novas espécies do gênero *Nealcidion* Monné, 1977 (Acanthocinini). **Rev. Bras. Entomol.**, **30**(1):167-177, 9 figs.
- MONNÉ, M. A. & S. A. FRAGOSO. 1984. Notas sobre Onciderini. **Pesq. Agropec. Bras.**, **19**(8):925-933, 14 figs.
1988. Novas espécies e sinonímia de *Oreodera* Audinet-Serville, 1835 (Acanthoderini). **Rev. Bras. Biol.**, **48**(4):811-831, 24 figs.
1990. Sinopse do gênero *Erythroplatys* White, 1855, com notas sobre *Rhinotragus* Germar, 1824 (Rhinotragini). **Rev. Bras. Biol.**, **50**(3):727-733, 7 figs.
1996. Sobre *Eriphus* Audinet-Serville, 1834 e *Athetesis* Bates, 1870 (Trachyderini). **Rev. Bras. Entomol.**, **40**(1):113-120, 19 figs.
- MONNÉ, M. A. & E. F. GIESBERT. 1992. Nomenclatural notes on Western Hemisphere Cerambycidae. **Insecta Mundi**, **6**(2):249-255.
- MONNÉ, M. A. & M. HOFFMANN. 1981. O gênero *Leptostylus* LeConte, 1852 na América do Sul (Acanthocinini). **Rev. Bras. Entomol.**, **25**(4):245-263, 14 figs.
- MONNÉ, M. A. & V. S. MACHADO. 2009. Nomenclatural notes in Neotropical Acanthocinini (Coleoptera, Cerambycidae). **Zootaxa** **2204**: 67-68, 1 figure.
- MONNÉ, M. A. & P. R. MAGNO. 1988. Gênero *Cosmisoma* Audinet-Serville, 1834: notas, novas taxa e chave para espécies sul-americanas (Rhopalophorini). **Bol. Mus. Nac., (n. s. Zool.)**, **319**:1-27, 12 figs.
1988. Sinonímias, descrições e chave para espécies de *Odontocera* Audinet-Serville, 1833 da América do Sul (Rhinotragini). **Rev. Bras. Entomol.**, **32**(3-4):441-454, 4 figs.
1990. Novas espécies de Acanthoderini neotropicais I. **Rev. Bras. Entomol.**, **34**(4):687-691, 5 figs.
1992. Novas espécies de Acanthoderini neotropicais II. **Rev. Bras. Entomol.**, **36**(4):717-721, 4 figs.
- MONNÉ, M. A. & U. R. MARTINS. 1972. Sobre *Triacetelus* Bates e *Beaveria* Lane (Purpuricenini). **Rev. Bras. Entomol.**, **16**(11):75-78, 1 fig.
1973. Trachyderini : sinonímias, observações, espécies novas. **Papéis Avulsos Zool.**, **27**(5):69-80, 9 figs.
1973. Notas e descrições em Eburini. **Papéis Avulsos Zool.**, **27**(11):145-155, 5 figs.
1974. Notas sinonímicas, observações e descrições em Cerambycidae. **Rev. Bras. Entomol.**, **18**(1):21-31, 2 figs.
1976. Contribuição ao conhecimento dos Acanthocinini. **Papéis Avulsos Zool.**, **30**(4):43-98, 43 figs.
1979. Colobotheini: sinonímias, gêneros e espécies novas. **Rev. Bras. Biol.**, **39**(1):31-35, 4 figs.
1981. Notas e descrições em Heteropsini e Purpuricenini. **Rev. Bras. Biol.**, **41**(1):185-189, 4 figs.
1991. Sinopse do gênero *Ceragenia* Audinet-Serville, 1834 (Trachyderini). **Rev. Bras. Entomol.**, **35**(1):197-201, 4 figs.
1992. Eburini : chave para os gêneros, chave para as espécies de *Cupanoscelis* Gounelle, 1909, novas sinonímias e descrição de novos táxons. **Rev. Bras. Entomol.**, **36**(2):263-275, 7 figs.
- MONNÉ, M.A. & M.L. MONNÉ. 2000. Novo genero sul-americano de Trachyderina Dupont, 1836 (Trachyderini). **Bol. Mus. Nac., (n. s. Zool.)**, **416**, 30 Maio 2000: 1 - 4, 3 figs.
2002. Revisão do gênero *Pteracantha* (Cerambycinae, Trachyderini). **Iheringia, Sér. Zool.**, **92**(1): 71 - 75, 9 figs.

2004. *Nothoprodontia*, um novo gênero de Trachyderini (Cerambycinae). **Rev. Bras. Entomol.**, **48(2)**: 239 – 241, 4 figs.
2006. Novos taxons sul-americanos de Parmenini e Pteropliini (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.**, **50(4)**: 488-491, 4 figs.
2007. Sinonímias e novas combinações em Trachyderini e Acanthoderini (Coleoptera, Cerambycidae). **Rev. Bras. Ent.**, **51(4)**:526-528.
2007. Novas espécies neotropicais de Acanthocinini (Coleoptera, Cerambycidae), **Rev. Bras. Zool.**, **24(4)**:1038-1042, 7 figs.
2008. *Atrocolus mariahelena*, novo gênero e espécie de Anacolini (Coleoptera, Cerambycidae) **Iheringia** **98(2)**:215-217, 1 fig.
2008. Novo genero, sinonimia e novas combinicoes em Colobotheini (Coleoptera: Cerambycidae). **Rev. Bras. Zool.** **25(3)**: 502-506, 6 figs.
2008. Synopsis of the Neotropical genus *Lepturgantes* Gilmour (Coleoptera: Cerambycidae) with description of a new species **Zootaxa** **1876**: 60–68, 8 figs.
2009. Synopsis of the genus *Sangaris* Dalman in South America (Coleoptera, Cerambycidae), with description of two new species and new combination. **Zootaxa** **2230**: 29-41, 15 figs.
2009. New taxa in *Bebelis* Thomson and *Potiatuca* Galileo & Martins (Coleoptera, Cerambycidae, Lamiinae). **Pap. Avuls. Zool.** **49(30)**:375-378, 5 figs.
2009. Three new species and synonymy in *Nealcidion* (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.**, **53(3)**:361-364, 4 figs.
2010. Revision of the genus *Carphontes* Bates, with the proposal of a new genus, *Paracleodoxus* (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **2387**:51–56 4 figs.
2010. Synopsis of the genus *Colobothea* Lepeletier & Audinet-Serville in Bolivia, with descriptions of two new species and new country records (Coleoptera, Cerambycidae) **Zootaxa** **2542**:33-47, 24 figs.
- 2011 A new genus and species of Neotropical Anacolini and new distributional records (Insecta, Coleoptera, Cerambycidae), **Journal of Natural History**, **45**: 29, 1859-1866, 2 figs.
2012. New species of Acanthocinini from South America (Coleoptera: Cerambycidae). **Zootaxa** **3478**: 192-200, 9 figures.
2012. New species of Acanthocinini from South America (Coleoptera: Cerambycidae). **Zootaxa** **3501**: 88. ERRATUM
2012. The genera *Tropidozineus* Monné & Martins, 1976 and *Ozineus* Bates, 1863 in Bolivia (Coleoptera: Cerambycidae: Lamiinae): six new species and a new synonym. **Zootaxa** **3557**: 59-68, 10 figures.
- MONNÉ, M. A. & D.S. NAPP. 2004. *Megacyllene* Casey: novas sinonímias e descrição de uma nova espécie. **Rev. Bras. Entomol.**, **48(3)**: 323 – 324, 3 figs.
- MONNÉ, M.A. & A. SANTOS-SILVA. 2008. Disteniinae Thomson (Insecta, Coleoptera): a protected name. **Rev. Bras. Ent.**, **52(2)**:261-262.
- MONNÉ, M. A. & G. L. TAVAKILIAN. 1988. Une nouvelle espèce du genre *Scolochilus* Monné, 1979 (Phacellini). **Revue Fr. Entomol.**, (N. S.) **10(3)**:237-238, 1 fig.
1990. Révision du genre *Tenthreas* Thomson, 1864 (Acanthocinini). **L'Entomologiste**, **46(4)**:181-185, 2 figs.
2011. Synopsis of the genus *Oxathres* Bates (Coleoptera: Cerambycidae. **Zootaxa** **2928**:20-28, 13 figures.
2011. New species of *Nyssodrysternum* Gilmour (Coleoptera: Cerambycidae, Lamiinae) from Central and South America. **Papeis Avulsos Zool.** **51(29)**: 453-464, 15 figures.

- MONNÉ, M. A. & D. ZAJCIW. 1970. Cerambycídeos del Uruguay, nuevos o poco conocidos II. **Atas Soc. Biol.**, **13**(1-2):29-32.
1972. Cerambycídeos del Uruguay, nuevos o poco conocidos III. **Atas Soc. Biol.**, **15**(2):49-53.
- MONNÉ, M.A., MONNÉ, M.L., & U.R. MARTINS. 2004. Notas sinonímicas em Lepturini sul-americanos (Lepturinae). **Rev. Bras. Entomol.**, **48**(4): 433 – 438, 18 figs.
- MONNÉ, M. A., M. L. MONNÉ, & J. R. M. MERMUDES. 2009. Inventário das espécies de Cerambycinae (Insecta, Coleoptera, Cerambycidae) do Parque Nacional do Itatiaia, RJ, Brasil. **Biota Neotrop.**, **9**(3):283-312, 99 figs.
- MONNÉ, M. L. 1997. Revisão das espécies sul-americanas do gênero *Callancyla* Aurivillius, 1912 (Trachyderini, Ancylocerina). **Rev. Bras. Entomol.**, **41**(1):95-100, 8 figs.
1998. Revisão do genero *Chloroterion*. **Rev. Bras. Entomol.**, **41**(2-4): 303-304.
1999. Sinopse das espécies Brasileiras do genero *Phaedinus* Dupont, 1834. **Rev. Bras. Entomol.**, **43**(1/2): 25 - 27, 1 fig.
2004. Revisão do gênero *Dragoneutes* Martins & Monné (Cerambycinae). **Rev. Bras. Entomol.**, **48**(2): 245 – 250, 20 figs.
2004. Sinopse do gênero *Weyrauchia* Tippmann. **Rev. Bras. Entomol.**, **48**(3): 311 - 313, 4 figs.
2005. Revisão, análise cladística e biogeografia de *Coccoderus* Buquet (Cerambycinae, Cerambycini). **Rev. Bras. Entomol.**, **49**(3): 369 – 391, 94 figs.
2007. Sinopse de Genero *Eucharassus* Bates (Coleoptera, Cerambycidae). **Rev. Bras. Ent.**, **51**(2):205-209, 6 figs.
2007. Revisão do gênero *Diploschema* Thomson (Coleoptera, erambycidae, Cerambycinae, Trachyderoinia). **Rev. Bras. Zoo.**, **24**(2):397-409, 47 figs.
- MONNÉ, M.L. & J.R.M. MERMUDES 2007 Revisao de *Aegoschema* (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Zoo.**, **24**(3):559-564, 6 figs.
2007. Revisao de *Trichonius* (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.**, **52**(1):7-12, 8 figs.
2009. Revision of the Genus *Cylindrommata* Tippmann (Insecta: Coleoptera: Cerambycidae). **J. Nat. Hist.** **43** (41-42):2641-2647, 6 figures.
- MONNÉ, M.L. & M.A. MONNÉ. 1998. Sinopse do genero *Tropidosoma*, e novas sinonímias em Trachyderini. **Rev. Bras. Entomol.**, **41**(2-4): 531-534.
2000. Sinopse do genero *Lissonoschema* (Trachyderini). **Iheringia**, Sér. Zool., (89): 159 - 163, 8 figs.
2004. *Neoachryson*, novo gênero de Achrysonini (Cerambycinae). **Iheringia**, Sér. Zool., (94): 133-134, 1 fig.
2005. O gênero *Strangalia* Audinet-Serville no norte e centro-oeste do Brasil (Lepturinae). **Rev. Bras. Entomol.**, **49**(2): 228 – 236, 12 figs.
2006. Revisao do Genero *Tomrogersia* Fragoso (Coleoptera: Cerambycidae). **Rev. Bras. Zool.**, **23**(4):1196-1198, 4 figs.
2006. Notes on Acanthoderini (Coleoptera, Cerambycidae, Lamiinae) described by Ernst Fuchs, now in the Herbert Schmid Collection, Vienna, Austria. **Zootaxa** **1365**: 37–47, 14 figs.
2007. Revisão dos gêneros *Tropanisopodus* Tippmann e *Paranisopodus* Monné & Martins (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Zoo.**, **24**(4):1057-1062, 9 figs.
2008. The tribe Lepturini in South America (Coleoptera: Cerambycidae: Lepturinae) **Zootaxa** **1858**: 37–52 14 figs.

2008. Description of a new genus and species of the tribe Parmenini, with nomenclatural notes (Coleoptera: Cerambycidae) **Zootaxa** **1858**: 64–68 5 figs.
2011. Novos táxons em Acanthocinini neotropicais (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.** **55(2)**: 172–178, 8 figures.
2012. Novos taxons em Acanthocinini sul-americanos (Coleoptera, Cerambycidae). **Rev Bras. Ent.** **56(3)**: 281-288, 14 figures.
- MONNÉ, M.L. & D.S. NAPP. 1999. *Ceralocyna*: Descrição de quatro espécies novas e sinonímia. **Iheringia**, Sér. Zool., **(86)**: 29 - 37, 5 figs.
2000. Revisão do genero *Ceralocyna* (Trachyderini, Ancylocerina). **Iheringia**, Sér. Zool., **(88)**: 103 - 137, 91 figs.
2000. Two new South American genera of Ancylocerina Thomson (Trachyderini). **Coleop. Bull.**, **54(3)**: 351 - 358, 8 figs.
2001. Sinopse do genero *Ancylocera* Audinet-Serville (Trachyderini, Ancylocerina). **Rev. Bras. Zool.**, **18(3)**: 989 - 1002, 13 figs.
2004. New South American genus and species, and notes on *Xenambyx lansbergei* (Thomson) (Cerambycinae, Torneutini). **Coleop. Bull.**, **58(4)**: 509 – 512, 3 figs.
2005. Cladistic analysis of the tribe Torneutini Thomson (Coleoptera: Cerambycidae: Trachyderoinia). **Zootaxa** **1062**:1-56 167 figs.
- MONNÉ, M. A., E. H. NEARNS, S. C. CARBONEL CARRIL, I. P. SWIFT, & M. L. MONNÉ. 2012. Preliminary checklist of the Cerambycidae, Disteniidae, and Vesperidae (Coleoptera) of Peru. **Insecta Mundi** **0213**:1-48.
- MONNÉ, M.L. & A. SANTOS-SILVA. 2003. Sinopse do genero *Strongylaspis* Thomson, 1861 (Prioninae, Macrotomini). **Rev. Bras. Entomol.**, **47(1)**: 31-47, 29 figs.
- MONNÉ, M.L., J. P. BOTERO, & H. Y. QUINTINO. 2010. Two new synonymies and lectotype designation in Trachyderini (Insecta: Coleoptera: Cerambycidae). **Zootaxa** **2524**: 63–65, 2 figs.
- MONNÉ, M. L., M.A. MONNÉ & A. C. ARAGÃO, A.C. QUINTINO, J. P. BOTERO & V. S. MACHADO. 2010. Inventário das espécies de Lepturinae, Parandrinae e Prioninae (Insecta, Coleoptera, Cerambycidae) do Parque Nacional do Itatiaia, RJ, Brasil. **Biota Neotrop.** **10(2)**:325-335, 35 figures.
- MONNÉ, M. L., M. A. MONNÉ, R. S. MARTINS, M. V. P. SIMOES, & V. S. MACHADO. 2010. Espécies de Cerambycidae (Insecta, Coleoptera) Ocorrentes no Estado do Rio de Janeiro (Brasil). **Arq. do Mus. Nacional, Rio de Janeiro** **67(3-4)**:235-251, 1 figure.
- MONNÉ, M.L., M.A. MONNÉ, H.Y. QUINTINO, J.P. BOTERO, V.S. MACHADO, A.C. ARAGAO, M.V dos PASSOS SIMOES, & M. CUPELLO. 2012. Inventário das espécies de Lamiinae (Insecta, Coleoptera, Cerambycidae) do Parque Nacional do Itatiaia, RJ, Brasil. **Biota Neotrop.** **12(1)**:39-76, 135 figures.
- MORELLI, E., M. BIANCHI & A. SANCHEZ. 2002. The immature stages of *Phoracantha recurva* Newman, 1842 and *Phoracantha semipunctata* Fabricius, 1775 and a key to larvae of these species. **Bras. Journ. Biol.**, **62 (4B)**: 853-860, 34 figs.
- MORRIS, R.F. 2002. Distribution and biological notes for some Cerambycidae (Coleoptera) occurring in the southeastern United States. **Insecta Mundi** **16(4)**: 209-213.
- MORVAN, O. & MORATI, J. 2006. Contribution a la connaissance des Cerambycidae (Coléoptères) de la montagne de Kaw (Guyane Française). **Lambillionea**, **106(3)**:1-63.
2011. Inventaire des Cerambycidae (Coleoptera) de Guyane I. Parandrinae, Prioninae, Lepturinae & Cerambycinae. **ACOREP – France: Coleopteres de Guyane III**:10-45, 108 figures.



- MOTSCHULSKY, V. von. 1845. Remarques sur la collection de coléoptères russes de Victor de Motschulsky. **Bull. Soc. Imp. Nat. Moscou**, **18**(1):1-127, 3 pls.
1859. Coléoptères nouveaux de la Californie. **Bull. Soc. Imp. Nat. Moscou**, **32**(2):122-185, 357-410.
1860. Coléoptères de la Sibérie orientale et en particulier des rives de l'Amour, in Schrenk, **Reisen und Forschungen im Amurlande**, **2**:77-257.
1875. Énumération des nouvelles espèces de coléoptères rapportés de ses voyages. **Bull. Soc. Imp. Nat. Moscou**, **49**(2):139-155.
- MOXEY, C. F. 1965. The genus *Ochrus*. **Entomol. News**, **76**: 240-241, 1 fig.
- MOYSES, E. & M. H. M. GALILEO. 2009. Duas novas espécies de *Mauesia* (Cerambycidae, Lamiinae, Mauesini) e chave para identificação das espécies do gênero. **Pap. Avuls. Zoo.** **49**(37):497-501, 16 figs
- MULSANT, E. 1839. **Histoire naturelle des Coléoptères de France, Longicornes**. Maison, 304 pp., 3 pls.
1842. **Histoire naturelle des Coléoptères de France**. Rectifications et additions à la monographie des Longicornes. Maison, supplement, 8 pp.
- 1862-1863. Histoire naturelle des Coléoptères de France. Longicornes. **2e. ed. Ann. Soc. Imp. Agric. Hist. Nat. Industrie**, Lyon, p. 1-590.
1864. Tribu des Longicornes (suite). **Ann. Soc. Imp. Agric. Hist. Nat. Industrie**, (3)8:1-208.
- MUTCHLER, A. J. 1914. A new species of *Criocephalus*. **Bull. Amer. Mus. Nat. Hist.**, **33**:345-346.
1925. Coleoptera from the Williams Galápagos Expedition. **Zoologica**, **5**:219-240.
1938. Coleoptera from the Galápagos Islands. **Amer. Mus. Novit.**, **981**:1-19, 12 figs.
- NAPP, D. S. 1976. Revisão dos gêneros *Compsocerus* Lepeletier & Audinet-Serville, 1830 e *Paromoeocerus* Gounelle, 1910. **Rev. Bras. Entomol.**, **20**(1):1-64, 6 pls.
1977. Nova espécie de *Compsocerus* Lepeletier & Audinet-Serville, 1830 (Compsocerini). **Dusenía**, **10**(2):97-100, 4 figs
1977. Revisão do gênero *Unxia* Thomson, 1861. **Rev. Bras. Entomol.**, **20**(3-4):117-152, 54 figs., 1 pl.
1979. Revisão do gênero *Chenoderus* Fairmaire & Germain, 1859. **Rev. Bras. Biol.**, **39**(3):571-585, 41 figs.
1979. Revisão do gênero *Ethemon* Thomson, 1864. **Rev. Bras. Biol.**, **9**(4):901-917, 38 figs.
1980. *Dilocerus marionii*, gen. n., sp. n. de Compsocerini. **Rev. Bras. Entomol.**, **24**(3-4):193-196, 10 figs.
1993. Duas espécies novas do gênero *Orthoschema* A.-Serville (Compsocerini). **Rev. Bras. Entomol.**, **37**(4): 653-656, 2 figs.
1993. *Caperonotus*, gen. n. de Compsocerini. **Rev. Bras. Entomol.**, **37**(4): 657-670, 60 figs.
1994. Phylogenetic relationships among the subfamilies of Cerambycidae (Coleoptera-Chrysomeloidea). **Rev. Bras. Entomol.**, **38**(2): 265-419, 290 figs.
1994. Revisão do gênero *Orthostoma* Lepeletier & A. Serville, 1830 e descrição de *Aglaoschema*, gen.n. **Rev. Bras. Entomol.**, **38**(3/4): 645-660, 35 figs.
1998. *Ideratus* Thomson, 1864: redescricao e posição taxonomica. **Rev. Bras. Entomol.**, **41**(2-4): 161-164.
1998. Revisão do genero *Chlorethe* Bates, 1867. **Rev. Bras. Entomol.**, **42**(3/4): 79-88, 50 figs.
2007. Revisão do Genero *Aglaoschema* Napp (Coleoptera, Cerambycidae). **Rev. Bras. Zoo.**, **24**(3):793-816, 30 figs.

2007. Unxiini, uma nova tribo de Cerambycinae (Coleoptera, Cerambycidae). **Rev. Bras. Ent.**, **51(3)**:312-340, 40 figs.
2008. Novas especies de *Aglaoschema* Napp, 1994 (Coleoptera, Cerambycidae). **Papéis Avulsos Zool.**, **48(31)**:353-360, 4 figs.
2009. Revisão das espécies sul-americanas de *Rhopalophora* (Coleoptera, Cerambycidae). **Zoologia** 26(2):343-356, 18 figs.
- NAPP, D. S. & M. I. MARQUES. 1998. New species of *Ischionodonta* Chevrolat from Brasil and redescription of *I. brasiliensis* (Chevrolat) (Rhopalophorini). **Coleop. Bull.**, **52(2)**:127-133, 4 figs.
1999. *Gurubira*, a new genus of Rhopalophorini. **Rev. Bras. Entomol.**, **43(1/2)**: 35 - 45, 41 figs.
1999. Revision of the genus *Ischionodonta* Chevrolat, 1859. **Rev. Bras. Entomol.**, **43(1/2)**: 109 - 130, 26 figs.
- NAPP, D. S. & U. R. MARTINS. 1980. Sinonímias, descrições e chave para espécies de *Eburodacrys* White, 1853 **Papéis Avulsos Zool.**, **33(4)**: 77-97, 65 figs.
1982. Subsídios para revisão taxonômica da tribo Achrysonini nas Américas. **Papéis Avulsos Zool.**, **34(28)**:349-401, 178 figs.
1982. *Mephritus* Pascoe, 1866 : revalidação do gênero, chave para espécies, notas sinonímicas e descrições. **Rev. Bras. Entomol.**, **26(1)**:75-86, 37 figs.
1984. Notas e descrições em Callidiopini. **Rev. Bras. Entomol.**, **28(1)**:51-58, 4 figs.
1984. Gêneros *Periboeum* Thomson, 1864 e *Rhomboidederes* Zajciw, 1963 : chave para as espécies, sinonimias e descrições. **Papéis Avulsos Zool.**, **35(11)**:125-133, 6 figs.
1985. Ibidiionini Ia Divisão: notas, chaves e descrições. **Papéis Avulsos Zool.**, **36(12)**:111-130, 13 figs.
1985. Ibidiionini. IV Divisão: descrições, sinonímias e chave para espécies do gênero *Cynidolon* Thomson, 1864. **Papéis Avulsos Zool.**, **36(13)**:131-146, 8 figs.
1988. Gêneros *Euryprosopus* White, 1853, *Orthoschema* Thomson, 1861 e *Chaetosopus*, gen. n.: sinonímias, novas espécies e nova combinação. **Rev. Bras. Entomol.**, **32(3-4)**:479-486, 4 figs.
1995. Revisão do gênero *Chrysoprasis* A.-Serville, 1834 (Heteropsini). I. Grupo *basalis*. (1) **Rev. Bras. Entomol.**, **39(4)**:901-910, 5 figs.
1996. Revisão do gênero *Chrysoprasis* A.-Serville, 1834 (Heteropsini). II. *Tobipuranga*, gen. n. **Rev. Bras. Entomol.**, **40(2)**:201-208, 5 figs.
1997. Revisão do gênero *Chrysoprasis* A.-Serville, 1834 (Heteropsini). III. Grupo *chalybea*. **Rev. Bras. Entomol.**, **41(1)**:17-41, 35 figs.
1998. Revisão do genero *Chrysoprasis* A.-Serville, 1834 (Heteropsini). IV. Grupo *hypocrita*. **Rev. Bras. Entomol.**, **42(2-4)**: 465-499.
1999. Revisão do genero *Chrysoprasis* A.-Serville, 1834 (Heteropsini). V. Grupo *aurigena*. **Rev. Bras. Entomol.**, **43(3/4)**: 147 - 161, 16 figs.
2002. O género *Callideriphus* Blanchard, 1851 (Heteropsini). **Rev. Bras. Entomol.**, **46(2)**: 123-128, 7 figs.
2002. *Eryphus* Perty, e *Tacyba*, novo genero de Heteropsini (Coleoptera: Cerambycidae). **Rev. Bras. Ent.**, **46(1)**:83-92, ? figs.
2002. *Unabiara*, um novo genero de Heteropsini, Lacordaire, 1869. **Rev. Bras. Ent.**, **46(1)**:83-92, 36 figs.
2005. Novas espécies e notas sinonímicas em *Xystrochroma* Schmidt, 1924 (Cerambycinae; Callichromatini). **Rev. Bras. Entomol.**, **49(2)**: 205 – 209, 5 figs.
2005. Homonymies in Callichromatini (Cerambycinae). **Revista Brasileira de Entomologia**, **49(3)**, 434–435.

2006. New South American genus and species of Pteroplatini (Cerambycinae). **Zootaxa** **1173**: 63 – 68, 4 figs.
2006. Revisao do Genero *Cosmoplatidius* Gounelle (Coleoptera, Cerambycidae). **Rev. Bras. Zool.**, **3(2)**: 471-479, 14 figs.
2006. Notas e descricoes de novos taxons em Cerambycinae Neotropicais (Coleoptera, Cerambycidae). **Papéis Avulsos Zool.**, **46(4)**: 31-42, 8 figs.
2006. Novos taxons sul-Americanos de Compsocerini (Coleoptera, Cerambycidae). **Papéis Avulsos Zool.**, **46(22)**: 245-250, 4 figs.
2009. Novos táxons em Heteropsini (Coleoptera, Cerambycidae). **Papéis Avulsos Zool.**, **49(4)**: 73-80, 8 figs.
2009. Tribo Callichromatini, pp. 223-212, 352. In Martins, U. R. (org.) *Cerambycidae sul-americanos (Coleoptera) Taxonomia*. Sociedade Brasileira de Entomologia, Curitiba, 10, 373 p.
- NAPP, D.S. & J.R.M. MERMUDES. 1999. Taxonomic studies on Compsocerini and transfer of *Stenochariergus* Giesbert and Hovore to Rhinotragini. **Coleop. Bull.**, **53(1)**: 80-86, 4 figs.
2001. Revision of the genus *Listroptera* Audinet-Serville and description of *Aguassay*, new genus (Cleomenini). **Coleop. Bull.**, **55** (1): 1-9, 3 figs.
2001. New South American genus and species of Cleominini. **Rev. Bras. Zool.**, **18** (Supl. 1): 61 - 66, 2 figs.
- NAPP, D.S. & M.A. MONNÉ. 2005. Synopsis of the genus *Erythropterus* Melzer, 1934 (Cerambycinae, Heteropsini). **Zootaxa** **1088**: 55 – 59, 4 figs.
2006. Novas espécies de *Mecometopus* Thomson. **Rev. Bras. Entomol.**, **50(1)**: 39 - 42, 3 figs.
2006. Revisao do Genero *Eriphosoma* (Coleoptera, Cerambycidae). **Iheringia**, **96(2)**: 229-236, 5 figs.
2008. Synopsis of the genus *Caperonotus* Napp, 1993 (Coleoptera: Cerambycidae). **Zootaxa** **1941**: 25-30, 6 figs.
2009. New Neotropical genera and species of Dryobiini and Rhopalophorini (Coleoptera: Cerambycidae: Cerambycinae), **Zootaxa** **2137**: 29–34, 4 figs.
- NAPP, D.S. & M.L. MONNÉ. 2001. *Assyuera*, a new Neotropical genus of Ancylocerina (Trachyderini). **Rev. Bras. Zool.**, **18(3)**: 977 - 987, 7figs.
- NAPP, D. S. & D. T. REYNAUD. 1998. New species of *Chariergus* White and *Ethemon* Thomson. (Compsocerini). **Insecta Mundi**, **12(1-2)**: 155-159, 3 figs.
1999. Revisao dos generos *Chariergus* White, *Rierguscha* Viana, e descricao de *Allopeba* gen n. **Rev. Bras. Zoo** **16** (Suppl. 1): 279-304, 101 figs.
- NAPP, D. S. & B. B. dos SANTOS. 1996. Sinopse de gênero *Erythrochiton* Zajciw, 1957 **Rev. Bras. Entomol.**, **40(2)**: 237-241, 3 figs.
1996. Revisão do gênero *Homogenes* Thomson, 1862. **Rev. Bras. Entomol.**, **40(3/4)**: 431-436, 5 figs.
1999. Description of *Monnécles*, new genus, and redescription of *Heterops loreyi* Duponchel (Heteropsini). **Coleop. Bull.**, **53(3)**: 281 - 286, 2 figs.
- NEARNS, E.H. 2006. A checklist of the Cerambycidae holdings of the Fernando de Zayas collection, Havana, Cuba. **Coleop. Bull.**, **60(1)**: 53 – 57, 3 figs.
2008. Description of the male of *Plectromerus michelii* Nearns & Branham 2008 (Coleoptera: Cerambycidae). **Insecta Mundi**, **0038**: 1-2, 1 figure.
- NEARNS, E.H. & M.A. BRANHAM. 2005. A new species of *Plectromerus* Haldeman from Dominican amber with notes on the fossil *Plectromerus tertiaris* Vitali.
2008. Revision and Phylogeny of the Tribes Curiini LeConte and Plectromerini Nearns & Branham, New Tribe (Coleoptera,

- Cerambycidae, Cerambycinae). **Mem. Amer. Ent. Soc.** **47**, 1-117, 76 figs.
- NEARNS, E. H., & K. B. MILLER. 2009. A new species of *Plectromerus* Haldeman from Central America and description of the female of *Plectromerus dezayasi* Nearn & Branham (Coleoptera, Cerambycinae, Plectromerini). **ZooKeys** **24**:55-62, 2 figures.
- NEARNS, E.H. & A. M. RAY. 2006. A new species of *Curius* Newman (Coleoptera: Cerambycidae) from Venezuela with notes on sexual dimorphism within the genus. **Zootaxa** **1256**: 49-57, 2 figs.
- NEARNS, E.H. & W.E. STEINER, Jr. 2006. A new species of *Plectromerus* Haldeman from Navassa Island, Greater Antilles. **Zootaxa** **1163**: 61 – 68, 2 figs.
- NEARNS, E. H. & I. P. SWIFT. 2011. New taxa and combinations in Onciderini Thomson, 1861 (Coleoptera: Cerambycidae: Lamiinae) **Insecta Mundi** **192**: 1-27, 10 figures.
- NEARNS, E. H., & G.L. TAVAKILIAN. 2012. New Taxa and Combinations in Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) from Central and South America, with notes on additional taxa. **Insecta Mundi** **0231**: 1-24, 9 figures.
2012. A new genus and five new species of Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) from South America, with notes on additional taxa. **Insecta Mundi** **0266**: 1-23, 10 figures.
- NEARNS, E.H. & R.H. TURNBOW, Jr. 2005. First record of *Plectromerus exis* Zayas in the Dominican Republic. **Insecta Mundi**, **Vol. 19(3)**: 158.
- NEARNS, E.H., M. A. BRANHAM & S. M. BYBEE. 2006. Cerambycidae (Coleoptera) types of the Fernando de Zayas collection, Havana, Cuba. **Zootaxa** **1270**: 1-17, 13 figs.
- NEARNS, E.H., BRANHAM, M.A., GARCIA, N., and I. FERNANDEZ. 2005. *Curius punctatus* (Fisher), new combination (Cerambycinae: Curiini). **Insecta Mundi**, **Vol. 19(3)**: 172, 1 fig.
- NEARNS, E. H., I. P. SWIFT & L. J. JOLY. 2009. First record of *Curius chemsaki* Nearn & Ray, 2006 (Coleoptera, Cerambycidae, Cerambycinae: Curiini) in Colombia. **Insecta Mundi** **103**:1-2.
- NÉOUZE, G-L. & G.L. TAVAKILIAN. 2003. Révision de *Macropophora* Thomson, 1864, et transfert du genre dans la Tribu des Acanthoderini (Lamiinae). **Coléoptères**, **9(10)**: 109 – 126, 19 figs.
2005. Matériaux pour une révision des Xenofreini – I. Espèces nouvelles de Guyane (Lamiinae). **Coléoptères**, **11(13)**: 129 – 164, 41 figs.
2010. Nouvelles espèces du genre *Oreodera* Audinet-Serville, 1835, de Guyane Française (Coleoptera, Cerambycidae, Lamiinae). **Coléoptères** **16(5)**:43-74, 19 figs.
- NEWMAN, E. 1833. Entomological notes. **Entomol. Mag.**, **1**:505-514.
1838. Entomological notes. **Entomol. Mag.**, **5**:168-182; 372-402; 483-500, 3 figs.
1840. Entomological notes. **Entomologist**, **1**:1-16; **2**:17-32, 4 figs.
1840. Description of a few longicorns, MS names of which are published in the sale-catalogue of Mr. Children's Insects. **Mag. Nat. Hist.**, (N. S.) **4**:194-196.
1841. Entomological notes. **Entomologist**, **3**:33-37; **5**:67-80; **6**:90-95; **7**:110-112; **11**:169-171; **14**:220-223.
1842. Addenda and corrigenda. **Entomologist**, **25**:418.
- NOGUERA, F. A. 1993. Revisión taxonómica del genero *Oncideres* Serville en México. **Folia Entomol. Mex.**, **88**:9-60, 6 figs.
2002. Revisión taxonómica de las especies del género *Eburia* Lepeletier y A.-Serville in Lacordaire de Norte y Centroamérica. **Folia Entomol. Mex.**, **41(Supl.1)**: 1-167 (2002), 172 figs.

2005. New species of Cerambycidae from the tropical dry forest of Mexico. **Folia Entomol., Mexicana**, **44**(Suppl. 1): 63 – 73, 5 figs.
2006. Replacement name for the genus *Aliciana* Noguera, 2005. Scientific note. **Coleop. Bull.**, **60** (2): 165.
- NOGUERA, F. A. & J. A. CHEMSAK. 1993. Two new species of Onciderini from the State of Jalisco, Mexico. **Pan-Pacific Entomol.**, **69**(4):290-294, 4 figs.
1996. Cerambycidae. In **Biodiversidad, Taxonomía y Biogeografía de Artrópodos de México: Hacia una síntesis de su conocimiento**. **25**. D. R. Universidad Nacional Autónoma de México, Mexico, pp. 381-409.
1997. New species and notes on the genus *Championa* Bates with a key to the species. **Occ. Pap. Cons. Coleop.**, **1**(1):1-5, 3 figs.
2001. A new species of *Erlandia* Aurivillius from Mexico. **Coleop. Bull.**, **55**(3): 369 - 373, 1 fig.
- NOGUERA, F.A., S. ZARAGOZA-CABALLERO, J.A. CHEMSAK, A. RODRIGUEZ-PALAFOX, E. RAMIREZ, E. GONZALEZ-SORIANO, & R. AYALA. 2002. Diversity of the Family Cerambycidae of the tropical dry forest of Mexico, I. Sierra de Huatla, Morelos. **Ann. Entomol. Soc. America**, **95**(5): 617-627, 5 figs.
- NONFRIED, A. F. 1890. Neue exotischen Coleopteren. **Stettin. Entomol. Ztg.**, **51**:15-20.
1891. Beitrage zur Kenntnis einiger neuen exotischen Coleopterenspezies. **Deut. Entomol. Zeitschr.**, **1891**:257-276.
1892. Monographische Uebersicht der Prioniden-Gattung *Callipogon* Serv. **Berl. Entomol. Zeitschr.**, **37**:17-24, 1 pl.
1894. Beschreibungen neuer Lamellicornier, Buprestiden und Cerambyciden aus Central- und Süd-Amerika. **Entomol. Nachr.**, **20**(9):113-128.
1895. Coleoptera nova exotica. **Berl. Entomol. Zeitschr.**, **40**:279-312.
- NORD, J. C. & F. B. KNIGHT. 1970. *Saperda inornata* Say, 1824 (Insecta, Coleoptera): Proposed use of the plenary powers to designate a neotype to stabilize the nomenclature. **Bull. Zool. Nom.**, **27**: 123-128.
1971. The nomenclature status of *Saperda inornata* Say. **Michigan Entomol.**, **4**(2): 33-38.
- ØDEGAARD, F. 2004. Species richness of phytophagous beetles in the tropical tree *Brosimum utile* (Moraceae): the effects of sampling strategy and the problem of tourists. **Ecological Entomol.**, **(3004)**: 76 – 88, 3 figs, appendix.
- OLIVIER, A. G. 1790. **Encyclopédie Methodique. Histoire Naturelle, Insectes**. **5**(1):1-368.
1791. **Encyclopédie Méthodique. Histoire Naturelle, Insectes**. **5**(2):369-793; **6**(1):1-368.
1792. **Encyclopédie Méthodique. Histoire Naturelle, Insectes**. **6**(2):369-704; **7**(1):1-368.
1795. **Entomologie, ou Histoire Naturelle des Insectes, avec leurs Caractères Génériques et Spécifiques, leur Description, leur Synonymie et leur Figure Illuminée. Coléoptères**. **4**:1-519, 72 pls.
1797. **Encyclopédie Méthodique. Histoire Naturelle, Insectes**. **7**(2):369-827.
1807. **Entomologie, ou Histoire Naturelle..., Coléoptères**. **5**:1-602, 59 pls.
- ÖZDIKMEN, H. 2008. Substitute names for two preoccupied longhorned beetles genus group names described by J. Thomson (Coleoptera:Cerambycidae). **Munis Entomology & Zoology**, **3**(2): 661-64.
- PALISOT DE BEAUVOIS, A. M. F. J. 1805-1821. **Insectes recueillis en Afrique et en Amérique, dans les royaumes d'Oware et de Benin, a Sainte-Domingue et dans les Etats-Unis, pendant les années 1786-1797**. Imprimerie de Fain et Cie., 276 pp., 90 pls. [Publ. in parts, as follows: 1 & 2 (1805) i-xvi + 1-40, 12 pls.; 3 (1806), 41-56, 6 pls.; 4 & 5 (1807), 57-88, 12 pls.; 6 (1809), 89-100, 6 pls.,]

- PALLAS, P. S. 1772. **Spicilegia Zoologica, quibus novae imprimis atque obscurae animalium species iconibus, descriptionibus atque commentariis illustrantur.** Berolini, Reimer, 2(9):1-87, pls. 1-5.
- PANZER, G. W. F. 1794. **Voets Beschreibungen und Abbildungen hartsschaaliger Insecten**, pt. 2, Edition 3. Erlangen (1793) 112 pp.
1798. **Voets Beschreibungen und Abbildungen hartsschaaliger Insecten**, pt. 4, Nürnberg. 112 pp., pls. 25-48.
- PAPP, C. S. 1955. New records for North-American Cerambycidae and a new subspecies of *Leptura*. Notes on North American Coleoptera No. 1. **Entomol. News**, 66(8):217-220.
1959. Notes on cerambycid beetles from the southwest United States and Mexico. Notes on North American Coleoptera No. 5. **Bull. S. Calif. Acad. Sci.**, 58:84-94, 2 pls.
- PASCOE, F. P. 1857. On new genera and species of longicorn Coleoptera. Part II. **Trans. Entomol. Soc. London**, (2)4:89-112, 2 pls.
1858. On new genera and species of longicorn Coleoptera. Part III. **Trans. Entomol. Soc. London**, (2)4:236-266, 2 pls.
1859. On some new genera and species of longicorn Coleoptera. Part IV. **Trans. Entomol. Soc. London**, (2)5:12-61, 1 pl.
1860. Notices of new or little-known genera and species of Coleoptera. **J. Entomol.**, 1:36-64; 98-132, 6 pls.
1862. Notices of new or little-known genera and species of Coleoptera. **J. Entomol.**, 1:319-370, 2 pls.
- 1864-1869. Longicornia Malayana; or a descriptive catalogue of the species of the three longicorn families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. **Trans. Entomol. Soc. London**, (3)3:1-689, 24 pls.
1866. Notes on *Sphaerion* and *Mallocera*. **Ann. Mag. Nat. Hist.**, (3)18:477-484.
1866. List of the Longicornia collected by the late Mr. P. Bouchard, at Santa Marta. **Trans. Entomol. Soc. London**, 1866:279-286, 1 pl.
1867. Characters of some new genera of the coleopterous family Cerambycidae. **Ann. Mag. Nat. Hist.**, (3)19:307-319.
1867. Diagnostic characters of some new genera and species of Prionidae. **Ann. Mag. Nat. Hist.**, (3)19:410-413.
1868. Contributions to a knowledge of the Coleoptera. Part I. **Trans. Entomol. Soc. London**, 1868: xi-xiii.
1871. Descriptions of new genera and species of longicorns, including three new subfamilies. **Ann. Mag. Nat. Hist.**, (4)8:268-281, 1 pl.
1875. Notes on Coleoptera, with descriptions of new genera and species. Part III. **Ann. Mag. Nat. Hist.**, (4)15:59-73, 1 pl.
1878. Descriptions of longicorn Coleoptera. **Ann. Mag. Nat. Hist.**, (5)2:370-377.
1888. On some new longicorn Coleoptera. **Trans. Entomol. Soc. London** 1888:491-513, 1 pl.
- PECK, S.B. 2005. **A checklist of the beetles of Cuba with data on distributions and bionomics.** Arthropods of Florida and neighboring land areas, Vol. 18. Florida Dept. Agric. & Cons. Services, Gainesville, FL. 241 pp.
2006. The beetle fauna of Dominica, Lesser Antilles (Insecta, Coleoptera): diversity and distribution. **Insecta Mundi**, 20(3-4): 165-209.
- PECK, S.B., J.COOK & J.D. HARDY. 2003. Beetle fauna of the island of Tobago, Trinidad and Tobago, West Indies. **Insecta Mundi**, 16 (1-3): 9 – 23.
- PECK, S.B. & M.C. THOMAS. 1998. Arthropods of Florida and neighboring land areas. Vol. 16, A distributional checklist of the beetles (Coleoptera) of Florida. **Entomol. Contrib.** #862, Florida Dept. Agric. & Consumer Serv., 180 pp.

- PENROSE, R. L. 1974. A new subspecies of *Crossidius humeralis* LeConte from Texas with a redescription of the species. **Pan-Pacific Entomol.**, **50**(3):248-254, 4 figs.
- PENROSE, R. L. & R. L. WESTCOTT. 1974. Notes on the distribution, hosts and bionomics of some Pacific Northwest Cerambycidae. **Coleop. Bull.**, **28**(4):233-236.
- PENTEADO-DIAS, A. M. 1984. Estudo comparativo do cordão nervoso nos Cerambycidae. **Rev. Bras. Entomol.**, **28**(3):223-243, 26 figs.
- PEÑA, L. E. 1960. Algunas observaciones sobre especies poco conocidas de Cerambycidae de Chile. **Rev. Univ. Catol.**, **44-45**:57-61, 5 figs.
1974. Los tipos de insectos de la colección Luis E. Peña G. **Bol. Soc. Biol. Concepción**, **47**:259-282.
1974. Algunas observaciones sobre especies poco conocidas de Cerambycidae II. Nuevas distribuciones, sinonímias, etc. **Bol. Soc. Biol. Concepción**, **47**:303-306, 1 fig.
- PEÑA, L. E. & P. VIDAL. 1975. Algunas observaciones sobre especies poco conocidas de Cerambycidae III. *Acalodea servillei* (Bl.). **Rev. Chil. Entomol.**, **9**:45-47, 2 figs.
- PEÑAHERRERA-LEIVA, A.Y. & G.L. TAVAKILIAN. 2003. Nouvelles espèces et nouveaux genres de Rhinotragini, I. **Coléoptères**, **9**(13): 163 – 214, 52 figs.
2004. Nouvelles espèces et nouveaux genres de Rhinotragini, III. **Coléoptères**, **10**(10): 119 – 150, 21 figs.
- PERGER, R., & A. SANTOS-SILVA. 2010. A new genus and species of Callipogonini, description of the male of *Strongylaspis boliviana* Monné & Santos-Silva, 2003, and a new distributional record for *Chorenta reticulata* (Dalman, 1817) (Coleoptera, Cerambycidae). **ZooKeys** **48**:29-38, 15 figs.
- PERROUD, B. P. 1855. Description de quelques espèces nouvelles ou peu connus et création de quelques nouveaux genres dans la famille des longicornes. **Ann. Soc. Linn. Lyon**, (2)**2**:327-401.
- PERTY, J. A. M. 1828. Ueber einige Fühlerformen der Käfer und eine neue Sippe, *Psygmaterus*. **Isis Oken**, **7**:737-740, pl. 10.
1832. De insectorum in America meridionali habitantium vitae genere, moribus ac distributione geographica observationes nonnullae, in **Delectus animalium articulorum quae in itinere per Brasilian annis MDCCCXVII-MDCCCXX jussu at auspiciis Maximiliani Josephi I, Bavariae regis augustissime peracto collegerunt Dr. J. B. de Spix et Dr. C. F. Ph. de Martius**. Monachii, pp. 61-124, pls. 13-24.
- PHILIPPI, F. H. E. 1859. Algunas especies nuevas de coléopteros de la provincia de Valdivia. **Ann. Univ. Chile**, **16**:656-678.
1897. In P. Germain, Apuntes entomológicos. Los longicornios chilenos. **Ann. Univ. Chile**, **97**:451.
- PHILIPPI, R. A. 1862. Sobre algunos insectos de Magallanes. **Ann. Univ. Chile**, **21**:407-414.
1865. Descripción de algunos insectos nuevos chilenos. **Ann. Univ. Chile**, **26**:651-660.
- PHILIPPI, R. A. & F. H. E. PHILIPPI. 1860. Coleoptera nonnulla nova Chilensia praesertim Valdiviana. **Stettin. Entomol. Ztg.**, **21**:245-251.
1864. Beschreibung einiger neuen Chilenischen Käfer. **Stettin. Entomol. Ztg.**, **25**:266-284; 313-406.
- PHILIPS, T. K. & M. A. IVIE. 1998. The Methiini of the West Indies with notes on the circum-Caribbean species. **Entomol. Scand.**, **29**(1):57-87, 100 figs.
- PIC, M. 1901. Notes diverses et diagnoses. **Échange**, **17**:2-22.
1907. Coleoptères exotiques nouveaux ou peu connus (suite). **Échange**, **23**(265):151-152.
1921. Diagnoses de coléoptères exotiques (suite). **Échange**, **37**(409):10-12.

1947. Troisième partie des réfutations. **Misc. Entomol.**, **44**:87-94.
- PICANÇO, M., G.L.D. LEITE, C.S. BASTOS, F.A. SUINAGA, & VWD CASALI. 1999. Coleópteros asociados ao jiloeiro (*Solanum gilo* Raddi). **Rev. Bras. Entomol.**, **43**(1/2): 131-137, 4 figs.
- PLAVILSTSHIKOV, N. N. 1927. Über neue Bockkäfer-Varietäten. **Entomol. Blatt.**, **23**:105-109.
- PODANY, C. 1961. Monographie der Gattung *Alosterna* Muls. (Stenocorini). **Mitt. Entomol. Ges.**, (N. F.) **11**:27-33.
1962. Monographie des genus *Gaurotus* J. Lec. **Mitt. Münch. Entomol. Ges.**, **52**:219-252, pls. 4-5.
1963. Weitere studien zur Monographie der Gattung *Alosterna* Muls. (Lepturini). **Mitt. Entomol. Ges.**, (N. F.) **13**:47-49
1964. Monographie des genus *Pachyta* Zet. **Polske Pism. Entomol.**, **34**(4):41-54, 3 pls.
1964. Monographie des genus *Rhagium* Fabricius (Stenocorini). **Acta zool. Mex.**, **7**(1 3):1-55, 7 pls.
1965. Remarques sur les Callichromatini américains. **Bull. Soc. Entomol. Mulhouse**, **1965**:34-41, 3 figs.
- POEPPIG, E. F. 1851. **Illustrierte Naturgeschichte des Thierreichs, Anatomie, Physiologie und Geschichte der Säugethiere der Vögel, der Lurche, der Fische und der wirbellosen Thiere**. Leipzig. Weber, **4**: 34 Lief, 4100 in den text gedr. abbild., 25000 Gegenst. darstellend.
- PORTER, C. E. 1923. Notas breves sobre longicórnios chilenos. **Rev. Chil. Hist. Nat.**, **25**:495-501, 2 figs.
1924. Dos longicórnios raros o poco conocidos. **Rev. Chil. Hist. Nat.**, **27**:52-53.
1925. Notas breves sobre longicórnios chilenos. **Rev. Chil. Hist. Nat.**, **29**:184.
1925. Breve nota sobre los *Hesperophanes* chilenos. **Rev. Chil. Hist. Nat.**, **29**:217-219.
1929. Notas breves sobre longicórnios chilenos. **Rev. Chil. Hist. Nat.**, **32**:158.
1929. Nota acerca de un cerambícido sud-americano. **Rev. Chil. Hist. Nat.**, **32**:287.
1930. Notas breves sobre longicórnios chilenos. **Rev. Chil. Hist. Nat.**, **33**:550-551.
1930. El género *Hebestola* Bl. en Chile. **Rev. Chil. Hist. Nat.**, **33**:615-618, 1 fig.
1930. El género *Chenoderus* F. & G. **Rev. Chil. Hist. Nat.**, **34**:332-337, 1 col. pl.
1932. Géneros monotípicos de longicórnios chilenos. **Rev. Chil. Hist. Nat.**, **36**:22-24; 33-35; 139-140, 4 figs.
1932. Notas sobre Necydalopsini chilenos. **Rev. Chil. Hist. Nat.**, **36**: 82-84.
1933. Los Prioninae de Chile. **Rev. Chil. Hist. Nat.**, **37**:200-209, 2 pls.
1938. Sobre el nombre genérico *Coremia*. **Rev. Chil. Hist. Nat.**, **41**:82.
1939. Introducción al estudio de los cerambícidos chilenos. **Rev. Chil. Hist. Nat.**, **42**:221-231, 4 figs.
- POUILLADE, I. 1915. Note sur *Macrodonia dejeani* Gory avec description de deux espèces nouvelles. **Insecta**, Rennes, **5**:41-47, 8 figs.
- PROSEN, A. F. 1947. Nuevos cerambícidos argentinos. **Rev. Soc. Entomol. Arg.**, **13**:254-257, 3 figs., 1 pl.
1947. Cerambycoidea de Santiago del Estero. **Rev. Soc. Entomol. Arg.**, **13**:315-334.
1954. Un nuevo género y dos nuevas especies de Lamiidae argentinos. **Neotrópica**, **1**:33-36, 1 fig.



1957. La segunda especie del género *Merocentrum* Lane, 1939. **Neotrópica**, **3**(11):35-36, 2 figs.
1957. Un nuevo lamido de Bolivia. **Neotrópica**, **3**(12):73-74, 2 figs.
1960. Notas sobre la familia Anoplodermatidae. **Ann. Inst. Med. Reg.**, **5**(2):87-100, 1 pl.
1961. Notas sobre Iridionini. **Ann. Inst. Med. Reg.**, **5**(3):125-130, 1 fig.
1962. *Planopus lugubris*, n. sp. **Ann. Inst. Med. Reg.**, **6**:147-149, 1 pl.
- PROSEN, A. F. & F. LANE. 1955. O gênero *Myoxomorpha* White, 1855, e descrição de uma nova espécie. **Papéis Avulsos Dep. Zool.**, **12**(4):133-140.
- PROVANCHER, L. A. 1877. **Petite faune entomologique du Canada, précédés d'un traite élémentaire d'entomologie. Les Coléoptères.** Québec, C. Darveau, 786 pp., 52 figs.
- PSOTA, F. 1930. The *Moneilema* of North America and Mexico. **Coleop. Contr.**, **1**(2):111-141, 24 pls.
- QUENTIN, R. M. & A. VILLIERS. 1983. *Prionocalus demelti*, nouvelle espèce de Colombie. Désignation de Lectotypes. **Ann. Soc. Entomol. France**, (N. S.) **19**(2):223-225, 2 figs.
1983. Note sur les *Psalidognathus* Gray. Description de quatre formes nouvelles; désignation d'un néotype et de lectotypes. **Ann. Soc. Entomol. France**, (N. S.) **19**(4):441-446, 4 figs.
- QUINTINO, H. Y., BOTERO, J. P. & MONNÉ, M. L. (2010) Insecta, Coleoptera, Cerambycidae, Cerambycinae, Trachyderini: new state and country records from South America. **Check List** **6**(3):364-367.
- RAMIREZ CAMPOS, R., ESTEBAN DURAN, J. R. & A. SANTOS-SILVA. 2011. A new species of *Seticeros* from Costa Rica (Coleoptera, Cerambycidae, Prioninae). **Span. Journ. Ag. Res.** **9**(1):108-112, 3 figures.
- RANDALL, J. W. 1838. Description of new species of coleopterous insects inhabiting the State of Maine. **Boston J. Nat. Hist.**, **2**(1):1-33.
1838. Descriptions of new species of coleopterous insects inhabiting the State of Massachusetts. **Boston J. Nat. Hist.** **2**(1):34-52.
- RASKE, A. G. 1973. *Tetropium parvulum* elevated to species rank and contrasted to *T. cinnamopterum* in morphology and host preference. **Can. Entomol.**, **105**:745-755, 14 figs.
1973. Taxonomic relationship between *Monochamus scutellatus* and *M. oregonensis*. **Can. Entomol.**, **105**:795-806, 33 figs.
- RAU, G. J. 1935. A new variety of *Anoplodera vittata* from New York. **Bull. Brooklyn Entomol. Soc.**, **30**(2):63-64.
- REDTENBACHER, L. 1845. **Die Gattungen der Deutschen Kaefer-Fauna nach der analytischen Methode bearbeitet einem kurz gefassten Leitfaden, zum Studium dieses Zweiges der Entomologie.** Wien, Gerold, 177 pp., 2 pls.
1867. **Reise des österreichischen Fregatte Novara um die Erde in den Jahren 1857, 1858, 1859 unter den befehlen des Commodore B. von Wüllerstorff-Urbair.** Wien, Zoologischer Theil, Zweiter Band, Coleopteren, 249 pp.
- REICH, G. C. 1837. Description of a new coleopterous genus belonging to the tribe Prionida, termed *Torneutes*. **Trans. Entomol. Soc. London**, **2**:9-13, 3 figs.
- REICHE, L. 1839. Note sur la famille des longicornes et description d'un genre nouveau. **Ann. Soc. Entomol. France**, **9**:563-566, 1 pl.
1840. Description de deux coléoptères nouveaux. **Revue Zool.**, **1840**:275.
1840. Nouvelle espèce du genre *Psalidognathus* de M. Gray. **Revue Zool.**, **1840**:358.
1850. Note sur le genre *Psalidognathus*. **Revue Mag. Zool.**, (3)2:248-249.

1853. Espèce nouvelle de coléoptères formant un genre nouveau dans la famille des longicornes. **Ann. Soc. Entomol. France**, (3)1:419-423, pl. 13, fig. 4.
- REITTER, E. 1912. **Fauna Germanica. Die Käfer des Deutschen Reiches**. 4:1-236, pls. 129-152.
- RESTELLO, R.M., L. IANNUZZI, & R.C. MARINONI. 2001. Descrição de dois novos generos afins a *Alphus* White e duas novas espécies (Acanthoderini). **Rev. Bras. Entomol.**, 45(4): 295 - 303, 14 figs
- RIBEIRO, P. de M. 1935. Sôbre uma nova espécie do gênero *Callipogon*. **Rev. Mus. Paulo**, 19:417-418, 1 pl.
- RICE, M. E. 1982. Notes on Cerambycidae from Missouri. **Coleop. Bull.**, 35(4):459-462.
1985. Description of the male of *Neoclytus torquatus* LeConte, a dimorphic species. **J. Kansas Entomol. Soc.**, 58(3):557-558.
- RICE, M. E. & W. R. ENNS. 1981. The longhorn beetle subfamily Lamiinae (Col., Cerarnb.) in Missouri. **Trans. Missouri Acad. Sci.**, 15:89-109.
- RICE, M. E. & R. F. MORRIS. 1992. *Megacyllene comanchei*, a new species of longhorned beetle from Texas. **J. Kansas Entomol. Soc.**, 65(2):200-202, 1 fig.
- RICE, M.E., R.H. TURNBOW & F.T. HOVORE. 1985. Biological and Distributional Observations on Cerambycidae from the Southwestern United States (Coleoptera). **Col. Bull.** 39(1):18-24.
- RITSEMA, C. C. 1889. On the longicorn genus *Orion* Guér. **Not. Leyden Mus.**, 11:144.
- RIVERS, J. J. 1890. Three new species of Coleoptera. **Entomologica Amer.**, 6(6):111-112.
- RODDICK, C., N. RODRIGUEZ & A. BERKOV. 2009. Hard-won host record for two species of *Trypanidius* Blanchard, 1843 (Coleoptera, Cerambycidae). **The Coleopterists Bulletin**, 63(1): 105-107.
- RODRIGUES, J. M. S. & J. R. M. MERMUDES. 2011. A new species of *Peritrox* Bates, with a revised key for the genus (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** 3000:44-48, 4 figures.
- RODRIGUES, J. M., M.A. MONNÉ & J. R. MERMUDES. 2010. Inventario das especies de Cerambycidae (Coleoptera) de Vila Dois Rios (Ilha Grande, Angra doe Reis, Rio de Janeiro, Brasil). **Biota Neotrop.** 10(3):311-321, 51 figures.
- ROGUET, D. *Penaherreraus* nomen nov. pro *Pycnomorphus* Thomson 1864 (nec Motschulsky, 1858) (Lamiinae). **Le Coleopteriste**, 7(2): 90.
- ROJAS, M. A. de. 1856. Description de deux nouvelles espèces de coléoptères provenant de la République de Venezuela. **Revue Mag. Zool.**, (2)8:565-566.
1857. Études entomologiques. Observations sur quelques coléoptères de la République de Venezuela. **Ann. Soc. Entomol. France**, (3)5:329-336.
1866. Études entomologiques. **Ann. Soc. Entomol. France**, (4)6:229-235.
1866. Catalogue des longicornes de la province de Caracas, République de Venezuela avec quelques observations sur leurs habitudes. **Ann. Soc. Entomol. France**, (4)6:236-248.
- ROSALES, C. J. 1966. Contribución al conocimiento de los Prioninae de Venezuela. **Rev. Fac. Agron. Univ. Centr. Venez.**, 11:1-237, 11 pls.
- ROSENBERG, W. F. H. 1898. Some new species of Coleoptera in the Tring Museum. **Novit. Zool.**, 5:92-95.
- ROSSI, P. 1794. *Mantissa insectorum, exhibens species nuper in Etruria collectas, adjunctis faunae Etruscae illustrationibus ac emendationibus*. 4:1-348.

- RUETTE, R. de. 1970. A catalogue of types of Coleoptera in the Canadian National collection of insects. **Mem. Entomol. Soc. Can.**, **7**:1-134.
- RUSSO, G. 1930. Contributo alla conoscenza dei Cerambycidae della Rep. Dominicana (Antille) com descrizione di una nuova specie. **Bol. Lab. Zool. Gen. Agr. Portici**, **24**(14):140-147, 2 figs.
- SAHLBERG, C. R. 1823. **Periculi entomographici, species insectorum nondum descriptas propositur**. **1**:1-16; **2**:17-32; **3**:33-48; **4**:49-64; **5**:65-82.
- SALAZAR E, J. A. 2005. Coleoptera (V) Sobre algunas localidades Colombianas para conocer y estudiar a *Psolidognathus superbus* & *modestus* (Fries) y a *Prionacalus demelti* (Quentin & Villiers) (Cerambycidae: Prioninae). **Bol Cien- Cent Mus - Mus Hist Nat** vol **9**:241-250, 3 figs.
- SALLÉ, A. 1849. Coléoptères nouveaux de l'Amérique, 2e partie. **Ann. Soc. Entomol. France**, (2)**7**:429-435, 1 pl.
1853. Description d'une espèce nouvelle de prionien provenant de la République de Venezuela. **Ann. Soc. Entomol. France**, (3)**1**:649-652, 1 pl.
1855. Description de dix espèces nouvelles de coléoptères recueillis de 1849 a 1851 dans la République Dominicaine (ancienne partie espagnole de l'Ile de Saint-Domingue ou d'Haiti), 1e partie. **Ann. Soc. Entomol. France**, (3)**3**:263-272, 1 pl.
1856. Description de dix espèces nouvelles de coléoptères recueillis de 1849 a 1851 dans la République Dominicaine (ancienne partie espagnole de l'Ile de Saint-Domingue ou d'Haiti), 2e partie. **Ann. Soc. Entomol. France**, (3)**4**:687-692, 1 pl.
- SALVADOR, S. A. 1978. Notas sobre *Periboeum* Thomson com descrição de uma nova espécie. **Rev. Bras. Entomol.**, **22**(1):19-22, 1 fig.
- SAMA, G. 1991. Noe sulla nomenclatura dei Cerambycidae della regione mediterranea. **Boll. Soc. ent. ital., Genova**, **123** (2): 121-128.
1993. Notes sur les Xylosteini Reitter. **Biocosme Méditerranéen, Nice**, **10**(1): 7-15, 6 figs.
1994. Note sulla nomenclatura dei Cerambycidae della regione mediterranea. II. Revisione di alcuni tipi di Kraatz, v. Heyden e Stierlin. **Lambillionea**, XCIV, 3, Settembre 1994, pp. 321-334, 5 figs.
2005. Description of *Neospondylis* gen. nov. from North America and Mexico (Spondylidinae). **Les Cahiers Magellanes** **43**: 1 – 10, 38 figs.
- SANCHEZ, L. I. V. & W. P. MacKAY 1993. Revision del Genero *Tylosis*. **Southwestern Nat.**, **38**(3):241-245, 2 figs.
- SANCHEZ-MARTINEZ, G., MORENO-RICO, O & SIQUEIROS-DELGADO, M. E. (2010) *Crioprosopus magnificus* LeConte (Coleoptera, Cerambycidae) in Aguascalientes, Mexico: biological observations and geographical distribution. **Coleopt. Bull.** **64**(4): 319-328.
- SANTOS-SILVA, A. 2001. Parandrinae Neotropicais I: redescrção de *Parandra degeeri* Thomson, 1867 e descrição de uma nova espécie. **Rev. Bras. Entomol.**, **45**(3): 215 - 219, 18 figs.
2001. Parandrinae Neotropicais II: espécies de *Hesperandra* Arigony, 1977 com submento elevado e emarginação lateral do protórax dos machos incompleta. **Rev. Bras. Entomol.**, **45**(3): 221 - 241, 93 figs.
2002. Notas e descrições em Parandrini. **Iheringia, Sér. Zool.**, **92**(2): 29 - 52, 55 figs.
2002. Nova espécie de *Hesperandra* Arigony da Bolivia (Parandrinae). **Rev. Bras. Zool.**, **19**(4): 955-959, 12 figs.
2003. Notas, descrições, sinónimas e revalidação em *Hesperandra* Arigony, 1977 (Parandrinae). **Rev. Bras. Entomol.**, **47**(1): 119-131, 67 figs.
2003. On two generic homonymies in Cerambycidae (Coleoptera). **Rev. Bras. Zoo.** **20**(3):479-480.
2003. Espécies de *Hesperandra* (*Tavandra*) Santos-Silva, com pilosidade abundante no metasterno (Parandrinae). **Rev. Bras. Zool.**, **20**(3): 389 – 395, 21 figs.

2004. Descrição de *Hephialtes mourei* sp. nov. e notas em *Hephialtes* Thomson e *Braderochus mundus* (White) (Prioninae). **Rev. Bras. Entomol.**, **48**(1): 35 – 38, 5 figs.
2004. Nova espécie de *Anacanthus* do Brasil (Prioninae, Callipogonini). **Iheringia, Sér. Zool.**, **94**(3): 281 – 283, 2 figs.
2005. Nova espécie de Parandrinae do Brasil e chave para as espécies de *Hesperandra* (*Hesperandra*) Arigony, 1977. **Papéis Avulsos de Zool.**, **45**(17): 231 – 234, 9 figs.
2005. Redescricao de *Mallodon popelairei* (Lameere, 1902) (Prioninae). **Papéis Avulsos de Zool.**, **45**(20): 249 – 254, 11 figs.
2005. Nova espécie de Parandrinae do Brasil e chave para as espécies de *Hesperandra* (*Hesperandra*) Arigony, 1977. **Papéis Avulsos Zool.**, **45**(17): 231 – 234, 9 figs.
2006. Revalidacao de *Charmallaspis smithiana* (White, 1850) e Notas em *Braderochus* Buquet, 1852 (Coleoptera, Cerambycidae, Prioninae). **Papéis Avulsos Zool.**, **46**(14): 175-186, 31 figs.
2007. Revisao do Genero *Derobrachus* Audinet-Serville, 1832 (Coleoptera, Cerambycidae, Prioninae). **Arq. de Zool.** **38**(1):1-94, 362 figs.
2007. Nova especie de *Hesperandra* (*Zikandra*) Santos-Silva e chave para o subgenero (Coleoptera, Cerambycidae, Parandrinae). **Les Cahiers** (66):1-11, 22 figs.
- SANTOS-SILVA, A., L.G. BEZARK, & U.R. MARTINS. 2012. New genera and species of Neotropical Rhinotragini (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa** **3571**:66-080, 28 figures.
- SANTOS-SILVA, A. & J.R. ESTEBAN DURAN. 2009. Description of the female of *Strongylaspis granigera* Bates, 1884 (Coleoptera, Cerambycidae, Prioninae). **Spanish J. Ag. Res.** **7**(2):349-354, 3 figs.
- SANTOS-SILVA, A. & M. H. M. GALILEO. 2010. A new Genus of Macrotomini (Coleoptera, Cerambycidae, Prioninae). **ZooKeys** **35**:65-76, 31 figs.
2011. Sobre alguns Cerambycidae (Coleoptera) das colecoes do Instituto Nacional de Pequias da Amazonia (INPA) e da Universidade Federal do Amazonas (UFAM): Parandrinae, Prioninae e Disteniinae. **Les Cahiers Magellanes (n.s.)** **3**:20-51, 9 figures.
- SANTOS-SILVA, A. & F.T. HOVORE. 2007. Divisao do Genero *Distenia* Lepeletier & Audinet-Serville, notas sobre a venacao alar em Disteniini, homonimias, sinonimia e redescricoes (Coleoptera, Cerambycidae, Disteniinae). **Papéis Avulsos Zool.**, **47**(1):1-29, 93 figs.
2007. Especies americanas de *Distenia* (*Distenia*) Lepeletier & Audinet-Serville, 1828 (Coleoptera, Cerambycidae, Disteniinae). **Les Cahiers** (68):1-28, 39 figs.
2007. Especies de *Distenia* (*Basisvallis*) Santos Silva & Hovore (Coleoptera, Cerambycidae, Disteniinae) **Les Cahiers** (71):1-16, 13 figs.
2007. Especies de *Novantinoe* Santos Silva & Hovore (Coleoptera, Cerambycidae, Disteniinae) **Lambillionea** (107):573-610, 59 figs.
- 2008a. Especies de *Elytrimitatrix* (*Grossefemora*) Santos Silva & Hovore I. Novos registros e novos especies (Coleoptera, Cerambycidae, Disteniinae) **Les Cahiers** (74):1-25, 27 figs.
- 2008b. Especies de *Elytrimitatrix* (*Grossefemora*) Santos Silva & Hovore II. Novas especies e chave para o subgenero (Coleoptera, Cerambycidae, Disteniinae) **Les Cahiers** (75):1-25, 24 figs.
- 2008c. Novas especies de Disteniinae americanas (Coleoptera, Cerambycidae) **Les Cahiers** (81):1-16, 14 figs.
- SANTOS-SILVA, & Z. KOMIYA, 2012. Contribution towards the knowledge of *Psalidognathus* Gray, 1831 (Coleoptera, Cerambycidae, Prioninae). **Insecta Mundi** **0247**:1-28, 30 figures.
- SANTOS-SILVA, A. & H. J. LEZAMA. 2010. Contribuição para o conhecimento dos Parandrini da Costa Rica e do

- Panamá (Coleoptera, Cerambycidae, Parandrinae) **Rev. Bras Ent.** **54(3)**:399-405, 13 figs.
- SANTOS-SILVA, A. & S. W. LINGAFELTER. 2012. Morphological analysis of *Mecosarthron* Buquet and *Xixuthrus* Thomson and reevaluation of generic assignment of *Xixuthrus domingoensis* Fisher (Coleoptera, Cerambycidae, Prioninae). **Pap. Avuls. Zool.** **52(27)**:315-332, 9 figures.
- SANTOS-SILVA, A. & U.R. MARTINS 2000. Nova espécie de Parandrinae da Região Neotropical. **Rev. Bras. Entomol.**, **44(3/4)**: 167-170, 12 figs.
2003. Revisão do gênero *Physopleurus* Lacordaire, 1869 e notas em Macrotomini (Prioninae). **Rev. Bras. Entomol.**, **47(2)**: 245 - 265, 123 figs.
2004. Notas e descrições em Disteniinae. **Rev. Bras. Zool.**, **21(1)**: 145 – 152, 11 figs.
2005. Nova espécie e sinonímia em *Braderochus* Buquet, 1852 (Prioninae). **Rev. Bras. Entomol.**, **49(2)**: 237 – 239, 6 figs.
2005. Novos táxons e notas taxonômicas em Prioninae. **Iheringia, Sér. Zool.**, **95(4)**: 393 – 403, 24 figs.
2009. Nova espécie de *Physopleurus* Lacordaire (Coleoptera, Cerambycidae, Prioninae). **Papéis Avulsos de Zoologia** **49(8)**: 97-102.
- SANTOS-SILVA, A. & S. SHUTE. 2009. The identity of *Parandra laevis* Latreille 1804, and nomenclatural changes in the Parandrinae (Coleoptera, Cerambycidae). **Zookeys** **25**:19-35, 9 figs.
- SANTOS-SILVA, A. & G. TAVAKILIAN. 2009. Demembrement du genre Cometes Lepeletier & Audinet-Serville, 1828 1st partie (Coleoptera, Cerambycidae, Distenninae). **Les Cahiers Magellanes**. **102**:1-24, figs 1-32.
- SANTOS-SILVA, A. & G. TAVAKILIAN. 2009. Demembrement du genre Cometes Lepeletier & Audinet-Serville, 1828 2nd partie (Coleoptera, Cerambycidae, Distenninae). **Les Cahiers Magellanes**. **103**:25-47, figs 33-64.
- SANTOS-SILVA, A., R. O. S. CLARKE & U. R. MARTINS. 2011. Contribuição para o estudo dos Rhinotragini (Coleoptera, Cerambycidae). III. *Oxyommata* Zajciw, 1970 e novo gênero oriundo da divisão de *Xenocrasis* Bates, 1873 **Pap. Avuls. Zool.** **51(10)**:179-188, 10 figures.
- SANTOS-SILVA, A., N. MAL & A. DRUMONT. 2010. Revalidation of *Calocomus rugosipennis* Lucas, 1857 (Coleoptera, Cerambycidae, Prioninae). **Bull. De L'Inst. Roy. Sci. Nat. Belgique. Entomologie** **80**:69-74, 12 figures.
- SANTOS-SILVA, A., U.R. MARTINS, & R. O. S. CLARKE. 2010. Contribuição para o estudo dos Rhinotragini (Coleoptera, Cerambycidae). II. Revisão de *Ommata* White, 1855. **Pap. Avuls. Zool.** **50(39)**:595-621, 23 figs.
- SANTOS-SILVA, A., U.R. MARTINS, & G. L. TAVAKILIAN. 2010. Revisão do gênero *Polyrhaphis* Audinet-Serville (Coleoptera, Cerambycidae, Lamiinae). **Pap. Avuls. Zool.** **50(30)**:451-509, 85 figs.
- SANTOS-SILVA, A. , I. P. SWIFT & E. H. NEARNS. 2010. Division of the genus *Nothopleurus* Lacordaire, 1869 (Coleoptera: Cerambycidae: Prioninae). **Zootaxa** **2643**:1-44, 78 figs.
- SANTOS-SILVA, A., M. C. THOMAS, & J. E. WAPPES. 2011. A new genus of Prioninae (Coleoptera, Cerambycidae). **Insecta Mundi** **0175**:1-8, 17 figures.
- SANTOS-SILVA, & J. E. WAPPES, 2012. The genus *Aplagiognathus* Thomson 1861, (Coleoptera, Cerambycidae, Prioninae, Macrotomini). **Insecta Mundi** **0264**:1-13, 29 figures.
- SAY, T. 1824. Appendix. Part I. Natural History I - Zoology, in, **Narrative of an expedition to the source of St. Peter's river, &c., performed in the year 1823, by order of the Hon. J. C. Calhoun, Secretary of War, under the command of Stephen H. Long, Major U. S. T. E.** Philadelphia, H. C. Carey & I. Lea, **2**:268-378.
1824. Descriptions of coleopterous insects collected in the late expedition to the Rocky Mountains, performed by order of Mr. Calhoun, Secretary of War, under the command of Major Long. **J. Acad. Nat. Sci. Phila.**, **3(2)**:298-331; 403-462.
1826. Descriptions of new species of coleopterous insects inhabiting the United States. **J. Acad. Nat. Sci. Phila.**, **5(2)**:237-284.

1828. **American Entomology, or descriptions of the Insects of North America.** Philadelphia Museum, Augustus Mitchell, 3: II + 123 pp., pls. 37-54.
1830. Descriptions of new species of North American insects and observations on some of the species already described. **Diss. Usef. Knowl.**, New Harmony, Indiana, **3**:65-67.
1831. **Descriptions of new species of North American insects found in Louisiana by Joseph Barabino.** New Harmony, Indiana, School Press; 19 pp.
1832. **New species of North American insects, found by Joseph Barbino chiefly in Louisiana.** New Harmony, Indiana, School Press, 16 pp.
1835. Descriptions of new North American coleopterous insects and observations on some already described. **Boston J. Nat. Hist.**, **1**(2):151-203.
- SCHAEFFER, C. F. A. 1904. New genera and species of Coleoptera. **J. New York Entomol. Soc.** **12**(4):197-236.
1905. Additions to the Coleoptera of the United States with notes on some known species. **Sci. Bull. Mus. Brooklyn Inst. Arts Sciences**, **1**(6):123-140.
1905. Some additional new genera and species of Coleoptera found within the limit of the United States. **Sci. Bull. Mus. Brooklyn Inst. Arts Sciences**, **1**(7):141-179.
1906. Two new *Oncideres*, with notes on some other Coleoptera. **Can. Entomol.**, **38**:18-23.
1908. List of the longicorn Coleoptera collected on the Museum expedition to Brownsville, Texas and the Huachuca Mts., Arizona, with descriptions of new genera and species and notes on known species. **Sci. Bull. Mus. Brooklyn Inst. Arts Sciences**, **1**(12):325-352.
1909. New Coleoptera chiefly from Arizona. **Sci. Bull. Mus. Brooklyn Inst. Arts Sciences**, **1**(16):375-386.
1909. Four new Cerambycidae. **J. New York Entomol. Soc.**, **17**(3):99-103.
1909. Three Cuban Coleoptera new to the fauna of the United States. **J. New York Entomol. Soc.**, **17**(4):148-150.
1911. New Coleoptera and miscellaneous notes. **J. New York Entomol. Soc.**, **19**:113-126.
1917. On *Merium* and some blue *Callidium*. **J. New York Entomol. Soc.** **25**(3):183-187.
1929. The North American species of *Parandra*. **Bull. Brooklyn Entomol. Soc.**, **24**:38-40.
1932. Notes and descriptions of new Cerambycidae. **Bull. Brooklyn Entomol. Soc.**, **27**(3):152-154.
- SCHALLER, J. G. 1783. Neue Insekten beschrieben. **Schr. Naturf. Ges.**, **1**:217-328.
- SCHAUFUSS, L. W. 1871. Neue *Purpuricen*-Arten, vorgelegt in der "Gessellschaft für Botanik & Zoologie zu Dresden am 12 October 1871". **Nunquam Otiosus Dresden**, **1**:209-210, 2 figs.
- SCHIEFER, T.L. 1998. Disjunct distribution of Cerambycidae (Coleoptera) in the Black Belt prairie and Jackson prairie in Mississippi and Alabama. **Coleop. Bull.**, **52**(3): 278-284.
1998. A preliminary list of the Cerambycidae and Disteniidae of Mississippi. **Trans. Amer. Entomol. Soc.**, **124**(2): 113-131.
2001. A new species *Astylopsis* Casey (Acanthocinini) from the southeastern United States. **Coleop. Bull.**, **54**(4): 533-539, 1 fig.
- SCHIEFER, T. L. & P. NEWELL. 2010. A Distinctive New Subspecies of *Saperda lateralis* F. Coleoptera: Cerambycidae) from the United States. **Coleopt. Bull.** **64**(4):329-336, 5 figures.
- SCHMID, H. 2009. Ein neuer Bokkafer aus Peru. **Koleopterologische Rundschau** **79**:279-280, 2 figures

2010. Zwei neue Neotropische Bockkafer. **Koleopt. Rundschau** **80**:189-191, 2 figures.
2011. Ein neuer Prioninae aus Französisch Guayana (Coleoptera: Cerambycidae). **Koleopterologische Rundschau** **81**:247-248, 5 figures.
2011. Zwei neue Bockkäfer aus Peru (Coleoptera: Cerambycidae) **Koleopterologische Rundschau** **81**:249-251, 3 figures.
- SCHMIDT, M. 1923. Bemerkungen über Callichrominen. **Deut. Entomol. Zeitschr.**, **1923**:272-276.
1924. Die amerikanischen Callichrominen (Col., Ceramb.) nach systematischen und phylogenetischen Gesichtspunkten dargestellt. **Deut. Entomol. Zeitschr.**, **1924**:297-321; 377-396.
- SCHOENHERR, C. J. 1817. **Synonymia Insectorum, oder: Versuch einer Synonymia aller bisher bekannten Insecten; nach Fabricii Systema Eleutheratorum &c. geordnet.** Skara. Lewerentzischen Buchdruckerey, **1**(3): xi + 506 pp.
1817. **Appendix ad C. J. Schoenherr Synonymian Insectorum Tom. 1, part 3, sistens descriptiones novarum specierum.** Scaris. Officina Lewerentziana. 266pp., 2 col. pl.
- SCHOTT, F. M. 1925. On some Coleoptera in New Jersey. **J. New York Entomol. Soc.**, **33**(4):224-225, 1 pl.
- SCHREBER, J. C. D. von. 1759. **Novae species insectorum.** Halae, 16 pp., 1 pl.
- SCHWARZER, B. 1923. Beiträge zur Kenntnis der Cerambyciden. **Deut. Entomol. Zeitschr.**, **1923**:255-260.
1929. Neue Cerambyciden des Senckenberg-Museum. **Senckenbergiana**, **11**:353-379, 35 figs.
1930. Beitrag zur Kenntnis der Cerambyciden. **Senckenbergiana**, **12**:103-111, 14 figs.
1931. Beitrag zur Kenntnis der Cerambyciden. **Senckenbergiana**, **13**:197-214, 27 figs.
- SCOPOLI, J. A. 1772. **Annus historico naturalis**, Ann 5. Lipsiae, 128 pp.
- SEABRA, C. A. C. 1941. Sobre um novo *Stictosomus* (*Anacanthus*) Serville, 1832. **Rev. Bras. Biol.**, **1**(4):369-371, 3 figs.
1942. Sobre uma nova espécie de *Meroscelisus* Serville, 1832. **Rev. Bras. Biol.**, **2**(4):417-418, 2 figs.
1961. Dois novos Aerenicini da região neotropical. **Papéis Avulsos Dep. Zool.**, **14**(29):263-266, 2 figs.
- SEABRA, C. A. C. & G. L. TAVAKILIAN. 1986. Un nouveau genre, une nouvelle espèce de Torneutini: *Gnathopraxitheia sarryi* nov. sp. (Cerambycinae). **L'Entomologiste**, **42**(4):227-232, 2 figs.
- SEMENOV-TIAN-SHANSKIJ, A. 1899. Specierum rossicarum generis *Polyarthron* Serv., 1832 synopsis. **Hort. Soc. Entomol. Rossicae**, **34**:249-259.
1907. Analecta coleopterologica XIV. **Revue Russe Entomol.**, **7**:258-265.
- SHARP, D. 1878. On some longicorn Coleoptera from the Hawaiian Islands. **Trans. Entomol. Soc. London**, **1878**:201-210.
1905. The genus *Criocephalus*. **Trans. Entomol. Soc. London** **1905**: 145-164, 15 figs.
- SHERMAN, F. 1946. Notes on Cerambycidae of South Carolina. **Ent. News** **57**:125-127.
- SHIMER, H. 1869. A brief extract from notes on grapevine borers. **Trans. Amer. Entomol. Soc.**, **2**: viii-ix.
- SHIMOMURA, T. 1992. Taxonomic notes on *Sachalinobia rugipennis* (Newman) and *S. koltzei* (Heyden). **Elytra**, **20**(1): 95-99, 4 figs.
- SIKES, D.S. & R.P. WEBSTER. 2005. Bioinventory of Rhode Island Coleoptera: 45 new records. **Coleop. Bull.**, **59**(3): 311 – 327.

- SIMOENS, H. 2006. Un nouveau *Macrodonia* originaire du Perou (Cerambycidae, Prioninae). **Les Cahiers Magellanes**, **No. 62**: 1-7, 8 figs.
- SKILES, D. D. 1978. Taxonomy and description of two prionine Cerambycidae from southern Arizona: A new species of *Stenodontes* and new status for *Neomallosodon arizonicus* (Prioninae). **Proc. Entomol. Soc. Wash.**, **80**(3):407-423, 6 figs.
1979. A new subspecies of *Poliaenus nuevoleonis* Chemsak and Linsley from southern Arizona. **Pan-Pacific Entomol.**, **55**(2): 106-110.
1979. The purpuricenine genus *Scythroleus* Bates. **Coleop. Bull.**, **33**(3):269-274, 1 fig.
1985. New genera and species of Elaphidionine Cerambycidae from North America and the West Indies. **Coleop. Bull.**, **39**(4): 305-320.
- SKILES, D. D. & J. A. CHEMSAK. 1982. New species and lectotype designations of *Elytroleptus*. **Wasmann J. Biol.**, **40**(1-2):66-70.
- SKILLMAN, F. W. Jr. 1993. New records of Georgia Cerambycidae. **Insecta Mundi**, **7**(4):210.
2007. A new species of *Tetraopes* Schoenherr (Coleoptera, Cerambycidae). **Insecta Mundi**, **0008**:1-3, 3 figs.
- SKINNER, H. 1905. Descriptions of new Coleoptera from Arizona with notes on some other species. **Entomol. News**, **16**(9):289-292.
- SMITH, G. & J.E. HURLEY. 2001. First North American record of the Palearctic species *Tetropium fuscum* (Fabricius). **Coleop. Bull.**, **54** (4): 540.
- SMITH, H. H. 1884. Antennae of a beetle used as defensive weapons. **Amer. Nat.**, **18**(7):727-728.
- SOLOMON, J. D. 1995. **Guide to insect borers in North American broadleaf trees and shrubs**. U. S. D. A. Forest Serv. Agriculture Handbook AH-706, Washington. 735pp., 244 figs.
- SPINOLA, M. 1839. G. Cercopité. *Cercopitæ*, Spinola. **Mag. Zool.**, **1839**: pl. 12.
- STÅL, C. 1857. Några nya arter af Longicornia. Öfvers. **Svenska Vetensk. Akad. Förh.**, **14**:63.
- STEIN, J. D. & A. D. TAGESTAD. 1976. **The long-horned wood-boring beetles of North Dakota**. U.S.D.A. Forest Serv. Research Pap. RM-171, Ft. Collins, Colo., 58 pp., 74 figs., 21 maps
- STRAND, E. 1936. Miscellanea nomenclatorica zoologica et palaeontologica. **Folia Zool. Hydrobiol.**, **9**:167-170.
1943. Miscellanea nomenclatorica zoologica et palaeontologica XI. **Folia Zool. Hydrobiol.**, Riga, **12**:94-114.
- STURM, J. 1826. **Catalog meiner Insecten-Sammlung**, Erster Theil, Käfer. Nürnberg, 207 pp., 4 pls.
1843. **Catalog der Käfer-Sammlung von Jacob Sturm**. Nürnberg, 386 pp., 6 pls.
- SULZER, J. H. 1776. Abgekürzte geschichte der Insecten nach dem Linnaeischen system. **Winterthur**, **1**:274 pp., **2**: 32 pls.
- SVACHA, P., WANG, J.-J., & S.-C. CHEN. 1997. Larval morphology and biology of *Philus antennatus* and *Heterophilus punctulatus*, and systematic position of the Philinae (Cerambycidae and Vesperidae). **Ann. Soc. Entomol., Fr. (N.S.)**: **1997**, **33**(3): 323 - 369, 54 figs.
- SWAINE, J. M. & R. HOPPING. 1928. The Lepturini of America North of Mexico. Part I. **Bull. Nat. Mus. Canada**, (Biol. Serv.) **(14)52**:1-97, 13 pls.
- SWEDERUS, N. S. 1787. Et nytt genus, och femtio nya species af Insekter beskrifne. **K. Svenska Vetensk. Akad. Handl.**, **8**:181-201.
- SWIFT, I. 2007. A new species of *Xylotrechus* (Coleoptera: Cerambycidae: Cerambycinae: Clytini) from Southern California, U.S.A. **Coleop. Bull.**, **61**(2): 287-291, 1 fig.



2008. Ecological and biogeographical observations on Cerambycidae (Coleoptera) from California, USA. **Insecta Mundi** 26:1-7.
2008. A new genus and two new species of Pteroplatini Thomson from Central America. **Insecta Mundi** 0045: 1-9, 3 figs.
- SWIFT, I. & A. M. RAY. 2008. A review of the genus *Tragidion* Audinet-Serville, 1834, (Coleoptera: Cerambycidae: Cerambycinae: Trachyderini). **Zootaxa** 1892: 1–25, 7 figs
2010. Nomenclatural changes in North American *Phymatodes* Mulsant (Coleoptera:Cerambycidae) **Zootaxa** 2448:35-52, 37 figs.
- SWIFT, I. P., L. G. BEZARK, E. H. NEARNS, A. SOLIS & F. T. HOVORE. 2010. Checklist of the Cerambycidae (Coleoptera) of Costa Rica. **Insecta Mundi** 131:1-68.
- SZAFRANSKI, P. 2002. New host plant and distributional records for some *Eburia* Lepeletier & Audinet-Serville in North America, including Mexico. **Pan-Pac. Entomol.**, 78(1): 66-67, 1 fig.
- TAKAKUWA, M. 1998. **The Rosalia world**. Mushi-sha, Nakano, Tokyo, Japan. 231 pp, 24 color pls.
- TASCHENBERG, E. L. 1870. Neue Käfer aus Colombien und Ecuador. **Zeitschr. Ges. Naturw.**, (N. F.),1:177-199.
- TASLÉ, A. 1841. Description d'une nouvelle espèce d'insecte coléoptère longicorne du genre *Taeniotes* Serv. **Revue Zool.**, 4:14-15.
- TAVAKILIAN, G. L. 1991. Notas sinonímicas e novas combinações em longicórneos sul-americanos. **Rev. Bras. Entomol.**, 35(2):439-453, 14 figs.
1997. Nomenclatural changes, reinstatements, new combinations, and new synonymies among American cerambycids. **Insecta Mundi**, 11(2):129-139.
2000. Les Parandrinae de Guyane. **Coléoptères**, 6(11): 147 - 174, 5 figs.
2001. Une nouvelle espèce du genre néotropical *Neseuterpia* Villiers, 1980. **Bull. de la Soc. entomol. de France**, 106 (5): 437-440, 7 figs.
2004. Nouveaux Cérambycides de Guyane mimétiques de Chrysomelidae Hispinae. **Coléoptères**, 10(1): 1 – 11, 10 figs.
2010. *Physopleurus swifti*, Chalumeau, 2010, synonyme de *Physopleurus rugosus* (Gahan, 1894) (Col., Cerambycidae, Prioninae, Macrotomini). **Bull. Soc. Ent. Fr.** 115(3):385-386, 3 figs.
- TAVAKILIAN G. L. & P-H. DALENS. 2008. Revision du genre *Pseudoeriphus* Zajciw 1961 (Coleoptera: Cerambycidae: Trachyderini). **Coléoptères**, 14(17): 187-198, 14 figs.
- TAVAKILIAN G. L. & A.Y. PEÑAHERRERA-LEIVA. 2007. Nouvelles espèces et nouveaux genres de Rhinotragini, V. **Coléoptères**, 13(10): 79 – 122, 58 figs.
- TAVAKILIAN, G.L., P-H DALENS & J. TOUROULT. 2007. Les *Rhaphiptera* Audinet-Serville , 1835, en Guyane et description d'un nouveau genre affine (Coleoptera, Cerambycidae, Lamiinae, Pteropliini) **Les Cahiers** (72): 1-19, 13 figs.
- TAVAKILIAN, G. L. & M. H. M. GALILEO. 1991. Considerações sobre o gênero *Hyleoza* Galileo, 1987 (Meroscelisini). **Rev. Bras. Entomol.**, 35(3):549-551, 1 fig.
- TAVAKILIAN, G. L. & U. R. MARTINS. 1991. Nova espécie do gênero *Mephritus* Pascoe, 1866 (Elaphidionini). **Rev. Bras. Entomol.**, 35(1):193-195, 1 fig.
- TAVAKILIAN, G. L. & M. A. MONNÉ. 1989. Trois espèces néotropicales nouvelles de *Lepturges* (*Chaeturges*) Gilmour, 1959 (Acanthocinini). **L'Entomologiste**, 45(4-5):273-282, 4 figs.
1991. Quatre nouveaux genres d'Hesperophanini néotropicaux. **L'Entomologiste**, 47(3):157-169, 5 figs.
- TAVAKILIAN, G. L. & M. L. MONNÉ.. 2002. Torneutini de Guyane: nouvelles espèces et notes complémentaires. **Coléoptères**, 8(2): 9 - 35, 51 figs.

- TAVAKILIAN, G.L. & G-L. NÉOUZE, 2004. Les *Desmiphora* Audinet-Serville, 1835, de Guyane; descriptions de nouvelles espèces (Lamiinae, Desmiphorini). **Coléoptères**, **10(5)**: 49 - 68, 23 figs.
2006. Matériaux pour une révision des Xenofreini II. Espèces nouvelles de Bolivie, Brésil, Équateur et Venezuela. **Coleopteres** **12(19)**:271-290.
2007. Le genre *Ozotroctes* Bates: nouvelles espèces et nouveaux genres apparentés d'Acanthoderini (Coleoptera, Cerambycidae, Lamiinae). **Coleopteres** **13(1)**: 1-24, 21 figs.
2011. Le genre *Oreodera* Audinet-Serville, 1835, en Guyane (Coleoptera, Cerambycidae, Lamiinae, Acanthoderini). **Les Cahiers Magellanes (N.S.)** **3**:52-107, 89 figures.
- TAVAKILIAN G. L. & A.Y. PEÑAHERRERA-LEIVA. 2003. Révision du genre *Pycnomorphus* Thomson, 1864. Systématique et phylogénie (Lamiinae: Acanthoderini). **Ann. Entomol. Soc. France (n.s.)**, **39(1)**: 3 – 24, 39 figs.
2003. Nouvelles espèces et nouveaux genres de Rhinotragini, II. **Coléoptères**, **9(21)**: 275 – 314, 56 figs.
2005. Nouvelles espèces et nouveaux genres de Rhinotragini, IV. **Coléoptères**, **11(5)**: 27 – 50, 31 figs.
2007. Nouvelles espèces et nouveaux genres de Rhinotragini (Coleoptera, Cerambycidae) V. **Coleopteres** **13(10)**: 79-122, 8 figs.
- TAVAKILIAN, G. L. & P. TEOCCHI. 1997. A propos de *Steirastoma stellio* Pascoe à São Tomé et représentation du genre en Guyane. **Coléoptères**, **3(15)**: 229-240, 19 figs.
- TAVAKILIAN, G.L., A. BERKOV, B. MEURER-GRIMES & S. MORI. 1997. Neotropical tree species and their faunas of xylophagous longicorns in French Guiana. **The Botanical Review**, **63(4)**: 303 – 355, 2 figs.
- TAVAKILIAN, G. L. & A. SANTOS-SILVA. 2012. A New Species of *Villiersicometes* Santos-Silva, 2003 (Coleoptera, Cerambycidae, Disteniinae) **Insecta Mundi** **0233**:1-3, 2 figures.
- TAVAKILIAN, G. L., J. TOUROULT & P-H. DALENS. 2010. Revision of the genus *Hemicladus* Buquet, 1857 with a special focus on the species from French Guiana (Coleoptera: Cerambycidae: Lamiinae). **Zootaxa** **2358**:39-48, 18 figs.
- TERRÓN, R.A. 1991. Fauna de Coleopteros Cerambycidae de la Reserva de la Biosfera "La Michilia," Durango, Mexico. **Folia Ent. Mex.** **81**:(285-314).
1997. Cerambycidae, in: Gonzalez-Soriano E., Dirzo E., y R.C. Vogt, ed's, Historia natural de Los Tuxtlas, UNAM, Mexico. pp. 215-226.
- THOMAS, M.C. 1999. The genus *Eburia* Audinet-Serville in Florida. Florida Dept. Agr. & Cons. Serv., Div. Plant Ind., **Entomol. Circular No. 396**, 4 pp., 19 figs.
- THOMAS, M.C. & R.H. TURNBOW. 2007. Cerambycidae New to Andros Island, Bahamas (Coleoptera). **Coleop. Bul.** **61(4)**:581-588.
- THOMSON, J. 1856. Description de dix-sept coléoptères. **Revue Mag. Zool.**, (2)**8**:472-483, pl. 24.
1856. Description de quelques coléoptères nouveaux ou peu connus. **Ann. Soc. Entomol. France**, (3)**4**:317-335, pl. 8.
1857. Monographie de la tribu des anacolites de la famille des longicornes. **Arch. Entomol.**, **1**:7-20, 3 pls.
1857. Description de deux nouveaux genres de longicornes. **Arch. Entomol.**, **1**: 20-23, pl. 9.
1857. Monographie du groupe des tapeinites, de la famille des cérambycides (longicornes). **Arch. Entomol.**, **1**:39-44, pl. 7.
1857. Essai monographique sur le groupe des tetraophthalmites de la famille des cérambycides (longicornes). **Arch. Entomol.**, **1**:45-67, pl. 8.
1857. Essai synoptique sur les compososomites de la famille des cérambycides (longicornes). **Arch. Entomol.**, **1**:68-77, 2 pls.

1857. Description d'un genre nouveau de cérambycides. Melanges et nouvelles. **Arch. Entomol.**, **1**:78-79.
1857. Abrégé de l'histoire des cérambycides (longicornes), et revue des divisions primaires et secondaires établies dans cette famille jusqu'à ce jour. **Arch. Entomol.**, **1**: 81-89.
1857. Description de trente-trois espèces de coléoptères. **Arch. Entomol.**, **1**: 109-127.
1857. Description d'un genre nouveau de la famille des cérambycides. **Arch. Entomol.**, **1**:127-128, pl. 9, fig. 11.
1857. Note rectificative sur un nom de genre de la famille des cérambycides. **Arch. Entomol.**, **1**:136.
1857. Diagnoses de cérambycides nouveaux ou peu connus de ma collection qui seront décrits prochainement. **Entomol. Arch. Entomol.**, **1**:169-194, pl. 10.
1857. Description de treize coléoptères. **Arch. Entomol.**, **1**:281-290, pl. 10.
1857. Description de cérambycides nouveaux ou peu connus de ma collection. **Arch. Entomol.**, **1**:291-320, pl. 10, fig. 9.
1857. Note sur plusieurs coléoptères. **Arch. Entomol.**, **1**:326-327.
1858. Synopsis du genre *Trachysomus*. **Arch. Entomol.**, **1**:384-87, pl. 7.
1858. Description de dix coléoptères. **Arch. Entomol.**, **1**:399-411, pl. 21.
1858. Diagnose spécifique d'un nouveau *Psolidognathe*. **Bull. Soc. Entomol. France**, **1858**: cclvi.
1859. Monographie du genre *Psolidognathus* de la division des prionites (Cerambycidae). **Arcana Nat.**, **1**:37-44.
1859. Revue du genre *Taeniotes* de la famille des cérambycides. **Arcana Nat.**, **1**:96-99.
1860. **Essai d'une classification de la famille des cérambycides et matériaux pour servir à une monographie de cette famille.** Paris. 404 pp., 3 pls.
1860. **Musée scientifique ou recueil d'histoire naturelle.** **1**:1-72, pls. 1-5.
1861. Monographie de la famille des parandrides. **Mus. Scient.**, **2**:73-87.
1861. Note rectificative et corrections. **Mus. Scient.**, **2**:95-96.
1864. *Systema cerambycidarum* ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes. **Mém. Soc. Roy. Sci. Liège** **19**:1-540.
1865. Diagnoses d'espèces nouvelles qui seront décrites dans l'appendix du *systema cerambycidarum*. **Mém. Soc. Roy. Sci. Liège** **19**:541-578.
1867. D'une classification nouvelle de la famille des cérambycides. **Physis Rec. Hist. Nat.**, **1**(1):1-10.
1867. Révision de la sous-tribu des dorcadionites. **Physis Rec. Mist. Nat.**, **1**(1):10-84.
1867. Révision du groupe des mallodonites. **Physis Rec. Hist. Nat.**, **1**(2):85-106.
1867. Révision des parandrides. **Physis Rec. Hist. Nat.**, **1**(2):106-118.
1867. *Ibidionitarum species novae*. **Physis Rec. Hist. Nat.**, **1**(3):133-163.
1868. Révision du groupe des oncidérites. **Physis Rec. Hist. Nat.**, **2**(5):41-92.
1868. Révision du groupe des aereneites. **Physis Rec. Hist. Nat.**, **2**(5):92-98.

1868. Toeniotitarum gen. speciesque nova. **Physis Rec. Hist. Nat.**, 2(5): 99-100.
1868. Matériaux pour servir a une révision des desmiphorites. **Physis Rec. Hist. Nat.**, 2(6):101-146.
1868. Matériaux pour servir a une révision des lamites. **Physis Rec. Hist. Nat.**, 2(6):146-200.
1868. Note rectificative. **Physis Rec. Hist. Nat.**, 2(6):201.
1874. Diagnose d'une espèce nouvelle du genre *Psalydognathus*. **Pet. Nouv. Entomol.**, 1(107):427.
1877. Typi cerambycidarum Musei Thomsoniani. **Revue Mag. Zool.** (3)5:249-279.
1877. Diagnose d'une nouvelle espèce exotique de coléoptère. **Bull. Soc. Entomol. France**, 1877: xcvi-xcviii.
1878. **Typi cerambycidarum Musei Thomsoniani**. E. Deyrolle, 21 pp.
1878. Typi cerambycidarum Musei Thomsoniani (2e. mémoire). **Revue Mag. Zool.** (3)6:1-33.
1878. Typi cerambycidarum Musei Thomsoniani (3e. mémoire). **Revue Mag. Zool.** (3)6:45-68.
1879. Description d'une nouvelle espèce de longicorne de la division des lamiidae. **Bull. Soc. Entomol. France**, 1879: lxxxiii-lxxxiv.
1880. Description d'une nouvelle espèce de prionide. **Bull. Soc. Entomol. France**, 1880: lx-lxi.
- THUNBERG, C. P. 1805. In, **Göttingen gelehrte Anzeiger**, pp. 281-282.
1822. *Trachyderes* insecti genus ulterius examinatum et auctum sex novis speciebus. **Mém. Acad. Imp. Sci. St.-Petersb.**, 1822: 303-307, 1 pl.
- TIPPMANN, F. F. 1939. Eine neue *Cyclopeplus*-Art aus Peru. **Caesopis Spol. Entomol.**, 36:77.
1951. Beitrage zur Kenntnis der Cerambyciden. **Mitt. Münch. Entomol. Ges.**, 41:291-328, 3 figs., 8 pls.
1953. Studien über neotropische Longicornier I. **Dusenien**, 4:181-228, 5 pls.
1953. Studien über neotropische Longicornier II. **Dusenien**, 4:313-362, 3 figs., 4 pls.
1953. Lamiinen mit Interferenz-Farbenspiel. **Entomol. Blatt.**, 49:148-153, 3 figs.
1954. Baumriesen und Bockkäferriesen der neotropische Urwalder. **Entomol. Zeitschr.**, 64(1):1-11, 5 figs.
1955. Eine neue morphologisch einmalige Lamiine aus Ost-Peru. **Entomol. Blatt.**, 51:8-14, 3 figs.
1956. Une nouvelle espèce de *Chariea* Serv. de la collection Lepesme. **Longicornia**, 3:759, 1 fig.
1960. Studien über neotropische Longicornier III. **Koleopt. Rdsch.**, 37-38:82-217, 14 pls., 35 figs.
- TOBAR, N.V.A. 2000. **Coleopteros de Chile, Chilean beetles**. Santiago, Chile, 209 pp.
- TOLEDO, V.H. 1998. Revision taxonomica del genero *Lagocheirus* para Mexico y Centroamerica. **Folia Entomol. Mex.**, 101:1-58 (1997).
2002. Nuevas especies de *Psyrassa* Pascoe (Elaphidiini). **Folia Entomol. Mex.**, 41(1): 57-62 (2002).
2005. Revision Taxonomica del Genero *Psyrassa* Pascoe (Coleoptera: Cerambycidae). **Acta Zool. Mex. (n.s.)** 21(3):1-64, 59 figs.
2005. New Distributional Records for Mexican Cerambycidae (Coleoptera). **Col. Bull.** 59(4):415-422.
- TOLEDO, V.H., & J.R. ESTABAN DURAN. 2008. Description of *Lagocheirus delestali* n. sp. (Coleoptera: Cerambycidae) from the Reserva Biológica Alberto Manuel Brenes, Alajuela, Costa Rica. **Spanish J. of Ag. Res.** (6):(Special issue) 26-29, 5 figs.

- TOLEDO, V.H. & F.T. HOVORE. 2005. Notes on the genus *Lagocheirus* Dejean: records and descriptions (Lamiinae: Acanthocini). **Zootaxa** **1021**: 29–36 (2005), 6 figs.
- TOLEDO, V.H., F.A. NOGUERA, J.A. CHEMSAK, F.T. HOVORE & E.F. GIESBERT. 2002. The cerambycid fauna of the tropical dry forest of “El Aguacero,” Chiapas, Mexico. **Coleop. Bull.**, **56(4)**: 515-532, 3 figs.
- TOUROULT, J. 2004. Deux nouveaux longicornes des Antilles. **Lambillionea, CIV, 1**: 66 – 70, 5 figs.
2007. Contribution a la connaissance des longicornes de Sainte-Lucie et de Martinique (Coleoptera, Cerambycidae) **Les Cahiers (70)**: 1-14, 15 figs.
2011. Longicornes des Petit Antilles: un nouveau lepture et un nouveau signalement de Sainte-Lucie. **Les Cahiers Magellanes N.S. 6**:1-5,72 figures
- 2012 Longicornes des Petites Antilles : mise a jour des connaissances (Coleoptera, Cerambycidae). **ACOREP-France Coleopteres des Petites Antilles Tome I**:70-85, 20 figures.
- TOUROULT, J. & P. DEMEZ. 2012. Contributions a la connaissance des longicornes du Perou II. Deux nouveaux lamiars. **Les Cahiers Magellanes N.S. 8**:101-105, 3 figures.
- TOUROULT, J., P-H DALENS, & G. L. TAVAKILIAN. 2012. Notes sur les *Eriphus* Audinet-Serville, 1834 et autres Trachyderini rares (Coleoptera:Cerambycidae). *Coleop de Guyane* 6:72-81, 34 figures.
- TOUROULT, J. & G. TAVAKILIAN. 2006. Le Genre *Taurolema* Thomson. **Lambillionea 106(4 Supplement I)**: 1-15, 11 figs.
2008. Nouveaux Longicornes de Guyane. Oemini Mimétiques d’Hyménoptères (Coleoptera, Cerambycidae, Cerambycinae). **Lambillionea 108(3)**:338-344, 5 figs.
- TOUROULT, J., P-H. DALENS & G. L. TAVAKILIAN. 2010. Nouveaux Oemini de Guyane (Coleoptera, Cerambycidae, Cerambycinae). **Les Cahiers Magellanes 112**: 1-14, 10 figs.
- TOUROULT, J., G. L. TAVAKILIAN & P-H. DALENS. 2010. Note taxonomique sur les Pogonocherini de Guyane (Coleoptera, Cerambycidae, Lamiinae). **Bull. Soc. Ent. France 115(2)**: 193-202, 12 figs.
- TURNBOW, R. H. Jr. 1984. New Records for Two Cerambycids from the Pacific Northwest. *Pan-Pac Ent.* 60(1):67.
- TURNBOW, R. H. Jr. & R.T. FRANKLIN. 1980. An Annotated Checklist of the Cerambycidae of Georgia. **J. Georg. Ent Soc.** **15(3)**:337-349.
- TURNBOW, R. H. Jr. & F. T. HOVORE. 1979. Notes on Cerambycidae from the southwestern U. S. **Entomol. News**, **90(5)**:219-229.
- TURNBOW, R.H. Jr. & M.C. THOMAS. 2002. 120. Cerambycidae Leach 1815, pp. 568-601, in Arnett, R.H., Jr., Thomas, M.C., Skelley, P.E., & J.H. Frank, **American Beetles, Vol. 2**, Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, FL., 861 pp.
2008. An annotated checklist of the Coleoptera (Insecta) of the Bahamas. **Insecta Mundi 34**:1-64. (Cerambycidae listed on pages 15-23).
- TURNBOW, R.H. Jr., R. D. CAVE & M.C. THOMAS. 2003. A List of the Cerambycidae of Honduras, with additions of previously unrecorded species. **Ceiba**: **44(1)**:1-43.
- TYSON, W. H. 1967. California *Ergates* and *Tragosoma*, with keys to the adult and immature forms. **Pan-Pacific Entomol.**, **43(2)**:122-126, 8 figs.
1968. New California Cerambycidae. **Pan-Pacific Entomol.**, **44(2)**:140-143, 2 figs.
1970. A new Mexican *Spalacopsis*. **Proc. Entomol. Soc. Washington**, **72(4)**:484-486, 1 fig.

1973. The *Spalacopsis* of the West Indies and America, north of Mexico. **Coleop. Bull.**, **27**(3):117-137, 19 figs.
1982. The status of *Cyllene zuniana* Casey. **Coleop. Bull.**, **36**(2):441-444, 2 figs.
- UHLER, P. R. 1855. Descriptions of a few species of Coleoptera supposed to be new. **Proc. Acad. Nat. Sci. Phila.**, **7**:415-418.
- ULKE, H. 1875. Report Upon the Collections of Coleoptera made in portions of Nevada, Utah, California, Colorado, New Mexico, and Arizona, during the years 1871, 1872, 1873 and 1874. Cerambycidae 813, 821-822.
1882. Descriptions of new species. **Bull. Brooklyn Entomol. Soc.**, **4**(9-10):41-42.
- VAN DYKE, E. C. 1917. A new species of the genus *Anthophilax* LeC. **J. New York Entomol. Soc.**, **25**(1):36-37.
1920. Description of new species of Cerambycidae from the Pacific coast of North America, with notes concerning others. **Bull. Brooklyn Entomol. Soc.**, **15**(2-3):33-48.
1923. New species of Coleoptera from California. **Bull. Brooklyn Entomol. Soc.**, **1**(2):37-53.
1927. New species and subspecies of West American Cerambycidae. **Pan-Pacific Entomol.**, **3**(3):99-109.
1928. Notes and descriptions of new species of Lucanidae and Cerambycidae from western North America. **Pan-Pacific Entomol.**, **4**(3):105-113.
1928. *Callidium pallidum* Van Dyke. **Pan-Pacific Entomol.**, **4**(4):172.
1929. Change of names. **Pan-Pacific Entomol.**, **5**(3):136.
1934. A root-boring *Derobrachus*. **Pan-Pacific Entomol.**, **10**(2):58.
1937. Notes and descriptions of North American Buprestidae and Cerambycidae. **Bull. Brooklyn Entomol. Soc.**, **32**(3):105-116.
1946. New species of North American Coleoptera. **Pan-Pacific Entomol.**, **22**(3):81-89.
1953. The Coleoptera of the Galápagos Islands. **Occ. Pap. Calif. Acad. Sci.**, **22**:1-181, 7 pls.
- VIANA, M. J. 1966. Un nuevo Prioninae para la entomofauna argentina, *Stictosomus (Anacanthus) reticulatus* (Dalman). **Neotrópica**, **12**(37):1-5, 1 fig.
1970. *Hoplistonychus bondari* Melzer, nuevo género y especie de Aerenicini para la República Argentina. **Neotrópica**, **16**(49): 7-10, 1 fig.
1970. *Cosmocerus strigosus* Guérin-Méneville, nuevo género y especie de Cerambycidae para la República Argentina (Sternacanthini). **Rev. Soc. Entomol. Arg.**, **32**(1-4):51-56, 2 figs.
1970. *Lissonotypus quadrisignatus* (Buquet), nuevo género y especie de Cerambycidae para la República Argentina (Lissonotini). **Rev. Soc. Entomol. Arg.**, **32**(1-4):73-79, 1 fig.
1970. Un nuevo género y especie de Cerambycidae de la República Argentina (Compsocerini). **Rev. Mus. Arg. Cienc. Nat. Bernardino Rivadavia**, (Zool.) **10**(10):145-153, 2 figs.
1971. Las especies argentinas de Ancylocerini Thomson y catálogo bibliográfico de la tribu. **Rev. Mus. Arg. Cienc. Nat. Bernardino Rivadavia**, (Entomol.), **3**(3):149-203, 3 pls.
1971. *Hydraschema leptostylum* Lane, nuevo género y especie de Aerenicini para la República Argentina. **Neotrópica**, **17**(52): 29-35, 1 fig.
1972. Aporte al catálogo de Cerambycidae del Paraguay. **Rev. Mus. Arg. Cienc. Nat. Bernardino Rivadavia**, (Entomol.) **3**(4): 207-405.
1972. *Fregolia listropteroides* Gounelle, nuevo género y especie de Cleomenini para la República Argentina. **Neotrópica**, **18**(55):

- 9-15, 1 fig.
1973. Redescription de *Uragus hamaticollis* Guérin-Méneville, extrano género y especie atribuido a la Patagonia. **Rev. Soc. Entomol. Arg.**, **34**(1-2):39-45, 1 fig.
1994. Novedades sobre Clytini de la Republica Argentina, **Entomol. y Vectores**, **1**(6):163-166, 2 figs.
- VIANA, M. J. & A. MARTINEZ. 1992. Un nuevo género y especie de Lissonotini. **Ann. Soc. Entomol. Arg.**, **222**:27-31.
- VIGORS, N. A. 1825. Descriptions of some rare, interesting, or hitherto uncharacterized subjects of zoology. **Zool. J.**, **1**:409-418, 1 pl.
1826. Descriptions of some rare, interesting, or hitherto uncharacterized subjects of zoology. **Zool. J.**, **2**:23-241, 2 pls.
- VILLIERS, A. 1946. Coléoptères Cerambycides de l'Afrique du Nord. **Faune Emp. Fr.**, **5**:1-152, 275 figs.
1957. Démembrement du genre *Cometes* Serville. Descriptions des genres *Pseudocometes*, *Paracometes*, *Microcometes* nov. et de plusieurs espèces nouvelles. **Bull. Mus. Hist. Nat.**, (2)**29**(5):407-413, 4 figs.
1958. Révision du genre *Paracometes* Villiers. **Revue Franç. Entomol.**, **35**:43-56.
1958. Révision des genres *Pseudocometes* Villiers et *Heteropalpus* Buquet. **Bull. Soc. Entomol. France**, **63**:37-40, 8 figs.
1959. Essai sur les *Distenia* américains. **Revue Franç. Entomol.**, **36**:55-76, 61 figs.
1971. Cerambycidae récoltés en Guyane Française par la mission du Muséum National d'Histoire Naturelle. **Ann. Soc. Entomol. France**, (N. S.) **7**(2):343-350, 6 figs.
1972. Les types de Cerambycidae Callichromini neotropicaux du Muséum de Paris. Designation de lectotypes. **Bull. Soc. Entomol. France**, **77**(1-2):20-22.
1978. Faune des Coléoptères de France, I. Cerambycidae. **Encycl. Entomol. France**, **1978**: xxvii + 611 pp., 1802 figs.
1979. Coléoptères Cerambycidae des Petites Antilles. Nouvelles espèces, désignation de types (Première note). **Revue Franç. Entomol.**, (N. S.) **1**(1):23-26, 3 figs.
1979. Coléoptères Cerambycides des Petites Antilles. Nouveau genre. Désignation de types (Deuxième note). **Revue Franç. Entomol.**, (N. S.) **1**(2):96-98, 1 fig.
1979. Diagnose préliminaire d'un nouveau *Parandra* antillais. **Revue Franç. Entomol.**, (N. S.) **1**(4):182.
1980. Une collection de coléoptères Cerambycidae de la Dominique appartenant à l'U. S. National Museum (Washington). **Ann. Soc. Entomol. France**, (N. S.) **16**(1):129-131.
1980. Coléoptères Cerambycidae des Antilles françaises, I. Parandrinae, Prioninae, Lepturinae. **Ann. Soc. Entomol. France**, (N. S.) **16**(1):133-157, 22 figs.
1980. Coléoptères Cerambycidae des Antilles françaises, II. Cerambycinae. **Ann. Soc. Entomol. France**, (N. S.) **16**(2):265-306, figs. 23-71.
1980. Coléoptères Cerambycidae des Petites Antilles. Nouveaux genres, nouvelles espèces. Désignation de types (Troisième note). **Revue Franç. Entomol.**, (N. S.) **2**(2): 86-98, 10 figs.
1980. Une collection de coléoptères Cerambycidae de la Dominique appartenant à l'U. S. National Museum (Washington) (2e. note). **Ann. Soc. Entomol. France**, (N. S.) **16**(3):465-467.
1980. Coléoptères Cerambycidae des Antilles françaises, III. Lamiinae. **Ann. Soc. Entomol. France**, Paris (N. S.) **16**(4):541-598, figs. 72-112.
1981. Deux nouveaux Cerambycinae. **Revue Franç. Entomol.**, (N. S.) **3**(3):105-107, 2 figs.

- VITALI, F. 2001. Description de la larve de deux longicornes de Guadeloupe: *Chaetanes fleutiauxi* Villiers, 1980 et *Leptostyloides assimilis* (Gahan, 1895) (Lamiinae, Acanthocinini). **L' Entomologiste**, **2001**, **57(3-4)**: 151 – 156, 9 figs.
2002. Versetzung der Tribus Holopterini Lacordaire, 1869 sur unterfamilie Lepturinae. **Entomofauna**, **23 (3)**: 29-36, 1 fig.
2002. *Acrepidopterum reseri* spec. nov., a new Jamaican longicorn beetle (Lamiinae, Pericoptini). **Spixiana**, **25(2)**: 137 – 139, 2 figs..
2004. *Plectromerus tertarius* new fossil species from Hispaniola (Cerambycinae). **Lambillionea**, **CIV**, **3**: 453 – 458, 2 figs.
2004. A new cerambycid from Dominican amber and remarks on the fossil *Plectromerus*-species (Coleoptera, Cerambycidae). **Entomapeiron (P. S.)** **1 (1)**: 1-12.
2007. Notes and taxonomic corrections to the Beitrage von Insektenfauna von Jamaika, Cerambycidae. **Entomapeiron (N.S.)**: **1 (2)**:37-59, 16 figs.
2007. A new fossil species of *Elaphidion* Audinet-Serville, 1834 with systematic notes on the Lamiinae from Dominican amber (Coleoptera Cerambycidae). **Entomapeiron (P.S.)**: **2 (3)**:29-40, 5 figs.
2009. Two new longhorned beetles from Dominican amber (Coleoptera, Cerambycidae). **Denisia** **69**: 223- 230.
2009. About some interesting fossil and sub-fossil Cerambycids of the collection Velten (Coleoptera, Cerambycidae). **Lambillionea CIX (3)**: 352-357, 4 figs.
2010. A new fossil species of the genus *Stizocera* Audinet-Serville, 1834, from Dominican amber. **Lambillionea CX (3)**:340-343, 3 figures.
- VITALI, F. & J. HAXAIRE. 2007. A new species of *Plectromerus* Haldeman from Jamaica (West-Indies) (Coleoptera Cerambycidae). **Entomapeiron (N.S.)**: **1 (2)**:60-64, 1 fig.
- VITALI, F. & L. REZBANYAI-RESER. 2003. Beiträge zur Insektenfauna von Jamika, Westindien (Karabik) 5. Bockkäfer – I & II. **Les Cahiers Magellanes**, **No. 26**: 1-16, 16 figs; **No. 27**: 1-27, 43 figs.
- VITALI, F. & J. TOUROULT. 2005. Contribution a la connaissance des larves des longicornes des Antilles françaises. **L' Entomologiste**, **61(2)**: 64 – 81, 14 figs.
- VITALI, F., K.W. WOLF & J. HAXAIRE. 2007. Biological and Faunistic Notes on the Jamaican Population of *Steirastoma histrionicum* White, 1855 (Coleoptera, Cerambycidae). **Lambillionea** **106(4)**:661-667, 8 figs.
- VIVAS-BERTHIER, G. 1942. Notas sobre Prioninae de Venezuela. **Bol. Entomol. Venez.** **1**:37-42.
- VIVES, E. 2001. The systematic position of *Vesperoctenus flohri* Bates, 1891 and the taxonomic status of the Vesperidae. **Occ. Pap. of the Cons. Coleop.**, **4(1)**: 35-44, 13 figs.
- VLASAK, J. & K. VLASAKOVA. 2002. Records of Cerambycidae in Massachusetts with notes on larval hosts. **Coleop. Bull.**, **56(2)**: 203-219.
- VOET, J. E. 1778. **Catalogus Systematicus Coleopterorum**. **2**:1-254, 50 pls.
1806. **Catalogus Systematicus Coleopterorum**. **2**:1-254, 50 pls.
- VOGT, G. B. 1949. Notes on Cerambycidae from the Lower Rio Grande Valley, Texas. **Pan-Pacific Entomol.**, **25(3)**:137-144; (4):175-184, 1 map.
- VOIGT, F.S. 1839. Das Thierreich geordnet nach seiner organization bom Baron bon Cuvier., vol. 5, Leipzig, F. U. Brodhaus, 686 p.
- VULCANO, M. A. & F. S. PEREIRA. 1978. O gênero *Oncideres* Serville, 1835 (Lamiidae) do Sul do Brasil e países limítrofes, séria praga dos pomares e da Silvicultura. **Studia Entomol.**, **20(1-4)**:177-220, 31 figs.



- WALKER, F. 1866. Appendix, in J. K. Lord, **The Naturalist in Vancouver Island and British Columbia**. London, Richard Bentley, 2: x + 375 pp., 4 pls. (Walker's Appendix, p. 289-375).
- WALLIS, J. B. 1926. Some new Coleoptera. **Can. Entomol.**, **58**(4):89-95.
- WAPPES, J.E. & S.W. LINGAFELTER. 2005. The genus *Canidia* Thomson, 1857 (Lamiinae, Acanthocinini). **Zootaxa**, **927**: 1 – 27, 9 figs, 2 maps.
2011. *Meringodes* Wappes and Lingafelter (Coleoptera: Cerambycidae: Cerambycinae), a new genus of Rhopalophorini from Bolivia. **Coleopt. Bull.** **65**(1): 33–38, 12 figures.
2011. A new species of *Melzerella* Lima from Bolivia (Coleoptera: Cerambycidae: Lamiinae: Aerenicini) with a key to known species. **Zootaxa** **2805**: 31-35, 2 figs.
- WAPPES, J. E. & A. SANTOS-SILVA. 2011. Descriptions of females of *Nothopleurus* Lacordaire and *Strongylaspis* Thomson (Coleoptera: Cerambycidae: Prioninae: Macrotomini) with new distributional records. **Insecta Mundi** **0168**: 1-6, 9 figures.
- WAPPES, J. E., et.al. 2006. Preliminary checklist of Bolivian Cerambycidae (Coleoptera). **Insecta Mundi** **20** (1-2): 1-45. 1 fig.
- WAPPES, J. E., J. LEDESMA ARIAS, & E.H. NEARNS. 2009. List of Coleoptera Holotypes in Museo de Historia Natural, Noel Kempff Mercado, Universidad Autonoma "Gabriel Rene Moreno," Santa Cruz de la Sierra, Bolivia. **Insecta Mundi** **0081**: 1-8.
- WAPPES, J. E., S. W. LINGAFELTER & R. PERGER. 2011. Additions and deletions to the known Cerambycidae (Coleoptera) of Bolivia. **Insecta Mundi** **150**: 1-8.
- WARRINER, M.D. 2005. Occurrence and conservation status of the milkweed beetle *Tetraopes texanus* Horn in Arkansas. **Coleop. Bull.**, **58**(4): 567 – 568.
- WATERHOUSE, C. O. 1872. Description of a new species of Coleoptera belonging to the genus *Prionocalus*, with notes on other species of the genus. **Entomologist's Mon. Mag.**, **8**: 260-263.
1874. Synonymical notes on longicorn Coleoptera. **Trans. Entomol. Soc. London**, **1874**: xxviii-xxix.
1877. In A. Gunther, Account of the zoological collection made during the visit of H. M. S. *Peterel* to the Galápagos Islands. **Proc. Zool. Soc. London**, **1877**: 64-93.
1877. Description of twenty new species of Coleoptera from various localities. **Trans. Entomol. Soc. London**, **1877**: 1-13.
1878. Notice of a small collection of Coleoptera from Jamaica, with descriptions of new species from the West Indies. **Trans. Entomol. Soc. London**, **1878**: 303-311.
1880. New South-American Coleoptera, chiefly from Ecuador. **Ann. Mag. Nat. Hist.**, (5)**5**: 285-302.
1880. New Cerambycidae from Ecuador. **Ann. Mag. Nat. Hist.**, (5)**5**: 485-488.
1886. Characters of undescribed Coleoptera in the British Museum. **Ann. Mag. Nat. Hist.**, (5)**17**: 497-501.
1890. **Aid to the identification of Insects**. London. Edwin Wilson & Maud Horman-Fisher, **2**: 1-30, pls. 101-189.
1890. Coleoptera, in H. N. Ridley, Notes on the zoology of Fernando Noronha. **J. Linn. Soc. Zool.**, **20**: 548-556, pl. 30.
1900. Coleoptera, in Report on a collection made by Messrs. F. V. McConnell and J. B. Quelch at Mount Roraima in British Guiana. **Trans. Linn. Soc. London Zool.**, (2)**8**(2): 74-76.
1900. New species of the coleopterous genus *Prionocalus* from Ecuador and Peru. **Ann. Mag. Nat. Hist.**, (7)**5**: 503-506.
1901. Two new genera of Coleoptera belonging to the Cupesidae and Prionidae. **Ann. Mag. Nat. Hist.**, (7)**7**: 520-523.

- WATERHOUSE, G. R. 1840. Descriptions of two new coleopterous insects, from the collection of Sir Patrick Walker. **Trans. Entomol. Soc. London**, **2**:225-229.
- WATERS, D.J. & L.L. HYCHE. 1984. Notes on Cerambycidae (Coleoptera) collected on dead or stressed deciduous trees in east central Aalabama. **Col. Bull.** **38(3)**:283-287.
- WEBB, J. L. 1905. Description of a new species of *Desmocerus* with a synoptic table of the genus. **Proc. Entomol. Soc. Wash.**, **7(2-3)**:104-105.
1908. A new species of *Leptura*. **Proc. Entomol. Soc. Wash.**, **9(1-4)**:41.
- WEBER, F. 1801. **Observationes entomologicae, continentes novorum quae conditit generum characters et nuper detectarum specierum descriptiones**. Kiliae, 116 pp.
- WEBSTER, R. P., J. D. SWEENEY, I. DEMERCHANT, P. J. SILK, & P. MAYO. 2012. New Coleoptera records from New Brunswick, Canada: Cerambycidae. **ZooKeys** **179**:309-312.
- WENDT H. 1984. Die Cerambyciden Typen (Coleoptera: Phytophaga) des Zoologischen Museums Berlin. Teil I: Unterfamilie Prioninae. **Mitt. zool. Mus. Berl.**, **2**:327-42.
- WESTWOOD, J. O. 1837. **Illustrations of exotic entomology,... by Dru Drury. A new edition,... Vol. 1** London. 123 pp.
1845. The coleopterous genus *Hypocephalus* illustrated. **Arcana Entomol.**, **1**:37-40; 111-112, pl. 10.
1846. Description of a new genus of longicorn beetle. **Trans. Entomol. Soc. London**, **4**: 224, 1 pl.
1849. Descriptions of some new exotic Coleoptera. **Trans. Entomol. Soc. London**, **5**:202-214, pl. 22.
1863. Description of a new species of longicorn beetle. **J. Entomol.**, **2**:117-121, 1 pl.
- WHITE, A. 1845. Description of an apparently new species of longicorn beetle from Mexico in the collection of the British Museum. **Ann. Mag. Nat. Hist.**, **15**:108-111, 1 pl.
1846. Descriptions of four apparently new species of longicorn beetles in the collection of the British Museum. **Ann. Mag. Nat. Hist.**, **18**:47-49, 1 pl.
1850. Descriptions of some apparently new species of longicorn Coleoptera in the collection of the British Museum. **Proc. Zool. Soc. London**, **18**:10-14, 1 pl.
1853. **Catalogue of the coleopterous insects in the collection of the British Museum**, Longicornia 1. **7**:1-174, pls. 1-4.
1855. **Catalogue of the coleopterous insects in the collection of the British Museum**, Longicornia 2. **8**:175-412, pls. 5-10.
1856. Descriptions of some coleopterous insects in the collection of the British Museum, hitherto apparently unnoticed. **Proc. Zool. Soc. London**, **24**:8-17; 406-410, 1 fig., 1 pl.
1858. Descriptions of *Monohammus Bowringii*, *Batocera Una* and other longicorn Coleoptera, apparently as yet unrecorded. **Proc. Zool. Soc. London**, **26**:398-413, 1 pl.
1858. Descriptions of some apparently unrecorded species of longicorn beetles, belonging to the genera *Phrissoma*, *Nyphona* &c. **Ann. Mag. Nat. Hist.**, (3)**2**:264-276.
- WICKHAM, H. F. 1897. The Coleoptera of Canada. The Cerambycidae of Ontario and Quebec. **Can. Entomol.**, **29(4)**: 81-88, 3 figs.; (5):105-111, 7 figs.; (6):148-153, 3 figs.; (7):169-173, 2 figs.; (8):187-193, 2 figs.; (9):201-208, 4 figs.
1898. The Coleoptera of Canada. The Cerambycidae of Ontario and Quebec. **Can. Entomol.**, **30(2)**:37-449, 3 figs.
1905. New species of Coleoptera from the western United States. **Can. Entomol.**, **37(5)**:165-171

- WILLIAMS, S. H. 1928. Eine neue *Oreodera*-Art aus Sudamerika. **Deut. Entomol. Zeitschr.**, **1928**:222-224, 2 figs.
1929. A list of prionid beetles taken at Kartabo, Bartica district, British Guiana, with the description of a new species. **Ann. Carnegie Mus.**, **19**:139-148.
1931. Cerambycinae from Kartabo, Bartica district, British Guiana. **Entomol. News**, **42**:222-226.
- WOLCOTT, G. N. 1956. *Batocera rubra* Linnaeus in Puerto Rico. **J. Agric. Univ. Puerto Rico**, **40**:86.
- WOODRUFF, R.E., BECK, B.M., SKELLEY, P.E., SCHOTMAN, C.Y.L., AND M.C. THOMAS. 2004. **Checklist and bibliography of the insects of Grenada and the Grenadines**. Memoir Series, Center for Syst. Entomol., Gainesville, Florida, USA. 286 pp.
- YANEGA, D. 1996. **Field guide to northeastern longhorned beetles**. Illinois Natural History Survey Manual 6. 184pp., 32 pls.
- ZAGAJKEVICH, I.K. (1991) *Taxonomy and ecology of Cerambycidae* [in Russian]. Naukova Dumka, Kiev, 178 pp
- ZAJCIW, D. 1956. Nota sobre *Unxia scopifer* (Klug, 1825). **Dusenja**, **7**(1):33-36.
1956. Longicórneos novos para a fauna do Brasil. **Rev. Bras. Entomol.**, **6**:51-56.
1957. Dois novos gêneros e espécies de Longicórneos neotrópicos. **Anais Acad. Bras. Cienc.**, **29**(2):301-308, 1 fig.
1958. Fauna do Distrito Federal XLVIII. Contribuição para o estudo dos Longicórneos de Rio de Janeiro. **Bol. Mus. Nac.**, (N. S.) Zool., **189**:1-26, 2 figs.
1958. Estudos sobre Longicórneos neotrópicos. **Mem. Inst. Oswaldo Cruz**, **56**:685-93.
1958. Descrição de uma nova espécie de *Callia* Serville, 1835, com chave para determinação das espécies Brasileiras. **Rev. Bras. Entomol.**, **8**:55-58.
1958. Novos Longicórneos neotrópicos. **Rev. Bras. Entomol.**, **8**:233-262, 8 figs.
1958. Descrição de duas espécies novas do gênero *Neoeme* Goun. 1909 do Brasil. **Rev. Bras. Biol.**, **18**(4):447-450, 4 figs.
1959. Uma tribo, três gêneros e três espécies novas de Longicórneos do Brasil. **Anais Acad. Bras. Cienc.**, **31**(4):605-616, 4 figs.
1959. Revisao do gênero *Coremia* Serville, 1834. **Studia Entomol.**, Petrópolis, **2**(1-4):271-284, 3 figs.
1960. Longicórneos novos para a fauna do Brasil II. **Rev. Bras. Entomol.**, **9**:69-79.
1960. Novos Longicórneos neotrópicos II. **Rev. Bras. Entomol.**, **9**:130-149, 9 figs.
1960. Cerambycoides neotropicales. Tres géneros y tres espécies nuevos. **Rev. Soc. Urug. Entomol.**, **4**:55-61.
1960. Estudos sobre Longicórneos neotrópicos II. **Rev. Bras. Biol.**, **20**(1):93-98.
1960. "*Chrysoprasis*" do grupo "*rotundicollis*" Bates, 1870, com descrição de uma espécie nova do Brasil. **Rev. Bras. Biol.**, **20**(3):289-294, 1 fig.
1960. Um gênero e duas espécies novas de Longicórneos do Brasil. **Rev. Bras. Biol.**, **20**(4):397-402, 2 figs.
1960. Nota sobre "*Odontocera cylindrica*" Serville, 1833. **Rev. Bras. Biol.**, **20**(4): 435--437.
1960. Descrição de duas espécies e uma subespécie novas de *Chrysoprasis* Serv., com chave preliminar para determinação das espécies Brasileiras. **Anais Acad. Bras. Cienc.**, **32**(3-4):349-358, 3 figs.
1961. Três representantes novos de Eburini. **Rev. Bras. Biol.**, **21**(1):121-126, 3 figs.

1961. Novos Longicórneos neotrópicos IV. **Rev. Bras. Biol.**, **21**(2):217-224, 3 figs.
1961. Novas espécies neotrópicas de "*Colobothea*" Serville, 1825. **Rev. Bras. Biol.**, **21**(4):385--390, 3 figs.
1961. Revisão do gênero *Eurymerus* Serville, 1833. **Rev. Bras. Entomol.**, **10**:95-110, 1 fig.
1961. Dois gêneros e três espécies novas de longicórneos do Brasil. **Anais Acad. Bras. Cienc.**, **33**(2):217-224, 3 figs.
1961. Novos Stenaspini neotrópicos. **Anais Acad. Bras. Cienc.**, **33**(3-4):399-407, 6 figs.
1961. Insecta Amapaensia. **Studia Entomol.**, **4**(14):525-536.
1962. Areas laterais e areas prosternais em *Chrysoprasia* Serv., 1834 (Col., Cerambycidae, Cerambycinae). **Arq. Mus. Nac** 52:227-229, 2 figs.
1962. Novos Longicórneos neotrópicos V. **Rev. Bras. Biol.**, **22**(2):197-204, 4 figs.
1962. Novos Longicórneos neotrópicos VI. **Rev. Bras. Biol.**, **22**(3):241-246, 4 figs.
1962. Estudos sobre Longicórneos neotrópicos III. **Rev. Bras. Biol.**, **22**(4):449-452.
1962. Revisão das espécies Brasileiras do gênero *Sangaris* Dalman, 1823. **Anais Acad. Bras. Cienc.**, **34**(1):111-123, 1 fig.
1962. Cinco novas espécies neotrópicas de *Colobothea* Serville, 1825 com chave para determinação das espécies sul-brasileiras. **Anais Acad. Bras. Cienc.**, **34**(2):281-293, 5 figs.
1962. Estudos do gênero *Ondotocera* Serville, 1833 I (Rhinotragini). **Anais Acad. Bras. Cienc.**, **34**(3):415-425, 1 pl., 7 figs.
1962. Revisão das espécies Brasileiras do gênero *Cosmisoma* Serville, 1834. **Arq. Zool.** **11**(10):285-314, 6 figs.
1963. Novos Longicórneos neotrópicos VII. **Rev. Bras. Biol.**, **23**(1):55- 64, 3 figs.
1963. Novos Longicórneos neotrópicos da tribo Clytini. **Rev. Bras. Biol.**, **23**(2):171-179, 4 figs.
1963. Novos Longicórneos neotrópicos VIII. **Rev. Bras. Biol.**, **23**(3):277-282, 4 figs.
1963. Novos Longicórneos neotrópicos IX. **Rev. Bras. Biol.**, **23**(4):421-428, 4 figs.
1963. Novos Longicórneos neotrópicos da tribo Rhinotragini. **Anais Acad. Bras. Cienc.**, **35**(2):241-255, 6 figs.
1963. Revisão do gênero *Chlorethe* Bates, 1867. **Anais Acad. Bras. Cienc.**, **35**(3):413-419, 3 figs.
1963. Novas espécies neotrópicas do gênero *Acanthoderes* Serville, 1835. I. **Anais Acad. Bras. Cienc.**, **5**(4):585-590, 3 figs.
1964. Quatro espécies novas do gênero "*Tomopterus*" Serville, 1833 (Rhinotragini). **Rev. Bras. Biol.**, **24**(4):423-428, 4 figs.
1964. Revisão das espécies Brasileiras do gênero *Merionoeda* Pascoe. **Studia Entomol.**, **7**(1-4):247-256, 3 figs.
1964. Novas espécies neotrópicas do gênero *Acanthoderes* Serville, 1835. II. **Anais Acad. Bras. Cienc.**, **36**(1):67-71, 3 figs.
1964. Novas espécies neotrópicas do gênero *Acanthoderes* Serville, 1835. III. **Anais Acad. Bras. Cienc.**, **36**(2):159-164, 4 figs.
1964. Novos Longicórneos neotrópicos da tribo Clytini II. **Anais Acad. Bras. Cienc.**, **36**(3):305-310, 3 figs.
1964. Novos Longicórneos neotrópicos X. **Anais Acad. Bras. Cienc.**, **36**(4):433-440, 5 figs.
1964. Contribuicao ao estudo da distribuicao geografica do genero *Colobothea* Serv., 1825 (Col., Cerambycidae, Lamiinae). **Anais do Cong. Latin-Americano Zoo.** 1:63-68.

1965. Novos longicórneos neotrópicos da tribo Rhinotragini II. **Anais Acad. Bras. Cienc.**, **37**(1):121-129, 8 figs.
1965. Três espécies novas do gênero *Callichroma* Latreille, 1816, subgênero *Xystochroma* Schmidt, 1924. **Anais Acad. Bras. Cienc.**, **37**(3-4):551-555, 3 figs.
1965. Novos Longicórneos neotrópicos XI. **Rev. Bras. Biol.**, **25**(1):85-91, 3 figs.
1965. Estudos do gênero "*Ommata*" White, 1855 I. "*Ommata (Eclipta)*" do grupo "*tenuis*"(Rhinotragini). **Rev. Bras. Biol.**, **25**(2):199-206, 11 figs.
1965. Contribuições para o estudo da fauna dos longicórneos do Estado da Paraíba. **Bol. Soc. Cearense Agron.**, **6**:5-21.
1966. Três novas espécies do gênero *Brasilianus* Jakobson, 1924. **Anais Acad. Bras. Cienc.**, **38**(1):105-108, 3 figs.
1966. Novos Longicórneos neotrópicos XII. **Anais Acad. Bras. Cienc.**, **38**(2):345-348. 1 fig.
1966. Estudo comparativo de *Acanthoderes cylindrica*, *juno* e *vetusta*. **Anais Acad. Bras. Cienc.**, **38**(3-4):537-541, 3 figs.
1966. Estudos do gênero "*Brasilianus*" Jakobson, 1924. **Rev. Bras. Biol.**, **26**(1):47-58, 6 figs.
1966. Estudos do gênero "*Ommata*" White, 1855 II. Subgênero "*Ommata*" (Rhinotragini). **Rev. Bras. Biol.**, **26**(1):87-92, 1 fig.
1966. Estudo de duas espécies de "*Ommata*", próximas de "*Ommata (Eclipta) castanea*" Bates (Rhinotragini). **Rev. Bras. Biol.**, **26**(3):323-326, 3 figs.
1966. Um interessante representante de longicórneo do Sul do Brasil e do Paraguai. **Rev. Bras. Biol.**, **26**(4):373-375, 1 fig.
1966. Contribuição para o estudo da fauna dos longicórneos do Estado do Ceará. **Bol. Soc. Cearense Agron.**, **7**:1-11.
1966. Distribuicao Geografica do Genero *Colobothea* (Coleoptera, Cerambycidae, Lamiinae). **Anais Acad. Bras. Cienc.**, **38**(1):109-120, 4 figs.
1967. Novos Longicórneos neotrópicos XIII. **Mem. Inst. Oswaldo Cruz**, **65**(2):197-204, 2 figs.
1967. A revalidação da espécie "*Acanthoderes conifera*" Zajciw, 1963. **Atas Soc. Biol.**, **11**(2):59-60.
1967. Novos Longicórneos neotrópicos XIV. **Anais Acad. Bras. Cienc.**, **39**(2):321-325, 2 figs.
1967. Novos Longicórneos neotrópicos XV. **Anais Acad. Bras. Cienc.**, **39**(3-4):527-533, 2 figs.
1967. Contribuição para o estudo do gênero "*Stizocera*" Serv., 1834. Espécies Brasileiras **Rev. Bras. Biol.**, **27**(3):293-314, 12 figs.
1967. Contribuição para o estudo da fauna dos longicórneos do Estado do Maranhão. **Bol. Soc. Cearense Agron.**, **8**:1-12.
1967. Longicórneos novos para a fauna do Brasil III. **Rev. Bras. Entomol.**, **12**:21-28.
1967. Contribuicao para o Estudo da Distribuicao Geografica de Longicorneos no Brasil (Col., Cerambycidae) I. **Atas Soc. Biol.**, **11**(1):13-14.
1967. Contribuicao para o Estudo da Distribuicao Geografica de Longicorneos no Brasil (Col., Cerambycidae) II. **Atas Soc. Biol.**, **11**(3):117-118.
1968. Uma nova espécie do gênero "*Nyctonympha*" Thomson, 1868, com chave para determinação das espécies Brasileiras. **Rev. Bras. Biol.**, **28**(4):423-425, 1 fig.
1968. Contribuição para o estudo da fauna dos longicórneos do Nordeste Brasileiro. **Rev. Bras. Entomol.** **13**:119-130.
1968. Novos Longicórneos neotrópicos XVI. **Anais Acad. Bras. Cienc.**, **40**(4):539-543, 3 figs.
1968. Novos Stenaspini neotrópicos II. **Anais Acad. Bras. Cienc.**, **40**(4):551-554, 2 figs.

1968. Descripción de una nueva espécie de *Odontocera* Serv., 1835 del Uruguay (Rhinotragini). **Rev. Soc. Urug. Entomol.**, 7:48-50, 1 fig.
1968. Estudos do gênero "Ommata" White, 1855 III. Descrição de alguns alótipos e acréscimos as descrições originais. **Atas Soc. Biol.**, 11(4):149-150.
1968. Primeiro suplemento à fauna dos longicórneos do Nordeste Brasileiro. **Atas Soc. Biol.**, 12(3):119-121.
1968. Novas Ocorrências de *Acanthoderes* Serv., 1835 (Coleoptera, Cerambycidae, Lamiinae). **Atas Soc. Biol.**, 12(3):141.
1968. Contribuição para o estudo da distribuição geográfica do gênero *Chrysoprasis* Serv. 1834 (Col., Cerambycidae, Cerambycinae) **Atas Soc. Biol.**, 12(1):17-20.
1969. Estudos sobre o gênero *Cyphosterna* Chevr., 1862 e gêneros afins, com descrição de um gênero novo (Purpuricenini). **Atas Soc. Biol.**, 12(5-6):225-228.
1969. Sinopse dos gêneros Brasileiros da tribo Purpuricenini Fairm., 1864. **Rev. Bras. Biol.**, 29(1):109-120, 26 figs.
1969. Estudos do gênero "Ommata" White, 1855 IV. Revisão do subgênero "*Rhopalessa*" Bat., 1873 (Rhinotragini). **Rev. Bras. Biol.**, 29(3):399-409, 1 fig.
1969. Uma nova espécie do gênero *Acanthoderes* Serville, 1835. **Anais Acad. Bras. Cienc.**, 41(1):109-111, 1 fig.
1969. Três espécies novas do gênero *Tomopterus* Serville, 1833 (Rhinotragini). **Studia Entomol.**, 12(1-4):411-416, 2 figs.
1969. Contribuição Para o Estudo da Distribuição Geográfica de Gênero *Acanthoderes* Serville, 1835 no Brasil (Coleoptera, Cerambycinae, Lamiinae). **Atas Soc. Biol.**, 12(4):197-199.
1969. Distribuição Geográfica do Gênero *Acanthoderes* Serville, 1835 (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Biol.**, 29(4):607-614, 1 fig.
1970. Descrição do macho e redescritção da fêmea de *Ophistomis flavocincta* Thomson, 1861, com observações sobre o desenho dos élitros (Lepturini). **Anais Acad. Bras. Cienc.**, 42(2):229-233, 2 figs.
1970. Novos Longicórneos neotrópicos XVII. **Anais Acad. Bras. Cienc.**, 42(2):263-267, 2 figs.
1970. Três representantes novos da tribo Piezocerini (Cerambycinae). **Anais Acad. Bras. Cienc.**, 42(3):591-594, 3 figs.
1970. Descrição de uma espécie nova de *Rhopalophora* (*Ischionodonta*) Chevr., 1859 e nota sobre as espécies afins. **Anais Acad. Bras. Cienc.**, 42(4):839-841, 1 fig.
1970. Estudos do gênero *Ommata* White, 1855 V: Notas sobre o subgênero *Eclipta* Bat., 1873 (Rhinotragini). **Atas Soc. Biol.**, 13(1-2):37-40.
1970. Redescritção de *Oncideres macra* Thomson, 1868. **Atas Soc. Biol.**, 13(3-4):129-130.
1970. Estudo interpretativo de *Ommata collaris* (Serv., 1833). **Atas Soc. Biol.**, 13(3-4):153-154, 1 fig.
1970. Contribuição para o estudo das espécies do gênero *Acanthoderes* Serv., 1835. **Atas Soc. Biol.**, 13(5-6):187-190, 14 figs.
1970. Notas sobre o gênero *Strongylaspis* Thoms., 1860, com descrição de uma espécie nova do Brasil. **Atas Soc. Biol.**, 14(1-2): 1-3.
1970. Uma nova espécie do gênero *Callancyla* Aurivillius, 1912 (Ancylocerini). **Atas Soc. Biol.**, 14(1-2):27-30, 6 figs.
1970. Descrição de uma espécie nova do gênero *Odontocera* Serv., 1833 (Rhinotragini). **Atas Soc. Biol.**, 14(3-4):63-64.
1970. Estudo de Phlyctaenodini sulamericanos. **Rev. Bras. Biol.**, 30(4):499-506, 1 fig.

1970. Contribuição para o estudo de *Eburodacrys triocellata* Stål. **Rev. Bras. Biol.**, **30**(4):543-546, 1 fig.
1970. Um gênero e duas espécies novas da tribo Cyrtinini da América do Sul. **Studia Entomol.**, **13**(1-4):345-352, 6 figs.
1970. Novas Ocorrências de *Acanthoderes* Serv., 1835 (Coleoptera, Cerambycidae, Lamiinae) II. **Atas Soc. Biol.**, **13**(1-2):5.
1971. Novos longicórneos neotrópicos XVIII. **Rev. Bras. Biol.**, **31**(3):305-308, 3 figs.
1971. Novas espécies do gênero *Tomopterus* Serville, 1833 da América do Sul (Rhinotragini). **Rev. Bras. Biol.**, **31**(3):313-317, 3 figs.
1971. Redescricao de *Colobothea fibrosa* Er., 1817. **Atas Soc. Biol.**, **14**(5-6):119.
1971. Descrição de uma nova espécie de *Colobothea* do Brasil. **Atas Soc. Biol.**, **14**(5-6):143-144.
1971. Três novas espécies neotrópicas de *Odontocera* Serville, 1833 (Rhinotragini). **Atas Soc. Biol.**, **15**(1):19-21.
1972. Contribuição para o estudo da fauna dos longicórneos do Parque Nacional do Itatiaia **Bras. Florestal**, **3**:40-72.
1972. Estudos do gênero *Odontocera* Serville, 1833. II (Rhinotragini). **Atas Soc. Biol.**, **15**(2):59-63.
1972. Novas espécies do gênero *Isthmiade* Thomson, 1864 do Brasil (Rhinotragini). **Atas Soc. Biol.**, **15**(3):137-138.
1972. Descrição de um gênero novo e uma espécie nova de longicórneos neotrópicos. **Rev. Bras. Biol.**, **32**(2):219-220, 1 fig.
1972. Estudo das espécies Brasileiras do gênero *Acyphoderes* Audinet-Serville, 1833 (Rhinotragini). **Rev. Bras. Biol.**, **32**(3):401-412, 10 figs.
1972. Revisão das espécies sul americanas do gênero *Isthmiade* Thomson, 1864 (Rhinotragini). **Rev. Bras. Biol.**, **32**(4):573-583, 13 figs.
1972. Contribuicao pra o estudo dos apendices sexuais em species do genero Acyphoderes Aud.-Serville. 1833 (Col., Cerambycidae, Rhinotragini). **Atas Soc. Biol.**, **15**(2):95-97, 2 figs.
1973. Revisão das espécies Brasileiras do gênero *Ischasia* Thomson 1861 (Rhinotragini). **Rev. Bras. Biol.**, **33**(1):69-76, 10 figs.
1973. Descrição de *Apostropha curvipennis* Bates, 1873, com um sinônimo e com notas (Rhinotragini). **Rev. Bras. Biol.**, **33**(3):361-363, 1 fig.
1973. Duas novas espécies do gênero *Charisia* Champion, 1892 do Brasil (Rhinotragini). **Atas Soc. Biol.**, **17**(1):13-14, 6 figs.
1974. Contribuição para o estudo da fauna dos longicórneos das florestas do Estado do Espírito Santo e principalmente da Reserva Biológica "Soóretama". **Bol. Tecn. Inst. Bras. Desenv. Florestal**, **4**:37-91.
1975. Revisão monográfica do gênero *Tomopterus* Audinet-Serville, 1833 (Rhinotragini). **Studia Entomol.**, **18**(1-4):569-604, 24 figs.
- ZAJCIW, D. & M. A. MONNÉ. 1968. Cerambícidos del Uruguay, nuevos o poco conocidos. **Rev. Soc. Urug. Entomol.**, **7**:51-61.
- ZAJCIW, D. & A. RUFFINELLI. 1962. Fauna de los Cerambícidos del Uruguay. **Bol. Fac. Agron.**, **60**:1-89.
- ZAJCIW, D. & C.A. SEABRA. 1968. Longicorneos da Serra da Bocaina, Estado de Sao Paolo (Coleoptera, Cerambycidae). **Atas Soc. Biol.**, **12**(2):69-72.
- ZAYAS, F. de. 1956. El género *Essostrutha* Thoms., adición de una especie nueva. **Mem. Soc. Cub. Hist. Nat.**, **23**:105-114, 1 col. pl.
1957. Revisión de los longicórnios Priónidos de Cuba. **Mem. Soc. Cub. Hist. Nat.**, **23**:149-181, 7 pls.

1975. **Revisión de la Familia Cerambycidae**. La Habana. Acad. Cienc. Cuba, 443 pp., 38 pls.
- ZETTERSTEDT, J. W. 1828. **Fauna insectorum lapponica**. Hammone, 563 pp.
- ZIEGLER, D. 1844. Descriptions of new North American Coleoptera. **Proc. Acad. Nat. Sci. Phila.**, **2**:43-47.
- ZIKAN, J. F. 1948. O gênero *Parandra* Latr., 1804, com a descrição de 14 espécies novas. **Rev. Soc. Entomol. Arg.**, **14**:22-50, 4 pls.
- ZIKAN, J. F & W. ZIKAN. 1944. A inseto-fauna do Itatiaia e da Mantiqueira. **BoI. Min. Agric.**, **33**(8):1-50.
- ZIKAN, W. & P. WYGODZINSKY. 1948. Catálogo dos tipos de insetos do Instituto de Ecologia e Experimentação Agrícolas. **Bol. Serv. Pesq. Agron.**, **4**:1-93.
- ZIMSEN, E. 1964. **The type material of I. C. Fabricius**. Copenhagen, Munskgaard, 656 pp.
- ZOUBKOFF, B. 1833. Nouveaux coléoptères recueillis en Turcménie. **Bull. Soc. Imp. Natur.**, **6**:310-34
- ZUNIGA-REINOSO, A. & GALLEGOS- HARO, G. (2010) Registros y antecedentes sobre el rango de distribución de *Neoholopterus antarcticus* (Aurivillius, 1910) (Coleoptera, Cerambycidae). **Boletín de Biodiversidade de Chile** **(3)**:3-8.



## Index to Families, Subfamilies, Tribes and Genera

### Families

Oxypeltidae 5  
 Vesperidae 5  
 Disteniidae 6  
 Cerambycidae 11

### Subfamilies

Anoplodermatinae 5  
 Cerambycinae 52  
 Lamiinae 201  
 Lepturinae 30

Necydalinae 50  
 Parandrinae 11  
 Prioninae 13  
 Spondylidinae 47

### Tribes

Acangassuini 52  
 Acanthocinini 201  
 Acanthoderini 233  
 Achrysonini 52  
 Acrocinini 246  
 Aerenicini 246  
 Agallissini 53  
 Agapanthiini 250  
 Alanizini 54  
 Anacolini 13  
 Anaglyptini 54  
 Anisocerini 253  
 Anoplodermatini 5  
 Apomecynini 256  
 Asemmini 47  
 Atimiini 49  
 Basipterini 55  
 Batocerini 264  
 Bimiini 55  
 Bothriospilini 55  
 Callichromatini 57  
 Callidiini 59  
 Callidiopini 63  
 Calliini 265  
 Callipogonini 15  
 Calocomini 17

Cerambycini 63  
 Clytini 68  
 Colobotheini 269  
 Compsocerini 78  
 Compsosomatini 274  
 Curiini 81  
 Cyrtinini 276  
 Desmiphorini 277  
 Desmocerini 30  
 Diorini 81  
 Disteniini 6  
 Dodecosini 81  
 Dorcaschematini 290  
 Dryobiini 81  
 Dynamostini 10  
 Eburini 82  
 Ectenessini 88  
 Elaphidiini 90  
 Eligmodermmini 108  
 Elytracanthinini 290  
 Encyclopini 31  
 Erichsoniini 11  
 Erlandiini 108  
 Eroschemini 108  
 Eumichthini 108  
 Eupromerini 290  
 Forsteriini 291  
 Graciliini 109  
 Hemilophini 292

Hesperophanini 110  
 Heteropalpini 10  
 Heteropsini 114  
 Hexoplonini 119  
 Holopleurini 123  
 Hyboderini 123  
 Hylotrupini 124  
 Hypocephalini 6  
 Ideratini 124  
 Laticraniini 308  
 Lepturini 31  
 Lissonotini 124  
 Luscosmodicini 125  
 Macrodontiini 18  
 Macrotomini 19  
 Mallaspini 22  
 Mauesiini 308  
 Megabasini 308  
 Meroscelisini 24  
 Mesosini 308  
 Methiini 125  
 Molorchini 127  
 Moneilemini 309  
 Monochamini 310  
 Mysteriini 6  
 Nathriini 127  
 Necydalopsini 128  
 Neocorini 129  
 Neoibidionini 129  
 Obereiini 315  
 Obriini 142  
 Oemini 143  
 Onciderini 316  
 Onocephalini 330  
 Opsimini 147  
 Oxycoleini 147  
 Paraholopterini 148  
 Parandrini 11  
 Parmenini 331  
 Phacellini 332  
 Phlyctaenodini 148

Phoracanthini 148  
 Phrynetini 333  
 Phytoeciini 333  
 Piezocerini 148  
 Platyarthrini 151  
 Plectromerini 152  
 Pleiarthrocerini 152  
 Pogonocherini 334  
 Polyrhaphidini 337  
 Pretiliini 337  
 Prionini 26  
 Proholopterini 152  
 Psebiini 153  
 Pseudocephalini 153  
 Pteroplatini 154  
 Pteropliini 337  
 Rhagiini 41  
 Rhinotragini 155  
 Rhopalophorini 167  
 Sachalinobiini 47  
 Saperdini 341  
 Saphanini 49  
 Smodicini 173  
 Solenopterini 29  
 Spondylidini 49  
 Stenoderini 173  
 Stenopterini 173  
 Sydacini 174  
 Tapeinini 342  
 Tetraopini 342  
 Thyrsiini 174  
 Tillomorphini 174  
 Torneutini 177  
 Trachyderini 179  
 Unxiini 199  
 Uracanthini 200  
 Vesperoctenini 30  
 Xenofreini 345  
 Xylosteini 47  
 Xystrocerini 200

**Subtribes**

Ancylocerina 179

Cerambycina 63

Compsina 129

Haruspicina 148

Hesperophanina 110

Methioidina 146

Neoibidionina 135

Oemina 143

Piezocerina 149

Sphallotrichina 65

Trachyderina 180

Tropioidina 139

## Current Genera

### A

- Abaiba Martins & Napp, 128  
 Abanycha Martins & Galileo, 292  
 Abauba Santos-Silva & Tavakilian, 6  
 Abyarachryson Martins, 52  
 Abycendaua Martins & Galileo, 293  
 Acabanga Martins & Galileo, 293  
 Acabyara Napp & Martins, 78  
 Acaiatuca Martins & Galileo, 293  
 Acaiu Galileo & Martins, 293  
 Acakya Martins & Galileo, 233  
 Acalodegma Thomson, 18  
 Acangassu Galileo & Martins, 52  
 Acanthinodera Hope, 18  
 Acanthocinus Dejean, 201  
 Acanthoderes (Acanthoderes) Audinet-Serville, 233  
 Acanthoderes (Pardalisia) Casey, 234  
 Acanthoderes (Scythropopsis) Thomson, 234  
 Acanthoderes (Symperasmus) Thomson, 234  
 Acanthodoxus Martins & Monné, 201  
 Acanthoibidion Lane, 108  
 Acanthomigdolus Bruch, 5  
 Acanthonesia Napp & Martins, 88  
 Acanthotritus White, 253  
 Acapiata Galileo & Martins, 293  
 Acasanga Martins & Galileo, 293  
 Acatinga Santos-Silva, Martins & Clarke, 155  
 Acaua Martins & Galileo, 277  
 Acestrilla Bates, 256  
 Achenoderus Napp, 78  
 Achryson Audinet-Serville, 52  
 Acmaeops LeConte, 41  
 Acmaeopsoides Linsley & Chemsak, 41  
 Aconopteroides Breuning, 277  
 Aconopterus Blanchard in Gay, 277  
 Acorethra Bates, 155  
 Acreana Lane, 265  
 Acrepidopterum Fisher, 256  
 Acrocinus Illiger, 246  
 Acruspex Martins, 148  
 Acutandra Santos-Silva, 11  
 Acyphoderes Audinet-Serville, 155  
 Adalbus Fairmaire & Germain, 55  
 Adesmiella Lane, 293  
 Adesmoides Zajciw, 293  
 Adesmus Lepeletier & Audinet-Serville in Latreille, 293  
 Adetus LeConte, 256  
 Adiposphaerion Martins & Napp, 90  
 Aechmutes Bates, 155  
 Aegoidus Buquet, 180  
 Aegomorphus Haldeman, 234  
 Aegoschema Aurivillius, 234  
 Aerenea Thomson, 274  
 Aerenica Dejean, 246  
 Aerenicella Gilmour, 246  
 Aerenicopsis Bates, 246  
 Aereniphaula Galileo & Martins, 246  
 Aerenomera Gilmour, 246  
 Aethecerinus Fall & Cockerell, 181  
 Aetheibidion Martins, 90  
 Agallissus Dalman, 53  
 Agaone Pascoe, 156  
 Agaritha Dillon & Dillon, 316  
 Aglaoschema Napp, 78  
 Aguassay Napp & Mermudes, 167  
 Aiurasyma Martins & Galileo, 10  
 Alampyrus Bates, 295  
 Alanizus Di Iorio, 54  
 Alastos Napp & Martins, 110  
 Alcathousiella Monné, 201  
 Alcathousites Gilmour, 201  
 Alcidion Sturm, 201  
 Alcyopsis Pascoe, 139  
 Aleiphaquilon Martins, 129  
 Aletretiopsis Breuning, 258  
 Alexera Dillon & Dillon, 316  
 Alicianella Noguera, 90  
 Alienosternus Martins, 149  
 Alienus Galileo & Martins, 108  
 Allaiocerus Galileo, 13  
 Allocerus Lacordaire, 181  
 Allodemus Zajciw, 114  
 Alloemorphus, 202  
 Alloesia Chevrolat, 114  
 Allomallodon Santos-Silva & Galileo, 19  
 Allopeba Napp & Reynaud, 199  
 Allopeplus Zajciw, 181  
 Alosternida Podany, 31  
 Alphinellus Bates, 202  
 Alphomorphus Linsley, 334  
 Alphus White, 234  
 Amannus LeConte, 181  
 Amapanesia Martins & Galileo, 295  
 Ambeodontus Fabricius, 148  
 Amblysaphes Bates, 234  
 Ambonus Gistel, 90  
 America Santos-Silva & Tavakilian, 6  
 Amethysphaerion Martins & Monné, 90  
 Amillarus Thomson, 250  
 Amniscites Gilmour, 202  
 Amniscus Dejean, 202  
 Amoaba Napp & Martins, 114  
 Amorupi Martins, 90  
 Amphelictus Bates, 65  
 Amphelissoeme Martins, 143  
 Amphicnaeia Bates, 258  
 Amphionthe Bates, 181  
 Amplitempora Giesbert, 308  
 Amucallia Galileo & Martins, 265  
 Anacolus Berthold, 13  
 Analeptura Linsley & Chemsak, 31  
 Anama Martins, 91  
 Anapsicomus Galileo & Martins, 265

- Anasillus* Marinoni & Martins, 234  
*Anastrangalia* Casey, 31  
*Anatinomma* Bates, 110  
*Ancistrotus* Audinet-Serville, 18  
*Ancylocera* Audinet-Serville, 179  
*Ancylocladus* Blanchard in Gay, 148  
*Ancylosternus* Dupont in Audinet-Serville, 181  
*Andinotrichoderes* Tippmann, 24  
*Andrachydes* Huedepohl, 181  
*Andraegoidus* Aurivillius, 181  
*Aneflomorpha* Casey, 91  
*Aneflus* LeConte, 92  
*Anelaphus* Linsley, 92  
*Aneuthetochorus* Martins, 129  
*Anisocerus* Lacordaire, 253  
*Anisolophia* Melzer, 202  
*Anisopeplus* Melzer, 277  
*Anisopodesthes* Melzer, 202  
*Anisopodus* White, 202  
*Anisotyma* Napp & Monne, 81  
*Anobrium* Belon, 337  
*Anomalotragus* Clarke, 156  
*Anopliomorpha* Linsley, 94  
*Anoplocurius* Fisher, 94  
*Anoplodera* (Anoploderomorpha) Pic, 31  
*Anoploderma* Guérin-Méneville, 5  
*Anoplomerus* Guérin-Méneville, 110  
*Anoplophora* Hope, 310  
*Anoreina* Bates, 234  
*Antecurisa* Gilmour, 203  
*Antennaerenea* Breuning, 275  
*Antennommata* Clarke, 156  
*Anthoboscus* Chevrolat, 68  
*Anthophylax* LeConte, 41  
*Antilleptostylus* Gilmour, 227  
*Antodice* Thomson, 246  
*Antodilanea* Gilmour, 247  
*Apagomera* Bates, 295  
*Apagomerella* Gilmour, 295  
*Apagomerina* Gilmour, 295  
*Apamauta* Thomson, 316  
*Apeba* Martins & Galileo, 295  
*Apebusu* Martins & Galileo, 295  
*Apechthes* Thomson, 269  
*Aphatum* Bates, 129  
*Aphilesthes* Bates, 247  
*Aphylax* Lacordaire, 154  
*Aphysotes* Bates, 54  
*Aplagiognathus* Thomson, 19  
*Apoaerenica* Martins & Galileo, 247  
*Apoclausirion* Martins & Napp, 94  
*Apocoptoma* Thomson, 316  
*Apomecyna* Latreille, 259  
*Aponoeme* Martins, 143  
*Apophaula* Lane, 247  
*Aposphaerion* Bates, 94  
*Apostropha* Bates, 156  
*Apotrophus* Bates, 15  
*Appula* Thomson, 94  
*Aprosopus* Guérin-Méneville, 250  
*Apteralcidion* Hovore, 203  
*Apterocaulus* Fairmaire, 25  
*Apypema* Galileo & Martins, 296  
*Apyratuca* Galileo & Martins, 259  
*Apyrauna* Martins, 95  
*Araeotis* Bates, 109  
*Araespor* Thomson, 53  
*Arauma* Martins & Napp, 109  
*Arawakia* Villiers, 174  
*Archodontes* Lameere, 19  
*Ardeocomus* Galileo & Martins, 265  
*Argentinoeme* Bruch, 143  
*Argyrodines* Bates, 167  
*Arhopalus* Audinet-Serville, 47  
*Arietocometes* Santos-Silva & Tavakilian, 7  
*Arxiuna* Martins & Galileo, 296  
*Asemolea* Bates, 265  
*Asemum* Eschscholtz, 48  
*Assycuera* Napp & Monné, 179  
*Astromula* Chemsak & Linsley, 95  
*Astyleiopus* Dillon, 204  
*Astyliidius* Casey, 203  
*Astylopsis* Casey, 204  
*Asynapteron* Martins, 130  
*Asyngenes* (Asyngenes) Bates, 259  
*Asyngenes* (Neosyngenes) Breuning, 259  
*Ataxia* Haldeman, 338  
*Atelodesmis* Buquet, 277  
*Atelographus* Melzer, 204  
*Atelopteryx* Lacordaire, 50  
*Atenizus* Bates, 143  
*Ateralphus* Restello, Iannuzzi & Marinoni, 235  
*Atharsus* Bates, 95  
*Athetesis* Bates, 182  
*Atiaia* Martins & Monné, 63  
*Atimia* Haldeman, 49  
*Atimiliopsis* Breuning, 278  
*Atimiola* Bates, 278  
*Atrocolus* Monné & Monné, 13  
*Atrypanius* Bates, 204  
*Atylostagma* White, 95  
*Austranoplium* Chemsak & Linsley, 110  
*Austroeme* Martins, Chemsak & Linsley, 143  
*Austronecydalopsis* Barriga & Cepeda, 128  
*Austrophanes* Chemsak & Linsley, 110  
*Axestoleus* Bates, 182  
*Ayriclytus* Martins & Galileo, 68  
*Azygocera* Aurivillius, 235
- ## B
- Bactriola* Bates, 291  
*Bacuris* Gounelle, 316  
*Badenella* Lane, 253  
*Baecacanthus* Monné, 204  
*Baryssiniella* Berkov & Monne, 205  
*Baryssinus* Bates, 205  
*Basiptera* Thomson, 55  
*Basitoxus* Audinet-Serville, 19  
*Batesbeltia* Lane, 253  
*Batocera* Dejean, 264  
*Batus* Thunberg, 182

Batyle Thomson, 182  
 Bebelis Thomson, 259  
 Bellamira LeConte, 31  
 Beloesthes Thomson, 205  
 Beraba Martins, 82  
 Biribellus Galileo, 13  
 Bisaltes (Bisaltes) Thomson, 260  
 Bisaltes (Craspedocerus) Aurivillius, 261  
 Blabia Thomson, 278  
 Blabicentrus Bates, 278  
 Bocainella Monné & Monné, 331  
 Bomaribidion Martins, 135  
 Bomarion Gounelle, 88  
 Bonfilsia Villiers, 174  
 Boricyrtinus Micheli, 276  
 Bothriospila Aurivillius, 55  
 Bothrocerambyx Schwarzer, 63  
 Brachychilus Blanchard in Gay, 332  
 Brachyleptura Casey, 31  
 Brachylophora, 167  
 Brachysomida Casey, 42  
 Braderochus Buquet, 25  
 Brasiliosoma Breuning, 275  
 Brechmoidion Martins, 135  
 Brevoxathres Gilmour, 205  
 Brittonella Fisher, 110  
 Bromiades Thomson, 156  
 Brothylus LeConte, 110  
 Bucoides Dillon & Dillon, 316  
 Butherium Bates, 65  
 Butocrysa Thomson, 296

## C

Cabreuva Martins & Galileo, 296  
 Caciomorpha Thomson, 253  
 Cacophrissus Bates, 110  
 Cacostola Fairmaire & Germain, 316  
 Cacsus Lane, 247  
 Cacupira Martins & Galileo, 296  
 Callancyla Aurivillius, 179  
 Callanga Lane, 296  
 Callia Audinet-Serville, 265  
 Callichroma Latreille, 57  
 Calliclytus Fisher, 174  
 Callideriphus Blanchard in Gay, 114  
 Callidiellum Linsley, 59  
 Callidium bifasciatum Fabricius, 63  
 Callidium Mulsant, 59  
 Callimoxys Kraatz, 173  
 Calliomorpha Lane, 266  
 Callipero Bates, 205  
 Calliphaula Lane, 247  
 Callipogon (Callipogon) Audinet-Serville, 16  
 Callipogon (Callomegas) Lameere, 16  
 Callipogon (Dendrobaptus) Chevrolat, 16  
 Callipogon (Enoplocerus) Audinet-Serville, 16  
 Callipogonius Linsley, 334  
 Callisema Martins & Galileo, 266  
 Callisphyris Newman, 50  
 Callistoprionus Tippmann, 25

Callityrinthia Galileo & Martins, 266  
 Calloctenus White, 13  
 Calloides LeConte, 68  
 Callona Waterhouse, 183  
 Calocomus Audinet-Serville, 17  
 Calocosmus Chevrolat, 296  
 Calolamia Tippmann, 205  
 Calycibidion Martins, 119  
 Calydon Thomson, 60  
 Camitocomus Galileo & Martins, 266  
 Camixaima Martins & Galileo, 291  
 Camposiellina Monné, 296  
 Canarana Martins & Galileo, 296  
 Canidia Thomson, 205  
 Canindea Galileo & Martins, 266  
 Caperonotus Napp, 79  
 Capillicornis Galileo & Martins, 278  
 Carenesycha Martins & Galileo, 317  
 Carenoptomerus Tavakilian & Peñaherrera –  
 Leiva, 156  
 Caribbomerus Vitali, 109  
 Cariua Martins & Galileo, 297  
 Carneades Bates, 269  
 Carpheolus Bates, 206  
 Carphina Bates, 206  
 Carphontes Bates, 206  
 Carterica Pascoe, 270  
 Catafimbria Aurivillius, 339  
 Catharesthes Bates, 206  
 Cathetopteron Hamilton in Leng & Hamilton, 297  
 Cathexis Thomson, 270  
 Catognatha Blanchard in Gay, 278  
 Catoptronotum Zajciw, 111  
 Catorthontus Waterhouse, 156  
 Catuaba Martins & Galileo, 261  
 Catuana Martins & Galileo, 235  
 Cauarana Lane, 50  
 Cauca Lane, 261  
 Cecaibidion Galileo & Martins, 130  
 Ceipupaba Martins & Galileo, 278  
 Cendiuna Galileo & Martins, 297  
 Centrocerum Chevrolat, 95  
 Centrodera LeConte, 42  
 Cephalodina Bates, 297  
 Cephaloplou Martins & Napp, 130  
 Ceragenia Audinet-Serville, 183  
 Ceralocyna Viana, 180  
 Cercoptera Spinola, 180  
 Cerdaia Monné, 53  
 Ceresium Newman, 63  
 Cerrostrangalia Hovore & Chemsak, 32  
 Cervilissa Monné & Monné, 183  
 Cetimaïque Martins & Galileo, 111  
 Cetimaju Galileo & Martins, 69  
 Cevaeria Tavakilian, 65  
 Chaetacosta Gilmour, 206  
 Chaetosopus Napp & Martins, 79  
 Chalastinus Bates, 253  
 Chalcolyne Bates, 266  
 Chalcoprionus Bates, 18  
 Championa Bates, 114

- Chapareia Lane, 254  
 Chariea Audinet-Serville, 13  
 Chariergodes Zajciw, 156  
 Chariergus White, 199  
 Charinotes Dupont in Audinet-Serville, 183  
 Charisalia Casey, 32  
 Charmallaspis Galileo & Martins, 22  
 Cheloderus Gray in Griffith, 5  
 Chemsakia Linsley, 183  
 Chemsakiella Monné, 183  
 Chenoderus Fairmaire & Germain, 199  
 Chereas Thomson, 266  
 Cherentes Gounelle, 317  
 Cherrocrius Berg, 5  
 Chevrolatella Zajciw, 183  
 Chiasmets Pascoe, 19  
 Chitron Dillon & Dillon, 317  
 Chloethe Bates,, 79  
 Chlorida Audinet-Serville, 56  
 Chlorophorus Chevrolat,, 69  
 Chlorotherion Zajciw, 184  
 Chontalia Bates, 32  
 Chorenta Gistel, 16  
 Choriolaus Bates, 32  
 Chromoeme Chemsak & Linsley, 146  
 Chrotoma Casey, 56  
 Chrysaethe Bates, 156  
 Chrysaperda Bates, 297  
 Chrysommata Peñaherrera-Leiva & Tavakilian, 157  
 Chrysoprasia Audinet-Serville, 115  
 Chydarteres Huedepohl, 184  
 Chyptodes Dillon & Dillon, 311  
 Cicatricallia Martins & Galileo, 266  
 Cicatrion Martins, 130  
 Cicatrisestola Breuning, 279  
 Cicatrisestoloides Breuning & Heyrovsky, 279  
 Cicatrizocera Martins, 149  
 Cicatrodea Dillon & Dillon, 317  
 Cicuiara Galileo & Martins, 279  
 Cipriscola Dillon & Dillon, 317  
 Cirrhicera Thomson, 297  
 Clausirion Martins & Napp, 95  
 Clavidesmus Dillon & Dillon, 317  
 Clavisybra Breuning, 261  
 Cleodoxus Thomson, 206  
 Clepitoides Clarke, 157  
 Cleptonotus Breuning, 331  
 Cleptosoma Breuning, 331  
 Closteropus Guérin-Méneville, 168  
 Clythraschema Thomson, 297  
 Clytoderus Linsley, 54  
 Clytoleptus Casey, 69  
 Clytopsis Casey, 69  
 Clytus Laicharting, 69  
 Cnemidochroma Schmidt, 57  
 Cnemosioma Martins, 318  
 Cobelura Erichson, 206  
 Coccoderus Buquet, 177  
 Coeloprocta Aurivillius, 279  
 Coenopoeus Horn, 206  
 Coleomethia Linsley, 125  
 Coleoxestia Aurivillius, 65  
 Coleroidion Martins, 135  
 Colobeutrypanus Tippmann, 206  
 Colobothia Lepeletier & Audinet-Serville in Latreille, 270  
 Colobothina Hovore, 273  
 Colombicallia Galileo & Martins, 266  
 Columbicella Galileo & Martins, 297  
 Colynthaea Thomson, 149  
 Comacmaeops Linsley & Chemsak, 43  
 Cometes Lepeletier & Audinet-Serville in Latreille, 7  
 Compsa Perty, 130  
 Compsibidion Thomson, 136  
 Compsoceridius Bruch, 79  
 Compsocerus Lacordaire, 79  
 Compsopyris Dalens, Touroult & Tavakilian, 80  
 Compsosoma Lacordaire, 275  
 Conosphaeron Linsley, 95  
 Corallancyla Tippmann, 157  
 Corcovado Lane, 297  
 Cordites Dillon & Dillon, 318  
 Coremia Audinet-Serville, 168  
 Corimbion Martins, 130  
 Coroicoia Lane, 308  
 Cortodera Mulsant, 43  
 Corupella Martins & Napp, 111  
 Corynellus Bates, 154  
 Coscinedes Bates, 129  
 Cosmisoma Audinet-Serville, 168  
 Cosmisomopsis Zajciw, 80  
 Cosmocerus Guérin-Méneville, 184  
 Cosmoplatidius Gounelle, 80  
 Cosmoplatus Aurivillius, 154  
 Cosmosalia Casey, 32  
 Cosmotoma Blanchard, 207  
 Cosmotomidius Melzer, 334  
 Costemilophus Galileo & Martins, 297  
 Cotyachryson Martins, 53  
 Cotyadesmus Martins & Galileo, 298  
 Cotychroma Martins & Napp, 58  
 Cotycuiara Galileo & Martins, 279  
 Cotyclytus, 69  
 Cotycuara Galileo & Martins, 298  
 Cotynessa Martins & Galileo, 89  
 Cotyperiboeum Galileo & Martins, 95  
 Cotyschnolea Martins & Galileo, 279  
 Cotysomerida Martins & Galileo, 298  
 Cotyzineus Martins & Galileo, 235  
 Craspedoderus Thomson, 261  
 Cratericus Galileo & Martins, 95  
 Criodion Audinet-Serville, 66  
 Crioprosopus Audinet-Serville, 184  
 Criopsis Thomson, 235  
 Cristaerenea Breuning, 275  
 Cristurges Gilmour, 207  
 Crossidius LeConte, 184  
 Crossomeles Chemsak & Noguera, 157  
 Cryptobias Dupont in Audinet-Serville, 186  
 Cryptocranium Lacordaire, 339

*Ctenodes* Olivier, 186  
*Ctenoplion* Martins, 119  
*Ctenoscelis* Audinet-Serville, 16  
*Cubaecola* Lameere, 16  
*Cuicirama* Martins & Galileo, 298  
*Cuiciuna* Galileo & Martins, 298  
*Cupanoscelis* Gounelle, 82  
*Cupecuara* Santos-Silva & Tavakilian, 7  
*Cupeyalia* Zayas, 331  
*Curiofrea* Galileo & Martins, 345  
*Curitiba* Lameere, 19  
*Curius* Newman, 81  
*Curtomerus* Stephens, 95  
*Curuapira* Martins & Galileo, 279  
*Cyanomethia* Philips & Ivie, 125  
*Cyclopeplus* Thomson, 254  
*Cycloprionus* Tippmann, 13  
*Cynidolon* Thomson, 137  
*Cynoderus* (*Cynoderus*) Audinet-Serville, 169  
*Cynoderus* (*Ulododerus*) Gounelle, 169  
*Cydros* Pascoe, 318  
*Cylicasta* Thomson, 318  
*Cylindrommata* Tippmann, 157  
*Cymatonycha* Bates, 279  
*Cyphonotida* Casey, 32  
*Cyphosterna* Chevrolat, 186  
*Cyrtinus* LeConte, 276  
*Cyrtophorus* LeConte, 54

## D

*Dadoychus* Chevrolat, 298  
*Decarthria* Hope, 277  
*Dectes* LeConte, 207  
*Delemodacrys* Martins & Napp, 56  
*Deliathis* Thomson, 311  
*Delilah* Dillon & Dillon, 318  
*Deltaspis* Audinet-Serville, 186  
*Deltosoma* Thomson, 154  
*Demophoo* Thomson, 254  
*Derancistrodes* Galileo & Martins, 29  
*Derancistrus* Audinet-Serville, 29  
*Deretrachys* Huedepohl, 186  
*Derobrachus* Audinet-Serville, 25  
*Desmiphora* (*Antenniphora*) Breuning, 279  
*Desmiphora* (*Desmiphora*) Audinet-Serville, 279  
*Desmiphoropsis* Gounelle, 275  
*Desmocerus* Dejean, 30  
*Desmoderus* Dupont in Audinet-Serville, 187  
*Dexitheia* Thomson, 69  
*Diasporidion* Martins, 139  
*Diastrophosternus* Gounelle, 55  
*Dicentrus* LeConte, 147  
*Dicranoderes* Dupont, 187  
*Dihammaphora* Chevrolat, 169  
*Dihammaphoroides* Zajciw, 170  
*Diliolophus* Bates, 281  
*Dilocerus* Napp, 80  
*Dioridium* Zajciw, 82  
*Diorus* White, 81  
*Diphyrama* Bates, 54

*Diploschema* Thomson, 177  
*Diringsiella* Martins & Galileo, 81  
*Dirocoremia* Marques, 170  
*Disaulax* Audinet-Serville, 170  
*Discopus* Thomson, 235  
*Disgregus* Galileo & Martins, 281  
*Distenia* (*Basisvallis*) Santos-Silva & Hovore, 7  
*Distenia* (*Distenia*) Lepeletier & Audinet-Serville in Latreille, 8  
*Distenia* *Distenia* Santos-Silva & Hovore, 8  
*Dodecaibidion* Martins, 130  
*Dodecocerus* Dalens & Touroult, 153  
*Dodecosis* Bates, 81  
*Dolichostola* Breuning, 281  
*Dolichosybra* Breuning, 261  
*Dorcacrus*, 187  
*Dorcaschema* Haldeman, 290  
*Dorcasina* Casey, 33  
*Dorcasta* Pascoe, 261  
*Dragomiris* Gounelle, 177  
*Dragoneutes* Martins & Monné, 177  
*Drasalia* Fairmaire & Germain, 53  
*Drychateres* Huedepohl, 187  
*Drycothaea* Thomson, 267  
*Dryobius* LeConte, 81  
*Dryoctenes* Audinet-Serville, 235  
*Dubiefostola* Tavakilian & Monné, 111  
*Dufauxia* Lane, 235

## E

*Eburella* Monné & Martins, 82  
*Eburia* (*Eburia*) Lacordaire, 82  
*Eburia* (*Eleutho*) Thomson, 85  
*Eburiaca* Martins, 85  
*Eburiola* Thomson, 116  
*Eburodacrys* White, 85  
*Eburodacrystola* Melzer, 87  
*Eburostola* Tippmann, 87  
*Echthistatus* Pascoe, 331  
*Eclipta* Bates, 157  
*Ecliptoides* Tavakilian & Peñaherrera-Leiva, 158  
*Ecliptophanes* Melzer, 159  
*Ecoporanga* Napp & Martins, 80  
*Ecteneolus* Bates, 335  
*Ectenessa* Bates, 89  
*Ectenesseca* Martins & Galileo, 89  
*Ectenessidia* Gounelle, 89  
*Ecthoea* Pascoe, 318  
*Ecyrus* LeConte, 335  
*Egalicia* Lane, 298  
*Elaphidion* Audinet-Serville, 96  
*Elaphidionopsis* Linsley, 97  
*Elaphopsis* Audinet-Serville, 109  
*Elateropsis* Chevrolat, 29  
*Elatotrypes* Fisher, 60  
*Eleothinus* Bates, 207  
*Eligmoderma* Thomson, 108  
*Elytracanthina* Monné, 290  
*Elytrimitatrix* (*Elytrimitatrix*) Santos-Silva & Hovore, 8



*Elytrimitatrix* (Grossifemora) Santos-Silva & Hovore, 8  
*Elytroleptus* Dugès, 187  
*Emphytoecia* Fairmaire & Germain, 339  
*Emphytoeciosoma* Melzer, 339  
*Enaphalodes* Haldeman, 97  
*Encyclops* Newman, 31  
*Endybauna* Martins & Galileo, 298  
*Eneodes* Fisher, 207  
*Engyum* Thomson, 131  
*Enosmaeus* Thomson, 53  
*Entomosterna* Chevrolat, 187  
*Epacropion* Martins, 119  
*Epectasis* Bates, 339  
*Ephiales* Dillon & Dillon, 318  
*Epimelitta* Bates, 159  
*Epipodocarpus* Bosq, 174  
*Episacus* Waterhouse, 13  
*Eponina* Lane, 247  
*Epropetes* Bates, 174  
*Eranina* Monné, 298  
*Eraninella* Galileo & Martins, 299  
*Erichsonia* Westwood, 11  
*Eriocharis* Aurivillius, 187  
*Eriphosoma* Melzer, 116  
*Eriphus* Audinet-Serville, 188  
*Erlandia* Aurivillius, 108  
*Erosida* Thomson, 87  
*Erphaea* Erichson, 207  
*Eryphus* Perty, 116  
*Erythrochiton* Zajciw, 117  
*Erythroplatys* White, 159  
*Erythropterus* Melzer, 117  
*Esaete* Galileo & Martins, 339  
*Esaguasu* Galileo & Martins, 281  
*Esamirim* Martins & Galileo, 299  
*Esmeralda* Thomson, 22  
*Esonius* Dillon & Dillon, 318  
*Esseiachryson* Martins, 53  
*Essostrutha* Thomson, 299  
*Essostruthella* Lane, 299  
*Esthlogena* (Esthlogena) Thomson, 339  
*Esthlogena* (Pseudotaxia) Breuning, 340  
*Esthlogenopsis* Breuning, 340  
*Estola* Fairmaire & Germain, 281  
*Estoloderces* Melzer, 335  
*Estoloides* (Estoloides) Breuning, 283  
*Estoloides* (Parestoloides) Breuning, 284  
*Estoloides* (Spinestoloides) Breuning, 284  
*Estolomimus* Breuning, 284  
*Ethemmon* Thomson, 200  
*Etimasu* Santos-Silva, Martins & Clarke, 159  
*Etyma* Galileo & Martins, 284  
*Etymosphaerion* Martins & Monné, 98  
*Eucharassus* Bates, 128  
*Eucharitolus* Bates, 207  
*Eucrossus* LeConte, 111  
*Eudercus* LeConte, 175  
*Eudesmus* Audinet-Serville, 318  
*Eudistenia* Fall, 146  
*Euestola* Breuning, 284

*Eugamandus* Fisher, 208  
*Eulachnesia* Bates, 299  
*Eumathes* Pascoe, 267  
*Eumichthus* LeConte, 108  
*Eumimesis* Bates, 267  
*Eupalessa* Monné, 319  
*Eupempelus* Bates, 117  
*Eupogonius* LeConte, 284  
*Eupromera* Westwood, 290  
*Eupromerella* Fisher, 235  
*Eurycallinus* Bates, 332  
*Euryestola* Breuning, 267  
*Eurylemma* Chemsak & Linsley, 33  
*Eurymerus* Audinet-Serville, 89  
*Euryprosopus* White, 146  
*Euryptera* Lepeletier & Audinet-Serville in Latreille, 33  
*Euryscelis* Dejean, 70  
*Eurysthea* Thomson, 98  
*Eusapia* Gounelle, 111  
*Eusphaerium* Newman, 275  
*Eusthenomus* Bates, 254  
*Eustromula* Cockerell, 98  
*Euteleuta* Bates, 261  
*Euthima* Dillon & Dillon, 319  
*Eutrichillus* Bates, 208  
*Eutrypanus* Erichson, 208  
*Evodinus* LeConte, 44  
*Exalcidion* Monné, 208  
*Exallancyla* Monné & Napp, 180  
*Exalpus* Restello, Iannuzzi & Marinoni, 236  
*Eyiaba* Galileo & Martins, 261

## F

*Falsamblethis* Breuning, 291  
*Falsestoloides* Breuning, 285  
*Falsischnolea* Breuning, 261  
*Fisherostylus* Gilmour, 208  
*Flabellomorphus* Galileo & Martins, 14  
*Formozotroctes* Tavakilian & Neouze, 236  
*Fortuneleptura* Villiers, 33  
*Frankluquetia* Tavakilian, 299  
*Fredlanea* Martins & Galileo, 299  
*Fredlanella* Martins & Galileo, 254  
*Fregolia* Gounelle, 129  
*Fron dipedia* Martins & Napp, 153  
*Furona* Dillon & Dillon, 319

## G

*Gagarinia* Lane, 300  
*Galileoana* Chemsak, 14  
*Galissus* Dupont, 188  
*Gambria* Chevrolat, 188  
*Gaurotes* LeConte, 44  
*Georgeana*, 208  
*Georgiana* Aurivillius, 188  
*Geropa* Casey, 53  
*Gibbestola* Breuning, 285  
*Gibbestoloides* Breuning, 285

Giesbertectipta Santos-Silva, Bezark & Martins, 160  
 Giesbertella Chemsak & Hovore in Eya, 188  
 Giesbertia Chemsak & Linsley, 188  
 Gigantotrichoderes Tippmann, 177  
 Gisostola Thomson, 291  
 Glaucotes Casey, 208  
 Glomibidion Napp & Martins, 138  
 Glycobius LeConte, 70  
 Glyphaga Thomson, 319  
 Glyptoceridion Martins, 119  
 Glyptoscapus Aurivillius, 119  
 Gnaphalodes Thomson, 56  
 Gnathopraxithea Seabra & Tavakilian, 178  
 Gnomibidion Martins, 139  
 Gnomidolon Thomson, 119  
 Goatacara Napp & Martins, 80  
 Goes LeConte, 311  
 Gonyacantha Thomson, 189  
 Gortonia Hovore, 189  
 Gorybia Pascoe, 149  
 Gounellea Lane, 254  
 Gounelleoeme Monné & Martins, 144  
 Gourbeyrella Lane, 176  
 Gracilia Audinet-Serville, 109  
 Gracililamia Breuning, 331  
 Graminea Thomson, 268  
 Grammicosum Blanchard in Orbigny, 111  
 Grammopsis Aurivillius, 250  
 Grammopsoides Breuning, 250  
 Grammoptera Audinet-Serville, 33  
 Granastychus Gilmour, 209  
 Graphisurus LeConte, 209  
 Grupiara Martins & Santos-Silva, 160  
 Gryllica Thomson, 268  
 Guayuriba Lane, 300  
 Gurubira Napp & Marques, 170  
 Gymnocerina Lane, 254  
 Gymnocerus Audinet-Serville, 254  
 Gymnopsyra Linsley, 98  
 Gyrpanetes Martins & Galileo, 285

## H

Hadroibidion Martins, 131  
 Haenkea Tippmann, 170  
 Hallothamus Thomson, 285  
 Hamatastus Gilmour, 209  
 Hamaticherus Audinet-Serville, 63  
 Haplidoeme Chemsak & Linsley, 144  
 Haplidus LeConte, 111  
 Harringtonia Lane, 268  
 Haruspex Thomson, 149  
 Hastatis Buquet, 268  
 Hebestola Haldeman, 311  
 Hedyathes Thomson, 236  
 Helmina Blanchard in Gay, 291  
 Helvina Thomson, 250  
 Hemicladius Buquet, 268  
 Hemierana Aurivillius, 300  
 Hemilissa Pascoe, 150

Hemilissopsis Lane, 99  
 Hemiloapis Galileo & Martins, 300  
 Hemilocrinitus Galileo & Martins, 300  
 Hemilomecopterus Martins & Galileo, 300  
 Hemilophus Audinet-Serville, 300  
 Hephaestoides Zajciw, 50  
 Hephaestion Newman, 50  
 Hephialtes Thomson, 16  
 Hesperandra (Hesperandra) Arigony, 12  
 Hesperandra (Tavandra) Santos-Silva, 12  
 Hesperanoplium Linsley, 111  
 Hespereburia Tavakilian & Monné, 111  
 Hesperophanes Dejean, 111  
 Hesperophanoschema Zajciw, 112  
 Hesperophymatus Zajciw, 112  
 Hesycha Fairmaire & Germain, 319  
 Hesychotypa Thomson, 319  
 Heterachthes Newman, 131  
 Heteraneplus Chemsak & Linsley, 112  
 Heteresmia Monné, 286  
 Heterocompsa Martins, 133  
 Heteropalpus Buquet, 10  
 Heterops Blanchard, 117  
 Hexacona Bates, 209  
 Hexocynidolon Martins, 121  
 Hexoplon Thomson, 121  
 Hilarolea Thomson, 300  
 Hilaroleopsis Lane, 301  
 Hileolaspis Galileo & Martins, 22  
 Hilobotheca Monné & Martins, 273  
 Hippopsis Lepeletier & Audinet-Serville in Lat, 251  
 Hirticallia Galileo & Martins, 268  
 Hirtobrasiliensis Fragoso & Tavakilian, 63  
 Hisarai Santos-Silva & Martins, 19  
 Hoegea Bates, 189  
 Holoaerenica Lane, 248  
 Holonotus Thomson, 29  
 Holopleura LeConte, 123  
 Homaloidion Martins, 139  
 Homoeophloeus Gahan, 254  
 Homogenes Thomson in Chevrolat, 117  
 Hoplistocerus Blanchard in Orbigny, 255  
 Hoplistonychus Melzer, 248  
 Hoplocleptes Breuning, 331  
 Hoplogrammicosum Gounelle, 99  
 Hormathus Gahan, 133  
 Hovorea Chemsak & Noguera, 153  
 Hovorelus Galileo & Monné, 14  
 Hovorestenia Santos-Silva & Hovore, 9  
 Hovorodon Santos-Silva, Swift & Nearn, 19  
 Hudepohllellus Chemsak & Hovore in Eya, 189  
 Hudepohlhia Martins & Galileo, 291  
 Huequenina Cerda, 53  
 Hybodera LeConte, 123  
 Hydraschema Thomson, 248  
 Hyleoza Galileo, 24  
 Hylettus Bates, 209  
 Hylorus Thomson, 80  
 Hylotrupes Audinet-Serville, 124  
 Hyperplatys Haldeman, 209  
 Hypexilis Horn, 109

Hypocephalus Desmarest, 6  
 Hypomia Thomson, 335  
 Hypselomus Perty, 320  
 Hypsioma Audinet-Serville, 320

## I

Ialyssus Thomson, 19  
 Iaquiria Galileo & Martins, 321  
 Iareonycha Martins & Galileo, 301  
 Iarucanga Martins & Galileo, 301  
 Iatuca Galileo & Martins, 301  
 Ibitiruna Galileo & Martins, 301  
 Ibypeba Martins & Galileo, 286  
 Icaunauna Martins & Galileo, 301  
 Icelastatis Galileo & Martins, 268  
 Icimauna Martins & Galileo, 301  
 Iclubia Galileo & Martins, 286  
 Icupima Martins & Galileo, 301  
 Idephrynus Bates, 210  
 Ideratus Thomson, 124  
 Idiopidonia Swaine & Hopping, 33  
 Igualda Thomson, 268  
 Inermestola Breuning, 286  
 Inermestoloides Breuning, 286  
 Insuetaspis Galileo & Martins, 23  
 Ipepo Martins & Galileo, 301  
 Ipochnus LeConte, 331  
 Iquiara Martins & Galileo, 301  
 Iquiracetima Galileo & Martins, 290  
 Ironeus Bates, 99  
 Irundiaba Martins & Galileo, 262  
 Irundisaua Martins & Galileo, 236  
 Ischasia Thomson, 160  
 Ischasioides Tavakilian & Peñaherrera-Leiva, 160  
 Ischiocentra Thomson, 321  
 Ischioderes Dillon & Dillon, 321  
 Ischioloncha Thomson, 262  
 Ischionodonta Chevrolat, 171  
 Ischionorox Aurivillius, 66  
 Ischiosioma Martins & Galileo, 321  
 Ischnocnemis Thomson, 189  
 Ischnolea Thomson, 286  
 Ischnoleomimus Breuning, 286  
 Ischnophygus Thomson, 301  
 Isomerida Bates, 302  
 Isostenygra Martins & Galileo, 122  
 Isotomus Mulsant, 70  
 Isthmiade Thomson, 160  
 Itaclytus, 70  
 Itacolomi Galileo & Martins, 291  
 Itaituba Lane, 302  
 Itajutinga Martins, 236  
 Ites Waterhouse, 302  
 Itumbiara Martins & Galileo, 302  
 Iuaca Galileo & Martins, 99  
 Iuati Martins & Galileo, 66  
 Iurubanga Martins & Galileo, 286

## J

Jamesia Jekel, 321  
 Jampruca Napp & Martins, 99  
 Japi Martins & Galileo, 321  
 Jolyellus Galileo & Martins, 286  
 Judolia Mulsant, 33  
 Juiaparus Martins & Monné, 63  
 Juninia Lane, 302  
 Jupoata Martins & Monné, 64  
 Jurua Lane, 255

## K

Kallyntrosternidius Vitali, 210  
 Kalore Martins & Galileo, 146  
 Knulliana Linsley, 56  
 Kolonibidion Martins, 133  
 Kuatinga Martins & Galileo, 302  
 Kunaibidion Giesbert, 133  
 Kyranycha Martins & Galileo, 303

## L

Lachaerus Thomson, 321  
 Lachnia Audinet-Serville, 321  
 Laedorcari, 161  
 Lagocheirus Dejean, 210  
 Lamacoscylus Martins & Galileo, 303  
 Lamiessa Bates, 286  
 Lamproclitus Fisher, 176  
 Lampropterus Mulsant, 174  
 Lanephus Martins, 99  
 Lapazina Lane, 303  
 Laraesima Thomson, 275  
 Lasiogaster Gahan, 24  
 Lasiolepturges Melzer, 211  
 Lathroeus Thomson, 211  
 Lathusia Zajciw, 171  
 Laticranium Lane, 308  
 Lautarus Germain, 55  
 Leiopus Audinet-Serville, 211  
 Leptalia LeConte, 31  
 Leptochoriolaus Chemsak & Linsley, 34  
 Leptocometes Bates, 211  
 Leptophaula Breuning, 262  
 Leptorhabdium Kraatz, 47  
 Leptostylopsis Dillon, 212  
 Leptostylus LeConte, 212  
 Leptrichillus Gilmour, 214  
 Leptura (Leptura) Linnaeus, 34  
 Lepturdrys Gilmour, 214  
 Lepturgantes Gilmour, 214  
 Lepturges (Chaeturges) Gilmour, 214  
 Lepturges (Lepturges) Bates, 215  
 Lepturginus Gilmour, 216  
 Lepturgotrichona Gilmour, 216  
 Lepturopsis Linsley & Chemsak, 34  
 Lesbates Dillon & Dillon, 322  
 Lethes Zayas, 216  
 Leucophoebe Lane, 303

*Leus Dillon & Dillon*, 322  
*Lianema Fall*, 109  
*Liberadaxia Alten, Alten & Ramey*, 144  
*Limernaea Thomson*, 112  
*Limozota Pascoe*, 108  
*Lingafelteria Nearn & Tavakilian*, 322  
*Linsleychroma Giesbert*, 58  
*Linsleyonides Skiles*, 99  
*Liosteburia Tavakilian & Monné*, 112  
*Liostola Zajciw*, 112  
*Liosynaphaeta Fisher*, 309  
*Lissoeme Martins, Chemsak & Linsley*, 89  
*Lissonomimus Viana & Martinez*, 189  
*Lissonoschema Martins & Monné*, 189  
*Lissonotus Dalman in Schoenherr*, 124  
*Lissonotus Thomson*, 189  
*Lissozodes Bates*, 128  
*Listroptera Audinet-Serville*, 171  
*Lithargyrus Martins & Monné*, 216  
*Lochmaeocles Bates*, 322  
*Lochmodocerus Burne*, 311  
*Longilepturges*, 217  
*Lophalia Casey*, 189  
*Lophopoenopsis Melzer*, 217  
*Lophopoeum Bates*, 217  
*Lophopogonius Linsley*, 335  
*Lophoschema Monné*, 178  
*Luscosmodicum Martins*, 125  
*Lustrocomus Martins & Galileo*, 268  
*Luteolepturges Monné & Monné*, 217  
*Lycaneptia Thomson*, 303  
*Lycidocerus Chemsak & Linsley*, 34  
*Lycidola Thomson*, 303  
*Lycochoriolaus Linsley & Chemsak*, 34  
*Lycodesmus Melzer*, 303  
*Lycomimus Melzer*, 303  
*Lycomorphoides Linsley*, 35  
*Lydipta Thomson*, 323  
*Lygistropteroides Linsley & Chemsak*, 35  
*Lygrocharis Melzer*, 161  
*Lypsimena Haldeman*, 335

## M

*Macellidiopygus Gounelle*, 178  
*Macrambyx Fragoso*, 67  
*Macrochoriolaus Linsley*, 35  
*Macrodonia Lacordaire*, 18  
*Macroeme Aurivillius*, 144  
*Macronemus Dejean*, 236  
*Macropophora Thomson*, 237  
*Magaliella Galileo & Martins*, 99  
*Maisi Zayas*, 331  
*Malacopterus Audinet-Serville*, 144  
*Malacoscyllus Thomson*, 303  
*Mallaspis Audinet-Serville*, 23  
*Mallocera Audinet-Serville*, 99  
*Mallodon Lacordaire*, 20  
*Mallodonhoplus Thomson*, 20  
*Mallodonopsis Thomso*, 20  
*Mallosoma Audinet-Serville*, 117

*Malobidion Schaeffer*, 112  
*Malthonea Thomson*, 286  
*Mannophorus LeConte*, 190  
*Marauna Martins & Galileo*, 129  
*Marensis Dillon & Dillon*, 323  
*Mariliana Lane*, 304  
*Maripanus Germain*, 80  
*Martinsellus Huedepohl*, 190  
*Martinsia Chemsak & Linsley*, 144  
*Marupia Martins & Galileo*, 173  
*Mauesia Lane*, 308  
*Mecas (Dylobolus) Thomson*, 333  
*Mecas (Mecas) LeConte*, 333  
*Mecas (Pannychis) Thomson*, 334  
*Mecasoma Chemsak & Linsley*, 342  
*Mecometopus Thomson*, 70  
*Mecosarthron Buquet*, 20  
*Mecotetartus Bates*, 217  
*Mecynome Bates*, 331  
*Megabasis Audinet-Serville*, 308  
*Megacera Audinet-Serville*, 251  
*Megacaron Martins*, 138  
*Megacheuma Mickel*, 71  
*Megachoriolaus Linsley*, 35  
*Megacyllene*, 71  
*Meganeffus Linsley*, 99  
*Meganoplium Linsley*, 112  
*Megapedion Martins*, 139  
*Megapsyrassa Linsley*, 99  
*Megasemum Kraatz*, 48  
*Megobrium LeConte*, 123  
*Megosmidus Hovore*, 112  
*Melathemma Bates*, 67  
*Meloemorphia Chemsak & Linsley*, 35  
*Melzerella Costa Lima*, 248  
*Melzerina Lane*, 304  
*Melzerus Monné*, 237  
*Mendesina Lane*, 51  
*Mephritus Pascoe*, 100  
*Meridiotroctes Martins & Galileo*, 237  
*Meriellum Linsley*, 60  
*Meringodes*, 171  
*Merionoedopsis Gounelle*, 127  
*Merocoremia Marques*, 171  
*Meroscelisus Audinet-Seville*, 24  
*Meryeurus Martins & Galileo*, 89  
*Mesestola Breuning*, 268  
*Metacmaeops Linsley & Chemsak*, 44  
*Metacriodion Fragoso*, 67  
*Metaleptus Bates*, 190  
*Metalloeme Touroult, Dalens & Tavakilian*, 146  
*Metaphrenon Martins*, 173  
*Methia Newman*, 125  
*Methicula Chemsak & Linsley*, 126  
*Methioeme Zajciw*, 146  
*Methioides Chemsak & Linsley*, 146  
*Metironeus Chemsak*, 100  
*Metopocoilus Audinet-Serville*, 190  
*Mexicoscyllus*, 304  
*Micatocomus Galileo & Martins*, 269  
*Michthisoma LeConte*, 49

*Micraneflus* Linsley, 100  
*Micranoplum* Linsley, 100  
*Micratelodesmis* Martins & Galileo, 287  
*Microcanus* Dillon & Dillon, 323  
*Microcleptes* Newman, 331  
*Microclytus* LeConte, 54  
*Microgoes* Casey, 311  
*Microibidion* Martins, 133  
*Micropelta* Zajciw, 190  
*Microplia* Audinet-Serville, 217  
*Microplophorus* Blanchard in Gay, 24  
*Micropsyrassa* Linsley, 100  
*Midamiella* Monné, 323  
*Migdolus* Westwood, 5  
*Migmocera* Martins, 150  
*Migorybia* Martins, 150  
*Miguelia* Galileo & Martins, 269  
*Miltesthus* Bates, 100  
*Mimasyngenes* Breuning, 287  
*Mimestola* Breuning, 287  
*Mimestoloides* Breuning, 287  
*Mimiptera* Linsley, 35  
*Mimochariergus* Zajciw, 80  
*Mimoeme* Chemsak & Linsley, 147  
*Mimolaia* Bates, 269  
*Mimolochus* Thomson, 312  
*Mimommata* Peñaherrera-Leiva & Tavakilian, 161  
*Mimonneticus* Monné & Napp, 180  
*Mimopogonius* Breuning, 287  
*Minibidion* Martins, 139  
*Minipsyrassa* Martins, 101  
*Mionochroma* Schmidt, 58  
*Miriclytus*, 72  
*Miriochrus* Galileo & Martins, 237  
*Mocoiasura* Martins & Galileo, 304  
*Molitones* Gounelle, 190  
*Molorchus* Fabricius, 127  
*Moneilema* Say, 309  
*Monnechroma* Napp & Martins, 58  
*Monneles* Napp & dos Santos, 118  
*Monneella* Martins, 81  
*Monneellus* Huedepohl, 190  
*Monneoncideres*, 323  
*Monnetyra* Galileo & Martins, 287  
*Monneus* Magno, 161  
*Monochamus* Dejean, 312  
*Monodesmus* Audinet-Serville, 24  
*Montesia* Lane, 248  
*Monzonina* Giesbert, 133  
*Mordellistenomimus* Chemsak & Linsley, 36  
*Morphaneffus* Martins & Napp, 101  
*Mundeu* Martins & Galileo, 237  
*Murupeaca* Martins & Galileo, 304  
*Murupi* Martins & Galileo, 287  
*Muscidora* Thomson, 190  
*Muxbalia* Giesbert & Chemsak, 171  
*Mygalobas* Chevrolat, 176  
*Myopsocometes* Santos-Silva & Tavakilian, 10  
*Myoxinus* Bates, 237  
*Myoxomorpha* White, 237  
*Myrmeocorus* Martins, 129

*Mysteria* Thomson, 6  
*Myzomorphus* Dejean, 14

## N

*Nanilla* Fleutiaux & Sallé, 332  
*Nanustes* Gilmour, 217  
*Nathriobrium* Hovore, 153  
*Nathrius* Bréthes, 127  
*Navosoma* Blanchard, 17  
*Nealcidion* Monné, 217  
*Neandra* Lameere, 11  
*Neaneffus* Linsley, 101  
*Neanthophylax* Linsley & Chemsak, 44  
*Necalphus* Lane, 237  
*Necydalis* Linnaeus, 51  
*Necydalopsis* Blanchard in Gay, 128  
*Necydalosaurus* Tippmann, 147  
*Neholopterus* Martins & Monné, 152  
*Nemognathomimus* Chemsak & Linsley, 36  
*Neochryson* Monné & Monné, 53  
*Neoalosterna* Podany, 36  
*Neoamphion* Monné, 252  
*Neobaryssinus* Monné & Martins, 219  
*Neobellamira* Swaine & Hopping, 36  
*Neobrachychilus* Monné, 332  
*Neocherentes* Tippmann, 323  
*Neochrysoprasia* Franz, 190  
*Neoclytus* Thomson, 72  
*Neocolobura* Monné, 287  
*Neocompsa* Martins, 133  
*Neocoridolon* Melzer, 129  
*Neocorus* Thomson, 129  
*Neocrossidius* Chemsak, 191  
*Neoctoplon* Martins, 138  
*Neodillonia* Monné & Fragoso, 323  
*Neoburria* Galileo & Martins, 87  
*Neoeme* Gounelle, 144  
*Neoeutrypanus* Monné, 219  
*Neogalissus* Monné & Martins, 191  
*Neognomidolon* Martins, 122  
*Neohebestola* Marinoni, 291  
*Neohoplonotus* Monné, 332  
*Neohylus* Monné, 323  
*Neoibidion* Monné, 138  
*Neolampidusa* Monné, 323  
*Neoleptura* Thomson, 36  
*Neoma*, 20  
*Neomallocera* Martins & Napp, 101  
*Neomallodon* Linsley, 20  
*Neomegaderus* Monné, 191  
*Neomoema* Martins & Galileo, 304  
*Neopalame* Martins & Monné, 219  
*Neoperiboeum* Linsley, 101  
*Neophygopoda* Melzer, 161  
*Neopibanga* Martins & Galileo, 290  
*Neoplectrura* Chemsak & Linsley, 332  
*Neopociloderma* Monné & Martins, 118  
*Neopotiaca* Martins & Galileo, 138  
*Neoptychodes* Dillon & Dillon, 312  
*Neoregostoma* Monné & Giesbert, 161

*Neospondylis* Sama, 49  
*Neotaphos* Fisher, 191  
*Neotaranomis* Chemsak & Linsley, 191  
*Neotropidion* Martins, 140  
*Neozodes* Zajciw, 128  
*Nepagyrtis* Martins & Galileo, 287  
*Nephalioides* Linsley, 101  
*Nephalius* Newman, 101  
*Nesanoplum* Chemsak, 101  
*Neseuterpia* Villiers, 219  
*Nesiosphaerion* Martins & Napp, 101  
*Nesodes* Linsley, 101  
*Nesoeme* Linsley & Chemsak, 144  
*Nesophanes* Chemsak, 112  
*Nesosmodicum* Martins, 173  
*Nesozineus* Linsley & Chemsak, 238  
*Nicias* Thomson, 14  
*Niophis* Bates, 89  
*Noctileptura* Chemsak & Linsley, 36  
*Nodubothea* Monné & Monné, 273  
*Noguerana* Chemsak & Linsley, 191  
*Nothopleurus* Lacordaire, 21  
*Nothoprodontia* Monné & Monné, 191  
*Notosphaeridion* Martins, 122  
*Novantinoe* Santos-Silva & Hovore, 9  
*Nubosoplatus* Swift, 154  
*Nyctonympha* Thomson, 292  
*Nyssicostylus* Melzer, 101  
*Nyssicus* Pascoe, 101  
*Nyssocarinus* Gilmour, 219  
*Nyssocuneus* Gilmour, 219  
*Nyssodectes* Dillon, 219  
*Nyssodrysilla* Gilmour, 219  
*Nyssodrysina* Casey, 220  
*Nyssodrysternum* Gilmour, 220  
*Nyssosternus* Gilmour, 221

## O

*Oberea* Mulsant, 315  
*Obereoides* Fisher, 292  
*Obrium* Dejean, 142  
*Ochraethes* Chevrolat, 74  
*Ochrodion* Fragoso, 67  
*Ochromima* Bates, 304  
*Ochrus* Lacordaire, 112  
*Ocoa* Lane, 304  
*Ocroeme* Martins, Chemsak & Linsley, 144  
*Octotapnia* Galileo & Martins, 238  
*Oculipetilus* Santos-Silva & Hovore, 10  
*Odontocera* Audinet-Serville, 161  
*Odontozineus* Monne, 221  
*Oectropsis* Blanchard in Gay, 221  
*Oedopeza* Audinet-Serville, 221  
*Oedudes* Thomson, 304  
*Oeme* Newman, 145  
*Oiceaca* Martins & Galileo, 288  
*Oideterus* Thomson, 14  
*Okamira* Galileo & Martins, 304  
*Olenosus* Bates, 222  
*Olexandrella* Zajciw, 81

*Olivensa* Lane, 305  
*Ommata* White, 163  
*Ommidion* Newman, 148  
*Omosarotes* Pascoe, 277  
*Onalcidion* Thomson, 222  
*Oncideres* Lacordaire, 323  
*Oncideres* Martins & Galileo, 326  
*Onocephala* Sturm, 330  
*Onychocerus* Lacordaire, 255  
*Opacibidion* Martins, 140  
*Opades* Lacordaire, 87  
*Opthalmibidion* Martins, 138  
*Opthalmoplion* Martins, 122  
*Ophthalmocydrus* Aurivillius, 340  
*Oplosia* Mulsant, 238  
*Opsibidion* Martins, 134  
*Opsimus* Mannerheim, 147  
*Optomerus* Giesbert, 163  
*Oraphanes* Chemsak & Linsley, 112  
*Oregostoma* Audinet-Serville, 163  
*Oreodera* Audinet-Serville, 238  
*Orion* Guérin-Méneville, 102  
*Ornistomus* Thomson, 163  
*Ornithia* Thomson, 82  
*Oropyrodes* Galileo & Martins, 23  
*Oroxenofrea* Galileo & Martins, 345  
*Orthochoriolaus* Linsley & Chemsak, 36  
*Ortholeptura* Casey, 36  
*Orthomegas*, 16  
*Orthosoma* Audinet-Serville, 26  
*Orthostoma* Lacordaire, 80  
*Orwellion* Skiles, 102  
*Osmidus* LeConte, 112  
*Osmopleura* Linsley, 54  
*Otheostethus* Bates, 14  
*Othnocerus* Martins, 150  
*Oxathres* Bates, 222  
*Oxathridia* Gilmour, 222  
*Oxycoleus* Lacordaire, 147  
*Oxylopsebus* Clarke, 148  
*Oxylymma* Pascoe, 163  
*Oxymerus* Dupont in Audinet-Serville, 191  
*Oxyommata* Zajciw, 163  
*Oxypeltus* Blanchard in Gay, 5  
*Ozineus* Bates, 222  
*Ozodera* Dupont, 192  
*Ozodes* Audinet-Serville, 128  
*Ozotroctes* Bates, 241

## P

*Pachymerola* Bates, 123  
*Pachypeza* Audinet-Serville, 252  
*Pachyta* Dejean, 44  
*Palaeotrachyderes* Tippmann, 192  
*Palame* Bates, 223  
*Paleohemilophus* Martins & Galileo, 305  
*Palpibidion* Martins & Galileo, 138  
*Palpicrassus* Martins & Galileo, 262  
*Panchylissus* Waterhouse, 192  
*Pandrosos* Bates, 164

- Panegyrtes Thomson, 288  
 Pannychella Gilmour, 334  
 Pannychina Gilmour, 334  
 Pantomallus Lacordaire, 87  
 Pantonyssus Bates, 102  
 Parabaryssinus Monne, 223  
 Parabatyle Casey, 192  
 Parablabicentrus Dalens, Touroult & Tavakilian, 288  
 Paracallia Martins & Galileo, 269  
 Parachalastinus Galileo & Martins, 255  
 Paracleodoxus Monne & Monne, 223  
 Paracometes Villiers, 10  
 Paracompsa Martins, 134  
 Paracompsosoma Breuning, 276  
 Paracriodion Fragoso, 67  
 Paradesmiphora Breuning, 288  
 Paradiscopus Schwarzer, 241  
 Paradrycothaea Galileo & Martins, 269  
 Paraeclipta, 164  
 Paraesylacris Breuning, 262  
 Paraethecerus Bruch, 192  
 Paragortonia Chemsak & Noguera, 192  
 Parahephaeston Melzer, 51  
 Paraholopterus Cerda & Cekalovic, 148  
 Paralcidion Gilmour, 223  
 Paraleptidea Gounelle, 153  
 Paralioptola Tavakilian & Monné, 113  
 Paralissoeme Dalens & Touroult, 90  
 Paramartinsia Martins & Galileo, 145  
 Paramigdolus Dias, 5  
 Parananilla Breuning, 332  
 Parandra (Birandra) Santos-Silva, 11  
 Parandra (Parandra) Latreille, 12  
 Parandriceps Giesbert, 113  
 Paranisopodus Monné & Martins, 223  
 Paranoplium Casey, 145  
 Paranyssicus Martins, 102  
 Parapantonyssus Galileo & Martins, 102  
 Parapeba Galileo & Martins, 305  
 Paraprobatius Breuning, 223  
 Parapythais Monné, 276  
 Parasemnus Martins, 148  
 Parasemolea Martins & Galileo, 269  
 Parasphaerion Martins & Napp, 102  
 Parasphallenum Fragoso, 67  
 Parastizocera Linsley, 102  
 Parastrongylaspis Giesbert, 21  
 Paratemnopsis Martins, 147  
 Paratenthra Monné, 223  
 Paratessaropa Zajciw, 126  
 Parathetesis Linsley, 192  
 Paratiaia Dalens & Giuglaris, 64  
 Paratimia Fisher, 49  
 Paratrachysomus Monné & Fragoso, 326  
 Paratrichonius, 224  
 Paratritania Breuning, 326  
 Parauna Lane, 305  
 Parelaphidion Skiles, 102  
 Parepectasoides Breuning, 340  
 Parepimelitta Bruch, 128  
 Parestola Bates, 288  
 Parevander Aurivillius, 192  
 Parhippopsis Breuning, 252  
 Parischasia Tavakilian & Peñaherrera-Leiva, 164  
 Parischnolea Breuning, 288  
 Parmenonta Thomson, 262  
 Parmenosoma Schaeffer, 332  
 Paroectropsis Cerda, 224  
 Paroecus Bates, 224  
 Parommidion Martins, 109  
 Paromoeocerus Gounelle, 200  
 Paroxoplus Chemsak, 192  
 Parozodera Bruch, 192  
 Parozodes Aurivillius, 171  
 Parunxia Napp, 200  
 Pasiphyle Thomson, 164  
 Pathocerus Waterhouse, 6  
 Pattalinus (Lepturguncus) Gilmour, 224  
 Pattalinus (Pattalinus) Bates, 224  
 Pempteuryss Bates, 54  
 Penaherreraus Roguet, 241  
 Penichroa Stephens, 110  
 Pentanodes Schaeffer, 176  
 Pentheochaetes Melzer, 224  
 Perarthrus LeConte, 193  
 Periboeum Thomson, 103  
 Periergates Lacordaire, 327  
 Periestola Breuning, 288  
 Perigracilia Linsley, 110  
 Perilasius Bates, 113  
 Perissomerus Gounelle, 140  
 Peritapnia Horn, 241  
 Peritrox Bates, 327  
 Pertyia Aurivillius, 224  
 Peruanus Tippmann, 64  
 Phacellocera Laporte, 255  
 Phacellocerina Lane, 255  
 Phacellus Dejean, 333  
 Phaea Newman, 342  
 Phaedinus Dupont in Audinet-Serville, 193  
 Phantazoderus Fairmaire & Germain, 55  
 Pharcidodes Martins, 150  
 Phaula Thomson, 248  
 Phespia Bates, 164  
 Philematium Thomson, 58  
 Phimosia Bates, 193  
 Phocibidion Martins, 140  
 Phoebe Audinet-Serville, 305  
 Phobella Lane, 305  
 Phobemima Tippmann, 305  
 Phoenicus Lacordaire, 193  
 Phoenidnus Pascoe, 193  
 Phoracantha Newman, 148  
 Phrissolaus Bates, 224  
 Phryneta Dejean, 333  
 Phrynidius Lacordaire, 262  
 Phrynocris Bates, 113  
 Phrynoeme Martins, 145  
 Phygopoda Thomson, 164  
 Phygopoides Peñaherrera-Leiva & Tavakilian, 165  
 Phymatioderus Blanchard in Orbigny, 113

- Phymatodes* Mulsant, 60  
*Physocnemum* Haldeman, 61  
*Physopleurus* Lacordaire, 21  
*Piampatara* Martins & Galileo, 305  
*Pibanga* Galileo & Martins, 290  
*Pidonia* (Ceratopidonia) Linsley & Chemsak, 44  
*Pidonia* (Pidonia) Mulsant, 45  
*Pidonia* (Thesalia) Casey, 45  
*Piesacus* Galileo, 14  
*Piezarina* Martins, 151  
*Piezasteria* Martins, 151  
*Piezocera* Audinet-Serville, 151  
*Piezochaerus* Melzer, 224  
*Piezogenista* Martins, 151  
*Piezophidion* Galileo & Martins, 103  
*Piezosecus* Martins & Galileo, 151  
*Piimuna* Martins & Galileo, 288  
*Pilisphaerion* Martins & Napp, 103  
*Piodes* LeConte, 45  
*Piola* Marinoni, 333  
*Pirangoclytus*, 75  
*Piratiniga* Galileo & Martins, 305  
*Pirwana* Galileo & Martins, 288  
*Piruanycha* Martins & Galileo, 306  
*Piruapsis* Galileo & Martins, 128  
*Placoclytus* Chemsak & Linsley, 75  
*Placoeme* Chemsak & Linsley, 145  
*Placoschema* Chemsak & Hovore in Eya, 193  
*Placosternus* Hopping, 75  
*Plagiohammus* Dillon & Dillon, 312  
*Plagionotus* Mulsant, 76  
*Plagiosarus* Bates, 241  
*Planopus* Bosq, 51  
*Platerosida* Linsley, 45  
*Platyarthron* Guérin-Méneville, 151  
*Platysternus* Dejean, 255  
*Plaumannella* Fisher, 332  
*Plectrocerum* Dejean, 118  
*Plectrodera* Dejean, 313  
*Plectromerus* Haldeman, 152  
*Plectrura* Mannerheim, 332  
*Pleiarthrocerus* Bruch, 152  
*Plerodia* Thomson, 327  
*Plesioclytus* Giesbert, 76  
*Pleuromenus* Bates, 193  
*Plinthocoelium* Schmidt, 59  
*Plionoma* Casey, 193  
*Plistonax* Thomson, 241  
*Plocaederus* Megerle, in Dejean, 64  
*Pnigomenus* Bosq, 62  
*Poecilobrium* Horn in LeConte & Horn, 109  
*Poeciloderma* White, 118  
*Poecilomallus* Bates, 103  
*Poecilopeplus* Dejean, 193  
*Poecilopyrodes* Galileo & Martins, 23  
*Poeciloxestia* Lane, 67  
*Poekilosoma* Audinet-Serville, 15  
*Pogonillus* Bates, 288  
*Pogonocherus* (Pogonocherus) Dejean, 336  
*Poliaenus* Bates, 336  
*Polyzoa* Audinet-Serville,, 24  
*Polyrhaphis* Audinet-Serville, 337  
*Polyschisis* Audinet-Serville, 194  
*Porangonycha* Martins & Galileo, 306  
*Potiaete* Martins & Galileo, 113  
*Potiapua* Napp & Monné, 172  
*Potiatuca* Galileo & Martins, 262  
*Potiaxixa* Martins & Monné, 64  
*Poticuara* Martins & Galileo, 306  
*Potisangaba* Napp & Martins, 118  
*Praemallaspis* Galileo & Martins, 23  
*Praxithea* Thomson, 178  
*Pretilia* Bates, 337  
*Prionacalus* White, 26  
*Prionapterus* Guérin-Méneville, 15  
*Prionus* (Antennalia) Casey, 26  
*Prionus* (Homaesthesia) LeConte, 26  
*Prionus* (Neopolyarthron) Semenov, 27  
*Prionus* (Prionus) Geoffroy, 27  
*Prionus* (Trichoprionus) Fragoso & Monné, 28  
*Priscatoides* Dillon & Dillon, 327  
*Priscilla* Thomson, 273  
*Probationimimus* Melzer, 224  
*Proceroblesthis* Galileo & Martins, 292  
*Prodontia* Audinet-Serville, 194  
*Proeme* Martins, 147  
*Proholopterus* Monné, 153  
*Prohylus* Martins & Galileo, 327  
*Pronocera* Motschulsky, 62  
*Pronoplion* Martins, 122  
*Pronuba* Thomson, 87  
*Propantodice* Franz, 248  
*Proplerodia* Martins & Galileo, 327  
*Prosenella* Lane, 263  
*Proseriphus* Monné, 225  
*Prosternodes* Thomson, 30  
*Prothoracibidion* Martins, 138  
*Protomallocera* Martins & Napp, 103  
*Protorma* Waterhouse, 21  
*Protosphaerion* Gounelle, 103  
*Protuberanotum* Barriga & Cepeda, 80  
*Proxatrypanius* Gilmour, 225  
*Psapharochrus* Thomson, 241  
*Psapharoctes* Tavakilian & Neouze, 243  
*Psenocerus* LeConte, 289  
*Pseudacorethra* Tavakilian & Penaherrera-Leiva, 165  
*Pseudaethomerus* Tippmann, 243  
*Pseudagaone* Tippmann, 165  
*Pseudastylopsis* Dillon, 225  
*Pseudegalicia* Galileo & Martins, 306  
*Pseudepectasis* Breuning, 263  
*Pseudestola* Breuning, 289  
*Pseudestoloides* Breuning & Heyrovsky, 289  
*Pseudisthmiade* Tavakilian & Peñaherrera-Leiva, 165  
*Pseudobeta* Zajciw, 327  
*Pseudocephalus* Newman, 153  
*Pseudocobelura* Martins & Monné, 225  
*Pseudocolynthaea* Martins, 151  
*Pseudocometes* Villiers, 10  
*Pseudocriopsis* Melzer, 225



*Pseudodeltaspis* Linsley, 194  
*Pseudoeriphus* Zajciw, 194  
*Pseudogaurotina* Plaviltstshikov, 45  
*Pseudogisostola* Fontes & Martins, 292  
*Pseudogrammopsis* Zajciw, 252  
*Pseudolepturges* Gilmour, 225  
*Pseudolinda* Breuning, 334  
*Pseudomallocera* Zajciw, 104  
*Pseudomecas* Aurivillius, 249  
*Pseudomethia* Linsley, 126  
*Pseudopathocerus* Dias, 6  
*Pseudoperiboeum* Linsley, 104  
*Pseudoperma* Dillon & Dillon, 330  
*Pseudophaula* Lane, 249  
*Pseudophimosia* Delfino, 194  
*Pseudophistomis* Linsley & Chemsak, 36  
*Pseudophygopoda* Tavakilian & Penaherrera-Leiva, 165  
*Pseudopilema* Linsley, 123  
*Pseudoplon* Martins, 122  
*Pseudosparna* Mermudes & Monne, 225  
*Pseudostenaspis* Melzer, 194  
*Pseudostrangalia* Swaine & Hopping, 36  
*Pseudotacocha* Martins & Galileo, 306  
*Pseudotaeniotes* Dillon & Dillon, 313  
*Pseudotapnia* Chemsak & Linsley, 243  
*Pseudothonalmus* Guerrero, 118  
*Pseudotypocerus* Linsley & Chemsak, 36  
*Pseudoxysteus* Sama, 47  
*Psiloibidion* Martins, 140  
*Psygmatoecus* Perty, 178  
*Psyllotoxoides* Breuning, 327  
*Psyllotoxus* Thomson, 327  
*Psyrrassa* Pascoe, 104  
*Psyrrassaforma* Chemsak, 104  
*Pteracantha* Newman, 194  
*Ptericoptomimus* Melzer, 289  
*Ptericoptus* Lacordaire, 263  
*Pteridotelus* White, 243  
*Pterolophosoma* Vitali, 289  
*Pteroplatidius* Linsley, 194  
*Pteroplatus* Buquet, 154  
*Pteroplius* Lacordaire, 340  
*Ptychodes* Audinet-Serville, 313  
*Puanama* Galileo & Martins, 290  
*Pubescibidion* Martins, 135  
*Pucallpa* Lane, 225  
*Punctozotroctes* Tavakilian & Neouze, 244  
*Purpuricenopsis* Zajciw, 118  
*Purpuricenus* Dejean, 194  
*Purusia* Lane, 306  
*Purusiella* Dalens, Touroult & Tavakilian, 306  
*Pynomorphidiellus* Tavakilian & Peñaherrera-Leiva, 244  
*Pygmaeopsis* Schaeffer, 336  
*Pygmaleptostylus* Gilmour, 225  
*Pygmodeon* Martins, 135  
*Pygoleptura* Linsley & Chemsak, 37  
*Pyrianoreina* Martins & Galileo, 244  
*Pyrodes* Audinet-Serville, 23  
*Pyrotrichus* LeConte, 31

*Pyropyra* Santos-Silva, Martins & Clarke, 165  
*Pythais* Thomson, 276

## Q

*Quatiara* Lane, 306  
*Quercivir* Lameere, 24  
*Quiacaua* Martins, 87  
*Quirimbaui* Martins & Galileo, 306

## R

*Rachidion* Audinet-Serville, 194  
*Ranqueles* Gounelle, 56  
*Rashelapso* Clarke, Martins & Santos-Silva, 165  
*Recchia* Lane, 249  
*Retrachydes* Huedepohl, 195  
*Rhachicolus* Galileo, 15  
*Rhagium* Fabricius, 45  
*Rhaphiptera* Audinet-Serville, 340  
*Rhaphipteroides* Touroult & Tavakilian, 341  
*Rhathymoscelis* Thomson, 51  
*Rhinotragus* Germar, 165  
*Rhodocharis* Lacordaire, 15  
*Rhodoleptus* Linsley, 195  
*Rhomboidederes* Zajciw, 105  
*Rhopalessa* Bates, 166  
*Rhopaliella* Monné, 172  
*Rhopalophora* Audinet-Serville, 172  
*Rhopalophorella* Linsley, 172  
*Rhysium* Pascoe, 138  
*Rierguscha* Viana, 200  
*Romulus* Knoll, 105  
*Ropalopus* Mulsant, 62  
*Rosalba* Thomson, 263  
*Rosalia* (Rosalia) Audinet-Serville, 81  
*Rostroclytus*, 76  
*Rumacon* Blackwelder, 249  
*Rumuara* Martins & Galileo, 269

## S

*Sachalinobia* Jacobson, 47  
*Saepiseuthes* Thomson, 292  
*Saltanecydalopsis* Barriga & Cepeda, 128  
*Sangaris* Dalman, 273  
*Saperda* Fabricius, 341  
*Sarifer* Kirsch, 24  
*Sarillus* Bates, 264  
*Sarosesthes* Thomson, 76  
*Satipoella* Lane, 256  
*Scapanopygus* Gounelle, 56  
*Scaphinus* LeConte, 50  
*Scatopyrodes* Galileo & Martins, 23  
*Schiacallia* Galileo & Martins, 269  
*Schizax* LeConte, 195  
*Schreiteria* Melzer, 332  
*Sciadosoma* Melzer, 225  
*Sciocyrtinus* Fisher, 277  
*Scleronotus* White, 244

*Scolochilus* Monné, 333  
*Scopadus* Pascoe, 277  
*Scythroleus* Bates, 195  
*Seabraellus* Huedepohl, 195  
*Seabraia* Zajciw, 195  
*Seabriella* Zajciw, 195  
*Semanotus* Mulsant, 62  
*Sepaicutea* Lane, 145  
*Seticeros* Perger & Santos-Silva, 17  
*Sibapipunga* Martins & Galileo, 306  
*Simplexeburia* Martins & Galileo, 87  
*Smaragdion* Martins, 140  
*Smodicum* Haldeman, 173  
*Solangella* Martins, 88  
*Solenoptera* Audinet-Serville, 30  
*Soluta* Lacordaire, 336  
*Sorelia* Lane, 244  
*Spalacopsis* Newman, 252  
*Sparna* Thomson, 273  
*Spathoptera* Audinet-Serville, 306  
*Spathopygus* Lacordaire, 178  
*Sphaenothecus* Dupont, 195  
*Sphaerioeme* Martins & Napp, 105  
*Sphaerion* Audinet-Serville, 105  
*Sphaerionillum* Bates, 105  
*Sphagoeme* Aurivillius, 145  
*Sphallambyx* Fragoso, 67  
*Sphallenopsis* Fragoso, 68  
*Sphallenum* Bates, 68  
*Sphalloeme* Melzer, 145  
*Sphallonycha* Bates, 306  
*Sphallopterus* Fragoso, 68  
*Sphallotrichus* Fragoso, 68  
*Sphecomorpha* Newman, 166  
*Sphenostethus* Haldeman, 30  
*Spiloprionus* Aurivillius, 17  
*Spinoblesthis* Galileo & Martins, 292  
*Spinoplon* Napp & Martins, 122  
*Spinozotroctes* Tavakilian & Neouze, 244  
*Sporetus* Bates, 225  
*Steinheilina* Lane, 196  
*Steirastoma* Lacordaire, 244  
*Stenaspis* Audinet-Serville, 196  
*Stenelaphus* Linsley, 105  
*Stenelytrana* Gistel, 37  
*Stenobatyle* Casey, 196  
*Stenochariergus* Giesbert & Hovore, 166  
*Stenocorus* Geoffroy, 46  
*Stenodontes* Audinet-Serville, 21  
*Stenoeme* Gounelle, 145  
*Stenoidion* Martins, 135  
*Stenolis* Bates, 226  
*Stenophantes* Burmeister, 153  
*Stenopseustes* Bates, 166  
*Stenorhopalus* Blanchard in Gay, 51  
*Stenosphenus* Haldeman, 105  
*Stenostrophia* Casey, 37  
*Stenygra* Audinet-Serville, 122  
*Stereomerus* Melzer, 289  
*Sternacanthus* Audinet-Serville, 196  
*Sternacutus* Gilmour, 226

*Sternidius* LeConte, 226  
*Sternidocinus* Dillon, 227  
*Sternycha* Dillon & Dillon, 327  
*Stethoperma* Lameere, 330  
*Sthelenus* Buquet, 129  
*Stictoleptura* Casey, 37  
*Stictosomus* Audinet-Serville, 17  
*Stiphilus* Buquet, 196  
*Stizocera* Audinet-Serville, 106  
*Strangalepta* Casey, 37  
*Strangalia* Audinet-Serville, 37  
*Strangalidium* Giesbert, 39  
*Stratone* Thomson, 118  
*Streptolabis* Bates, 196  
*Strioderes* Giorgi, 328  
*Stromatium* Audinet-Serville, 113  
*Strongylaspis* Thomson, 22  
*Strophiona* Casey, 39  
*Stultutragus* Clarke, 166  
*Styliceps* Lacordaire, 88  
*Styloleptoides* Chalumeau, 227  
*Styloleptus* Dillon, 227  
*Styloxus* LeConte, 126  
*Suipinima* Martins & Galileo, 249  
*Sulcommata* Peñaherrera-Leiva & Tavakilian, 166  
*Sulpitus* Dillon & Dillon, 328  
*Susuacanga* Martins, 88  
*Susuanycha* Galileo & Martins, 306  
*Sybaguas* Martins & Galileo, 306  
*Sybilla* Thomson, 55  
*Sybra* Pascoe, 264  
*Sychnomerus* Bates, 245  
*Sydax* Lacordaire, 174  
*Syllitus* Pascoe, 173  
*Sympagus* Bates, 228  
*Symperga* Lacordaire, 264  
*Sympergoides* Lane, 264  
*Sympleurotis* Bates, 274  
*Synaphaeta* Thomson, 309  
*Sypilus* Guérin-Méneville, 5

## T

*Tabatinga* Lane, 307  
*Tacyba* Napp & Martins, 118  
*Taelosilla* Thomson, 289  
*Taeniotes* Audinet-Serville, 314  
*Tamenes* Gounelle, 196  
*Tanyochraethes* Chemsak & Linsley, 76  
*Tapeina* Lepeletier & Audinet-Serville in Latreille, 342  
*Tapuria* Lane, 123  
*Taricanus* Thomson, 328  
*Taurolema* Thomson, 308  
*Taurorcus* Thomson, 245  
*Taygayba* Martins & Galileo, 56  
*Temnopsis* Audinet-Serville, 146  
*Tenthra* Thomson, 228  
*Terpnissa* Bates, 107  
*Tesapeus*, 289  
*Tessarecphora* Thomson, 276

- Tassaropa Haldeman, 127  
 Tetamauara Martins & Galileo, 307  
 Tetanola Bates, 307  
 Tethlimmena Bates, 108  
 Tethystola Thomson, 264  
 Tetraibidion Martins, 123  
 Tetranodus Linell, 176  
 Tetraopes Dalman in Schoenherr, 344  
 Tetraopidion Martins, 138  
 Tetrarpages Thomson, 264  
 Tetrasarus Bates, 245  
 Tetropium Kirby in Richardson, 48  
 Tetroplon Aurivillius, 123  
 Tetrops Stephens, 345  
 Thalusia Thomson, 172  
 Thaumusus Reiche, 178  
 Thecladoris Gounelle, 113  
 Thelgetra Thomson, 154  
 Themistonoe Thomson, 307  
 Thomasella Santos-Silva, Bezark & Martins, 166  
 Thoracibidion Martins, 140  
 Thouvenotiana Peñaherrera-Leiva & Tavakilian, 166  
 Thrichocalydon Bosq, 63  
 Thryallis Thomson, 256  
 Thyellocerus Martins, 151  
 Thyrsia Dalman, 174  
 Tibiosoma Martins & Galileo, 328  
 Tigrinestola Breuning, 289  
 Tilloclytus Bates, 54  
 Tilloglomus Martins, 176  
 Tillomorpha Blanchard in Gay, 177  
 Timabiara Napp & Mermudes, 172  
 Timbaraba Monné & Napp, 56  
 Tippmannia Monné, 113  
 Titanus Audinet-Serville, 29  
 Tobipuranga Napp & Martins, 118  
 Tomentgaurotes Podan, 47  
 Tomopteropsis Peñaherrera-Leiva & Tavakilian, 166  
 Tomopterus Audinet-Serville, 167  
 Tomrogersia Frago, 228  
 Torneucerus Martins & Monné, 178  
 Torneutes Reich, 179  
 Torneutopsis Martins & Monné, 179  
 Toronaeus Bates, 228  
 Touroultia Nearns & Tavakilian, 328  
 Trachelissa Aurivillius, 196  
 Trachyderes (Dendrobias) Dupont in Audinet-Serville, 197  
 Trachyderes (Trachyderes) Dalman in Schoenherr, 197  
 Trachyderomorpha Tippmann, 197  
 Trachysida Casey, 40  
 Trachysomus Audinet-Serville, 328  
 Tragidion Audinet-Serville, 198  
 Tragosoma Audinet-Serville, 25  
 Trestoncideres Martins & Galileo, 328  
 Trestonia Buquet, 328  
 Triacetelus Bates, 198  
 Trichalcidion Monné & Delfino, 229  
 Trichalphus Bates, 229  
 Trichastylopsis Dillon, 229  
 Trichepectasis Breuning, 341  
 Trichestola Breuning, 289  
 Tricheurymerus Zajciw, 90  
 Trichillurges Gilmour, 229  
 Trichoanoreina Julio & Monné, 245  
 Trichocanonura Dillon, 229  
 Trichocnemis LeConte, 17  
 Trichoderes Chevrolat, 25  
 Trichohippopsis Breuning, 253  
 Trichomauesia Dalens, Giuglaris & Tavakilian, 308  
 Trichonius Bates, 229  
 Trichonyssodrys Gilmour, 229  
 Trichoparmenonta Breuning, 264  
 Trichophoroides Linsley, 107  
 Trichoplon Martins, 123  
 Trichotithonus Monné, 229  
 Trichoxys Chevrolat, 76  
 Trichous Chevrolat, 119  
 Trigonarthris Haldeman, 40  
 Trigonopeplus White, 256  
 Triodoclytus Casey, 77  
 Tristachycera Bates, 146  
 Tritania Dillon & Dillon, 329  
 Tropanisopodus Tippmann, 230  
 Tropidion Thomson, 140  
 Tropidocoleus Monne, 230  
 Tropidozineus Monné & Martins, 230  
 Tropimerus Giesbert, 107  
 Trypanidiellus Monné & Delfino, 230  
 Trypanidius Blanchard, 230  
 Tuberastychus Gilmour, 230  
 Tuberolamia Breuning, 332  
 Tuberopeplus Breuning, 333  
 Tuberorachidion Tippmann, 198  
 Tucales Gounelle, 276  
 Tucanti Martins & Galileo, 108  
 Tucumaniella Breuning, 264  
 Tulcoides Martins & Galileo, 329  
 Tulcus Dillon & Dillon, 329  
 Tumiditarsus Zajciw, 88  
 Tybalmia Thomson, 330  
 Tylcus Casey, 77  
 Tylonotus Haldeman, 113  
 Tylosis LeConte, 198  
 Typhlocerus Dillon & Dillon, 330  
 Typocerus LeConte, 40  
 Typophaula Thomson, 264  
 Tyrinthia Bates, 307
- ## U
- Ubytyra Martins & Galileo, 330  
 Ucai Galileo & Martins, 15  
 Udamina Thomson, 292  
 Uirassu Martins & Galileo, 123  
 Ulochaetes LeConte, 52  
 Unabiara Napp & Martins, 119  
 Unachlorus Martins & Galileo, 199  
 Unaiuba, 77

Unaporanga Martins & Galileo, 307  
 Unatara Martins & Napp, 119  
 Uncieburia Martins, 88  
 Unelcus Thomson, 289  
 Unxia Thomson, 200  
 Upindauara Napp & Martins, 81  
 Uracanthus Hope, 200  
 Urangaua Martins & Galileo, 245  
 Urgleptes Dillon, 231  
 Urorcites Thomson, 108

## V

Valenus Casey, 232  
 Vandykea Linsley, 147  
 Venustus Dillon & Dillon, 330  
 Vesperoctenus Bates, 30  
 Vianopolisia Lane, 250  
 Vilchesia Cerda, 114  
 Villiersicometes Santos-Silva, 10  
 Volxemia Lameere, 88

## W

Weyrauchia Tippmann, 199  
 Woytkowskia Lane, 307

## X

Xalitla Lane, 135  
 Xanthoeme Martins, 147  
 Xanthonicias Galileo, 15  
 Xenambyx Bates, 179  
 Xenocallia Galileo & Martins, 269  
 Xenocompsa Martins, 53  
 Xenocona Gilmour, 232  
 Xenocrasis Bates, 167

Xenocrasoides Tavakilian & Peñaherrera-Leiva, 167  
 Xenofrea Bates, 345  
 Xenostylus Bates, 232  
 Xeranoplum Linsley, 114  
 Xestiodion Fragoso, 68  
 Xestoleptura Casey, 41  
 Xixuthrus Thomson, 22  
 Xylergates Bates, 232  
 Xylergatoides Gilmour, 232  
 Xylocaris Dupont in Audinet-Serville, 199  
 Xylocrius LeConte, 63  
 Xylomimus Bates, 330  
 Xylotrechus Chevrolat, 77  
 Xylotribus Audinet-Serville, 256  
 Xystochroma Schmidt, 59  
 Xystrocera Audinet-Serville, 200

## Y

Yapyguara Galileo & Martins, 292  
 Ygapema, 78

## Z

Zagymnus LeConte, 54  
 Zalophia Casey, 199  
 Zamodes LeConte, 114  
 Zaplous LeConte, 336  
 Zathecus Bates, 114  
 Zeale Pascoe, 307  
 Zelliboria Lane, 151  
 Zenicomus Thomson, 269  
 Zenochloris Bates, 199  
 Zikanita Lane, 245  
 Zipoetopsis Breuning, 253  
 Zonotylus Gahan in Grimshaw, 199